Eric A Miska

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4526368/eric-a-miska-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150	28,951	57	170
papers	citations	h-index	g-index
186	32,379 ext. citations	14.2	6.74
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
150	Taming transposable elements in vertebrates: from epigenetic silencing to domestication <i>Trends in Genetics</i> , 2022 ,	8.5	3
149	Translational adaptation to heat stress is mediated by RNA 5-methylcytosine in Caenorhabditis elegans. <i>EMBO Journal</i> , 2021 , 40, e105496	13	9
148	Epigenetic Regulation during Primordial Germ Cell Development and Differentiation. <i>Sexual Development</i> , 2021 , 1-21	1.6	1
147	Transcriptional activity and epigenetic regulation of transposable elements in the symbiotic fungus. <i>Genome Research</i> , 2021 ,	9.7	1
146	Visualizing formation of the active site in the mitochondrial ribosome. <i>ELife</i> , 2021 , 10,	8.9	3
145	Mapping epigenetic divergence in the massive radiation of Lake Malawi cichlid fishes. <i>Nature Communications</i> , 2021 , 12, 5870	17.4	2
144	Intergenerational adaptations to stress are evolutionarily conserved, stress-specific, and have deleterious trade-offs. <i>ELife</i> , 2021 , 10,	8.9	2
143	In vivo structural characterization of the SARS-CoV-2 RNA genome identifies host proteins vulnerable to repurposed drugs. <i>Cell</i> , 2021 , 184, 1865-1883.e20	56.2	61
142	SID-2 negatively regulates development likely independent of nutritional dsRNA uptake. <i>RNA Biology</i> , 2021 , 18, 888-899	4.8	1
141	MicroExonator enables systematic discovery and quantification of microexons across mouse embryonic development. <i>Genome Biology</i> , 2021 , 22, 43	18.3	6
140	Can brain activity transmit transgenerationally?. Current Topics in Developmental Biology, 2021 , 144, 1-1	185.3	1
139	Toward genetic modification of plant-parasitic nematodes: delivery of macromolecules to adults and expression of exogenous mRNA in second stage juveniles. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	5
138	The RNA polymerase II subunit RPB-9 recruits the integrator complex to terminate Caenorhabditis elegans piRNA transcription. <i>EMBO Journal</i> , 2021 , 40, e105565	13	5
137	Single paternal dexamethasone challenge programs offspring metabolism and reveals multiple candidates in RNA-mediated inheritance. <i>IScience</i> , 2021 , 24, 102870	6.1	4
136	Who watches the watchmen? RNAi pathway-derived ribosomal small RNAs burgeon in absence of piRNAs. <i>Developmental Cell</i> , 2021 , 56, 2269-2270	10.2	0
135	The Short- and Long-Range RNA-RNA Interactome of SARS-CoV-2. <i>Molecular Cell</i> , 2020 , 80, 1067-1077.	e 5 17.6	65
134	A Family of Argonaute-Interacting Proteins Gates Nuclear RNAi. <i>Molecular Cell</i> , 2020 , 78, 862-875.e8	17.6	5

133	Widespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods. <i>PLoS Genetics</i> , 2020 , 16, e1008864	6	24
132	Cysteine synthases CYSL-1 and CYSL-2 mediate C. elegans heritable adaptation to P. vranovensis infection. <i>Nature Communications</i> , 2020 , 11, 1741	17.4	27
131	The genome sequence of the channel bull blenny, (Glither, 1861). Wellcome Open Research, 2020 , 5, 148	4.8	3
130	Involvement of circulating factors in the transmission of paternal experiences through the germline. <i>EMBO Journal</i> , 2020 , 39, e104579	13	9
129	High-Throughput Quantitative RT-PCR in Single and Bulk C. elegans Samples Using Nanofluidic Technology. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	7
128	Ancestral Hybridization Facilitated Species Diversification in the Lake Malawi Cichlid Fish Adaptive Radiation. <i>Molecular Biology and Evolution</i> , 2020 , 37, 1100-1113	8.3	41
127	DEPS-1 is required for piRNA-dependent silencing and PIWI condensate organisation in Caenorhabditis elegans. <i>Nature Communications</i> , 2020 , 11, 4242	17.4	5
126	Evolutionary divergence of novel open reading frames in cichlids speciation. <i>Scientific Reports</i> , 2020 , 10, 21570	4.9	2
125	Alterations in sperm long RNA contribute to the epigenetic inheritance of the effects of postnatal trauma. <i>Molecular Psychiatry</i> , 2020 , 25, 2162-2174	15.1	65
124	IIIIIIWidespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods 2020 , 16, e1008864		
123	IIIIIIWidespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods 2020 , 16, e1008864		
122	IIIIIIWidespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods 2020 , 16, e1008864		
121	IIIIIIWidespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods 2020 , 16, e1008864		
120	IIIIIIWidespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods 2020 , 16, e1008864		
119	IIIIIIWidespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods 2020 , 16, e1008864		
118	Mature sperm small-RNA profile in the sparrow: implications for transgenerational effects of age on fitness. <i>Environmental Epigenetics</i> , 2019 , 5, dvz007	2.4	4
117	Sequencing cell-type-specific transcriptomes with SLAM-ITseq. <i>Nature Protocols</i> , 2019 , 14, 2261-2278	18.8	7
116	A Secreted RNA Binding Protein Forms RNA-Stabilizing Granules in the Honeybee Royal Jelly. <i>Molecular Cell</i> , 2019 , 74, 598-608.e6	17.6	23

115	Tissue- and sex-specific small RNAomes reveal sex differences in response to the environment. <i>PLoS Genetics</i> , 2019 , 15, e1007905	6	13
114	NSUN2 introduces 5-methylcytosines in mammalian mitochondrial tRNAs. <i>Nucleic Acids Research</i> , 2019 , 47, 8720-8733	20.1	41
113	Epigenetic remodelling licences adult cholangiocytes for organoid formation and liver regeneration. <i>Nature Cell Biology</i> , 2019 , 21, 1321-1333	23.4	48
112	Identification of functional long non-coding RNAs in C. elegans. <i>BMC Biology</i> , 2019 , 17, 14	7.3	15
111	The USTC co-opts an ancient machinery to drive piRNA transcription in. <i>Genes and Development</i> , 2019 , 33, 90-102	12.6	15
110	Natural Genetic Variation in a Multigenerational Phenotype in C. Lelegans. Current Biology, 2018, 28, 258	8 & 359	6. e/ 8
109	Terminal uridylyltransferases target RNA viruses as part of the innate immune system. <i>Nature Structural and Molecular Biology</i> , 2018 , 25, 778-786	17.6	44
108	Pan-arthropod analysis reveals somatic piRNAs as an ancestral defence against transposable elements. <i>Nature Ecology and Evolution</i> , 2018 , 2, 174-181	12.3	155
107	Whole-genome sequences of Malawi cichlids reveal multiple radiations interconnected by gene flow. <i>Nature Ecology and Evolution</i> , 2018 , 2, 1940-1955	12.3	160
106	COMRADES determines in vivo RNA structures and interactions. <i>Nature Methods</i> , 2018 , 15, 785-788	21.6	80
105	SLAM-ITseq: sequencing cell type-specific transcriptomes without cell sorting. <i>Development</i> (Cambridge), 2018 , 145,	6.6	22
104	Selective inhibitors of trypanosomal uridylyl transferase RET1 establish druggability of RNA post-transcriptional modifications. <i>RNA Biology</i> , 2017 , 14, 611-619	4.8	3
103	2TO-Methyl-5-hydroxymethylcytidine: A Second Oxidative Derivative of 5-Methylcytidine in RNA. <i>Journal of the American Chemical Society</i> , 2017 , 139, 1766-1769	16.4	19
102	Artificial and natural RNA interactions between bacteria and C. elegans. RNA Biology, 2017 , 14, 415-420	4.8	8
101	The Profile and Dynamics of RNA Modifications in Animals. <i>ChemBioChem</i> , 2017 , 18, 979-984	3.8	23
100	A team of heterochromatin factors collaborates with small RNA pathways to combat repetitive elements and germline stress. <i>ELife</i> , 2017 , 6,	8.9	58
99	An Alternative STAT Signaling Pathway Acts in Viral Immunity in. <i>MBio</i> , 2017 , 8,	7.8	26
98	The Helicase Aquarius/EMB-4 Is Required to Overcome Intronic Barriers to Allow Nuclear RNAi Pathways to Heritably Silence Transcription. <i>Developmental Cell</i> , 2017 , 42, 241-255.e6	10.2	42

(2014-2016)

97	tRNA fragments: novel players in intergenerational inheritance. Cell Research, 2016, 26, 395-6	24.7	21
96	Oral transfer of chemical cues, growth proteins and hormones in social insects. <i>ELife</i> , 2016 , 5,	8.9	61
95	Wolbachia Blocks Viral Genome Replication Early in Infection without a Transcriptional Response by the Endosymbiont or Host Small RNA Pathways. <i>PLoS Pathogens</i> , 2016 , 12, e1005536	7.6	63
94	Identification of small molecule inhibitors of the Lin28-mediated blockage of pre-let-7g processing. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 10208-10216	3.9	20
93	Transgenerational inheritance: Models and mechanisms of non-DNA sequence-based inheritance. <i>Science</i> , 2016 , 354, 59-63	33.3	214
92	Formation and abundance of 5-hydroxymethylcytosine in RNA. <i>ChemBioChem</i> , 2015 , 16, 752-5	3.8	109
91	Ancient and novel small RNA pathways compensate for the loss of piRNAs in multiple independent nematode lineages. <i>PLoS Biology</i> , 2015 , 13, e1002061	9.7	87
90	Tertiary siRNAs mediate paramutation in C. elegans. <i>PLoS Genetics</i> , 2015 , 11, e1005078	6	76
89	E. coli OxyS non-coding RNA does not trigger RNAi in C. elegans. <i>Scientific Reports</i> , 2015 , 5, 9597	4.9	12
88	Antiviral RNA Interference against Orsay Virus Is neither Systemic nor Transgenerational in Caenorhabditis elegans. <i>Journal of Virology</i> , 2015 , 89, 12035-46	6.6	33
87	Genomic islands of speciation separate cichlid ecomorphs in an East African crater lake. <i>Science</i> , 2015 , 350, 1493-1498	33.3	204
86	Implication of sperm RNAs in transgenerational inheritance of the effects of early trauma in mice. <i>Nature Neuroscience</i> , 2014 , 17, 667-9	25.5	818
85	Caenorhabditis elegans RSD-2 and RSD-6 promote germ cell immortality by maintaining small interfering RNA populations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4323-31	11.5	27
84	piRNAs: from biogenesis to function. <i>Development (Cambridge)</i> , 2014 , 141, 3458-71	6.6	284
83	Small RNAs break out: the molecular cell biology of mobile small RNAs. <i>Nature Reviews Molecular Cell Biology</i> , 2014 , 15, 525-35	48.7	104
82	The genomic substrate for adaptive radiation in African cichlid fish. <i>Nature</i> , 2014 , 513, 375-381	50.4	656
81	Reduced insulin/IGF-1 signaling restores germ cell immortality to Caenorhabditis elegans Piwi mutants. <i>Cell Reports</i> , 2014 , 7, 762-73	10.6	86
80	Getting a grip on piRNA cluster transcription. <i>Cell</i> , 2014 , 157, 1253-1254	56.2	9

79	Considerations when investigating lncRNA function in vivo. ELife, 2014, 3, e03058	8.9	252
78	PRDE-1 is a nuclear factor essential for the biogenesis of Ruby motif-dependent piRNAs in C. elegans. <i>Genes and Development</i> , 2014 , 28, 783-96	12.6	49
77	Small RNA profiling of Xenopus embryos reveals novel miRNAs and a new class of small RNAs derived from intronic transposable elements. <i>Genome Research</i> , 2014 , 24, 96-106	9.7	16
76	Molecular biology. Is there social RNA?. <i>Science</i> , 2013 , 341, 467-8	33.3	42
75	Antiviral RNA interference in animals: piecing together the evidence. <i>Nature Structural and Molecular Biology</i> , 2013 , 20, 1239-41	17.6	14
74	The shaping and functional consequences of the microRNA landscape in breast cancer. <i>Nature</i> , 2013 , 497, 378-82	50.4	321
73	A study of Caenorhabditis elegans DAF-2 mutants by metabolomics and differential correlation networks. <i>Molecular BioSystems</i> , 2013 , 9, 1632-42		30
72	RNA-binding protein GLD-1/quaking genetically interacts with the mir-35 and the let-7 miRNA pathways in Caenorhabditis elegans. <i>Open Biology</i> , 2013 , 3, 130151	7	14
71	Competition between virus-derived and endogenous small RNAs regulates gene expression in Caenorhabditis elegans. <i>Genome Research</i> , 2013 , 23, 1258-70	9.7	48
70	RNAi pathways in the recognition of foreign RNA: antiviral responses and host-parasite interactions in nematodes. <i>Biochemical Society Transactions</i> , 2013 , 41, 876-80	5.1	20
69	Betaine acts on a ligand-gated ion channel in the nervous system of the nematode C. elegans. <i>Nature Neuroscience</i> , 2013 , 16, 1794-801	25.5	26
68	MiR-210 is induced by Oct-2, regulates B cells, and inhibits autoantibody production. <i>Journal of Immunology</i> , 2013 , 191, 3037-3048	5.3	40
67	A deletion polymorphism in the Caenorhabditis elegans RIG-I homolog disables viral RNA dicing and antiviral immunity. <i>ELife</i> , 2013 , 2, e00994	8.9	111
66	piRNAs can trigger a multigenerational epigenetic memory in the germline of C. elegans. <i>Cell</i> , 2012 , 150, 88-99	56.2	524
65	Identification and Expression Profiling of Small RNA Populations Using High-Throughput Sequencing 2012 , 123-138		
64	Developmental characterization of the microRNA-specific C. elegans Argonautes alg-1 and alg-2. <i>PLoS ONE</i> , 2012 , 7, e33750	3.7	46
63	Function, targets, and evolution of Caenorhabditis elegans piRNAs. <i>Science</i> , 2012 , 337, 574-578	33.3	265
62	Differential impact of the HEN1 homolog HENN-1 on 21U and 26G RNAs in the germline of Caenorhabditis elegans. <i>PLoS Genetics</i> , 2012 , 8, e1002702	6	77

(2008-2012)

61	Post-developmental microRNA expression is required for normal physiology, and regulates aging in parallel to insulin/IGF-1 signaling in C. elegans. <i>Rna</i> , 2012 , 18, 2220-35	5.8	31
60	RIP-chip-SRMa new combinatorial large-scale approach identifies a set of translationally regulated bantam/miR-58 targets in C. elegans. <i>Genome Research</i> , 2012 , 22, 1360-71	9.7	17
59	A LIN28-dependent structural change in pre-let-7g directly inhibits dicer processing. <i>Biochemistry</i> , 2011 , 50, 7514-21	3.2	31
58	Natural and experimental infection of Caenorhabditis nematodes by novel viruses related to nodaviruses. <i>PLoS Biology</i> , 2011 , 9, e1000586	9.7	243
57	A quantitative targeted proteomics approach to validate predicted microRNA targets in C. elegans. <i>Nature Methods</i> , 2010 , 7, 837-42	21.6	71
56	The conserved miR-51 microRNA family is redundantly required for embryonic development and pharynx attachment in Caenorhabditis elegans. <i>Genetics</i> , 2010 , 185, 897-905	4	50
55	The microRNA miR-124 controls gene expression in the sensory nervous system of Caenorhabditis elegans. <i>Nucleic Acids Research</i> , 2010 , 38, 3780-93	20.1	82
54	Genome-wide identification of targets and function of individual MicroRNAs in mouse embryonic stem cells. <i>PLoS Genetics</i> , 2010 , 6, e1001163	6	33
53	The microRNAs of Caenorhabditis elegans. Seminars in Cell and Developmental Biology, 2010, 21, 728-37	7 7.5	32
52	Abundant and dynamically expressed miRNAs, piRNAs, and other small RNAs in the vertebrate Xenopus tropicalis. <i>Genome Research</i> , 2009 , 19, 1766-75	9.7	69
51	Two Piwi proteins, Xiwi and Xili, are expressed in the Xenopus female germline. <i>Rna</i> , 2009 , 15, 337-45	5.8	50
50	LIN-28 and the poly(U) polymerase PUP-2 regulate let-7 microRNA processing in Caenorhabditis elegans. <i>Nature Structural and Molecular Biology</i> , 2009 , 16, 1016-20	17.6	197
49	A comparative metabolomic study of NHR-49 in Caenorhabditis elegans and PPAR-alpha in the mouse. <i>FEBS Letters</i> , 2008 , 582, 1661-6	3.8	55
48	Piwi and piRNAs act upstream of an endogenous siRNA pathway to suppress Tc3 transposon mobility in the Caenorhabditis elegans germline. <i>Molecular Cell</i> , 2008 , 31, 79-90	17.6	311
47	Members of the miRNA-200 family regulate olfactory neurogenesis. <i>Neuron</i> , 2008 , 57, 41-55	13.9	218
46	Functional genomic, computational and proteomic analysis of C. elegans microRNAs. <i>Briefings in Functional Genomics & Proteomics</i> , 2008 , 7, 228-35		6
45	MicroRNA: implications for cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 1-10	5.1	331
44	MicroRNA biogenesis is required for mouse primordial germ cell development and spermatogenesis. <i>PLoS ONE</i> , 2008 , 3, e1738	3.7	356

43	Requirement of bic/microRNA-155 for normal immune function. <i>Science</i> , 2007 , 316, 608-11	33.3	1584
42	Genetic unmasking of an epigenetically silenced microRNA in human cancer cells. <i>Cancer Research</i> , 2007 , 67, 1424-9	10.1	795
41	miRNAs in cancer: approaches, aetiology, diagnostics and therapy. <i>Human Molecular Genetics</i> , 2007 , 16 Spec No 1, R106-13	5.6	153
40	A Slicer-independent role for Argonaute 2 in hematopoiesis and the microRNA pathway. <i>Genes and Development</i> , 2007 , 21, 1999-2004	12.6	277
39	Most Caenorhabditis elegans microRNAs are individually not essential for development or viability. <i>PLoS Genetics</i> , 2007 , 3, e215	6	368
38	microRNA-155 regulates the generation of immunoglobulin class-switched plasma cells. <i>Immunity</i> , 2007 , 27, 847-59	32.3	650
37	MicroRNA expression profiling of human breast cancer identifies new markers of tumor subtype. <i>Genome Biology</i> , 2007 , 8, R214	18.3	742
36	How microRNAs control cell division, differentiation and death. <i>Current Opinion in Genetics and Development</i> , 2005 , 15, 563-8	4.9	684
35	The let-7 MicroRNA family members mir-48, mir-84, and mir-241 function together to regulate developmental timing in Caenorhabditis elegans. <i>Developmental Cell</i> , 2005 , 9, 403-14	10.2	379
34	MicroRNA expression in zebrafish embryonic development. <i>Science</i> , 2005 , 309, 310-1	33.3	1312
33	MicroRNA expression profiles classify human cancers. <i>Nature</i> , 2005 , 435, 834-8	50.4	7870
32	Microarray analysis of microRNA expression in the developing mammalian brain. <i>Genome Biology</i> , 2004 , 5, R68	18.3	630
31	The SUMO E3 ligase RanBP2 promotes modification of the HDAC4 deacetylase. <i>EMBO Journal</i> , 2002 , 21, 2682-91	13	258
30	Acetylation of beta-catenin by CREB-binding protein (CBP). <i>Journal of Biological Chemistry</i> , 2002 , 277, 25562-7	5.4	142
29	Selective recognition of methylated lysine 9 on histone H3 by the HP1 chromo domain. <i>Nature</i> , 2001 , 410, 120-4	50.4	2213
28	Differential localization of HDAC4 orchestrates muscle differentiation. <i>Nucleic Acids Research</i> , 2001 , 29, 3439-47	20.1	106
27	The co-repressor mSin3A is a functional component of the REST-CoREST repressor complex. <i>Journal of Biological Chemistry</i> , 2000 , 275, 9461-7	5.4	184
26	Acetylation of importin-alpha nuclear import factors by CBP/p300. Current Biology, 2000 , 10, 467-70	6.3	162

25	Nuclear receptor corepressors partner with class II histone deacetylases in a Sin3-independent repression pathway. <i>Genes and Development</i> , 2000 , 14, 45-54	237
24	The E7 oncoprotein associates with Mi2 and histone deacetylase activity to promote cell growth. <i>EMBO Journal</i> , 1999 , 18, 2449-58	273
23	MEF-2 function is modified by a novel co-repressor, MITR. <i>EMBO Journal</i> , 1999 , 18, 5085-98	166
22	HDAC4 deacetylase associates with and represses the MEF2 transcription factor. <i>EMBO Journal</i> , 1999 , 18, 5099-107	445
21	Retinoblastoma protein recruits histone deacetylase to repress transcription. <i>Nature</i> , 1998 , 391, 597-6050.4	1092
20	The microRNAs of C. elegans7-21	1
19	Structural features within the NORAD long noncoding RNA underlie efficient repression of Pumilio activity	1
18	The USTC complex co-opts an ancient machinery to drive piRNA transcription in C. elegans	1
17	Identification of functional long non-coding RNAs in C. elegans	1
16	A novel mode of communication between blood and the germline for the inheritance of paternal experiences	5 1
15	A genetic pathway encoding double-stranded RNA transporters and interactors regulates growth and plasticity inCaenorhabditis elegans	2
14	Evolutionary divergence of novel open reading frames in cichlids speciation	1
13	Widespread conservation and lineage-specific diversification of genome-wide DNA methylation patterns across arthropods	3
12	Whole genome sequences of Malawi cichlids reveal multiple radiations interconnected by gene flow	17
11	Translational adaptation to heat stress is mediated by 5-methylcytosine RNA modification inCaenorhabditis elegans	1
10	The short- and long-range RNA-RNA Interactome of SARS-CoV-2	5
9	Mapping epigenetic divergence in the massive radiation of Lake Malawi cichlid fishes	1
8	Terminal uridylyltransferases target RNA viruses as part of the innate immune system in animals	1

7	C. elegans heritably adapts to P. vranovensis infection via a mechanism that requires the cysteine synthases cysl-1 and cysl-2	1
6	Alternative splicing modulation by G-quadruplexes	1
5	Ancestral hybridisation facilitated species diversification in the Lake Malawi cichlid fish adaptive radiation	2
4	An alternative STAT signaling pathway acts in antiviral immunity in Caenorhabditis elegans	1
3	Intergenerational adaptations to stress are evolutionarily conserved, stress-specific, and have deleterious trade-offs	2
2	Epigenetic Divergence during Early Stages of Speciation in an African Crater Lake Cichlid Fish	2
1	Differential use of multiple genetic sex determination systems in divergent ecomorphs of an	1