Rudolf Meier

List of Publications by Citations

Source: https://exaly.com/author-pdf/4527201/rudolf-meier-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158 10,799 45 102 h-index g-index citations papers 6.36 12,893 4.7 177 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
158	Cryptic species as a window on diversity and conservation. <i>Trends in Ecology and Evolution</i> , 2007 , 22, 148-55	10.9	2158
157	SequenceMatrix: concatenation software for the fast assembly of multi-gene datasets with character set and codon information. <i>Cladistics</i> , 2011 , 27, 171-180	3.5	1157
156	DNA barcoding and taxonomy in Diptera: a tale of high intraspecific variability and low identification success. <i>Systematic Biology</i> , 2006 , 55, 715-28	8.4	961
155	Episodic radiations in the fly tree of life. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 5690-5	11.5	549
154	Evolutionary History of the Hymenoptera. <i>Current Biology</i> , 2017 , 27, 1013-1018	6.3	372
153	The use of mean instead of smallest interspecific distances exaggerates the size of the "barcoding gap" and leads to misidentification. <i>Systematic Biology</i> , 2008 , 57, 809-13	8.4	361
152	On the inappropriate use of Kimura-2-parameter (K2P) divergences in the DNA-barcoding literature. <i>Cladistics</i> , 2012 , 28, 190-194	3.5	243
151	Slow mitochondrial COI sequence evolution at the base of the metazoan tree and its implications for DNA barcoding. <i>Journal of Molecular Evolution</i> , 2008 , 66, 167-74	3.1	226
150	Sepsid even-skipped enhancers are functionally conserved in Drosophila despite lack of sequence conservation. <i>PLoS Genetics</i> , 2008 , 4, e1000106	6	221
149	Proximate causes of Rensch's rule: does sexual size dimorphism in arthropods result from sex differences in development time?. <i>American Naturalist</i> , 2007 , 169, 245-57	3.7	192
148	Determining species boundaries in a world full of rarity: singletons, species delimitation methods. <i>Systematic Biology</i> , 2012 , 61, 165-9	8.4	169
147	A phylogenetic analysis of the fungus-growing ants (Hymenoptera: Formicidae: Attini) based on morphological characters of the larvae. <i>Systematic Entomology</i> , 1995 , 20, 337-370	3.4	131
146	Molecular phylogeny of the Calyptratae (Diptera: Cyclorrhapha) with an emphasis on the superfamily Oestroidea and the position of Mystacinobiidae and McAlpine's fly. <i>Systematic Entomology</i> , 2010 , 35, 614-635	3.4	116
145	Ovoviviparity and viviparity in the Diptera. <i>Biological Reviews</i> , 1999 , 74, 199-258	13.5	107
144	Barcoding and border biosecurity: identifying cyprinid fishes in the aquarium trade. <i>PLoS ONE</i> , 2012 , 7, e28381	3.7	104
143	The phylogeny and evolution of host choice in the Hippoboscoidea (Diptera) as reconstructed using four molecular markers. <i>Molecular Phylogenetics and Evolution</i> , 2007 , 45, 111-22	4.1	103
142	Morphological and molecular evidence converge upon a robust phylogeny of the megadiverse Holometabola. <i>Cladistics</i> , 2011 , 27, 341-355	3.5	101

(2016-2010)

141	Cryptic genetic diversity in Widespread Southeast Asian bird species suggests that Philippine avian endemism is gravely underestimated. <i>Biological Conservation</i> , 2010 , 143, 1885-1890	6.2	100
140	Phylogeny of fungus-growing ants (Tribe Attini) based on mtDNA sequence and morphology. <i>Molecular Phylogenetics and Evolution</i> , 1998 , 9, 42-7	4.1	91
139	\$1 DNA barcodes for reconstructing complex phenomes and finding rare species in specimen-rich samples. <i>Cladistics</i> , 2016 , 32, 100-110	3.5	90
138	Comparing the effectiveness of metagenomics and metabarcoding for diet analysis of a leaf-feeding monkey (Pygathrix nemaeus). <i>Molecular Ecology Resources</i> , 2015 , 15, 250-61	8.4	88
137	Significance of Specimen Databases from Taxonomic Revisions for Estimating and Mapping the Global Species Diversity of Invertebrates and Repatriating Reliable Specimen Data. <i>Conservation Biology</i> , 2004 , 18, 478-488	6	88
136	Phylogeny and systematics of Diptera: Two decades of progress and prospects*. <i>Zootaxa</i> , 2007 , 1668, 565-590	0.5	83
135	From <code>dryptic</code> species(to integrative taxonomy: an iterative process involving DNA sequences, morphology, and behaviour leads to the resurrection of Sepsis pyrrhosoma (Sepsidae: Diptera). <i>Zoologica Scripta</i> , 2010 , 39, 51-61	2.5	73
134	Evolution of life history traits in Asian freshwater prawns of the genus Macrobrachium (Crustacea: Decapoda: Palaemonidae) based on multilocus molecular phylogenetic analysis. <i>Molecular Phylogenetics and Evolution</i> , 2009 , 52, 340-50	4.1	71
133	Molecular Phylogenetics and Chronometrics of Tarsiidae Based on 12S mtDNA Haplotypes: Evidence for Miocene Origins of Crown Tarsiers and Numerous Species within the Sulawesian Clade. <i>International Journal of Primatology</i> , 2010 , 31, 1083-1106	2	71
132	Conflict, convergent evolution, and the relative importance of immature and adult characters in endopterygote phylogenetics. <i>Annual Review of Entomology</i> , 2009 , 54, 85-104	21.8	70
131	The phylogenetic relationships among infraorders and superfamilies of Diptera based on morphological evidence. <i>Systematic Entomology</i> , 2013 , 38, 164-179	3.4	69
130	New Guinea highland origin of a widespread arthropod supertramp. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 2359-67	4.4	69
129	A MinIONE based pipeline for fast and cost-effective DNA barcoding. <i>Molecular Ecology Resources</i> , 2018 , 18, 1035	8.4	64
128	The Muscoidea (Diptera: Calyptratae) are paraphyletic: Evidence from four mitochondrial and four nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2008 , 49, 639-52	4.1	63
127	Fecal metagenomics for the simultaneous assessment of diet, parasites, and population genetics of an understudied primate. <i>Frontiers in Zoology</i> , 2016 , 13, 17	2.8	59
126	Nonmicrobial aerobic methane emission from poplar shoot cultures under low-light conditions. <i>New Phytologist</i> , 2009 , 182, 912-918	9.8	57
125	Towards a phylogenetic classification of reef corals: the Indo-Pacific genera Merulina, Goniastrea and Scapophyllia (Scleractinia, Merulinidae). <i>Zoologica Scripta</i> , 2014 , 43, 531-548	2.5	53
124	Next-generation freshwater bioassessment: eDNA metabarcoding with a conserved metazoan primer reveals species-rich and reservoir-specific communities. <i>Royal Society Open Science</i> , 2016 , 3, 160	63:3	53

123	Transcriptome and target DNA enrichment sequence data provide new insights into the phylogeny of vespid wasps (Hymenoptera: Aculeata: Vespidae). <i>Molecular Phylogenetics and Evolution</i> , 2017 , 116, 213-226	4.1	50
122	Unlocking the "Black box": internal female genitalia in Sepsidae (Diptera) evolve fast and are species-specific. <i>BMC Evolutionary Biology</i> , 2010 , 10, 275	3	49
121	Morphology versus molecules: the phylogenetic relationships of Sepsidae (Diptera: Cyclorrhapha) based on morphology and DNA sequence data from ten genes. <i>Cladistics</i> , 2008 , 24, 902-916	3.5	49
120	'Direct PCR' optimization yields a rapid, cost-effective, nondestructive and efficient method for obtaining DNA barcodes without DNA extraction. <i>Molecular Ecology Resources</i> , 2014 , 14, 1271-80	8.4	48
119	An update on DNA barcoding: low species coverage and numerous unidentified sequences. <i>Cladistics</i> , 2012 , 28, 639-644	3.5	48
118	More evidence for pervasive paraphyly in scleractinian corals: systematic study of Southeast Asian Faviidae (Cnidaria; Scleractinia) based on molecular and morphological data. <i>Molecular Phylogenetics and Evolution</i> , 2009 , 50, 102-16	4.1	48
117	Dna Sequences In Taxonomy. Systematics Association Special Volume, 2008, 95-127		48
116	Sorting specimen-rich invertebrate samples with cost-effective NGS barcodes: Validating a reverse workflow for specimen processing. <i>Molecular Ecology Resources</i> , 2018 , 18, 490-501	8.4	47
115	Rensch's rule in insects: patterns among and within species 2007 , 60-70		47
114	Complete tribal sampling reveals basal split in Muscidae (Diptera), confirms saprophagy as ancestral feeding mode, and reveals an evolutionary correlation between instar numbers and carnivory. <i>Molecular Phylogenetics and Evolution</i> , 2014 , 78, 349-64	4.1	45
113	Phylogeography and genetic diversity of a widespread Old World butterfly, Lampides boeticus (Lepidoptera: Lycaenidae). <i>BMC Evolutionary Biology</i> , 2008 , 8, 301	3	45
112	Towards holomorphology in entomology: rapid and cost-effective adult[arva matching using NGS barcodes. <i>Systematic Entomology</i> , 2018 , 43, 678-691	3.4	44
111	From kissing to belly stridulation: comparative analysis reveals surprising diversity, rapid evolution, and much homoplasy in the mating behaviour of 27 species of sepsid flies (Diptera: Sepsidae). Journal of Evolutionary Biology, 2009 , 22, 2146-56	2.3	44
110	Molluscs for Sale: Assessment of Freshwater Gastropods and Bivalves in the Ornamental Pet Trade. <i>PLoS ONE</i> , 2016 , 11, e0161130	3.7	44
109	Rapid, large-scale species discovery in hyperdiverse taxa using 1D MinION sequencing. <i>BMC Biology</i> , 2019 , 17, 96	7:3	44
108	The molecular clockwork of the fire ant Solenopsis invicta. <i>PLoS ONE</i> , 2012 , 7, e45715	3.7	43
107	Testing species richness estimation methods using museum label data on the Danish Asilidae. <i>Biodiversity and Conservation</i> , 2003 , 12, 687-701	3.4	42
106	Homoplasy Slope Ratio: A Better Measurement of Observed Homoplasy in Cladistic Analyses. <i>Systematic Zoology</i> , 1991 , 40, 74		42

(2000-2006)

105	Importance of reservoirs for the conservation of freshwater molluscs in a tropical urban landscape. <i>Biological Conservation</i> , 2006 , 128, 136-146	6.2	41
104	Sensitivity analysis, molecular systematics and natural history evolution of Scathophagidae (Diptera: Cyclorrhapha: Calyptratae) <i>Cladistics</i> , 2007 , 23, 64-83	3.5	38
103	Bending for love: losses and gains of sexual dimorphisms are strictly correlated with changes in the mounting position of sepsid flies (Sepsidae: Diptera). <i>BMC Evolutionary Biology</i> , 2008 , 8, 155	3	36
102	Convergent evolution of eye ultrastructure and divergent evolution of vision-mediated predatory behaviour in jumping spiders. <i>Journal of Evolutionary Biology</i> , 2007 , 20, 1478-89	2.3	36
101	Testing species-richness estimation methods on single-sample collection data using the Danish Diptera. <i>Biodiversity and Conservation</i> , 2003 , 12, 667-686	3.4	36
100	A plea for digital reference collections and other science-based digitization initiatives in taxonomy: Sepsidnet as exemplar. <i>Systematic Entomology</i> , 2013 , 38, 637-644	3.4	35
99	Improved COI barcoding primers for Southeast Asian perching birds (Aves: Passeriformes). <i>Molecular Ecology Resources</i> , 2009 , 9, 37-40	8.4	35
98	Rapid evolution of troglomorphic characters suggests selection rather than neutral mutation as a driver of eye reduction in cave crabs. <i>Biology Letters</i> , 2013 , 9, 20121098	3.6	34
97	Combining molecular and morphological analyses of water strider phylogeny (HemipteraHeteroptera, Gerromorpha): effects of alignment and taxon sampling. <i>Systematic Entomology</i> , 2005 , 30, 289-309	3.4	31
96	Lack of morphological coevolution between male forelegs and female wings in Themira (Sepsidae: Diptera: Insecta). <i>Biological Journal of the Linnean Society</i> , 2008 , 93, 227-238	1.9	30
95	Positive selection in ASPM is correlated with cerebral cortex evolution across primates but not with whole-brain size. <i>Molecular Biology and Evolution</i> , 2008 , 25, 2247-50	8.3	30
94	Phylogenomic analysis of Calyptratae: resolving the phylogenetic relationships within a major radiation of Diptera. <i>Cladistics</i> , 2019 , 35, 605-622	3.5	29
93	A cladistic analysis of Diopsidae (Diptera) based on morphological and DNA sequence data. <i>Insect Systematics and Evolution</i> , 2002 , 33, 325-336	0.6	28
92	Cladistic analysis of the Sepsidae (Cyclorrhapha: Diptera) based on a comparative scanning electron microscopic study of larvae. <i>Systematic Entomology</i> , 1995 , 20, 99-128	3.4	28
91	Out of Borneo: Neogene diversification of Sundaic freshwater crabs (Crustacea: Brachyura: Gecarcinucidae: Parathelphusa). <i>Journal of Biogeography</i> , 2013 , 40, 63-74	4.1	27
90	Evolution of the assassin's arms: insights from a phylogeny of combined transcriptomic and ribosomal DNA data (Heteroptera: Reduvioidea). <i>Scientific Reports</i> , 2016 , 6, 22177	4.9	27
89	Ivermectin sensitivity is an ancient trait affecting all ecdysozoa but shows phylogenetic clustering among sepsid flies. <i>Evolutionary Applications</i> , 2014 , 7, 548-54	4.8	26
88	On the egg morphology and phylogenetic relationships of Diopsidae (Diptera: Schizophora). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2000 , 38, 1-36	1.9	26

87	Does better taxon sampling help? A new phylogenetic hypothesis for Sepsidae (Diptera: Cyclorrhapha) based on 50 new taxa and the same old mitochondrial and nuclear markers. <i>Molecular Phylogenetics and Evolution</i> , 2013 , 69, 153-64	4.1	25
86	Is the COI barcoding gene involved in speciation through intergenomic conflict?. <i>Molecular Phylogenetics and Evolution</i> , 2012 , 62, 1009-12	4.1	25
85	Phylogeny and biogeography of the freshwater crab genus Johora (Crustacea: Brachyura: Potamidae) from the Malay Peninsula, and the origins of its insular fauna. <i>Zoologica Scripta</i> , 2007 , 36, 255-269	2.5	24
84	The Development of Phylogenetic Concepts in Hennig's Early Theoretical Publications (1947-1966). <i>Systematic Biology</i> , 1994 , 43, 212-221	8.4	24
83	A Test and Review of the Empirical Performance of the Ontogenetic Criterion. <i>Systematic Biology</i> , 1997 , 46, 699-721	8.4	22
82	A phylogenetic analysis of Coelopidae (Diptera) based on morphological and DNA sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2002 , 25, 393-407	4.1	22
81	On the use of DNA sequences for determining the species limits of a polymorphic new species in the stink bug genus Halys (Heteroptera: Pentatomidae) from Pakistan. <i>Systematic Entomology</i> , 2006 , 31, 703-710	3.4	21
80	Deciphering the evolutionary history and developmental mechanisms of a complex sexual ornament: the abdominal appendages of Sepsidae (Diptera). <i>Evolution; International Journal of Organic Evolution</i> , 2013 , 67, 1069-80	3.8	20
79	Fauna europaea: Diptera - brachycera. Biodiversity Data Journal, 2015, e4187	1.8	20
78	Longer is Not Always Better: Optimizing Barcode Length for Large-Scale Species Discovery and Identification. <i>Systematic Biology</i> , 2020 , 69, 999-1015	8.4	19
77	Taxonomy: Species can be named from photos. <i>Nature</i> , 2016 , 537, 307	50.4	19
76	Phylogenetic analysis of Themira (Sepsidae: Diptera): sensitivity analysis, alignment, and indel treatment in a multigene study. <i>Cladistics</i> , 2005 , 21, 258-271	3.5	19
75	The skeletomuscular system of the larva of Drosophila melanogaster (Drosophilidae, Diptera): a contribution to the morphology of a model organism. <i>Arthropod Structure and Development</i> , 2013 , 42, 47-68	1.8	18
74	Secondarily reduced foreleg armature in Perochaeta dikowi sp.n. (Diptera: Cyclorrhapha: Sepsidae) due to a novel mounting technique. <i>Systematic Entomology</i> , 2008 , 33, 552-559	3.4	18
73	Kelp flies and species concepts Ithe case of Coelopa frigida (Fabricius, 1805) and C. nebularum Aldrich, 1929 (Diptera: Coelopidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2003 , 41, 127-136	1.9	18
72	MinION sequencing of seafood in Singapore reveals creatively labelled flatfishes, confused roe, pig DNA in squid balls, and phantom crustaceans. <i>Food Control</i> , 2020 , 112, 107144	6.2	16
71	Citation of taxonomic publications: the why, when, what and what not. <i>Systematic Entomology</i> , 2017 , 42, 301-304	3.4	16
70	High haplotype variability in established Asian populations of the invasive Caribbean bivalve Mytilopsis sallei (Dreissenidae). <i>Biological Invasions</i> , 2011 , 13, 341-348	2.7	15

69	The Sepsidae (Diptera) of Europe 2002 ,		15
68	Population density, spatiotemporal use and diet of the leopard cat (Prionailurus bengalensis) in a human-modified succession forest landscape of Singapore. <i>Mammal Research</i> , 2016 , 61, 99-108	1.8	14
67	NGS barcoding reveals high resistance of a hyperdiverse chironomid (Diptera) swamp fauna against invasion from adjacent freshwater reservoirs. <i>Frontiers in Zoology</i> , 2018 , 15, 31	2.8	14
66	The need for specifying species concepts: How many species of silvered langurs (Trachypithecus cristatus group) should be recognized?. <i>Molecular Phylogenetics and Evolution</i> , 2008 , 49, 688-9	4.1	14
65	Diptera Diversity: Status, Challenges and Tools 2009 ,		14
64	The puzzling mitochondrial phylogeography of the black soldier fly (Hermetia illucens), the commercially most important insect protein species. <i>BMC Evolutionary Biology</i> , 2020 , 20, 60	3	14
63	From marine park to future genomic observatory? Enhancing marine biodiversity assessments using a biocode approach. <i>Biodiversity Data Journal</i> , 2019 , 7, e46833	1.8	14
62	Using seemingly unnecessary illustrations to improve the diagnostic usefulness of descriptions in taxonomy-a case study on Perochaeta orientalis (Diptera, Sepsidae). <i>ZooKeys</i> , 2013 , 9-27	1.2	13
61	Beyond the Coral Triangle: high genetic diversity and near panmixia in Singapore's populations of the broadcast spawning sea star. <i>Royal Society Open Science</i> , 2016 , 3, 160253	3.3	13
60	A re-analysis of the data in Sharkey etlal.'s (2021) minimalist revision reveals that BINs do not deserve names, but BOLD Systems needs a stronger commitment to open science. <i>Cladistics</i> , 2021 ,	3.5	13
59	Completing Linnaeus's inventory of the Swedish insect fauna: Only 5,000 species left?. <i>PLoS ONE</i> , 2020 , 15, e0228561	3.7	12
58	Phylogenetic relationships within the genus Staurois (Anura, Ranidae) based on 16S rRNA sequences. <i>Zootaxa</i> , 2011 , 2744, 39	0.5	12
57	New information on the evolution of mating behaviour in Sepsidae (Diptera) and the cost of male copulations in Saltella sphondylii. <i>Organisms Diversity and Evolution</i> , 2011 , 11, 253-261	1.7	12
56	Mitochondrial and nuclear markers support the monophyly of Dolichopodidae and suggest a rapid origin of the subfamilies (Diptera: Empidoidea). <i>Systematic Entomology</i> , 2010 , 35, 59-70	3.4	12
55	A comprehensive assessment of diversity loss in a well-documented tropical insect fauna: Almost half of Singapore's butterfly species extirpated in 160 years. <i>Biological Conservation</i> , 2020 , 242, 108401	6.2	12
54	Global population genetic structure and demographic trajectories of the black soldier fly, Hermetia illucens. <i>BMC Biology</i> , 2021 , 19, 94	7.3	12
53	A phylogenomic analysis of Culicomorpha (Diptera) resolves the relationships among the eight constituent families. <i>Systematic Entomology</i> , 2018 , 43, 434-446	3.4	11
52	Genetic data confirm the species status of Sepsis nigripes Meigen (Diptera: Sepsidae) and adds one species to the Alpine fauna while questioning the synonymy of Sepsis helvetica Munari. Invertebrate Systematics, 2014, 28, 555	1.2	10

51	A comparative SEM study of the eggs of the Sepsidae (Diptera) with a cladistic analysis based on egg, larval and adult characters. <i>Insect Systematics and Evolution</i> , 1995 , 26, 425-438	0.6	10
50	Suggestions for a more precise usage of proper names of taxa Ambiguities related to the stem lineage concept. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 1992 , 30, 81-88	1.9	9
49	MinION barcodes: biodiversity discovery and identification by everyone, for everyone		9
48	Analysing small insect glands with UV-LDI MS: high-resolution spatial analysis reveals the chemical composition and use of the osmeterium secretion in Themira superba (Sepsidae: Diptera). <i>Journal of Evolutionary Biology</i> , 2014 , 27, 1744-50	2.3	8
47	Ovoviviparity and viviparity in the Diptera. <i>Biological Reviews</i> , 2007 , 74, 199-258	13.5	8
46	Boosting natural history research via metagenomic clean-up of crowdsourced feces. <i>PLoS Biology</i> , 2019 , 17, e3000517	9.7	7
45	Hidden in the urban parks of New York City: , a new species of Sepsidae described based on morphology, DNA sequences, mating behavior, and reproductive isolation (Sepsidae, Diptera). <i>ZooKeys</i> , 2017 , 95-111	1.2	7
44	Molecular and anatomical analyses reveal that Peronia verruculata (Gastropoda: Onchidiidae) is a cryptic species complex. <i>Contributions To Zoology</i> , 2018 , 87, 149-165	1.6	7
43	CRISPR/Cas9 deletions in a conserved exon of Distal-less generates gains and losses in a recently acquired morphological novelty in flies. <i>IScience</i> , 2018 , 10, 222-233	6.1	7
42	ONTbarcoder and MinION barcodes aid biodiversity discovery and identification by everyone, for everyone. <i>BMC Biology</i> , 2021 , 19, 217	7-3	7
41	Integrative taxonomy reveals two sympatric species of the genus Eucriotettix Hebard, 1930 (Orthoptera: Tetrigidae). <i>Zootaxa</i> , 2017 , 4268, 377-394	0.5	6
40	Five additions to the list of Sepsidae Diptera for Vietnam: Perochaeta cuirassa sp. n., Perochaeta lobo sp. n., Sepsis spura sp. n., Sepsis sepsi Ozerov, 2003 and Sepsis monostigma Thompson, 1869. <i>ZooKeys</i> , 2010 , 41-56	1.2	6
39	Primate home range and GRIN2A, a receptor gene involved in neuronal plasticity: implications for the evolution of spatial memory. <i>Genes, Brain and Behavior</i> , 2009 , 8, 435-41	3.6	6
38	Homoplasy Slope Ratio: A Better Measurement of Observed Homoplasy in Cladistic Analyses. <i>Systematic Biology</i> , 1991 , 40, 74-88	8.4	6
37	Mimicry diversification in via a genomic inversion in the regulatory region of <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20200443	4.4	6
36	Large-scale Integrative Taxonomy (LIT): resolving the data conundrum for dark taxa		6
35	Evolutionary analysis identifies multiple genome expansions and contractions in Sepsidae (Diptera) and suggests targets for future genomic research. <i>Cladistics</i> , 2016 , 32, 308-316	3.5	6
34	Contribution to understanding the evolution of holometaboly: transformation of internal head structures during the metamorphosis in the green lacewing Chrysopa pallens (Neuroptera: Chrysopidae). <i>BMC Evolutionary Biology</i> , 2020 , 20, 79	3	5

33	A phylogenetic analysis of Sciomyzidae (Diptera) and some related genera. Cladistics, 2013, 29, 404-415	3.5	5
32	The immature stages of Katacamilla cavernicola Papp, the first described for the Camillidae (Diptera: Schizophora), with comparison to other known Ephydroidea larvae, and notes on biology. Journal of Natural History, 2002 , 36, 1105-1128	0.5	5
31	Next-Generation identification tools for Nee Soon freshwater swamp forest, Singapore. <i>The Gardensi Bulletin Singapore</i> , 2018 , 70, 155-173	0.9	5
30	Rapid, large-scale species discovery in hyperdiverse taxa using 1D MinION sequencing		5
29	A re-analysis of the data in Sharkey et al. (2021) minimalist revision reveals that BINs do not deserve names, but BOLD Systems needs a stronger commitment to open science		5
28	When "not extinct" is not good news: conservation in the Sangihe Islands. <i>Conservation Biology</i> , 2007 , 21, 4-5	6	4
27	What cell lineages tell us about the evolution of spiralia remains to be seen. <i>Evolution; International Journal of Organic Evolution</i> , 2002 , 56, 2554-7; discussion 2558-60	3.8	4
26	A Test and Review of the Empirical Performance of the Ontogenetic Criterion		4
25	Beyond Drosophila: resolving the rapid radiation of schizophoran flies with phylotranscriptomics. <i>BMC Biology</i> , 2021 , 19, 23	7.3	4
24	Faecal DNA to the rescue: Shotgun sequencing of non-invasive samples reveals two subspecies of Southeast Asian primates to be Critically Endangered species. <i>Scientific Reports</i> , 2020 , 10, 9396	4.9	3
23	The Insects of Australia: A Textbook for Students and Research Workers, 2nd Edition <i>Systematic Biology</i> , 1993 , 42, 588	8.4	3
22	A MinION-based pipeline for fast and cost-effective DNA barcoding		3
21	Mini-barcodes are equally useful for species identification and more suitable for large-scale species discovery in Metazoa than full-length barcodes		3
20	No evidence for mitochondrial genetic variability in the largest population of critically endangered Tonkin snub-nosed monkeys in Vietnam. <i>Primates</i> , 2016 , 57, 449-53	1.7	3
19	Seeking life in sedimented waters: Environmental DNA from diverse habitat types reveals ecologically significant species in a tropical marine environment. <i>Environmental DNA</i> , 2021 , 3, 654-668	7.6	3
18	HENNIG86 and PAUP are reliable. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 1992 , 30, 239-243	1.9	2
17	Morphology and DNA sequences confirm the first Neotropical record for the Holarctic sepsid species Themira leachi (Meigen) (Diptera: Sepsidae). <i>Zootaxa</i> , 2008 , 1933, 63-65	0.5	2
16	Monophyletic blowflies revealed by phylogenomics. <i>BMC Biology</i> , 2021 , 19, 230	7-3	2

15	DiversityScanner: Robotic discovery of small invertebrates with machine learning methods		2
14	Habitat impacts the abundance and network structure within tick (Acari: Ixodidae) communities on tropical small mammals. <i>Ticks and Tick-borne Diseases</i> , 2021 , 12, 101654	3.6	2
13	Mangroves are an overlooked hotspot of insect diversity despite low plant diversity. <i>BMC Biology</i> , 2021 , 19, 202	7.3	2
12	Roads to isolation: Similar genomic history patterns in two species of freshwater crabs with contrasting environmental tolerances and range sizes. <i>Ecology and Evolution</i> , 2018 , 8, 4657-4668	2.8	1
11	THEMIRA BILOBA ANDERSSON 1975 (DIPTERA: SEPSIDAE), A SPECIES FROM MANHATTAN'S CENTRAL PARK THAT IS NEW TO THE NEARCTIC REGION. <i>Journal of the New York Entomological Society</i> , 2007 , 114, 176-177		1
10	WHAT CELL LINEAGES TELL US ABOUT THE EVOLUTION OF SPIRALIA REMAINS TO BE SEEN. <i>Evolution; International Journal of Organic Evolution</i> , 2002 , 56, 2554	3.8	1
9	The Development of Phylogenetic Concepts in Hennig's Early Theoretical Publications (1947-1966). <i>Systematic Biology</i> , 1994 , 43, 212	8.4	1
8	MinION sequencing of seafood in Singapore reveals creatively labelled flatfishes, confused roe, pig DNA in squid balls, and phantom crustaceans		1
7	Mangroves are an overlooked hotspot of insect diversity despite low plant diversity		1
6	Reproduction in Urbanised Coastal Waters: Shallow-Water Sea Anemones (Entacmaea quadricolor and Stichodactyla haddoni) Maintain High Genetic Diversity and Panmixia. <i>Diversity</i> , 2020 , 12, 467	2.5	O
5	Comparative analysis reveals the complex role of histoblast nest size in the evolution of novel insect abdominal appendages in Sepsidae (Diptera). <i>BMC Evolutionary Biology</i> , 2018 , 18, 151	3	
4	Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? 2020 , 15, e0228	561	
3	Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? 2020 , 15, e0228	561	
2	Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? 2020 , 15, e0228	561	

Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? **2020**, 15, e0228561

10