Julia M Lappin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/452733/publications.pdf

Version: 2024-02-01

121 4,992 38 65
papers citations h-index g-index

125 125 125 125 6584

125 125 125 6584 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. Schizophrenia Bulletin, 2011, 37, 546-553.	2.3	361
2	Depression and anxiety in relation to cancer incidence and mortality: a systematic review and meta-analysis of cohort studies. Molecular Psychiatry, 2020, 25, 1487-1499.	4.1	339
3	Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. Psychological Medicine, 2017, 47, 1981-1989.	2.7	200
4	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. Psychological Medicine, 2014, 44, 2713-2726.	2.7	192
5	Global prevalence and burden of HIV-associated neurocognitive disorder. Neurology, 2020, 95, e2610-e2621.	1.5	172
6	Clinical and social determinants of duration of untreated psychosis in the ÆSOP first-episode psychosis study. British Journal of Psychiatry, 2006, 189, 446-452.	1.7	168
7	The dopaminergic basis of human behaviors: A review of molecular imaging studies. Neuroscience and Biobehavioral Reviews, 2009, 33, 1109-1132.	2.9	150
8	Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó"SOP First-Episode Cohort. Schizophrenia Bulletin, 2015, 41, 664-673.	2.3	128
9	Schizophrenia: From developmental deviance to dopamine dysregulation. European Neuropsychopharmacology, 2008, 18, S129-S134.	0.3	119
10	Reduced mismatch negativity predates the onset of psychosis. Schizophrenia Research, 2012, 134, 42-48.	1.1	119
		1.1	
11	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047.	2.7	116
11	Individualized prediction of illness course at the first psychotic episode: a support vector machine		116
	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047. Economic impact of early intervention in people at high risk of psychosis. Psychological Medicine,	2.7	
12	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047. Economic impact of early intervention in people at high risk of psychosis. Psychological Medicine, 2009, 39, 1617. Stroke and methamphetamine use in young adults: a review. Journal of Neurology, Neurosurgery and	2.7	104
12 13	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047. Economic impact of early intervention in people at high risk of psychosis. Psychological Medicine, 2009, 39, 1617. Stroke and methamphetamine use in young adults: a review. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 1079-1091. Risk factors for schizophrenia â€" All roads lead to dopamine. European Neuropsychopharmacology,	2.7 2.7 0.9	104
12 13 14	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047. Economic impact of early intervention in people at high risk of psychosis. Psychological Medicine, 2009, 39, 1617. Stroke and methamphetamine use in young adults: a review. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 1079-1091. Risk factors for schizophrenia — All roads lead to dopamine. European Neuropsychopharmacology, 2007, 17, S101-S107. Mental health outcomes associated with the use of amphetamines: A systematic review and	2.7 2.7 0.9	104 103 100
12 13 14	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047. Economic impact of early intervention in people at high risk of psychosis. Psychological Medicine, 2009, 39, 1617. Stroke and methamphetamine use in young adults: a review. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 1079-1091. Risk factors for schizophrenia — All roads lead to dopamine. European Neuropsychopharmacology, 2007, 17, S101-S107. Mental health outcomes associated with the use of amphetamines: A systematic review and meta-analysis. EClinicalMedicine, 2019, 16, 81-97. Ten-Year Outcomes of First-Episode Psychoses in the MRC ÆSOP-10 Study. Journal of Nervous and	2.7 2.7 0.9 0.3	104 103 100 91

#	Article	IF	CITATIONS
19	Insight, grey matter and cognitive function in first-onset psychosis. British Journal of Psychiatry, 2010, 197, 141-148.	1.7	87
20	Right and left prefrontal transcranial magnetic stimulation at $1\mathrm{Hz}$ does not affect mood in healthy volunteers. BMC Psychiatry, 2002, 2, 1.	1.1	80
21	Transition of Substance-Induced, Brief, and Atypical Psychoses to Schizophrenia: A Systematic Review and Meta-analysis. Schizophrenia Bulletin, 2020, 46, 505-516.	2.3	79
22	Adversity in childhood linked to elevated striatal dopamine function in adulthood. Schizophrenia Research, 2016, 176, 171-176.	1.1	77
23	Diagnostic change 10 years after a first episode of psychosis. Psychological Medicine, 2015, 45, 2757-2769.	2.7	74
24	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: The ÆSOP-10 study. British Journal of Psychiatry, 2017, 211, 88-94.	1.7	71
25	Duration of untreated psychosis and ethnicity in the ÆSOP first-onset psychosis study. Psychological Medicine, 2006, 36, 239-247.	2.7	64
26	Psychostimulant use and the brain. Addiction, 2019, 114, 2065-2077.	1.7	59
27	Duration of untreated psychosis and neuropsychological function in first episode psychosis. Schizophrenia Research, 2007, 95, 103-110.	1.1	58
28	History of cannabis use is not associated with alterations in striatal dopamine D ₂ /D ₃ receptor availability. Journal of Psychopharmacology, 2012, 26, 144-149.	2.0	57
29	Grey matter abnormalities in Brazilians with first-episode psychosis. British Journal of Psychiatry, 2007, 191, s117-s122.	1.7	55
30	Lack of progression of brain abnormalities in first-episode psychosis: a longitudinal magnetic resonance imaging study. Psychological Medicine, 2011, 41, 1677-1689.	2.7	53
31	Methamphetamine use and future risk for Parkinson's disease: Evidence and clinical implications. Drug and Alcohol Dependence, 2018, 187, 134-140.	1.6	51
32	Characteristics and circumstances of synthetic cannabinoid-related death. Clinical Toxicology, 2020, 58, 368-374.	0.8	50
33	Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. Microbial Biotechnology, 2011, 5, 15-23.	0.9	49
34	Childhood trauma: psychiatry's greatest public health challenge?. Lancet Public Health, The, 2017, 2, e300-e301.	4.7	46
35	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. Neurolmage, 2017, 145, 246-253.	2.1	43
36	Insight in individuals with an At Risk Mental Stateâ ⁻ †. Schizophrenia Research, 2007, 90, 238-244.	1.1	42

#	Article	IF	CITATIONS
37	Dopamine Release in the Human Striatum: Motor and Cognitive Tasks Revisited. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 554-564.	2.4	42
38	Bilateral hippocampal increase following first-episode psychosis is associated with good clinical, functional and cognitive outcomes. Psychological Medicine, 2014, 44, 1279-1291.	2.7	40
39	Neuropsychological functioning in first-episode schizophrenia. British Journal of Psychiatry, 2009, 195, 336-345.	1.7	38
40	Limbic striatal dopamine $D2/3$ receptor availability is associated with non-planning impulsivity in healthy adults after exclusion of potential dissimulators. Psychiatry Research - Neuroimaging, 2012, 202, 60-64.	0.9	38
41	Completed Suicide Among Methamphetamine Users: A National Study. Suicide and Life-Threatening Behavior, 2019, 49, 328-337.	0.9	37
42	Cardio-metabolic risk and its management in a cohort of clozapine-treated outpatients. Schizophrenia Research, 2018, 199, 367-373.	1.1	34
43	Relationship between the duration of methamphetamine use and psychotic symptoms: A two-year prospective cohort study. Drug and Alcohol Dependence, 2018, 187, 363-369.	1.6	33
44	Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. British Journal of Psychiatry, 2007, 191, s123-s127.	1.7	30
45	Acute effect of the anti-addiction drug bupropion on extracellular dopamine concentrations in the human striatum: An [11C]raclopride PET study. Neurolmage, 2010, 50, 260-266.	2.1	29
46	Increased prevalence of self-reported psychotic illness predicted by crystal methamphetamine use: Evidence from a high-risk population. International Journal of Drug Policy, 2016, 38, 16-20.	1.6	27
47	Truth, lies or self-deception? Striatal D2/3 receptor availability predicts individual differences in social conformity. Neurolmage, 2010, 53, 777-781.	2.1	26
48	Examining evidence for neighbourhood variation in the duration of untreated psychosis. Health and Place, 2010, 16, 219-225.	1.5	25
49	Outcomes following first-episode psychosis – Why we should intervene early in all ages, not only in youth. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1055-1063.	1.3	25
50	Clinical Characteristics of Fatal Methamphetamineâ€related Stroke: A National Study. Journal of Forensic Sciences, 2018, 63, 735-739.	0.9	25
51	Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. Schizophrenia Research, 2012, 140, 221-231.	1.1	24
52	MDMA-related deaths in Australia 2000 to 2018. International Journal of Drug Policy, 2020, 76, 102630.	1.6	24
53	Lateral ventricle differences between first-episode schizophrenia and first-episode psychotic bipolar disorder: A population-based morphometric MRI study. World Journal of Biological Psychiatry, 2010, 11, 873-887.	1.3	23
54	Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. Schizophrenia Research, 2016, 176, 417-422.	1.1	23

#	Article	IF	CITATIONS
55	Psychostimulant Use and Fatal Stroke in Young Adults. Journal of Forensic Sciences, 2019, 64, 1421-1426.	0.9	22
56	Neuropsychological function at first episode in treatment-resistant psychosis: findings from the $\tilde{A}\dagger SOP-10$ study. Psychological Medicine, 2019, 49, 2100-2110.	2.7	22
57	Clinical and Autopsy Characteristics of Fatal Methamphetamine Toxicity in Australia. Journal of Forensic Sciences, 2018, 63, 1466-1471.	0.9	21
58	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. Schizophrenia Bulletin, 2021, 47, 118-127.	2.3	20
59	Biological and psychosocial risk factors for psychotic major depression. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 233-245.	1.6	19
60	Characteristics and circumstances of death related to new psychoactive stimulants and hallucinogens in Australia. Drug and Alcohol Dependence, 2019, 204, 107556.	1.6	19
61	Duration of untreated psychosis and pathway to care in <scp>R</scp> iyadh, <scp>S</scp> audi <scp>A</scp> rabia. Microbial Biotechnology, 2017, 11, 47-56.	0.9	18
62	Physical and psychological health of carers of young people with first episode psychosis. Australasian Psychiatry, 2018, 26, 184-188.	0.4	17
63	Fatal Stroke in Pregnancy and the Puerperium. Stroke, 2018, 49, 3050-3053.	1.0	17
64	The effectiveness of the Keeping the Body in Mind Xtend pilot lifestyle program on dietary intake in first-episode psychosis: Two-year outcomes. Obesity Research and Clinical Practice, 2019, 13, 214-216.	0.8	17
65	Women and Stigma: A Protocol for Understanding Intersections of Experience through Body Mapping. International Journal of Environmental Research and Public Health, 2020, 17, 5432.	1.2	17
66	Characteristics and circumstances of death related to gamma hydroxybutyrate (GHB). Clinical Toxicology, 2020, 58, 1028-1033.	0.8	17
67	Methamphetamineâ€related psychosis: an opportunity for assertive intervention and prevention. Addiction, 2017, 112, 927-928.	1.7	16
68	Cardio-metabolic risk in individuals prescribed long-acting injectable antipsychotic medication. Psychiatry Research, 2019, 281, 112606.	1.7	16
69	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. Psychological Medicine, 2020, 50, 1452-1462.	2.7	16
70	Epidemiological Characteristics and Risk Factors of Methamphetamineâ€"Associated Psychotic Symptoms. Frontiers in Psychiatry, 2018, 9, 489.	1.3	15
71	Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. Bipolar Disorders, 2009, 11, 323-329.	1.1	14
72	A Novel Landscape for Understanding Physical and Mental Health: Body Mapping Research with Youth Experiencing Psychosis. Art/Research International, 2018, 3, 236-261.	0.1	14

#	Article	IF	CITATIONS
73	Ambient fine particulate matter is associated with increased emergency ambulance dispatches for psychiatric emergencies. Environmental Research, 2019, 177, 108611.	3.7	14
74	Characteristics of fatal â€~novel' benzodiazepine toxicity in Australia. Forensic Science International, 2022, 331, 111140.	1.3	14
75	Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. Psychological Medicine, 2010, 40, 1137-1147.	2.7	13
76	Is Obesity in Young People With Psychosis a Foregone Conclusion? Markedly Excessive Energy Intake Is Evident Soon After Antipsychotic Initiation. Frontiers in Psychiatry, 2018, 9, 725.	1.3	13
77	Methamphetamine and heightened risk for early-onset stroke and Parkinson's disease: A review. Experimental Neurology, 2021, 343, 113793.	2.0	13
78	â€~Synthetic cannabis': A dangerous misnomer. International Journal of Drug Policy, 2021, 98, 103396.	1.6	13
79	Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. Schizophrenia Research, 2018, 199, 341-345.	1.1	12
80	Sensory gating deficits in the attenuated psychosis syndrome. Schizophrenia Research, 2015, 161, 277-282.	1.1	11
81	Escalating patterns of emergency health care prior to first admission with amphetamine psychosis: A window of opportunity?. Drug and Alcohol Dependence, 2017, 180, 171-177.	1.6	11
82	2-year follow-up: Still keeping the body in mind. Australian and New Zealand Journal of Psychiatry, 2018, 52, 602-603.	1.3	11
83	Prevalence and Characteristics Associated with Chronic Noncancer Pain in Suicide Decedents: A National Study. Suicide and Life-Threatening Behavior, 2020, 50, 778-791.	0.9	11
84	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. Psychological Medicine, 2022, 52, 2641-2650.	2.7	11
85	Prevalence and correlates of food insecurity in community-based individuals with severe mental illness receiving long-acting injectable antipsychotic treatment. British Journal of Nutrition, 2020, 124, 470-477.	1.2	10
86	Study protocol for a systematic review of evidence for lifestyle interventions targeting smoking, sleep, alcohol/other drug use, physical activity, and healthy diet in people with bipolar disorder. Systematic Reviews, 2016, 5, 106.	2.5	9
87	Characteristics and circumstances of death related to the selfâ€administration of ketamine. Addiction, 2021, 116, 339-345.	1.7	9
88	Diagnostic stability and outcome after first episode psychosis. Journal of Mental Health, 2021, 30, 104-112.	1.0	9
89	y-QUIT: Smoking Prevalence, Engagement, and Effectiveness of an Individualized Smoking Cessation Intervention in Youth With Severe Mental Illness. Frontiers in Psychiatry, 2018, 9, 683.	1.3	8
90	Exploring the intersection of human rights, health, disability and refugee status: an arts-based approach. Australian Journal of Human Rights, 2020, 26, 387-404.	0.6	8

#	Article	IF	CITATIONS
91	Characteristics of fatal †novel†synthetic opioid toxicity in Australia. Drug and Alcohol Dependence, 2022, 232, 109292.	1.6	8
92	Body mass index and fatal stroke in young adults: A national study. Journal of Clinical Forensic and Legal Medicine, 2019, 63, 1-6.	0.5	7
93	Characteristics and circumstances of death related to buprenorphine toxicity in Australia. Drug and Alcohol Dependence, 2021, 218, 108360.	1.6	7
94	â€To the Arabic Community Disability Is Not Normal': Multiple Stakeholder Perceptions of the Understandings of Disability among Iraqi and Syrian People from Refugee Backgrounds. Journal of Refugee Studies, 2021, 34, 2849-2870.	1.0	7
95	Amphetamine availability predicts amphetamine-related mental health admissions: A time series analysis. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1050-1056.	1.3	6
96	Circumstances of death of opioid users being treated with naltrexone. Addiction, 2019, 114, 2000-2007.	1.7	6
97	Health of Carers of Young People with Early Psychosis: A Biopsychosocial Approach. Australian Social Work, 2019, 72, 260-273.	0.7	6
98	Trends and characteristics in barbiturate deaths Australia 2000–2019: a national retrospective study. Clinical Toxicology, 2021, 59, 224-230.	0.8	6
99	Electromagnetic stimulation in psychiatry. Advances in Psychiatric Treatment, 2001, 7, 181-188.	0.6	6
100	Methamphetamine. Neurology, 2019, 93, 13-14.	1.5	5
101	Characteristics of fatal gabapentinoid-related poisoning in Australia, 2000–2020. Clinical Toxicology, 2022, 60, 304-310.	0.8	5
102	Depressed mood during pregnancy and after childbirth. BMJ: British Medical Journal, 2001, 323, 1367-1367.	2.4	5
103	Routine screening and related interventions significantly improve the effectiveness of emergency department detection and management of alcohol withdrawal syndrome. EMA - Emergency Medicine Australasia, 2018, 30, 648-653.	0.5	4
104	Coâ€morbid personality disorder in early intervention psychosis clients is associated with greater key worker emotional involvement. Microbial Biotechnology, 2018, 12, 143-152.	0.9	4
105	Targeted Intervention to Reduce Smoking among People with Severe Mental Illness: Implementation of a Smoking Cessation Intervention in an Inpatient Mental Health Setting. Medicina (Lithuania), 2020, 56, 204.	0.8	4
106	A pilot study of a mindfulness informed yoga intervention in young people with psychosis. Microbial Biotechnology, 2022, 16, 1036-1042.	0.9	4
107	First diagnosis of psychosis in the prison: results from a data-linkage study. BJPsych Open, 2019, 5, e89.	0.3	3
108	Detection and intervention in emerging youth mental health issues: Outcomes from the first year of the CASPAR service. Microbial Biotechnology, 2021, 15, 167-173.	0.9	3

#	Article	IF	CITATIONS
109	The health service contact patterns of people with psychotic and non-psychotic forms of severe mental illness in New South Wales, Australia: A record-linkage study. Australian and New Zealand Journal of Psychiatry, 2022, 56, 675-685.	1.3	3
110	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study–ÂCORRIGENDUM. Psychological Medicine, 2014, 44, 2727-2727.	2.7	2
111	Characteristics of fatal tapentadolâ€related toxicity in Australia. Drug and Alcohol Review, 2022, , .	1.1	2
112	Acute tranquilisation in young people with first-episode psychosis: Let's start low, go slow. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1204-1205.	1.3	1
113	Scoping Review of Family Interventions That Support the Physical Health of Caregivers. Research on Social Work Practice, 2021, 31, 234-243.	1.1	1
114	Cognitive improvement among abstinent methamphetamine users: A 2â€year prospective longitudinal study. American Journal on Addictions, 2021, 30, 543-551.	1.3	1
115	Barbiturateâ€related hospitalisations, drug treatment episodes, and deaths in Australia, 2000â€'2018. Medical Journal of Australia, 2021, , .	0.8	1
116	Comorbid substance use in psychosis: Someone else's problem?. Australian and New Zealand Journal of Psychiatry, 2022, 56, 5-7.	1.3	1
117	Foreword: Improved understanding and treatment of schizophrenia. European Neuropsychopharmacology, 2007, 17, v-vi.	0.3	O
118	LONGITUDINAL CHANGES OF STRUCTURAL BRAIN ASYMMETRY IN PSYCHOSIS AND HEALTHY CONTROLS. Schizophrenia Research, 2010, 117, 341-342.	1.1	0
119	Commentary on Petersen et al . (2019): Development of problematic substance use in the years that follow diagnosis of schizophrenia. Addiction, 2019, 114, 2227-2228.	1.7	0
120	Increased barbiturate deaths: an unintended consequence of increased publicity for methods of doâ€itâ€yourself euthanasia?. Addiction, 2021, 116, 3273-3275.	1.7	0
121	Clinical Management of Withdrawal Series. Addiction, 2021, , .	1.7	O