

Sreenivasan Ponnambalam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4527431/publications.pdf>

Version: 2024-02-01

94
papers

3,682
citations

108046

37
h-index

162838

57
g-index

98
all docs

98
docs citations

98
times ranked

6087
citing authors

#	ARTICLE	IF	CITATIONS
1	VEGFR endocytosis: Implications for angiogenesis. <i>Progress in Molecular Biology and Translational Science</i> , 2023, , 109-139.	0.9	1
2	Purification and Analysis of Circulating Lipid Particles. <i>Methods in Molecular Biology</i> , 2022, 2419, 193-212.	0.4	1
3	Affinity purification of fibrinogen using an Affimer column. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2022, 1866, 130115.	1.1	0
4	Monitoring VEGF-Stimulated Calcium Ion Flux in Endothelial Cells. <i>Methods in Molecular Biology</i> , 2022, 2475, 113-124.	0.4	0
5	TDO2 modulates liver cancer cell migration and invasion via the Wnt5a pathway. <i>International Journal of Oncology</i> , 2022, 60, .	1.4	8
6	Fibrinogen interaction with complement C3: a potential therapeutic target to reduce thrombosis risk. <i>Haematologica</i> , 2021, 106, 1616-1623.	1.7	9
7	Prognostic value of members of NFAT family for pan-cancer and a prediction model based on NFAT2 in bladder cancer. <i>Aging</i> , 2021, 13, 13876-13897.	1.4	5
8	Regulation of follistatin-like 3 expression by miR-486-5p modulates gastric cancer cell proliferation, migration and tumor progression. <i>Aging</i> , 2021, 13, 20302-20318.	1.4	9
9	Chemical activation of the Piezo1 channel drives mesenchymal stem cell migration via inducing ATP release and activation of P2 receptor purinergic signaling. <i>Stem Cells</i> , 2020, 38, 410-421.	1.4	60
10	ATF-2 and Tpl2 regulation of endothelial cell cycle progression and apoptosis. <i>Cellular Signalling</i> , 2020, 66, 109481.	1.7	4
11	Scavenger Receptors as Biomarkers and Therapeutic Targets in Cardiovascular Disease. <i>Cells</i> , 2020, 9, 2453.	1.8	9
12	Structural Basis for Vascular Endothelial Growth Factor Receptor Activation and Implications for Disease Therapy. <i>Biomolecules</i> , 2020, 10, 1673.	1.8	43
13	Tpl2 is required for VEGF-A-stimulated signal transduction and endothelial cell function. <i>Biology Open</i> , 2019, 8, .	0.6	5
14	IL-36 β Is a Strong Inducer of IL-23 in Psoriatic Cells and Activates Angiogenesis. <i>Frontiers in Immunology</i> , 2018, 9, 200.	2.2	58
15	Receptor Tyrosine Kinase Ubiquitination and De-Ubiquitination in Signal Transduction and Receptor Trafficking. <i>Cells</i> , 2018, 7, 22.	1.8	43
16	Ubiquitination of basal VEGFR2 regulates signal transduction and endothelial function. <i>Biology Open</i> , 2017, 6, 1404-1415.	0.6	15
17	Affimer proteins are versatile and renewable affinity reagents. <i>ELife</i> , 2017, 6, .	2.8	151
18	VEGF-A isoforms program differential VEGFR2 signal transduction, trafficking and proteolysis. <i>Biology Open</i> , 2016, 5, 571-583.	0.6	43

#	ARTICLE	IF	CITATIONS
19	Extracellular and Luminal pH Regulation by Vacuolar H ⁺ -ATPase Isoform Expression and Targeting to the Plasma Membrane and Endosomes. <i>Journal of Biological Chemistry</i> , 2016, 291, 8500-8515.	1.6	37
20	Sorting Motifs in the Cytoplasmic Tail of the Immunomodulatory E3/49K Protein of Species D Adenoviruses Modulate Cell Surface Expression and Ectodomain Shedding. <i>Journal of Biological Chemistry</i> , 2016, 291, 6796-6812.	1.6	11
21	Purinergic and Store-Operated Ca ²⁺ Signaling Mechanisms in Mesenchymal Stem Cells and Their Roles in ATP-Induced Stimulation of Cell Migration. <i>Stem Cells</i> , 2016, 34, 2102-2114.	1.4	39
22	<sc>VEGFR2</sc> Trafficking, Signaling and Proteolysis is Regulated by the Ubiquitin Isopeptidase <sc>USP8</sc>. <i>Traffic</i> , 2016, 17, 53-65.	1.3	29
23	Receptor Tyrosine Kinase Inhibitors. , 2016, , 3940-3946.		6
24	The cellular response to vascular endothelial growth factors requires co-ordinated signal transduction, trafficking and proteolysis. <i>Bioscience Reports</i> , 2015, 35, .	1.1	50
25	Scavenger Receptor Structure and Function in Health and Disease. <i>Cells</i> , 2015, 4, 178-201.	1.8	267
26	Vascular endothelial growth factors: multitasking functionality in metabolism, health and disease. <i>Journal of Inherited Metabolic Disease</i> , 2015, 38, 753-763.	1.7	44
27	Clinical and Preclinical Use of LOX-1-Specific Antibodies in Diagnostics and Therapeutics. <i>Journal of Cardiovascular Translational Research</i> , 2015, 8, 458-465.	1.1	12
28	VEGF-A isoform-specific regulation of calcium ion flux, transcriptional activation and endothelial cell migration. <i>Biology Open</i> , 2015, 4, 731-742.	0.6	23
29	The Golgi apparatus is a functionally distinct Ca ²⁺ store regulated by the PKA and Epac branches of the I ² ₁ -adrenergic signaling pathway. <i>Science Signaling</i> , 2015, 8, ra101.	1.6	32
30	Detection and Quantification of Vascular Endothelial Growth Factor Receptor Tyrosine Kinases in Primary Human Endothelial Cells. <i>Methods in Molecular Biology</i> , 2015, 1332, 49-65.	0.4	4
31	Receptor tyrosine kinase structure and function in health and disease. <i>AIMS Biophysics</i> , 2015, 2, 476-502.	0.3	12
32	Identification of Receptor Tyrosine Kinase Inhibitors Using Cell Surface Biotinylation and Affinity Isolation. <i>Methods in Molecular Biology</i> , 2015, 1332, 121-131.	0.4	1
33	In Silico Design and Biological Evaluation of a Dual Specificity Kinase Inhibitor Targeting Cell Cycle Progression and Angiogenesis. <i>PLoS ONE</i> , 2014, 9, e110997.	1.1	12
34	Vascular Endothelial Growth Factor A-Stimulated Signaling from Endosomes in Primary Endothelial Cells. <i>Methods in Enzymology</i> , 2014, 535, 265-292.	0.4	17
35	Endosome-to-Plasma Membrane Recycling of VEGFR2 Receptor Tyrosine Kinase Regulates Endothelial Function and Blood Vessel Formation. <i>Cells</i> , 2014, 3, 363-385.	1.8	56
36	The role of lectin-like oxidised low-density lipoprotein receptor-1 in vascular pathology. <i>Diabetes and Vascular Disease Research</i> , 2014, 11, 410-418.	0.9	12

#	ARTICLE	IF	CITATIONS
37	VEGF-A isoforms differentially regulate ATF-2-dependent VCAM-1 gene expression and endothelial-leukocyte interactions. <i>Molecular Biology of the Cell</i> , 2014, 25, 2509-2521.	0.9	35
38	Restoring Akt1 Activity in Outgrowth Endothelial Cells From South Asian Men Rescues Vascular Reparative Potential. <i>Stem Cells</i> , 2014, 32, 2714-2723.	1.4	18
39	A Novel p53 Mutant Found in Iatrogenic Urothelial Cancers Is Dysfunctional and Can Be Rescued by a Second-site Global Suppressor Mutation*. <i>Journal of Biological Chemistry</i> , 2013, 288, 16704-16714.	1.6	13
40	Trafficking of the Menkes copper transporter ATP7A is regulated by clathrin-, AP-2-, AP-1-, and Rab22-dependent steps. <i>Molecular Biology of the Cell</i> , 2013, 24, 1735-1748.	0.9	55
41	A VE-cadherin- β -catenin complex regulates the Golgi localization and activity of cytosolic phospholipase A ₂ in endothelial cells. <i>Molecular Biology of the Cell</i> , 2012, 23, 1783-1796.	0.9	6
42	A biphasic endothelial stress-survival mechanism regulates the cellular response to vascular endothelial growth factor A. <i>Experimental Cell Research</i> , 2012, 318, 2297-2311.	1.2	6
43	A combinatorial <i>in silico</i> and cellular approach to identify a new class of compounds that target VEGFR2 receptor tyrosine kinase activity and angiogenesis. <i>British Journal of Pharmacology</i> , 2012, 166, 737-748.	2.7	31
44	The <i>S</i> 100A6 calcium-binding protein regulates endothelial cell cycle progression and senescence. <i>FEBS Journal</i> , 2012, 279, 4576-4588.	2.2	40
45	Indolinones and anilinothalazines differentially target VEGF- and basic fibroblast growth factor-mediated responses in primary human endothelial cells. <i>British Journal of Pharmacology</i> , 2012, 165, 245-259.	2.7	17
46	A Heat-Shock Protein Axis Regulates VEGFR2 Proteolysis, Blood Vessel Development and Repair. <i>PLoS ONE</i> , 2012, 7, e48539.	1.1	54
47	Hypoxia differentially regulates VEGFR1 and VEGFR2 levels and alters intracellular signaling and cell migration in endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 404, 774-779.	1.0	43
48	The VEGFR2 receptor tyrosine kinase undergoes constitutive endosome-to-plasma membrane recycling. <i>Biochemical and Biophysical Research Communications</i> , 2011, 410, 170-176.	1.0	61
49	Different sorts for different sprouts. <i>Blood</i> , 2011, 118, 490-491.	0.6	0
50	Evolution of the VEGF-Regulated Vascular Network from a Neural Guidance System. <i>Molecular Neurobiology</i> , 2011, 43, 192-206.	1.9	16
51	Ligand-Stimulated VEGFR2 Signaling is Regulated by Coordinated Trafficking and Proteolysis. <i>Traffic</i> , 2010, 11, 161-174.	1.3	124
52	Scavenger Receptors and Their Potential as Therapeutic Targets in the Treatment of Cardiovascular Disease. <i>International Journal of Hypertension</i> , 2010, 2010, 1-21.	0.5	65
53	An integrative model for vascular endothelial growth factor A as a tumour biomarker. <i>Integrative Biology (United Kingdom)</i> , 2010, 2, 397.	0.6	11
54	Rab GTPase Regulation of VEGFR2 Trafficking and Signaling in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1119-1124.	1.1	65

#	ARTICLE	IF	CITATIONS
55	Activation of Cytosolic Phospholipase A2- β as a Novel Mechanism Regulating Endothelial Cell Cycle Progression and Angiogenesis. <i>Journal of Biological Chemistry</i> , 2009, 284, 5784-5796.	1.6	33
56	Biomarkers in Peripheral Arterial Disease. <i>Trends in Cardiovascular Medicine</i> , 2009, 19, 147-151.	2.3	7
57	VEGFR1 receptor tyrosine kinase localization to the Golgi apparatus is calcium-dependent. <i>Experimental Cell Research</i> , 2009, 315, 877-889.	1.2	44
58	The LOX-1 scavenger receptor cytoplasmic domain contains a transplantable endocytic motif. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 269-274.	1.0	9
59	VEGF-A-stimulated signalling in endothelial cells via a dual receptor tyrosine kinase system is dependent on co-ordinated trafficking and proteolysis. <i>Biochemical Society Transactions</i> , 2009, 37, 1193-1197.	1.6	51
60	Deciphering soluble and membrane protein function using yeast systems (Review). <i>Molecular Membrane Biology</i> , 2009, 26, 127-135.	2.0	10
61	Oxidised LDL internalisation by the LOX-1 scavenger receptor is dependent on a novel cytoplasmic motif and is regulated by dynamin-2. <i>Journal of Cell Science</i> , 2008, 121, 2136-2147.	1.2	60
62	The lectin-like oxidized low-density-lipoprotein receptor: a pro-inflammatory factor in vascular disease. <i>Biochemical Journal</i> , 2008, 409, 349-355.	1.7	133
63	The Confluence-dependent Interaction of Cytosolic Phospholipase A2- β with Annexin A1 Regulates Endothelial Cell Prostaglandin E2 Generation. <i>Journal of Biological Chemistry</i> , 2007, 282, 34468-34478.	1.6	53
64	Functional refolding of a recombinant C-type lectin-like domain containing intramolecular disulfide bonds. <i>Protein Expression and Purification</i> , 2007, 52, 415-421.	0.6	12
65	African Swine Fever Virus Causes Microtubule-Dependent Dispersal of the trans-Golgi Network and Slows Delivery of Membrane Protein to the Plasma Membrane. <i>Journal of Virology</i> , 2006, 80, 11385-11392.	1.5	21
66	Cell Biology of Membrane Trafficking in Human Disease. <i>International Review of Cytology</i> , 2006, 252, 1-69.	6.2	47
67	LOX-1 scavenger receptor mediates calcium-dependent recognition of phosphatidylserine and apoptotic cells. <i>Biochemical Journal</i> , 2006, 393, 107-115.	1.7	77
68	Intrinsic Tyrosine Kinase Activity is Required for Vascular Endothelial Growth Factor Receptor 2 Ubiquitination, Sorting and Degradation in Endothelial Cells. <i>Traffic</i> , 2006, 7, 1270-1282.	1.3	165
69	Kir6.2 mutations causing neonatal diabetes prevent endocytosis of ATP-sensitive potassium channels. <i>EMBO Journal</i> , 2006, 25, 4142-4151.	3.5	49
70	Atherosclerosis and the Lectin-like Oxidized Low-Density Lipoprotein Scavenger Receptor. <i>Trends in Cardiovascular Medicine</i> , 2006, 16, 60-64.	2.3	65
71	Cytosolic phospholipase A2- β and cyclooxygenase-2 localize to intracellular membranes of EA.hy.926 endothelial cells that are distinct from the endoplasmic reticulum and the Golgi apparatus. <i>FEBS Journal</i> , 2005, 272, 1278-1290.	2.2	29
72	Biochemistry and cell biology of mammalian scavenger receptors. <i>Atherosclerosis</i> , 2005, 182, 1-15.	0.4	302

#	ARTICLE	IF	CITATIONS
73	Stimulation-dependent recruitment of cytosolic phospholipase A2- β to EA.hy.926 endothelial cell membranes leads to calcium-independent association. FEBS Journal, 2004, 271, 69-77.	0.2	7
74	Endothelial cell confluence regulates Weibel-Palade body formation. Molecular Membrane Biology, 2004, 21, 413-421.	2.0	42
75	Actin and microtubule regulation of Trans-Golgi network architecture, and copper-dependent protein transport to the cell surface. Molecular Membrane Biology, 2004, 21, 59-66.	2.0	22
76	Aberrant trafficking of transmembrane proteins in human disease. Trends in Cell Biology, 2003, 13, 639-647.	3.6	40
77	Constitutive protein secretion from the trans-Golgi network to the plasma membrane (Review). Molecular Membrane Biology, 2003, 20, 129-139.	2.0	64
78	Foreword: Protein secretion and the Golgi apparatus. Molecular Membrane Biology, 2003, 20, 97-98.	2.0	4
79	Association of cPLA2- β and COX-1 with the Golgi apparatus of A549 human lung epithelial cells. Journal of Cell Science, 2003, 116, 2303-2310.	1.2	34
80	The Menkes disease ATPase (ATP7A) is internalized via a Rac1-regulated, clathrin- and caveolae-independent pathway. Human Molecular Genetics, 2003, 12, 1523-1533.	1.4	40
81	Nuclear localisation of cytosolic phospholipase A2- β in the EA.hy.926 human endothelial cell line is proliferation dependent and modulated by phosphorylation. Journal of Cell Science, 2002, 115, 4533-4543.	1.2	29
82	Novel membrane traffic steps regulate the exocytosis of the Menkes disease ATPase. Human Molecular Genetics, 2002, 11, 2855-2866.	1.4	47
83	The trans Golgi Network Is Lost from Cells Infected with African Swine Fever Virus. Journal of Virology, 2001, 75, 11755-11765.	1.5	24
84	Evidence for Prebudding Arrest of ER Export in Animal Cell Mitosis and its Role in Generating Golgi Partitioning Intermediates. Traffic, 2001, 2, 321-335.	1.3	51
85	CHARACTERIZATION AND REGULATION OF CONSTITUTIVE TRANSPORT INTERMEDIATES INVOLVED IN TRAFFICKING FROM THE TRANS-GOLGI NETWORK. Cell Biology International, 2001, 25, 705-713.	1.4	6
86	The Manganese Cation Disrupts Membrane Dynamics along the Secretory Pathway. Experimental Cell Research, 2000, 259, 167-179.	1.2	43
87	Antigen endocytosis and presentation mediated by human membrane IgG1 in the absence of the IgG1/IgG2 dimer. EMBO Journal, 1997, 16, 3842-3850.	3.5	41
88	Protein secretion: Sorting sweet sorting. Current Biology, 1996, 6, 1076-1078.	1.8	13
89	Chromosomal Location and Some Structural Features of Human Clathrin Light-Chain Genes (CLTA and) Tj ETQq1 1 0,784314 rgBT /Over	1.3	12
90	Clathrin light chains: arrays of protein motifs that regulate coated-vesicle dynamics. Trends in Biochemical Sciences, 1991, 16, 208-213.	3.7	87

#	ARTICLE	IF	CITATIONS
91	Studies with the Escherichia coli galactose operon regulatory region carrying a point mutation that simultaneously inactivates the two overlapping promoters Interactions with RNA polymerase and the cyclic AMP receptor protein. FEBS Letters, 1987, 219, 189-196.	1.3	23
92	RNA polymerase molecules initiating transcription at tandem promoters can collide and cause premature transcription termination. FEBS Letters, 1987, 212, 21-27.	1.3	15
93	Binding of Escherichia coli RNA polymerase to a promoter carrying mutations that stop transcription initiation. Journal of Molecular Biology, 1987, 195, 745-748.	2.0	13
94	Mutations that reduce expression from the P2 promoter of the Escherichia coli galactose operon. Gene, 1986, 41, 67-74.	1.0	69