

# Christophe Prieur

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4529053/christophe-prieur-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138  
papers

1,914  
citations

25  
h-index

38  
g-index

146  
ext. papers

2,416  
ext. citations

3.3  
avg, IF

5.85  
L-index

#	Paper	IF	Citations
138	Local output feedback stabilization of a Reaction-Diffusion equation with saturated actuation. <i>IEEE Transactions on Automatic Control</i> , <b>2022</b> , 1-1	5.9	1
137	Proportional Integral Regulation Control of a One-Dimensional Semilinear Wave Equation. <i>SIAM Journal on Control and Optimization</i> , <b>2022</b> , 60, 1-21	1.9	1
136	Leader-Follower Synchronization of a Network of Boundary-Controlled Parabolic Equations With In-Domain Coupling <b>2022</b> , 6, 2006-2011		0
135	Predictor-based output feedback stabilization of an input delayed parabolic PDE with boundary measurement. <i>Automatica</i> , <b>2022</b> , 137, 110115	5.7	3
134	Finite-dimensional observer-based boundary stabilization of reaction-diffusion equations with either a Dirichlet or Neumann boundary measurement. <i>Automatica</i> , <b>2022</b> , 135, 109955	5.7	6
133	Contributions to the Problem of High-Gain Observer Design for Hyperbolic Systems. <i>Lecture Notes in Control and Information Sciences</i> , <b>2022</b> , 109-134	0.5	1
132	Synchronization of Identical Boundary-Actuated Semilinear Infinite-Dimensional Systems <b>2022</b> , 6, 1322-1327		1
131	Output Feedback Stabilization of a Reaction-Diffusion PDE in the Presence of Saturations of the Input and Its Time Derivatives. <i>Advances in Delays and Dynamics</i> , <b>2022</b> , 45-68	0.3	
130	Output feedback stabilization of reaction-diffusion PDEs with a non-collocated boundary condition. <i>Systems and Control Letters</i> , <b>2022</b> , 164, 105238	2.4	0
129	Design of saturated boundary control for hyperbolic systems with in-domain disturbances. <i>Automatica</i> , <b>2022</b> , 142, 110346	5.7	0
128	Finite-dimensional observer-based PI regulation control of a reaction-diffusion equation. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 1-1	5.9	4
127	Stabilization of the Wave Equation by the Mean of a Saturating Dirichlet Feedback. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 442-447	0.7	
126	Velocity Stabilization of a Wave Equation with a Nonlinear Dynamic Boundary Condition. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 1-1	5.9	
125	Optimal observer-based output feedback controller for traffic congestion with bottleneck. <i>International Journal of Robust and Nonlinear Control</i> , <b>2021</b> , 31, 7087-7106	3.6	0
124	High-gain observer for 3-D linear heterodirectional hyperbolic systems. <i>Automatica</i> , <b>2021</b> , 129, 109607	5.7	0
123	PI Regulation of a Reaction-Diffusion Equation With Delayed Boundary Control. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 66, 1573-1587	5.9	11
122	High-Gain Observer Design for Some Semilinear Reaction-Diffusion Systems: A Transformation-Based Approach <b>2021</b> , 5, 629-634		3

121	Local Stabilization of an Unstable Parabolic Equation via Saturated Controls. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 66, 2162-2176	5.9	5
120	Feedback Stabilization of a Class of Diagonal Infinite-Dimensional Systems With Delay Boundary Control. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 66, 105-120	5.9	12
119	Robustness of constant-delay predictor feedback for in-domain stabilization of reaction-diffusion PDEs with time- and spatially-varying input delays. <i>Automatica</i> , <b>2021</b> , 123, 109347	5.7	6
118	Boundary Feedback Stabilization of Freeway Traffic Networks: ISS Control and Experiments. <i>IEEE Transactions on Control Systems Technology</i> , <b>2021</b> , 1-12	4.8	
117	Output Feedback Control of a Cascade System of Linear Korteweg-de Vries Equations. <i>SIAM Journal on Control and Optimization</i> , <b>2021</b> , 59, 2955-2976	1.9	
116	High-Gain Observer Design for a Class of Quasi-Linear Integro-Differential Hyperbolic Systems - Application to an Epidemic Model. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 1-1	5.9	5
115	Parameter Identification of a Linear Wave Equation From Experimental Boundary Data. <i>IEEE Transactions on Control Systems Technology</i> , <b>2021</b> , 29, 2166-2179	4.8	0
114	BiLSTM Network-Based Extended Kalman Filter for Magnetic Field Gradient Aided Indoor Navigation. <i>IEEE Sensors Journal</i> , <b>2021</b> , 1-1	4	0
113	In-domain stabilization of block diagonal infinite-dimensional systems with time-varying input delays. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 1-1	5.9	2
112	Boundary control design for conservation laws in the presence of measurement disturbances. <i>Mathematics of Control, Signals, and Systems</i> , <b>2021</b> , 33, 49-77	1.3	2
111	On L <sup>2</sup> -stabilization of diagonal semilinear hyperbolic systems by saturated boundary control. <i>ESAIM - Control, Optimisation and Calculus of Variations</i> , <b>2020</b> , 26, 23	1	5
110	L <sub>p</sub> -asymptotic stability analysis of a 1D wave equation with a nonlinear damping. <i>Journal of Differential Equations</i> , <b>2020</b> , 269, 8107-8131	2.1	9
109	Robustness of Constant-Delay Predictor Feedback with Respect to Distinct Uncertain Time-Varying Input Delays. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 7677-7682	0.7	2
108	Inertial Velocity Estimation for Indoor Navigation Through Magnetic Gradient-based EKF and LSTM Learning Model <b>2020</b> ,		1
107	Design of Saturated Boundary Control for Hyperbolic Systems. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 5342-5347	0.7	1
106	Neumann trace tracking of a constant reference input for 1-D boundary controlled heat-like equations with delay. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 7716-7721	0.7	
105	Exponential input-to-state stabilization of a class of diagonal boundary control systems with delay boundary control. <i>Systems and Control Letters</i> , <b>2020</b> , 138, 104651	2.4	9
104	Quadratic Optimal Control of Linear Complementarity Systems: First-Order Necessary Conditions and Numerical Analysis. <i>IEEE Transactions on Automatic Control</i> , <b>2020</b> , 65, 2743-2750	5.9	4

103	Singular Perturbation Analysis of a Coupled System Involving the Wave Equation. <i>IEEE Transactions on Automatic Control</i> , <b>2020</b> , 65, 4846-4853	5.9	3
102	Boundary observer design for cascaded ODE $\square$ Hyperbolic PDE systems: A matrix inequalities approach. <i>Automatica</i> , <b>2020</b> , 119, 109027	5.7	1
101	Input-to-State Stability of Infinite-Dimensional Systems: Recent Results and Open Questions. <i>SIAM Review</i> , <b>2020</b> , 62, 529-614	7.4	59
100	Local Proportional-Integral Boundary Feedback Stabilization for Quasilinear Hyperbolic Systems of Balance Laws. <i>SIAM Journal on Control and Optimization</i> , <b>2020</b> , 58, 2143-2170	1.9	1
99	Magnetic Field Gradient-Based EKF for Velocity Estimation in Indoor Navigation. <i>Sensors</i> , <b>2020</b> , 20,	3.8	2
98	Regional Stabilization of Input-Delayed Uncertain Nonlinear Polynomial Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2020</b> , 65, 2300-2307	5.9	2
97	Stability Analysis of Dissipative Systems Subject to Nonlinear Damping via Lyapunov Techniques. <i>IEEE Transactions on Automatic Control</i> , <b>2020</b> , 65, 2139-2146	5.9	9
96	An LMI condition for the robustness of constant-delay linear predictor feedback with respect to uncertain time-varying input delays. <i>Automatica</i> , <b>2019</b> , 109, 108551	5.7	25
95	A Glimpse on Recent Educational Activities in the Nonlinear Control Field. <i>IFAC-PapersOnLine</i> , <b>2019</b> , 52, 196-199	0.7	
94	Robustness to In-Domain Viscous Damping of a Collocated Boundary Adaptive Feedback Law for an Antidamped Boundary Wave PDE. <i>IEEE Transactions on Automatic Control</i> , <b>2019</b> , 64, 3284-3299	5.9	13
93	A Nonsmooth Hybrid Invariance Principle Applied to Robust Event-Triggered Design. <i>IEEE Transactions on Automatic Control</i> , <b>2019</b> , 64, 2061-2068	5.9	19
92	Feedback Stabilization of a 1-D Linear ReactionDiffusion Equation With Delay Boundary Control. <i>IEEE Transactions on Automatic Control</i> , <b>2019</b> , 64, 1415-1425	5.9	49
91	Stability Analysis of a $\text{times}$ Linear Hyperbolic System With a Sampled-Data Controller via Backstepping Method and Looped-Functionals. <i>IEEE Transactions on Automatic Control</i> , <b>2019</b> , 64, 1718-1725	5.9	16
90	Control Law Realification for the Feedback Stabilization of a Class of Diagonal Infinite-Dimensional Systems With Delay Boundary Control <b>2019</b> , 3, 930-935		8
89	Singular Perturbation Approach for Linear Coupled ODE-PDE Systems. <i>Advances in Delays and Dynamics</i> , <b>2019</b> , 3-17	0.3	
88	Stability analysis of a 1D wave equation with a nonmonotone distributed damping. <i>IFAC-PapersOnLine</i> , <b>2019</b> , 52, 36-41	0.7	
87	Design of saturated controls for an unstable parabolic PDE. <i>IFAC-PapersOnLine</i> , <b>2019</b> , 52, 310-315	0.7	1
86	Improving Inertial Velocity Estimation Through Magnetic Field Gradient-based Extended Kalman Filter <b>2019</b> ,		2

85	PI boundary control of linear hyperbolic balance laws with stabilization of ARZ traffic flow models. <i>Systems and Control Letters</i> , <b>2019</b> , 123, 85-91	2.4	25
84	Distributed Control of Coupled Inhomogeneous Diffusion in Tokamak Plasmas. <i>IEEE Transactions on Control Systems Technology</i> , <b>2019</b> , 27, 443-450	4.8	5
83	Enlarging the basin of attraction by a uniting output feedback controller. <i>Automatica</i> , <b>2018</b> , 90, 73-80	5.7	
82	Experimental validation of a Lyapunov-based controller for the plasma safety factor and plasma pressure in the TCV tokamak. <i>Nuclear Fusion</i> , <b>2018</b> , 58, 056011	3.3	8
81	New formulation of predictors for finite-dimensional linear control systems with input delay. <i>Systems and Control Letters</i> , <b>2018</b> , 113, 9-16	2.4	17
80	Boundary feedback control of linear hyperbolic systems: Application to the Saint-VenantExner equations. <i>Automatica</i> , <b>2018</b> , 89, 44-51	5.7	10
79	Event-Based Boundary Control of a Linear $2 \times 2$ Hyperbolic System via Backstepping Approach. <i>IEEE Transactions on Automatic Control</i> , <b>2018</b> , 63, 2686-2693	5.9	33
78	Well-Posedness and Output Regulation for Implicit Time-Varying Evolution Variational Inequalities. <i>SIAM Journal on Control and Optimization</i> , <b>2018</b> , 56, 751-781	1.9	20
77	Local Exponential Stabilization of Semi-Linear Hyperbolic Systems by Means of a Boundary Feedback Control <b>2018</b> , 2, 55-60		7
76	Goal-oriented error estimation for parameter-dependent nonlinear problems. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , <b>2018</b> , 52, 705-728	1.8	
75	Backstepping Control of a Wave PDE With Unstable Source Terms and Dynamic Boundary <b>2018</b> , 2, 459-464		9
74	Boundary Control Design for Linear Conservation Laws in the Presence of Energy-Bounded Measurement Noise <b>2018</b> ,		4
73	Input shaping for infinite dimensional systems with application on oil well drilling <b>2018</b> ,		1
72	High-Gain Observer Design for a Class of Hyperbolic Systems of Balance Laws <b>2018</b> ,		8
71	Analysis and Synthesis of Reset Control Systems. <i>Foundations and Trends in Systems and Control</i> , <b>2018</b> , 6, 117-338	4	9
70	<b>2018</b> ,		5
69	Nonstandard use of anti-windup loop for systems with input backlash. <i>IFAC Journal of Systems and Control</i> , <b>2018</b> , 6, 33-42	0.9	0
68	Regional stability and stabilization of a class of linear hyperbolic systems with nonlinear quadratic dynamic boundary conditions. <i>European Journal of Control</i> , <b>2018</b> , 43, 46-56	2.5	3

67	Necessary and Sufficient Conditions on the Exponential Stability of Positive Hyperbolic Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2017</b> , 62, 3610-3617	5.9	31
66	Global Stabilization of a Korteweg–De Vries Equation With Saturating Distributed Control. <i>SIAM Journal on Control and Optimization</i> , <b>2017</b> , 55, 1452-1480	1.9	25
65	Stability Analysis of Output Feedback Control Systems With a Memory-Based Event-Triggering Mechanism. <i>IEEE Transactions on Automatic Control</i> , <b>2017</b> , 62, 6625-6632	5.9	14
64	Asymptotic Stabilization of Some Finite and Infinite Dimensional Systems by Means of Dynamic Event-Triggered Output Feedbacks. <i>Lecture Notes in Control and Information Sciences</i> , <b>2017</b> , 201-230	0.5	3
63	Cone-bounded feedback laws for m-dissipative operators on Hilbert spaces. <i>Mathematics of Control, Signals, and Systems</i> , <b>2017</b> , 29, 1	1.3	15
62	Stochastic stability of Markov jump hyperbolic systems with application to traffic flow control. <i>Automatica</i> , <b>2017</b> , 86, 29-37	5.7	32
61	Fluid-flow modeling and stability analysis of communication networks. <i>IFAC-PapersOnLine</i> , <b>2017</b> , 50, 4534-4539	0.7	8
60	Effect of time scales on stability of coupled systems involving the wave equation <b>2017</b> ,		3
59	Dynamic boundary control synthesis of coupled PDE-ODEs for communication networks under fluid flow modeling <b>2017</b> ,		1
58	A hybrid scheme for reducing peaking in high-gain observers for a class of nonlinear systems. <i>Automatica</i> , <b>2016</b> , 72, 138-146	5.7	17
57	Observer-based feedback stabilization of linear systems with event-triggered sampling and dynamic quantization. <i>Systems and Control Letters</i> , <b>2016</b> , 94, 46-56	2.4	59
56	Singular Perturbation Approximation of Linear Hyperbolic Systems of Balance Laws. <i>IEEE Transactions on Automatic Control</i> , <b>2016</b> , 61, 3031-3037	5.9	7
55	Wave Equation With Cone-Bounded Control Laws. <i>IEEE Transactions on Automatic Control</i> , <b>2016</b> , 61, 3452-3463	5.9	33
54	Singular perturbation approximation by means of a H2 Lyapunov function for linear hyperbolic systems. <i>Systems and Control Letters</i> , <b>2016</b> , 88, 24-31	2.4	6
53	Observer Design for Unilaterally Constrained Lagrangian Systems: A Passivity-Based Approach. <i>IEEE Transactions on Automatic Control</i> , <b>2016</b> , 61, 2386-2401	5.9	16
52	An optimisation approach for stability analysis and controller synthesis of linear hyperbolic systems. <i>ESAIM - Control, Optimisation and Calculus of Variations</i> , <b>2016</b> , 22, 1236-1263	1	8
51	Backstepping observer based-control for an anti-damped boundary wave PDE in presence of in-domain viscous damping <b>2016</b> ,		10
50	Robustness of an adaptive output feedback for an anti-damped boundary wave PDE in presence of in-domain viscous damping <b>2016</b> ,		6

49	Output memory-based event-triggered control <b>2016</b> ,		3
48	Global stabilization of a Korteweg-de Vries equation with a distributed control saturated in L2-norm. <i>IFAC-PapersOnLine</i> , <b>2016</b> , 49, 122-127	0.7	1
47	Event-based stabilization of linear systems of conservation laws using a dynamic triggering condition. <i>IFAC-PapersOnLine</i> , <b>2016</b> , 49, 362-367	0.7	8
46	Global sensitivity analysis for the boundary control of an open channel. <i>Mathematics of Control, Signals, and Systems</i> , <b>2016</b> , 28, 1	1.3	3
45	LMI-Based Reset $\mathcal{H}_{\infty}$ Design for Linear Continuous-Time Plants. <i>IEEE Transactions on Automatic Control</i> , <b>2016</b> , 61, 4157-4163	5.9	9
44	Event-based control of linear hyperbolic systems of conservation laws. <i>Automatica</i> , <b>2016</b> , 70, 275-287	5.7	58
43	Semi-global stabilization by an output feedback law from a hybrid state controller. <i>Automatica</i> , <b>2016</b> , 74, 90-98	5.7	4
42	LQ-based event-triggered controller co-design for saturated linear systems. <i>Automatica</i> , <b>2016</b> , 74, 47-54	5.7	46
41	A region-dependent gain condition for asymptotic stability. <i>Automatica</i> , <b>2015</b> , 52, 309-316	5.7	3
40	Switching Rules for Stabilization of Linear Systems of Conservation Laws. <i>SIAM Journal on Control and Optimization</i> , <b>2015</b> , 53, 1599-1624	1.9	17
39	Tikhonov theorem for linear hyperbolic systems. <i>Automatica</i> , <b>2015</b> , 57, 1-10	5.7	21
38	Stability notions for a class of nonlinear systems with measure controls. <i>Mathematics of Control, Signals, and Systems</i> , <b>2015</b> , 27, 245-275	1.3	12
37	Fresh Air Fraction Control in Engines Using Dynamic Boundary Stabilization of LPV Hyperbolic Systems. <i>IEEE Transactions on Control Systems Technology</i> , <b>2015</b> , 23, 963-974	4.8	12
36	Event-based controller synthesis by bounding methods. <i>European Journal of Control</i> , <b>2015</b> , 26, 12-21	2.5	5
35	Stability analysis of a singularly perturbed coupled ODE-PDE system <b>2015</b> ,		7
34	Stabilization of a linear Korteweg-de Vries equation with a saturated internal control <b>2015</b> ,		11
33	Event-based stabilizing controller using a state observer <b>2015</b> ,		2
32	Stability Analysis and Stabilization of Systems With Input Backlash. <i>IEEE Transactions on Automatic Control</i> , <b>2014</b> , 59, 488-494	5.9	33



31	Using a high-gain observer for a hybrid output feedback: Finite-time and asymptotic cases for SISO affine systems <b>2014</b> ,		1
30	Stability of Switched Linear Hyperbolic Systems by Lyapunov Techniques. <i>IEEE Transactions on Automatic Control</i> , <b>2014</b> , 59, 2196-2202	5.9	34
29	Well-posedness and stability of a 1D wave equation with saturating distributed input <b>2014</b> ,		7
28	Global sensitivity analysis for the boundary control of an open channel <b>2014</b> ,		1
27	Boundary control synthesis for hyperbolic systems: A singular perturbation approach <b>2014</b> ,		4
26	Stability and Observer Design for Lurik Systems with Multivalued, Nonmonotone, Time-Varying Nonlinearities and State Jumps. <i>SIAM Journal on Control and Optimization</i> , <b>2014</b> , 52, 3639-3672	1.9	36
25	Relaxed Persistent Flow/Jump Conditions for Uniform Global Asymptotic Stability. <i>IEEE Transactions on Automatic Control</i> , <b>2014</b> , 59, 2766-2771	5.9	11
24	Lyapunov-based hybrid loops for stability and performance of continuous-time control systems. <i>Automatica</i> , <b>2013</b> , 49, 577-584	5.7	36
23	Boundary observers for linear and quasi-linear hyperbolic systems with application to flow control. <i>Automatica</i> , <b>2013</b> , 49, 3180-3188	5.7	62
22	Stabilization of linear impulsive systems through a nearly-periodic reset. <i>Nonlinear Analysis: Hybrid Systems</i> , <b>2013</b> , 7, 4-15	4.5	53
21	Using Luenberger observers and dwell-time logic for feedback hybrid loops in continuous-time control systems. <i>International Journal of Robust and Nonlinear Control</i> , <b>2013</b> , 23, 1065-1086	3.6	22
20	Event-triggered algorithms for continuous-time systems based on reachability analysis <b>2013</b> ,		5
19	ISS-Lyapunov functions for time-varying hyperbolic systems of balance laws. <i>Mathematics of Control, Signals, and Systems</i> , <b>2012</b> , 24, 111-134	1.3	98
18	Hybrid high-gain observers without peaking for planar nonlinear systems <b>2012</b> ,		5
17	Event-triggered sampling algorithms based on a Lyapunov function <b>2011</b> ,		25
16	Strict Lyapunov functions for semilinear parabolic partial differential equations. <i>Mathematical Control and Related Fields</i> , <b>2011</b> , 1, 231-250	1.5	76
15	Uniting Two Control Lyapunov Functions for Affine Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2010</b> , 55, 1923-1927	5.9	32
14	Guaranteed stability for nonlinear systems by means of a hybrid loop. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , <b>2010</b> , 43, 72-77		8



13	Stability analysis for linear systems with input backlash through sufficient LMI conditions. <i>Automatica</i> , <b>2010</b> , 46, 1911-1915	5.7	30
12	Boundary Control of Open Channels With Numerical and Experimental Validations. <i>IEEE Transactions on Control Systems Technology</i> , <b>2008</b> , 16, 1252-1264	4.8	65
11	Robust boundary control of systems of conservation laws. <i>Mathematics of Control, Signals, and Systems</i> , <b>2008</b> , 20, 173-197	1.3	85
10	Approximate controllability of a reaction-diffusion system. <i>Systems and Control Letters</i> , <b>2008</b> , 57, 1048-1057	1.4	5
9	Stability analysis for reset systems with input saturation <b>2007</b> ,		15
8	Hybrid Feedback Control and Robust Stabilization of Nonlinear Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2007</b> , 52, 2103-2117	5.9	54
7	Control of a clamped-free beam by a piezoelectric actuator. <i>ESAIM - Control, Optimisation and Calculus of Variations</i> , <b>2006</b> , 12, 545-563	1	9
6	Quasi-Optimal Robust Stabilization of Control Systems. <i>SIAM Journal on Control and Optimization</i> , <b>2006</b> , 45, 1875-1897	1.9	17
5	Stabilization of a 1-D tank containing a fluid modeled by the shallow water equations. <i>Systems and Control Letters</i> , <b>2004</b> , 52, 167-178	2.4	28
4	Uniting Local and Global Controllers with Robustness to Vanishing Noise. <i>Mathematics of Control, Signals, and Systems</i> , <b>2001</b> , 14, 143-172	1.3	68
3	Transport effect of COVID-19 pandemic in France		2
2	Exponential Stability for Hybrid Systems with Saturations 179-212		1
1	Delayed stabilization of the Korteweg-de Vries equation on a star-shaped network. <i>Mathematics of Control, Signals, and Systems</i> , 1	1.3	1