

Adriana Zingone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/452937/publications.pdf>

Version: 2024-02-01

127
papers

12,304
citations

44069
48
h-index

29157
104
g-index

132
all docs

132
docs citations

132
times ranked

11462
citing authors

#	ARTICLE	IF	CITATIONS
1	A robust approach to estimate relative phytoplankton cell abundances from metagenomes. <i>Molecular Ecology Resources</i> , 2023, 23, 16-40.	4.8	29
2	Temporal changes of genetic structure and diversity in a marine diatom genus discovered via metabarcoding. <i>Environmental DNA</i> , 2022, 4, 763-775.	5.8	16
3	Photoperiod-driven rhythms reveal multi-decadal stability of phytoplankton communities in a highly fluctuating coastal environment. <i>Scientific Reports</i> , 2022, 12, 3908.	3.3	10
4	Toxic marine microalgae and noxious blooms in the Mediterranean Sea: A contribution to the Global HAB Status Report. <i>Harmful Algae</i> , 2021, 102, 101843.	4.8	79
5	Global harmful algal bloom status reporting. <i>Harmful Algae</i> , 2021, 102, 101992.	4.8	74
6	Metazoan diversity and seasonality through eDNA metabarcoding at a Mediterranean long-term ecological research site. <i>ICES Journal of Marine Science</i> , 2021, 78, 3303-3316.	2.5	19
7	Perceived global increase in algal blooms is attributable to intensified monitoring and emerging bloom impacts. <i>Communications Earth & Environment</i> , 2021, 2, .	6.8	185
8	Novel heterococcolithophores, holococcolithophores and life cycle combinations from the families Syracosphaeraceae and Papposphaeraceae and the genus <i>Florisphaera</i>. <i>Journal of Micropalaeontology</i> , 2021, 40, 75-99.	3.6	4
9	The Mediterranean Sea we want. <i>Ocean and Coastal Research</i> , 2021, 69, .	0.6	5
10	Large scale patterns of marine diatom richness: Drivers and trends in a changing ocean. <i>Global Ecology and Biogeography</i> , 2020, 29, 1915-1928.	5.8	26
11	Genome-enabled phylogenetic and functional reconstruction of an araphid pennate diatom <i>Plagiostrigata</i> sp. CCMP470, previously assigned as a radial centric diatom, and its bacterial commensal. <i>Scientific Reports</i> , 2020, 10, 9449.	3.3	25
12	Species detection and delineation in the marine planktonic diatoms <sc><i>Chaetoceros</i></sc> and <sc><i>Bacteriastrum</i></sc> through metabarcoding: making biological sense of haplotype diversity. <i>Environmental Microbiology</i> , 2020, 22, 1917-1929.	3.8	15
13	Intraspecific Diversity in the Cold Stress Response of Transposable Elements in the Diatom <i>Leptocylindrus aporus</i> . <i>Genes</i> , 2020, 11, 9.	2.4	16
14	Do plankton reflect the environmental quality status? The case of a post-industrial Mediterranean Bay. <i>Marine Environmental Research</i> , 2020, 160, 104980.	2.5	24
15	Global Trends in Marine Plankton Diversity across Kingdoms of Life. <i>Cell</i> , 2019, 179, 1084-1097.e21.	28.9	271
16	An Integrated Approach to Coastal and Biological Observations. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	11
17	ILTER – The International Long-Term Ecological Research Network as a Platform for Global Coastal and Ocean Observation. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	31
18	Occurrence of Ostreopsis in two temperate coastal bays (SW Iberia): Insights from the plankton. <i>Harmful Algae</i> , 2019, 86, 20-36.	4.8	19

#	ARTICLE	IF	CITATIONS
19	Community-Level Responses to Iron Availability in Open Ocean Plankton Ecosystems. <i>Global Biogeochemical Cycles</i> , 2019, 33, 391-419.	4.9	76
20	Habitat Heterogeneity and Connectivity: Effects on the Planktonic Protist Community Structure at Two Adjacent Coastal Sites (the Lagoon and the Gulf of Venice, Northern Adriatic Sea, Italy) Revealed by Metabarcoding. <i>Frontiers in Microbiology</i> , 2019, 10, 2736.	3.5	18
21	Biological Effects of the Azaspiracid-Producing Dinoflagellate <i>Azadinium dexteroporum</i> in <i>Mytilus galloprovincialis</i> from the Mediterranean Sea. <i>Marine Drugs</i> , 2019, 17, 595.	4.6	15
22	The epibiotic life of the cosmopolitan diatom <i>< i>Fragilaropsis doliolus</i></i> on heterotrophic ciliates in the open ocean. <i>ISME Journal</i> , 2018, 12, 1094-1108.	9.8	26
23	Plankton dynamics across the freshwater, transitional and marine research sites of the LTER-Italy Network. Patterns, fluctuations, drivers. <i>Science of the Total Environment</i> , 2018, 627, 373-387.	8.0	51
24	Biotic and environmental stress induces nitration and changes in structure and function of the sea urchin major yolk protein toposome. <i>Scientific Reports</i> , 2018, 8, 4610.	3.3	13
25	Comparison of coastal phytoplankton composition estimated from the V4 and V9 regions of the 18S rRNA gene with a focus on photosynthetic groups and especially Chlorophyta. <i>Environmental Microbiology</i> , 2018, 20, 506-520.	3.8	101
26	Diatom diversity through HTS-metabarcoding in coastal European seas. <i>Scientific Reports</i> , 2018, 8, 18059.	3.3	48
27	Molecular analyses of protists in long-term observation programmes—current status and future perspectives. <i>Journal of Plankton Research</i> , 2018, 40, 519-536.	1.8	47
28	<i>< i>Gonyaulax hyalina</i></i> and <i>< i>Gonyaulax fragilis</i></i> (Dinoflagellata), two names associated with “mare sporco”™, indicate the same species. <i>Phycologia</i> , 2018, 57, 453-464.	1.4	12
29	Spring-time dynamics of diatom communities in landfast and underlying platelet ice in Terra Nova Bay, Ross Sea, Antarctica. <i>Journal of Marine Systems</i> , 2017, 166, 26-36.	2.1	21
30	Mediterranean <i>Azadinium dexteroporum</i> (Dinophyceae) produces six novel azaspiracids and azaspiracid-35: a structural study by a multi-platform mass spectrometry approach. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 1121-1134.	3.7	50
31	A thesaurus for phytoplankton trait-based approaches: Development and applicability. <i>Ecological Informatics</i> , 2017, 42, 129-138.	5.2	10
32	Diversity and temporal patterns of planktonic protist assemblages at a Mediterranean Long Term Ecological Research site. <i>FEMS Microbiology Ecology</i> , 2017, 93, fw200.	2.7	173
33	Disentangling physical and biological drivers of phytoplankton dynamics in a coastal system. <i>Scientific Reports</i> , 2017, 7, 15868.	3.3	47
34	Diatom flagellar genes and their expression during sexual reproduction in <i>Leptocylindrus danicus</i> . <i>BMC Genomics</i> , 2017, 18, 813.	2.8	12
35	Harmful Algal Blooms in Benthic Systems: Recent Progress and Future Research. <i>Oceanography</i> , 2017, 30, 36-45.	1.0	76
36	Diatom Resting Stages in Surface Sediments: A Pilot Study Comparing Next Generation Sequencing and Serial Dilution Cultures. <i>Cryptogamie, Algologie</i> , 2017, 38, 31-46.	0.9	28

#	ARTICLE	IF	CITATIONS
37	Insights into global diatom distribution and diversity in the world's ocean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E1516-25.	7.1	561
38	Subtle reproductive impairment through nitric oxide-mediated mechanisms in sea urchins from an area affected by harmful algal blooms. <i>Scientific Reports</i> , 2016, 6, 26086.	3.3	27
39	Benthic protists: the undercharted majority. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiw120.	2.7	94
40	Ecosystem vulnerability to alien and invasive species: a case study on marine habitats along the Italian coast. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 392-409.	2.0	55
41	Marine protist diversity in European coastal waters and sediments as revealed by high-throughput sequencing. <i>Environmental Microbiology</i> , 2015, 17, 4035-4049.	3.8	384
42	PhytoREF: a reference database of the plastidial 16S rRNA gene of photosynthetic eukaryotes with curated taxonomy. <i>Molecular Ecology Resources</i> , 2015, 15, 1435-1445.	4.8	198
43	Eukaryotic plankton diversity in the sunlit ocean. <i>Science</i> , 2015, 348, 1261605.	12.6	1,551
44	Environmental characteristics of Agulhas rings affect interocean plankton transport. <i>Science</i> , 2015, 348, 1261447.	12.6	158
45	Aptamers are an innovative and promising tool for phytoplankton taxonomy and biodiversity research. <i>Chemistry and Ecology</i> , 2015, 31, 92-103.	1.6	5
46	Diversity and temporal pattern of Pseudo-nitzschia species (Bacillariophyceae) through the molecular lens. <i>Harmful Algae</i> , 2015, 42, 15-24.	4.8	59
47	The ocean sampling day consortium. <i>GigaScience</i> , 2015, 4, 27.	6.4	185
48	Increasing the quality, comparability and accessibility of phytoplankton species composition time-series data. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 162, 151-160.	2.1	35
49	Cell volumes of marine phytoplankton from globally distributed coastal data sets. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 162, 130-142.	2.1	52
50	Estimating time series phytoplankton carbon biomass: Inter-lab comparison of species identification and comparison of volume-to-carbon scaling ratios. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 162, 143-150.	2.1	27
51	Quantitative histopathology of the Mediterranean mussel (<i>Mytilus galloprovincialis</i> L.) exposed to the harmful dinoflagellate <i>Ostreopsis cf. ovata</i> . <i>Journal of Invertebrate Pathology</i> , 2015, 127, 130-140.	3.2	37
52	The green-blue swing: plasticity of plankton foodwebs in response to coastal oceanographic dynamics. <i>Marine Ecology</i> , 2015, 36, 1155-1170.	1.1	35
53	Oxylipin Diversity in the Diatom Family Leptocylindraceae Reveals DHA Derivatives in Marine Diatoms. <i>Marine Drugs</i> , 2014, 12, 368-384.	4.6	32
54	The Marine Microbial Eukaryote Transcriptome Sequencing Project (MMETSP): Illuminating the Functional Diversity of Eukaryotic Life in the Oceans through Transcriptome Sequencing. <i>PLoS Biology</i> , 2014, 12, e1001889.	5.6	885

#	ARTICLE	IF	CITATIONS
55	The founding charter of the Genomic Observatories Network. <i>GigaScience</i> , 2014, 3, 2.	6.4	51
56	Ultrastructural Features of the Benthic Dinoflagellate <i>Ostreopsis cf. ovata</i> (Dinophyceae). <i>Protist</i> , 2014, 165, 260-274.	1.5	30
57	Patterns of Rare and Abundant Marine Microbial Eukaryotes. <i>Current Biology</i> , 2014, 24, 813-821.	3.9	450
58	Placing Environmental Next-Generation Sequencing Amplicons from Microbial Eukaryotes into a Phylogenetic Context. <i>Molecular Biology and Evolution</i> , 2014, 31, 993-1009.	8.9	97
59	Population dynamics of red tide dinoflagellates. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 101, 231-236.	1.4	17
60	Assessment of Species Diversity and Distribution of an Ancient Diatom Lineage Using a DNA Metabarcoding Approach. <i>PLoS ONE</i> , 2014, 9, e103810.	2.5	39
61	A reappraisal of the genus <i>L</i> < / > <i>eptocylindrus</i> < / > (<i>B</i> < / > <i>acillariophyta</i>), with the addition of three species and the erection of <i>T</i> < / > <i>enuicylindrus</i> < / > gen. nov. <i>Journal of Phycology</i> , 2013, 49, 917-936.	2.3	39
62	A new potentially toxic <i>A</i> < / > <i>zadinium</i> < / > species (<i>D</i> < / > <i>inophyceae</i>) from the <i>Mediterranean Sea</i> , <i>A</i> < / > <i>Adexteroporum</i> < / > sp. nov.. <i>Journal of Phycology</i> , 2013, 49, 950-966.	2.3	67
63	Green and golden seaweed tides on the rise. <i>Nature</i> , 2013, 504, 84-88.	27.8	633
64	Molecular identification of <i>Ostreopsis cf. ovata</i> in filter feeders and putative predators. <i>Harmful Algae</i> , 2013, 21-22, 20-29.	4.8	15
65	Phylogeny and morphology of a <i>Chattonella</i> < / > (Raphidophyceae) species from the Mediterranean Sea: what is <i>C. subsalsa</i> < / >?. <i>European Journal of Phycology</i> , 2013, 48, 79-92.	2.0	31
66	Diversity and germination patterns of diatom resting stages at a coastal Mediterranean site. <i>Marine Ecology - Progress Series</i> , 2013, 484, 79-95.	1.9	53
67	Growth and toxicity responses of Mediterranean <i>Ostreopsis cf. ovata</i> to seasonal irradiance and temperature conditions. <i>Harmful Algae</i> , 2012, 17, 25-34.	4.8	60
68	Filament formation and evolution in buoyant coastal waters: Observation and modelling. <i>Progress in Oceanography</i> , 2012, 106, 118-137.	3.2	37
69	Metabolic fingerprinting reveals differences between northern and southern strains of the cryptic diatom <i>Chaetoceros socialis</i> < / >. <i>European Journal of Phycology</i> , 2012, 47, 480-489.	2.0	23
70	Harmful Algae in Benthic Systems: A GEOHAB Core Research Program. <i>Cryptogamie, Algologie</i> , 2012, 33, 225-230.	0.9	11
71	Functional diversity in cryptic species of <i>Chaetoceros socialis</i> Lauder (Bacillariophyceae). <i>Journal of Plankton Research</i> , 2012, 34, 416-431.	1.8	58
72	Alien species in the Mediterranean Sea by 2010. A contribution to the application of European Unionâ€™s Marine Strategy Framework Directive (MSFD). Part I. Spatial distribution. <i>Mediterranean Marine Science</i> , 2012, 11, 381.	1.6	392

#	ARTICLE	IF	CITATIONS
73	A Holistic Approach to Marine Eco-Systems Biology. PLoS Biology, 2011, 9, e1001177.	5.6	353
74	Morphological characterization of <i>Phaeocystis antarctica</i> (Prymnesiophyceae). Phycologia, 2011, 50, 650-660.	1.4	18
75	Phytoplankton diversity during the spring bloom in the northwestern Mediterranean Sea. Botanica Marina, 2011, 54, .	1.2	35
76	The importance and distinctiveness of small-sized phytoplankton in the Magellan Straits. Polar Biology, 2011, 34, 1269-1284.	1.2	24
77	Coastal Phytoplankton Do Not Rest in Winter. Estuaries and Coasts, 2010, 33, 342-361.	2.2	61
78	Multiscale Variability of Twenty-Two Coastal Phytoplankton Time Series: a Global Scale Comparison. Estuaries and Coasts, 2010, 33, 224-229.	2.2	64
79	Plankton in the open Mediterranean Sea: a review. Biogeosciences, 2010, 7, 1543-1586.	3.3	494
80	The time for sex: A biennial life cycle in a marine planktonic diatom. Limnology and Oceanography, 2010, 55, 106-114.	3.1	94
81	New palytoxin-like molecules in Mediterranean <i>Ostreopsis cf. ovata</i> (dinoflagellates) and in <i>Palythoa tuberculosa</i> detected by liquid chromatography-electrospray ionization time-of-flight mass spectrometry. Toxicon, 2010, 56, 1381-1387.	1.6	86
82	A massive and simultaneous sex event of two <i>Pseudo-nitzschia</i> species. Deep-Sea Research Part II: Topical Studies in Oceanography, 2010, 57, 248-255.	1.4	42
83	First observations of heterococcolithophoreâ€“holococcolithophore life cycle combinations in the family Pontosphaeraceae (Calcihaptophycideae, Haptophyta). Marine Micropaleontology, 2009, 71, 20-27.	1.2	19
84	The role of platelet ice microalgae in seeding phytoplankton blooms in Terra Nova Bay (Ross Sea,) Tj ETQq0 0 0 rgBT _{1.2} /Overlock ₃₅ 10 Tf 50		
85	Unarmoured and thin-walled dinoflagellates from the Gulf of Naples, with the description of <i>Woloszynskia cincta</i> sp. nov. (Dinophyceae, Suessiales). Phycologia, 2009, 48, 44-65.	1.4	71
86	Phytoplankton biodiversity and NW Mediterranean Sea warming: changes in the dinoflagellate genus <i>Ceratium</i> in the 20th century. Marine Ecology - Progress Series, 2009, 375, 85-99.	1.9	28
87	Global Diversity and Biogeography of <i>Skeletonema</i> Species (Bacillariophyta). Protist, 2008, 159, 177-193.	1.5	231
88	Genetic diversity of eukaryotic ultraphytoplankton in the Gulf of Naples during an annual cycle. Aquatic Microbial Ecology, 2007, 50, 75-89.	1.8	75
89	A taxonomic review of the genus <i>Phaeocystis</i> . , 2007, , 3-18.	4	
90	Identifying <i>Pseudo-nitzschia</i> species in natural samples using genus-specific PCR primers and clone libraries. Harmful Algae, 2007, 6, 849-860.	4.8	64

#	ARTICLE	IF	CITATIONS
91	DIVERSITY IN THE GENUS <i>SKELETONEMA</i> (BACILLARIOPHYCEAE): III. PHYLOGENETIC POSITION AND MORPHOLOGICAL VARIABILITY OF <i>SKELETONEMA COSTATUM</i> AND <i>SKELETONEMA GREVILLEI</i> , WITH THE DESCRIPTION OF <i>SKELETONEMA ARDENNSP.</i> NOV.. <i>Journal of Phycology</i> , 2007, 43, 156-170.	2.3	116
92	A taxonomic review of the genus <i>Phaeocystis</i> . <i>Biogeochemistry</i> , 2007, 83, 3-18.	3.5	71
93	Potentially toxic and harmful microalgae from coastal waters of the Campania region (Tyrrhenian) Tj ETQq1 1 0.784314 rgBT /Overlock 4.8	4.8	121
94	A survey of cryptomonad diversity and seasonality at a coastal Mediterranean site. <i>European Journal of Phycology</i> , 2006, 41, 363-378.	2.0	50
95	Diversity in morphology, infectivity, molecular characteristics and induced host resistance between two viruses infecting <i>Micromonas pusilla</i> . <i>Aquatic Microbial Ecology</i> , 2006, 45, 1-14.	1.8	40
96	DIVERSITY IN THE GENUS <i>SKELETONEMA</i> (BACILLARIOPHYCEAE). I. A REEXAMINATION OF THE TYPE MATERIAL OFS. <i>COSTATUM</i> WITH THE DESCRIPTION OFS. <i>GREVILLEISP.</i> NOV.. <i>Journal of Phycology</i> , 2005, 41, 140-150.	2.3	100
97	DIVERSITY IN THE GENUS <i>SKELETONEMA</i> (BACILLARIOPHYCEAE). II. AN ASSESSMENT OF THE TAXONOMY OFS. <i>COSTATUM</i> -LIKE SPECIES WITH THE DESCRIPTION OF FOUR NEW SPECIES. <i>Journal of Phycology</i> , 2005, 41, 151-176.	2.3	336
98	The alternation of different morphotypes in the seasonal cycle of the toxic diatom <i>Pseudo-nitzschia galaxiae</i> . <i>Harmful Algae</i> , 2005, 4, 33-48.	4.8	101
99	Seasonal patterns in plankton communities in a pluriannual time series at a coastal Mediterranean site (Gulf of Naples): an attempt to discern recurrences and trends. <i>Scientia Marina</i> , 2004, 68, 65-83.	0.6	258
100	< i>Prorocentrum nux</i> sp. nov. (Dinophyceae), a small planktonic dinoflagellate from the Mediterranean Sea, and discussion of < i>P. nanum</i> and < i>P. pusillum</i>. <i>Phycologia</i> , 2002, 41, 29-38.	1.4	14
101	PHYLOGENETIC POSITION OF CRUSTOMASTIX STIGMATICA SP. NOV. AND DOLICHOMASTIX TENUILEPIS IN RELATION TO THE MAMIELLALES (PRASINOPHYCEAE, CHLOROPHYTA)1. <i>Journal of Phycology</i> , 2002, 38, 1024-1039.	2.3	31
102	The diversity of harmful algal blooms: a challenge for science and management. <i>Ocean and Coastal Management</i> , 2000, 43, 725-748.	4.4	274
103	MORPHOLOGICAL AND GENETIC CHARACTERIZATION OF PHAEOCYSTIS CORDATA AND P. JAHNII (PRYMNESIOPHYCEAE), TWO NEW SPECIES FROM THE MEDITERRANEAN SEA. <i>Journal of Phycology</i> , 1999, 35, 1322-1337.	2.3	78
104	Seasonal dynamics in the abundance of <i>Micromonas pusilla</i> (Prasinophyceae) and its viruses in the Gulf of Naples (Mediterranean Sea). <i>Journal of Plankton Research</i> , 1999, 21, 2143-2159.	1.8	70
105	Morphological variability of the potentially toxic dinoflagellate <i>Dinophysis sacculus</i> (Dinophyceae) and its taxonomic relationships with <i>D. pavillardii</i> and <i>D. acuminata</i> . <i>European Journal of Phycology</i> , 1998, 33, 259-273.	2.0	41
106	Dinoflagellate cyst production at a coastal Mediterranean site. <i>Journal of Plankton Research</i> , 1998, 20, 2291-2312.	1.8	152
107	<i>Bacteriadrum parallelum</i> sp. nov., a new diatom from the Gulf of Naples, and new observations on <i>B. furcatum</i> (Chaetocerotaceae, Bacillariophyta). <i>Phycologia</i> , 1997, 36, 257-266.	1.4	12
108	Dolichomastix tenuilepis sp. nov., a first insight into the microanatomy of the genus Dolichomastix (Mamiellales, Prasinophyceae, Chlorophyta). <i>Phycologia</i> , 1997, 36, 244-254.	1.4	18

#	ARTICLE	IF	CITATIONS
109	General shape and ultrastructure as taxonomic characters in diatoms: the case of the genus <i>Bacteriastrum</i> . Giornale Botanico Italiano (Florence, Italy: 1962), 1996, 130, 1069-1071.	0.0	1
110	The role of viruses in the dynamics of phytoplankton blooms. Giornale Botanico Italiano (Florence,) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.0	20
111	â€“St Martin's Summerâ€™: the case of an autumn phytoplankton bloom in the Gulf of Naples (Mediterranean Sea). Journal of Plankton Research, 1995, 17, 575-593.	1.8	44
112	Pyramimonas oltmannsii (Prasinophyceae) reinvestigated. Phycologia, 1995, 34, 241-249.	1.4	14
113	Micronomads of the Mediterranean sea. Giornale Botanico Italiano (Florence, Italy: 1962), 1994, 128, 1029-1106.	0.0	12
114	Calcareous dinoflagellate cysts in marine sediments of the Gulf of Naples (Mediterranean Sea). Review of Palaeobotany and Palynology, 1994, 84, 45-56.	1.5	39
115	Phytoplankton biomass and species composition in a Mediterranean coastal lagoon. Hydrobiologia, 1993, 271, 27-40.	2.0	42
116	THE CALCAREOUS RESTING CYST OF PENTAPHARSODINIUM TYRRHENICUM COMB. NOV. (DINOPHYCEAE)1. Journal of Phycology, 1993, 29, 223-230.	2.3	42
117	The cyst-motile stage relationships of the dinoflagellates <i>Diplopelta symmetrica</i> and <i>Diplopsalopsis latipelata</i> . European Journal of Phycology, 1993, 28, 129-137.	2.0	27
118	Nanoflagellates From the Gulf of Naples. Giornale Botanico Italiano (Florence, Italy: 1962), 1992, 126, 760-761.	0.0	1
119	AN ELECTRON MICROSCOPE INVESTIGATION ON <i>CHAETOCEROS MINIMUS</i> (LEVANDER) COMB. NOV. AND NEW OBSERVATIONS ON <i>CHAETOCEROS THRONDSENII</i> (MARINO, MONTRESOR AND ZINGONE) COMB. NOV.. Diatom Research, 1991, 6, 317-326.	1.2	23
120	Summer Phytoplankton Physiognomy in Coastal Waters of the Gulf of Naples. Marine Ecology, 1990, 11, 157-172.	1.1	41
121	Tetraselmis wettsteinii (Schiller) Throndsen comb. nov. and its occurrence in golfo di Napoli. Giornale Botanico Italiano (Florence, Italy: 1962), 1988, 122, 227-235.	0.0	10
122	Scrippsiella precaria sp. nov. (Dinophyceae), a marine dinoflagellate from the Gulf of Naples. Phycologia, 1988, 27, 387-394.	1.4	51
123	MIRALTIA THRONDSENIIGEN.NOV., SP.NOV., A PLANKTONIC DIATOM FROM THE GULF OF NAPLES. Diatom Research, 1987, 2, 205-211.	1.2	17
124	Assessing the quality of biogeochemical coastal data: a step-wise procedure. Mediterranean Marine Science, 0, , .	1.6	7
125	Time series and beyond: multifaceted plankton research at a marine Mediterranean LTER site. Nature Conservation, 0, 34, 273-310.	0.0	48
126	The dual impact of Ostreopsis cf. ovata on <i>Mytilus galloprovincialis</i> and <i>Paracentrotus lividus</i> : Toxin accumulation and pathological aspects. Mediterranean Marine Science, 0, , .	1.6	1

ARTICLE

IF CITATIONS

- 127 Microbiomes associated with cultures of *Gambierdiscus australis* and *Ostreopsis cf. ovata*, two epibenthic dinoflagellates from the NE Atlantic Ocean (Las Palmas, Gran Canaria). *Marine Ecology*, 0, ., . 1.1 1