

# Andre J Van Wijnen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4529960/publications.pdf>

Version: 2024-02-01

675  
papers

44,450  
citations

2963

93  
h-index

3815

178  
g-index

700  
all docs

700  
docs citations

700  
times ranked

44252  
citing authors

#	ARTICLE	IF	CITATIONS
1	Minimal information for studies of extracellular vesicles 2018 (MISEV2018): a position statement of the International Society for Extracellular Vesicles and update of the MISEV2014 guidelines. <i>Journal of Extracellular Vesicles</i> , 2018, 7, 1535750.	5.5	6,961
2	Canonical WNT Signaling Promotes Osteogenesis by Directly Stimulating Runx2 Gene Expression. <i>Journal of Biological Chemistry</i> , 2005, 280, 33132-33140.	1.6	984
3	Biological Functions of miR-29b Contribute to Positive Regulation of Osteoblast Differentiation. <i>Journal of Biological Chemistry</i> , 2009, 284, 15676-15684.	1.6	513
4	A microRNA signature for a BMP2-induced osteoblast lineage commitment program. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 13906-13911.	3.3	503
5	MicroRNA control of bone formation and homeostasis. <i>Nature Reviews Endocrinology</i> , 2012, 8, 212-227.	4.3	503
6	Concise Review: Multifaceted Characterization of Human Mesenchymal Stem Cells for Use in Regenerative Medicine. <i>Stem Cells Translational Medicine</i> , 2017, 6, 2173-2185.	1.6	502
7	Runx2 control of organization, assembly and activity of the regulatory machinery for skeletal gene expression. <i>Oncogene</i> , 2004, 23, 4315-4329.	2.6	461
8	Self-renewal of human embryonic stem cells is supported by a shortened G1 cell cycle phase. <i>Journal of Cellular Physiology</i> , 2006, 209, 883-893.	2.0	402
9	Networks and hubs for the transcriptional control of osteoblastogenesis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2006, 7, 1-16.	2.6	397
10	Transcriptional control of osteoblast growth and differentiation. <i>Physiological Reviews</i> , 1996, 76, 593-629.	13.1	395
11	Regulatory Controls for Osteoblast Growth and Differentiation: Role of Runx/Cbfa/AML Factors. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2004, 14, 1-42.	0.4	392
12	A program of microRNAs controls osteogenic lineage progression by targeting transcription factor Runx2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9863-9868.	3.3	390
13	Expression of the Osteoblast Differentiation Factor RUNX2 (Cbfa1/AML3/Pebp2 $\pm$ A) Is Inhibited by Tumor Necrosis Factor- $\alpha$ . <i>Journal of Biological Chemistry</i> , 2002, 277, 2695-2701.	1.6	389
14	Tyrosine phosphorylation controls Runx2-mediated subnuclear targeting of YAP to repress transcription. <i>EMBO Journal</i> , 2004, 23, 790-799.	3.5	360
15	A current review of molecular mechanisms regarding osteoarthritis and pain. <i>Gene</i> , 2013, 527, 440-447.	1.0	328
16	A network connecting Runx2, SATB2, and the miR-23a $\sim$ 427a $\sim$ 424-2 cluster regulates the osteoblast differentiation program. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19879-19884.	3.3	327
17	Runx2 (Cbfa1, AML-3) Interacts with Histone Deacetylase 6 and Represses the p21 CIP1/WAF1 Promoter. <i>Molecular and Cellular Biology</i> , 2002, 22, 7982-7992.	1.1	302
18	The Runx2 Osteogenic Transcription Factor Regulates Matrix Metalloproteinase 9 in Bone Metastatic Cancer Cells and Controls Cell Invasion. <i>Molecular and Cellular Biology</i> , 2005, 25, 8581-8591.	1.1	280

#	ARTICLE	IF	CITATIONS
19	MicroRNAs 221 and 222 Bypass Quiescence and Compromise Cell Survival. <i>Cancer Research</i> , 2008, 68, 2773-2780.	0.4	279
20	Dlx3 Transcriptional Regulation of Osteoblast Differentiation: Temporal Recruitment of Msx2, Dlx3, and Dlx5 Homeodomain Proteins to Chromatin of the Osteocalcin Gene. <i>Molecular and Cellular Biology</i> , 2004, 24, 9248-9261.	1.1	261
21	Subnuclear targeting of Runx/Cbfa/AML factors is essential for tissue-specific differentiation during embryonic development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 8650-8655.	3.3	255
22	Cell growth regulatory role of Runx2 during proliferative expansion of preosteoblasts. <i>Cancer Research</i> , 2003, 63, 5357-62.	0.4	253
23	Life-Course Genome-wide Association Study Meta-analysis of Total Body BMD and Assessment of Age-Specific Effects. <i>American Journal of Human Genetics</i> , 2018, 102, 88-102.	2.6	252
24	miR-218 Directs a Wnt Signaling Circuit to Promote Differentiation of Osteoblasts and Osteomimicry of Metastatic Cancer Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 42084-42092.	1.6	251
25	Mesenchymal stem cell-derived extracellular vesicles attenuate kidney inflammation. <i>Kidney International</i> , 2017, 92, 114-124.	2.6	247
26	Runx2 association with progression of prostate cancer in patients: mechanisms mediating bone osteolysis and osteoblastic metastatic lesions. <i>Oncogene</i> , 2010, 29, 811-821.	2.6	246
27	Transient upregulation of CBFA1 in response to bone morphogenetic protein-2 and transforming growth factor $\beta$ 1 in C2C12 myogenic cells coincides with suppression of the myogenic phenotype but is not sufficient for osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 1999, 73, 114-125.	1.2	244
28	The Tissue-Specific Nuclear Matrix Protein, NMP-2, Is a Member of the AML/PEBP2/Runt Domain Transcription Factor Family: Interactions with the Osteocalcin Gene Promoter. <i>Biochemistry</i> , 1995, 34, 13125-13132.	1.2	242
29	Transcriptional autoregulation of the bone related CBFA1/RUNX2 gene. <i>Journal of Cellular Physiology</i> , 2000, 184, 341-350.	2.0	236
30	Regulatory roles of Runx2 in metastatic tumor and cancer cell interactions with bone. <i>Cancer and Metastasis Reviews</i> , 2006, 25, 589-600.	2.7	236
31	Identification of a nuclear matrix targeting signal in the leukemia and bone-related AML/CBF- $\beta$ transcription factors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 6746-6751.	3.3	235
32	MicroRNA and mRNA cargo of extracellular vesicles from porcine adipose tissue-derived mesenchymal stem cells. <i>Gene</i> , 2014, 551, 55-64.	1.0	233
33	Mitotic occupancy and lineage-specific transcriptional control of rRNA genes by Runx2. <i>Nature</i> , 2007, 445, 442-446.	13.7	218
34	The Bone-specific Expression of Runx2 Oscillates during the Cell Cycle to Support a G1-related Antiproliferative Function in Osteoblasts. <i>Journal of Biological Chemistry</i> , 2005, 280, 20274-20285.	1.6	212
35	The histone H3.3K36M mutation reprograms the epigenome of chondroblastomas. <i>Science</i> , 2016, 352, 1344-1348.	6.0	211
36	Chromatin interaction analysis reveals changes in small chromosome and telomere clustering between epithelial and breast cancer cells. <i>Genome Biology</i> , 2015, 16, 214.	3.8	206

#	ARTICLE	IF	CITATIONS
37	Structural Coupling of Smad and Runx2 for Execution of the BMP2 Osteogenic Signal. <i>Journal of Biological Chemistry</i> , 2008, 283, 8412-8422.	1.6	199
38	Coordinate occupancy of AP-1 sites in the vitamin D-responsive and CCAAT box elements by Fos-Jun in the osteocalcin gene: model for phenotype suppression of transcription.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 9990-9994.	3.3	194
39	Regulatory controls for osteoblast growth and differentiation: role of Runx/Cbfa/AML factors. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2004, 14, 1-41.	0.4	194
40	MicroRNA Functions in Osteogenesis and Dysfunctions in Osteoporosis. <i>Current Osteoporosis Reports</i> , 2013, 11, 72-82.	1.5	192
41	Regulation of the Bone-Specific Osteocalcin Gene by p300 Requires Runx2/Cbfa1 and the Vitamin D3 Receptor but Not p300 Intrinsic Histone Acetyltransferase Activity. <i>Molecular and Cellular Biology</i> , 2003, 23, 3339-3351.	1.1	190
42	Integration of Runx and Smad regulatory signals at transcriptionally active subnuclear sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 8048-8053.	3.3	189
43	BMP2 Commitment to the Osteogenic Lineage Involves Activation of Runx2 by DLX3 and a Homeodomain Transcriptional Network. <i>Journal of Biological Chemistry</i> , 2006, 281, 40515-40526.	1.6	188
44	Sp1 Trans-Activation of Cell Cycle Regulated Promoters Is Selectively Repressed by Sp3. <i>Biochemistry</i> , 1995, 34, 16503-16508.	1.2	185
45	MicroRNA-146a is linked to pain-related pathophysiology of osteoarthritis. <i>Gene</i> , 2011, 480, 34-41.	1.0	181
46	Activation of a cell-cycle-regulated histone gene by the oncogenic transcription factor IRF-2. <i>Nature</i> , 1995, 377, 362-365.	13.7	179
47	The nuclear matrix protein NMP-1 is the transcription factor YY1.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 10526-10530.	3.3	178
48	Impaired intranuclear trafficking of Runx2 (AML3/CBFA1) transcription factors in breast cancer cells inhibits osteolysis in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1454-1459.	3.3	174
49	Nuclear matrix association of multiple sequence-specific DNA binding activities related to SP-1, ATF, CCAAT, C/EBP, OCT-1, and AP-1. <i>Biochemistry</i> , 1993, 32, 8397-8402.	1.2	173
50	Hyaluronic acid-based hydrogels functionalized with heparin that support controlled release of bioactive BMP-2. <i>Biomaterials</i> , 2012, 33, 6113-6122.	5.7	168
51	Osteoblast-related transcription factors Runx2 (Cbfa1/AML3) and MSX2 mediate the expression of bone sialoprotein in human metastatic breast cancer cells. <i>Cancer Research</i> , 2003, 63, 2631-7.	0.4	165
52	Phenotype discovery by gene expression profiling: Mapping of biological processes linked to BMP-2-mediated osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2003, 89, 401-426.	1.2	164
53	Targeting of Runx2 by miR-135 and miR-203 Impairs Progression of Breast Cancer and Metastatic Bone Disease. <i>Cancer Research</i> , 2015, 75, 1433-1444.	0.4	164
54	Intranuclear targeting of AML/CBFA regulatory factors to nuclear matrix-associated transcriptional domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 1585-1589.	3.3	163

#	ARTICLE	IF	CITATIONS
55	Runx2 Transcriptional Activation of Indian Hedgehog and a Downstream Bone Metastatic Pathway in Breast Cancer Cells. <i>Cancer Research</i> , 2008, 68, 7795-7802.	0.4	160
56	Osteocalcin gene promoter-binding factors are tissue-specific nuclear matrix components.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 3162-3166.	3.3	156
57	Basic Fibroblast Growth Factor Stimulates Matrix Metalloproteinase-13 via the Molecular Cross-talk between the Mitogen-activated Protein Kinases and Protein Kinase C $\gamma$ Pathways in Human Adult Articular Chondrocytes. <i>Journal of Biological Chemistry</i> , 2007, 282, 11110-11121.	1.6	156
58	1,25-(OH) $_2$ -Vitamin D3 Suppresses the Bone-Related Runx2/Cbfa1 Gene Promoter. <i>Experimental Cell Research</i> , 2002, 274, 323-333.	1.2	154
59	Mitotic retention of gene expression patterns by the cell fate-determining transcription factor Runx2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3189-3194.	3.3	152
60	Alteration of sensory neurons and spinal response to an experimental osteoarthritis pain model. <i>Arthritis and Rheumatism</i> , 2010, 62, 2995-3005.	6.7	149
61	HOXA10 Controls Osteoblastogenesis by Directly Activating Bone Regulatory and Phenotypic Genes. <i>Molecular and Cellular Biology</i> , 2007, 27, 3337-3352.	1.1	148
62	Dicer inactivation in osteoprogenitor cells compromises fetal survival and bone formation, while excision in differentiated osteoblasts increases bone mass in the adult mouse. <i>Developmental Biology</i> , 2010, 340, 10-21.	0.9	148
63	Autologous Mesenchymal Stem Cells, Applied in a Bioabsorbable Matrix, for Treatment of Perianal Fistulas in Patients With Crohn's Disease. <i>Gastroenterology</i> , 2017, 153, 59-62.e2.	0.6	147
64	Nuclear microenvironments in biological control and cancer. <i>Nature Reviews Cancer</i> , 2007, 7, 454-463.	12.8	144
65	Epigenetic Control of Skeletal Development by the Histone Methyltransferase Ezh2. <i>Journal of Biological Chemistry</i> , 2015, 290, 27604-27617.	1.6	144
66	Smad function and intranuclear targeting share a Runx2 motif required for osteogenic lineage induction and BMP2 responsive transcription. <i>Journal of Cellular Physiology</i> , 2005, 204, 63-72.	2.0	142
67	Mitotic bookmarking of genes: a novel dimension to epigenetic control. <i>Nature Reviews Genetics</i> , 2010, 11, 583-589.	7.7	142
68	High-Resolution Molecular Validation of Self-Renewal and Spontaneous Differentiation in Clinical-Grade Adipose-Tissue Derived Human Mesenchymal Stem Cells. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 1816-1828.	1.2	142
69	Multiple Cbfa/AML Sites in the Rat Osteocalcin Promoter Are Required for Basal and Vitamin D-Responsive Transcription and Contribute to Chromatin Organization. <i>Molecular and Cellular Biology</i> , 1999, 19, 7491-7500.	1.1	141
70	Prostaglandin E $_2$ and its cognate EP receptors control human adult articular cartilage homeostasis and are linked to the pathophysiology of osteoarthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 513-523.	6.7	137
71	Survival responses of human embryonic stem cells to DNA damage. <i>Journal of Cellular Physiology</i> , 2009, 220, 586-592.	2.0	135
72	Biological Strategies for Improved Osseointegration and Osteoinduction of Porous Metal Orthopedic Implants. <i>Tissue Engineering - Part B: Reviews</i> , 2015, 21, 218-230.	2.5	135

#	ARTICLE	IF	CITATIONS
73	Nuclear Coactivator-62 kDa/Ski-interacting Protein Is a Nuclear Matrix-associated Coactivator That May Couple Vitamin D Receptor-mediated Transcription and RNA Splicing. <i>Journal of Biological Chemistry</i> , 2003, 278, 35325-35336.	1.6	133
74	Identification and validation of multiple cell surface markers of clinical-grade adipose-derived mesenchymal stromal cells as novel release criteria for good manufacturing practice-compliant production. <i>Stem Cell Research and Therapy</i> , 2016, 7, 107.	2.4	130
75	Inhibitory Effects of Insulin-like Growth Factor-1 and Osteogenic Protein-1 on Fibronectin Fragment- and Interleukin-1 $\beta$ -stimulated Matrix Metalloproteinase-13 Expression in Human Chondrocytes. <i>Journal of Biological Chemistry</i> , 2003, 278, 25386-25394.	1.6	126
76	Bone-Specific Transcription Factor Runx2 Interacts with the 1 $\alpha$ ,25-Dihydroxyvitamin D 3 Receptor To Up-Regulate Rat Osteocalcin Gene Expression in Osteoblastic Cells. <i>Molecular and Cellular Biology</i> , 2004, 24, 8847-8861.	1.1	126
77	Transcriptional control of the tissue-specific, developmentally regulated osteocalcin gene requires a binding motif for the Msx family of homeodomain proteins.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 12887-12891.	3.3	124
78	Fibroblast growth factor receptor 1 is principally responsible for fibroblast growth factor 2-induced catabolic activities in human articular chondrocytes. <i>Arthritis Research and Therapy</i> , 2011, 13, R130.	1.6	124
79	Genomic occupancy of Runx2 with global expression profiling identifies a novel dimension to control of osteoblastogenesis. <i>Genome Biology</i> , 2014, 15, R52.	13.9	122
80	Histone Deacetylases in Bone Development and Skeletal Disorders. <i>Physiological Reviews</i> , 2015, 95, 1359-1381.	13.1	122
81	Biological effects of melatonin on osteoblast/osteoclast cocultures, bone, and quality of life: Implications of a role for MT $_2$ melatonin receptors, MEK $_1/2$ , and MEK $_5$ in melatonin-mediated osteoblastogenesis. <i>Journal of Pineal Research</i> , 2018, 64, e12465.	3.4	122
82	Functional architecture of the nucleus: organizing the regulatory machinery for gene expression, replication and repair. <i>Trends in Cell Biology</i> , 2003, 13, 584-592.	3.6	121
83	Runx2 Regulates G Protein-coupled Signaling Pathways to Control Growth of Osteoblast Progenitors. <i>Journal of Biological Chemistry</i> , 2008, 283, 27585-27597.	1.6	114
84	Osteocalcin gene promoter: Unlocking the secrets for regulation of osteoblast growth and differentiation. , 1998, 72, 62-72.		112
85	Osteoblast-specific gene expression after transplantation of marrow cells: Implications for skeletal gene therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 7294-7299.	3.3	112
86	Comparative proteomic analysis of extracellular vesicles isolated from porcine adipose tissue-derived mesenchymal stem/stromal cells. <i>Scientific Reports</i> , 2016, 6, 36120.	1.6	112
87	Estrogen Receptor $\beta$ Mediates Proliferation of Osteoblastic Cells Stimulated by Estrogen and Mechanical Strain, but Their Acute Down-regulation of the Wnt Antagonist Sost Is Mediated by Estrogen Receptor $\beta$ . <i>Journal of Biological Chemistry</i> , 2013, 288, 9035-9048.	1.6	110
88	CDP/cut is the DNA-binding subunit of histone gene transcription factor HNF-D: a mechanism for gene regulation at the G1/S phase cell cycle transition point independent of transcription factor E2F.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 11516-11521.	3.3	108
89	The dynamic organization of gene-regulatory machinery in nuclear microenvironments. <i>EMBO Reports</i> , 2005, 6, 128-133.	2.0	107
90	Control of Mesenchymal Lineage Progression by MicroRNAs Targeting Skeletal Gene Regulators Trps1 and Runx2. <i>Journal of Biological Chemistry</i> , 2012, 287, 21926-21935.	1.6	105

#	ARTICLE	IF	CITATIONS
91	Bone marrow-derived heparan sulfate potentiates the osteogenic activity of bone morphogenetic protein-2 (BMP-2). <i>Bone</i> , 2012, 50, 954-964.	1.4	105
92	Nomenclature for Runt-related (RUNX) proteins. <i>Oncogene</i> , 2004, 23, 4209-4210.	2.6	102
93	Altered Runx1 Subnuclear Targeting Enhances Myeloid Cell Proliferation and Blocks Differentiation by Activating a miR-24/MKP-7/MAPK Network. <i>Cancer Research</i> , 2009, 69, 8249-8255.	0.4	100
94	The cancer-related transcription factor Runx2 modulates cell proliferation in human osteosarcoma cell lines. <i>Journal of Cellular Physiology</i> , 2013, 228, 714-723.	2.0	100
95	Genetic Ablation of the CDP/Cux Protein C Terminus Results in Hair Cycle Defects and Reduced Male Fertility. <i>Molecular and Cellular Biology</i> , 2002, 22, 1424-1437.	1.1	98
96	Overlapping expression of Runx1(Cbfa2) and Runx2(Cbfa1) transcription factors supports cooperative induction of skeletal development. <i>Journal of Cellular Physiology</i> , 2005, 203, 133-143.	2.0	98
97	A Runx2 threshold for the cleidocranial dysplasia phenotype. <i>Human Molecular Genetics</i> , 2008, 18, 556-568.	1.4	97
98	MicroRNA-34c Inversely Couples the Biological Functions of the Runt-related Transcription Factor RUNX2 and the Tumor Suppressor p53 in Osteosarcoma. <i>Journal of Biological Chemistry</i> , 2013, 288, 21307-21319.	1.6	95
99	Pain assessment in animal models of osteoarthritis. <i>Gene</i> , 2014, 537, 184-188.	1.0	94
100	The t(8;21) chromosomal translocation in acute myelogenous leukemia modifies intranuclear targeting of the AML1/CBFalpha 2 transcription factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 14882-14887.	3.3	93
101	Reduced CpG methylation is associated with transcriptional activation of the bone-specific rat osteocalcin gene in osteoblasts*. <i>Journal of Cellular Biochemistry</i> , 2002, 85, 112-122.	1.2	93
102	Runx1/AML1 hematopoietic transcription factor contributes to skeletal development in vivo. <i>Journal of Cellular Physiology</i> , 2003, 196, 301-311.	2.0	93
103	YY1 regulates vitamin D receptor/retinoid X receptor mediated transactivation of the vitamin D responsive osteocalcin gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 121-126.	3.3	92
104	Transcriptional Induction of the Osteocalcin Gene During Osteoblast Differentiation Involves Acetylation of Histones H3 and H4. <i>Molecular Endocrinology</i> , 2003, 17, 743-756.	3.7	92
105	The abbreviated pluripotent cell cycle. <i>Journal of Cellular Physiology</i> , 2013, 228, 9-20.	2.0	92
106	MicroRNA-146a reduces IL-1 dependent inflammatory responses in the intervertebral disc. <i>Gene</i> , 2015, 555, 80-87.	1.0	91
107	Basic Fibroblast Growth Factor Activates the MAPK and NF- $\kappa$ B Pathways That Converge on Elk-1 to Control Production of Matrix Metalloproteinase-13 by Human Adult Articular Chondrocytes. <i>Journal of Biological Chemistry</i> , 2007, 282, 31409-31421.	1.6	90
108	SMARCA4 regulates gene expression and higher-order chromatin structure in proliferating mammary epithelial cells. <i>Genome Research</i> , 2016, 26, 1188-1201.	2.4	90



#	ARTICLE	IF	CITATIONS
109	Mitotic partitioning and selective reorganization of tissue-specific transcription factors in progeny cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 14852-14857.	3.3	88
110	HiNF-P Directly Links the Cyclin E/CDK2/p220NPAT Pathway to Histone H4 Gene Regulation at the G1/S Phase Cell Cycle Transition. <i>Molecular and Cellular Biology</i> , 2005, 25, 6140-6153.	1.1	88
111	Nlx3.2-mediated Repression of Runx2 Promotes Chondrogenic Differentiation. <i>Journal of Biological Chemistry</i> , 2005, 280, 15872-15879.	1.6	87
112	The osteogenic transcription factor Runx2 regulates components of the fibroblast growth factor/proteoglycan signaling axis in osteoblasts. <i>Journal of Cellular Biochemistry</i> , 2009, 107, 144-154.	1.2	87
113	The influence of collagen and hyaluronan matrices on the delivery and bioactivity of bone morphogenetic protein-2 and ectopic bone formation. <i>Acta Biomaterialia</i> , 2013, 9, 9098-9106.	4.1	87
114	Phenotypic transcription factors epigenetically mediate cell growth control. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6632-6637.	3.3	86
115	Synergism between Wnt3a and Heparin Enhances Osteogenesis via a Phosphoinositide 3-Kinase/Akt/RUNX2 Pathway. <i>Journal of Biological Chemistry</i> , 2010, 285, 26233-26244.	1.6	86
116	Reprogramming the pluripotent cell cycle: Restoration of an abbreviated G1 phase in human induced pluripotent stem (iPS) cells. <i>Journal of Cellular Physiology</i> , 2011, 226, 1149-1156.	2.0	85
117	SWI/SNF chromatin remodeling complex is obligatory for BMP2-induced, Runx2-dependent skeletal gene expression that controls osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2005, 94, 720-730.	1.2	84
118	The dynamic broad epigenetic (H3K4me3, H3K27ac) domain as a mark of essential genes. <i>Clinical Epigenetics</i> , 2021, 13, 138.	1.8	84
119	Targeting of the YY1 transcription factor to the nucleolus and the nuclear matrix in situ: The C-terminus is a principal determinant for nuclear trafficking. , 1998, 68, 500-510.		83
120	Transcription factors RUNX1/AML1 and RUNX2/Cbfa1 dynamically associate with stationary subnuclear domains. <i>Journal of Cell Science</i> , 2002, 115, 4167-4176.	1.2	82
121	Inhibition of mutant IDH1 decreases D-2-HG levels without affecting tumorigenic properties of chondrosarcoma cell lines. <i>Oncotarget</i> , 2015, 6, 12505-12519.	0.8	81
122	Establishment of histone gene regulation and cell cycle checkpoint control in human embryonic stem cells. <i>Journal of Cellular Physiology</i> , 2007, 210, 517-526.	2.0	80
123	Ectopic Runx2 Expression in Mammary Epithelial Cells Disrupts Formation of Normal Acini Structure: Implications for Breast Cancer Progression. <i>Cancer Research</i> , 2009, 69, 6807-6814.	0.4	80
124	Epithelial-to-mesenchymal transition and cancer stem cells contribute to breast cancer heterogeneity. <i>Journal of Cellular Physiology</i> , 2018, 233, 9136-9144.	2.0	80
125	Cell Cycle Regulation of Histone H4 Gene Transcription Requires the Oncogenic Factor IRF-2. <i>Journal of Biological Chemistry</i> , 1998, 273, 194-199.	1.6	78
126	VRK1 Signaling Pathway in the Context of the Proliferation Phenotype in Head and Neck Squamous Cell Carcinoma. <i>Molecular Cancer Research</i> , 2006, 4, 177-185.	1.5	78



#	ARTICLE	IF	CITATIONS
127	Histone Deacetylase Inhibition Promotes Osteoblast Maturation by Altering the Histone H4 Epigenome and Reduces Akt Phosphorylation. <i>Journal of Biological Chemistry</i> , 2013, 288, 28783-28791.	1.6	78
128	Enhancer of Zeste Homolog 2 Inhibition Stimulates Bone Formation and Mitigates Bone Loss Caused by Ovariectomy in Skeletally Mature Mice. <i>Journal of Biological Chemistry</i> , 2016, 291, 24594-24606.	1.6	78
129	Primary mouse embryonic fibroblasts: A model of mesenchymal cartilage formation. <i>Journal of Cellular Physiology</i> , 2004, 200, 327-333.	2.0	77
130	The bone-related Zn finger transcription factor Osterix promotes proliferation of mesenchymal cells. <i>Gene</i> , 2006, 366, 145-151.	1.0	77
131	Staged assembly of histone gene expression machinery at subnuclear foci in the abbreviated cell cycle of human embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16964-16969.	3.3	76
132	Specific Residues of RUNX2 Are Obligatory for Formation of BMP2-Induced RUNX2-SMAD Complex to Promote Osteoblast Differentiation. <i>Cells Tissues Organs</i> , 2009, 189, 133-137.	1.3	76
133	Bookmarking the Genome: Maintenance of Epigenetic Information. <i>Journal of Biological Chemistry</i> , 2011, 286, 18355-18361.	1.6	76
134	Integrated transcriptomic and proteomic analysis of the molecular cargo of extracellular vesicles derived from porcine adipose tissue-derived mesenchymal stem cells. <i>PLoS ONE</i> , 2017, 12, e0174303.	1.1	76
135	Two target sites for protein binding in the promoter region of a cell cycle regulated human H1 histone gene. <i>Nucleic Acids Research</i> , 1988, 16, 571-592.	6.5	75
136	Genomic Promoter Occupancy of Runt-related Transcription Factor RUNX2 in Osteosarcoma Cells Identifies Genes Involved in Cell Adhesion and Motility. <i>Journal of Biological Chemistry</i> , 2012, 287, 4503-4517.	1.6	75
137	Mesenchymal Stem Cell-Derived Extracellular Vesicles Improve the Renal Microvasculature in Metabolic Renovascular Disease in Swine. <i>Cell Transplantation</i> , 2018, 27, 1080-1095.	1.2	75
138	Cell cycle independent interaction of CDC2 with the centrosome, which is associated with the nuclear matrix-intermediate filament scaffold. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 3022-3027.	3.3	74
139	Runx2 deficiency and defective subnuclear targeting bypass senescence to promote immortalization and tumorigenic potential. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19861-19866.	3.3	74
140	Reconstitution of Runx2/Cbfa1-null cells identifies a requirement for BMP2 signaling through a Runx2 functional domain during osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 434-449.	1.2	74
141	Molecular signatures of multiple myeloma progression through single cell RNA-Seq. <i>Blood Cancer Journal</i> , 2019, 9, 2.	2.8	74
142	Regulated Expression of the Bone-Specific Osteocalcin Gene by Vitamins and Hormones. <i>Vitamins and Hormones</i> , 1998, 55, 443-509.	0.7	73
143	Crystal Structure of the Nuclear Matrix Targeting Signal of the Transcription Factor Acute Myelogenous Leukemia-1/Polyoma Enhancer-binding Protein 2I±B/Core Binding Factor I±2. <i>Journal of Biological Chemistry</i> , 1999, 274, 33580-33586.	1.6	73
144	Altered Spinal MicroRNA-146a and the MicroRNA-183 Cluster Contribute to Osteoarthritic Pain in Knee Joints. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 2512-2522.	3.1	73

#	ARTICLE	IF	CITATIONS
145	Proximal and distal regulatory elements that influence in vivo expression of a cell cycle-dependent human H4 histone gene.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 3982-3986.	3.3	71
146	In vivo occupancy of the vitamin D responsive element in the osteocalcin gene supports vitamin D-dependent transcriptional upregulation in intact cells.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 12902-12906.	3.3	71
147	Chromatin Remodeling and Transcriptional Activity of the Bone-specific Osteocalcin Gene Require CCAAT/Enhancer-binding Protein I <sup>2</sup> -dependent Recruitment of SWI/SNF Activity*. Journal of Biological Chemistry, 2006, 281, 22695-22706.	1.6	71
148	Co-stimulation of the Bone-related Runx2 P1 Promoter in Mesenchymal Cells by SP1 and ETS Transcription Factors at Polymorphic Purine-rich DNA Sequences (Y-repeats). Journal of Biological Chemistry, 2009, 284, 3125-3135.	1.6	70
149	The heparan sulfate proteoglycan (HSPG) glypican $\beta$ mediates commitment of MC3T3 $\alpha$ 1 cells toward osteogenesis. Journal of Cellular Physiology, 2009, 220, 780-791.	2.0	68
150	The human SWI/SNF complex associates with RUNX1 to control transcription of hematopoietic target genes. Journal of Cellular Physiology, 2010, 225, 569-576.	2.0	68
151	Lactoferricin mediates anti-inflammatory and anti-catabolic effects via inhibition of IL $\alpha$ 1 and LPS activity in the intervertebral disc. Journal of Cellular Physiology, 2013, 228, 1884-1896.	2.0	68
152	Human Mesenchymal Stem Cells Retain Multilineage Differentiation Capacity Including Neural Marker Expression after Extended In Vitro Expansion. PLoS ONE, 2015, 10, e0137255.	1.1	68
153	Epigenetic Control of the Bone-master Runx2 Gene during Osteoblast-lineage Commitment by the Histone Demethylase JARID1B/KDM5B. Journal of Biological Chemistry, 2015, 290, 28329-28342.	1.6	68
154	Proteomic Analysis of Exosomes and Exosome-Free Conditioned Media From Human Osteosarcoma Cell Lines Reveals Secretion of Proteins Related to Tumor Progression. Journal of Cellular Biochemistry, 2017, 118, 351-360.	1.2	68
155	Antagonizing miR-218-5p attenuates Wnt signaling and reduces metastatic bone disease of triple negative breast cancer cells. Oncotarget, 2016, 7, 79032-79046.	0.8	68
156	Lymphocyte enhancer-binding factor 1 (Lef1) inhibits terminal differentiation of osteoblasts. Journal of Cellular Biochemistry, 2006, 97, 969-983.	1.2	67
157	Histone Acetylation in Vivo at the Osteocalcin Locus Is Functionally Linked to Vitamin D-dependent, Bone Tissue-specific Transcription. Journal of Biological Chemistry, 2002, 277, 20284-20292.	1.6	66
158	Chromatin modifiers and histone modifications in bone formation, regeneration, and therapeutic intervention for bone-related disease. Bone, 2015, 81, 739-745.	1.4	66
159	Identification of Three Early Phases of Cell-Fate Determination during Osteogenic and Adipogenic Differentiation by Transcription Factor Dynamics. Stem Cell Reports, 2017, 8, 947-960.	2.3	66
160	Modifications of protein-DNA interactions in the proximal promoter of a cell-growth-regulated histone gene during onset and progression of osteoblast differentiation.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 5129-5133.	3.3	65
161	Identification of HiNF-P, a Key Activator of Cell Cycle-Controlled Histone H4 Genes at the Onset of S Phase. Molecular and Cellular Biology, 2003, 23, 8110-8123.	1.1	65
162	Regulation of histone gene expression. Current Opinion in Cell Biology, 1992, 4, 166-173.	2.6	64

#	ARTICLE	IF	CITATIONS
163	p8 (Ddx5) interacts with Runx2 and regulates osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 1438-1451.	1.2	64
164	Pbx1 Represses Osteoblastogenesis by Blocking Hoxa10-Mediated Recruitment of Chromatin Remodeling Factors. <i>Molecular and Cellular Biology</i> , 2010, 30, 3531-3541.	1.1	64
165	Transcription of histone H4, H3, and H1 cell cycle genes: promoter factor HiNF-D contains CDC2, cyclin A, and an RB-related protein.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 12882-12886.	3.3	63
166	Species-specific biological effects of FGF2 in articular cartilage: Implication for distinct roles within the FGF receptor family. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 2532-2542.	1.2	63
167	Runx1 is associated with breast cancer progression in MMTV- $\beta$ MT transgenic mice and its depletion in vitro inhibits migration and invasion. <i>Journal of Cellular Physiology</i> , 2015, 230, 2522-2532.	2.0	63
168	Intranuclear Actin Structure Modulates Mesenchymal Stem Cell Differentiation. <i>Stem Cells</i> , 2017, 35, 1624-1635.	1.4	63
169	Enhancer of zeste homolog 2 (Ezh2) controls bone formation and cell cycle progression during osteogenesis in mice. <i>Journal of Biological Chemistry</i> , 2018, 293, 12894-12907.	1.6	63
170	Vitamin D-responsive protein-DNA interactions at multiple promoter regulatory elements that contribute to the level of rat osteocalcin gene expression.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 6119-6123.	3.3	62
171	Delineation of a human histone H4 cell cycle element in vivo: the master switch for H4 gene transcription.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 4475-4479.	3.3	62
172	Cell cycle dependent phosphorylation and subnuclear organization of the histone gene regulator p220NPAT in human embryonic stem cells. <i>Journal of Cellular Physiology</i> , 2007, 213, 9-17.	2.0	62
173	Heparan sulfate regulates the anabolic activity of MC3T3-E1 preosteoblast cells by induction of Runx2. <i>Journal of Cellular Physiology</i> , 2007, 210, 38-50.	2.0	60
174	Expression of Runx2 transcription factor in non-skeletal tissues, sperm and brain. <i>Journal of Cellular Physiology</i> , 2008, 217, 511-517.	2.0	60
175	The rat intervertebral disk degeneration pain model: relationships between biological and structural alterations and pain. <i>Arthritis Research and Therapy</i> , 2011, 13, R165.	1.6	60
176	RUNX1 contributes to higher-order chromatin organization and gene regulation in breast cancer cells. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016, 1859, 1389-1397.	0.9	60
177	Histone deacetylase 3 supports endochondral bone formation by controlling cytokine signaling and matrix remodeling. <i>Science Signaling</i> , 2016, 9, ra79.	1.6	60
178	Anabolic and Antiresorptive Modulation of Bone Homeostasis by the Epigenetic Modulator Sulforaphane, a Naturally Occurring Isothiocyanate. <i>Journal of Biological Chemistry</i> , 2016, 291, 6754-6771.	1.6	60
179	Human embryonic stem cells are pre-mitotically committed to self-renewal and acquire a lengthened G1 phase upon lineage programming. <i>Journal of Cellular Physiology</i> , 2010, 222, 103-110.	2.0	59
180	The Runx2 transcription factor plays a key role in the 1 $\alpha$ ,25-dihydroxy Vitamin D3-dependent upregulation of the rat osteocalcin (OC) gene expression in osteoblastic cells. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 89-90, 269-271.	1.2	58

#	ARTICLE	IF	CITATIONS
181	An architectural perspective of cell-cycle control at the G1/S phase cell-cycle transition. <i>Journal of Cellular Physiology</i> , 2006, 209, 706-710.	2.0	58
182	The SWI/SNF ATPases Are Required for Triple Negative Breast Cancer Cell Proliferation. <i>Journal of Cellular Physiology</i> , 2015, 230, 2683-2694.	2.0	58
183	Altered binding of human histone gene transcription factors during the shutdown of proliferation and onset of differentiation in HL-60 cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 1865-1869.	3.3	57
184	Sulfated glycosaminoglycans mediate the effects of FGF2 on the osteogenic potential of rat calvarial osteoprogenitor cells. <i>Journal of Cellular Physiology</i> , 2006, 209, 811-825.	2.0	57
185	Epigenetic Modifications and Canonical Wntless/int-1 Class (WNT) Signaling Enable Trans-differentiation of Nonosteogenic Cells into Osteoblasts. <i>Journal of Biological Chemistry</i> , 2014, 289, 20120-20128.	1.6	57
186	Contribution of transposable elements in the plant's genome. <i>Gene</i> , 2018, 665, 155-166.	1.0	57
187	Nonlinear partial differential equations and applications: Multiple subnuclear targeting signals of the leukemia-related AML1/ETO and ETO repressor proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 15434-15439.	3.3	56
188	Runx2/Cbfa1 Functions: Diverse Regulation of Gene Transcription by Chromatin Remodeling and Co-Regulatory Protein Interactions. <i>Connective Tissue Research</i> , 2003, 44, 141-148.	1.1	56
189	The Tumor Suppressor Interferon Regulatory Factor 1 Interferes with SP1 Activation to Repress the Human CDK2 Promoter. <i>Journal of Biological Chemistry</i> , 2003, 278, 26589-26596.	1.6	56
190	Mitotic control of RUNX2 phosphorylation by both CDK1/cyclin B kinase and PP1/PP2A phosphatase in osteoblastic cells. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 1509-1517.	1.2	56
191	Cancer-related ectopic expression of the bone-related transcription factor RUNX2 in non-osseous metastatic tumor cells is linked to cell proliferation and motility. <i>Breast Cancer Research</i> , 2010, 12, R89.	2.2	56
192	Oncogenic cooperation between PI3K/Akt signaling and transcription factor Runx2 promotes the invasive properties of metastatic breast cancer cells. <i>Journal of Cellular Physiology</i> , 2013, 228, 1784-1792.	2.0	56
193	Melatonin-micronutrients Osteopenia Treatment Study (MOTS): a translational study assessing melatonin, strontium (citrate), vitamin D3 and vitamin K2 (MK7) on bone density, bone marker turnover and health related quality of life in postmenopausal osteopenic women following a one-year double-blind RCT and on osteoblast-osteoclast co-cultures. <i>Aging</i> , 2017, 9, 256-285.	1.4	56
194	Acquired Idiopathic Stiffness After Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1320-1330.	1.4	56
195	Bone tissue-specific transcription of the osteocalcin gene: Role of an activator osteoblast-specific complex and suppressor hox proteins that bind the OC box. <i>Journal of Cellular Biochemistry</i> , 1996, 61, 310-324.	1.2	55
196	Activation of the bone-related Runx2/Cbfa1 promoter in mesenchymal condensations and developing chondrocytes of the axial skeleton. <i>Mechanisms of Development</i> , 2002, 114, 167-170.	1.7	55
197	Multi-disciplinary antimicrobial strategies for improving orthopaedic implants to prevent prosthetic joint infections in hip and knee. <i>Journal of Orthopaedic Research</i> , 2016, 34, 177-186.	1.2	55
198	Chromatin dynamics regulate mesenchymal stem cell lineage specification and differentiation to osteogenesis. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2017, 1860, 438-449.	0.9	55

#	ARTICLE	IF	CITATIONS
199	Microtubule-dependent nuclear-cytoplasmic shuttling of Runx2. <i>Journal of Cellular Physiology</i> , 2006, 206, 354-362.	2.0	54
200	Impaired cell cycle regulation of the osteoblast-related heterodimeric transcription factor Runx2/Cbfb <sup>2</sup> in osteosarcoma cells. <i>Journal of Cellular Physiology</i> , 2009, 221, 560-571.	2.0	54
201	Efficacy of intervertebral disc regeneration with stem cells – A systematic review and meta-analysis of animal controlled trials. <i>Gene</i> , 2015, 564, 1-8.	1.0	54
202	Insulin-like growth factor 1 synergizes with bone morphogenetic protein 7-mediated anabolism in bovine intervertebral disc cells. <i>Arthritis and Rheumatism</i> , 2010, 62, 3706-3715.	6.7	53
203	Genome-Wide Studies Reveal that H3K4me3 Modification in Bivalent Genes Is Dynamically Regulated during the Pluripotent Cell Cycle and Stabilized upon Differentiation. <i>Molecular and Cellular Biology</i> , 2016, 36, 615-627.	1.1	53
204	Effect of heparin on the biological properties and molecular signature of human mesenchymal stem cells. <i>Gene</i> , 2016, 576, 292-303.	1.0	53
205	Epigenetic Regulation of Early Osteogenesis and Mineralized Tissue Formation by a HOXA10-PBX1-Associated Complex. <i>Cells Tissues Organs</i> , 2011, 194, 146-150.	1.3	52
206	Biological functions of chromobox (CBX) proteins in stem cell self-renewal, lineage-commitment, cancer and development. <i>Bone</i> , 2021, 143, 115659.	1.4	52
207	Distinct conformations of vitamin D receptor/retinoid X receptor-alpha heterodimers are specified by dinucleotide differences in the vitamin D- responsive elements of the osteocalcin and osteopontin genes. <i>Molecular Endocrinology</i> , 1996, 10, 1444-1456.	3.7	52
208	Gene profiling of cell cycle progression through S-phase reveals sequential expression of genes required for DNA replication and nucleosome assembly. <i>Cancer Research</i> , 2002, 62, 3233-43.	0.4	52
209	Transcriptional element H4-site II of cell cycle regulated human H4 histone genes is a multipartite protein/DNA interaction site for factors HiNF-D, HiNF-M, and HiNF-P: Involvement of phosphorylation. <i>Journal of Cellular Biochemistry</i> , 1991, 46, 174-189.	1.2	51
210	Histone gene transcription: A model for responsiveness to an integrated series of regulatory signals mediating cell cycle control and proliferation/differentiation interrelationships. <i>Journal of Cellular Biochemistry</i> , 1994, 54, 393-404.	1.2	51
211	Runt-Related Transcription Factor RUNX3 Is a Target of MDM2-Mediated Ubiquitination. <i>Cancer Research</i> , 2009, 69, 8111-8119.	0.4	51
212	Runx2 Protein Expression Utilizes the Runx2 P1 Promoter to Establish Osteoprogenitor Cell Number for Normal Bone Formation. <i>Journal of Biological Chemistry</i> , 2011, 286, 30057-30070.	1.6	51
213	Toll-like receptor adaptor signaling molecule MyD88 on intervertebral disk homeostasis: In vitro, ex vivo studies. <i>Gene</i> , 2012, 505, 283-290.	1.0	51
214	Follistatin-like protein 1 induction of matrix metalloproteinase 1, 3 and 13 gene expression in rheumatoid arthritis synoviocytes requires MAPK, JAK/STAT3 and NF- $\kappa$ B pathways. <i>Journal of Cellular Physiology</i> , 2019, 234, 454-463.	2.0	51
215	Inhibition of the epigenetic suppressor EZH2 primes osteogenic differentiation mediated by BMP2. <i>Journal of Biological Chemistry</i> , 2020, 295, 7877-7893.	1.6	51
216	The BRG1 chromatin remodeling enzyme links cancer cell metabolism and proliferation. <i>Oncotarget</i> , 2016, 7, 38270-38281.	0.8	51

#	ARTICLE	IF	CITATIONS
217	Four novel RUNX2 mutations including a splice donor site result in the cleidocranial dysplasia phenotype. <i>Journal of Cellular Physiology</i> , 2006, 207, 114-122.	2.0	50
218	Intricate gene regulatory networks of helix-loop-helix (HLH) proteins support regulation of bone-tissue related genes during osteoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2008, 105, 487-496.	1.2	50
219	Elevated expression of Runx2 as a key parameter in the etiology of osteosarcoma. <i>Molecular Biology Reports</i> , 2009, 36, 153-158.	1.0	50
220	Catching the Genome: A Compendium of Chromosome Conformation Capture Methods to Study Higher-Order Chromatin Organization. <i>Journal of Cellular Physiology</i> , 2016, 231, 31-35.	2.0	50
221	Loss of histone methyltransferase Ezh2 stimulates an osteogenic transcriptional program in chondrocytes but does not affect cartilage development. <i>Journal of Biological Chemistry</i> , 2018, 293, 19001-19011.	1.6	50
222	Myeloma-Modified Adipocytes Exhibit Metabolic Dysfunction and a Senescence-Associated Secretory Phenotype. <i>Cancer Research</i> , 2021, 81, 634-647.	0.4	50
223	Human H1 histone gene promoter CCAAT-box binding protein HiNF-B is a mosaic factor. <i>Biochemistry</i> , 1988, 27, 6534-6541.	1.2	49
224	Wnt/ $\beta$ -Catenin Signaling Activates Expression of the Bone-Related Transcription Factor RUNX2 in Select Human Osteosarcoma Cell Types. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 3662-3674.	1.2	49
225	Mapping molecular landmarks of human skeletal ontogeny and pluripotent stem cell-derived articular chondrocytes. <i>Nature Communications</i> , 2018, 9, 3634.	5.8	49
226	Epigenetics as a New Frontier in Orthopedic Regenerative Medicine and Oncology. <i>Journal of Orthopaedic Research</i> , 2019, 37, 1465-1474.	1.2	49
227	Digital Expression Profiling Identifies RUNX2, CDC5L, MDM2, RECQL4, and CDK4 as Potential Predictive Biomarkers for Neo-Adjuvant Chemotherapy Response in Paediatric Osteosarcoma. <i>PLoS ONE</i> , 2014, 9, e95843.	1.1	49
228	The leukemogenic t(8;21) fusion protein AML1-ETO controls rRNA genes and associates with nucleolar-organizing regions at mitotic chromosomes. <i>Journal of Cell Science</i> , 2008, 121, 3981-3990.	1.2	48
229	The Osteogenic Transcription Factor Runx2 Controls Genes Involved in Sterol/Steroid Metabolism, Including Cyp11a1 in Osteoblasts. <i>Molecular Endocrinology</i> , 2009, 23, 849-861.	3.7	48
230	RUNX1-dependent mechanisms in biological control and dysregulation in cancer. <i>Journal of Cellular Physiology</i> , 2019, 234, 8597-8609.	2.0	48
231	Interrelationships of nuclear structure and transcriptional control: Functional consequences of being in the right place at the right time. <i>Journal of Cellular Biochemistry</i> , 1998, 70, 200-212.	1.2	47
232	Runx2, p53, and pRB status as diagnostic parameters for deregulation of osteoblast growth and differentiation in a new pre-chemotherapeutic osteosarcoma cell line (OS1). <i>Journal of Cellular Physiology</i> , 2009, 221, 778-788.	2.0	47
233	The Histone Deacetylase Inhibitor, Vorinostat, Reduces Tumor Growth at the Metastatic Bone Site and Associated Osteolysis, but Promotes Normal Bone Loss. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 3210-3220.	1.9	47
234	Environmental Disruption of Circadian Rhythm Predisposes Mice to Osteoarthritis-Like Changes in Knee Joint. <i>Journal of Cellular Physiology</i> , 2015, 230, 2174-2183.	2.0	47



#	ARTICLE	IF	CITATIONS
235	Point mutation in AML1 disrupts subnuclear targeting, prevents myeloid differentiation, and effects a transformation-like phenotype. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 7174-7179.	3.3	46
236	Coordinate Control and Selective Expression of the Full Complement of Replication-dependent Histone H4 Genes in Normal and Cancer Cells. Journal of Biological Chemistry, 2005, 280, 37400-37407.	1.6	46
237	Architectural Epigenetics: Mitotic Retention of Mammalian Transcriptional Regulatory Information. Molecular and Cellular Biology, 2010, 30, 4758-4766.	1.1	46
238	Heparan Sulfate Enhances the Self-Renewal and Therapeutic Potential of Mesenchymal Stem Cells from Human Adult Bone Marrow. Stem Cells and Development, 2012, 21, 1897-1910.	1.1	46
239	hsa-mir-30c promotes the invasive phenotype of metastatic breast cancer cells by targeting NOV/CCN3. Cancer Cell International, 2014, 14, 73.	1.8	46
240	Histone Deacetylase Inhibition Destabilizes the Multi-Potent State of Uncommitted Adipose-Derived Mesenchymal Stromal Cells. Journal of Cellular Physiology, 2015, 230, 52-62.	2.0	46
241	Towards understanding pre-mRNA splicing mechanisms and the role of SR proteins. Gene, 2016, 587, 107-119.	1.0	46
242	A nuclear protein with affinity for the 5' flanking region of a cell cycle dependent human H4 histone gene in vitro. Nucleic Acids Research, 1987, 15, 1679-1698.	6.5	45
243	Nuclear architecture supports integration of physiological regulatory signals for transcription of cell growth and tissue-specific genes during osteoblast differentiation. Journal of Cellular Biochemistry, 1994, 55, 4-15.	1.2	45
244	Interferon regulatory factors: growth control and histone gene regulation - it's not just interferon anymore. Journal of Molecular Medicine, 1997, 75, 348-359.	1.7	45
245	FGFR1 Signaling Stimulates Proliferation of Human Mesenchymal Stem Cells by Inhibiting the Cyclin-Dependent Kinase Inhibitors p21Waf1 and p27Kip1. Stem Cells, 2013, 31, 2724-2736.	1.4	45
246	<i>PKC<math>\delta</math></i> null mutations in a mouse model of osteoarthritis alter osteoarthritic pain independently of joint pathology by augmenting NGF/TrkA-induced axonal outgrowth. Annals of the Rheumatic Diseases, 2016, 75, 2133-2141.	0.5	45
247	Chromatin Hyperacetylation Abrogates Vitamin D-Mediated Transcriptional Upregulation of the Tissue-Specific Osteocalcin Gene in Vivo. Biochemistry, 1999, 38, 1338-1345.	1.2	44
248	Brg1, the ATPase subunit of the SWI/SNF chromatin remodeling complex, is required for myeloid differentiation to granulocytes. Journal of Cellular Physiology, 2006, 206, 112-118.	2.0	44
249	Positive association between nuclear Runx2 and oestrogen-progesterone receptor gene expression characterises a biological subtype of breast cancer. European Journal of Cancer, 2009, 45, 2239-2248.	1.3	44
250	Internal Fixation of Unstable Osteochondritis Dissecans in the Skeletally Mature Knee with Metal Screws. Cartilage, 2016, 7, 157-162.	1.4	44
251	Extracellular vesicles from osteosarcoma cell lines contain miRNAs associated with cell adhesion and apoptosis. Gene, 2019, 710, 246-257.	1.0	44
252	TRANSCRIPTIONAL CONTROL OF CELL CYCLE PROGRESSION: THE HISTONE GENE IS A PARADIGM FOR THE G1/S PHASE AND PROLIFERATION/DIFFERENTIATION TRANSITIONS. Cell Biology International, 1996, 20, 41-49.	1.4	43



#	ARTICLE	IF	CITATIONS
253	The cancer-related Runx2 protein enhances cell growth and responses to androgen and TGF $\beta$ 2 in prostate cancer cells. <i>Journal of Cellular Biochemistry</i> , 2010, 109, 828-837.	1.2	43
254	Intra-renal delivery of mesenchymal stem cells attenuates myocardial injury after reversal of hypertension in porcine renovascular disease. <i>Stem Cell Research and Therapy</i> , 2015, 6, 7.	2.4	43
255	The metabolic syndrome alters the miRNA signature of porcine adipose tissue-derived mesenchymal stem cells. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2018, 93, 93-103.	1.1	43
256	The cancer-related transcription factor RUNX2 modulates expression and secretion of the matricellular protein osteopontin in osteosarcoma cells to promote adhesion to endothelial pulmonary cells and lung metastasis. <i>Journal of Cellular Physiology</i> , 2019, 234, 13659-13679.	2.0	43
257	The osteocalcin gene: a model for multiple parameters of skeletal-specific transcriptional control. <i>Molecular Biology Reports</i> , 1997, 24, 185-196.	1.0	42
258	Transcriptional control of osteoblast differentiation. <i>Biochemical Society Transactions</i> , 1998, 26, 14-21.	1.6	42
259	Characterization of a new animal model for evaluation and treatment of back pain due to lumbar facet joint osteoarthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2966-2973.	6.7	42
260	Heparan Sulfate Proteoglycans and Human Breast Cancer Epithelial Cell Tumorigenicity. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 967-976.	1.2	42
261	$\beta$ -Catenin Preserves the Stem State of Murine Bone Marrow Stromal Cells Through Activation of EZH2. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 1149-1162.	3.1	42
262	Contributions of nuclear architecture and chromatin to vitamin D-dependent transcriptional control of the rat osteocalcin gene. <i>Steroids</i> , 2001, 66, 159-170.	0.8	41
263	Bioactive Lipids Lysophosphatidic Acid and Sphingosine 1-Phosphate Mediate Breast Cancer Cell Biological Functions Through Distinct Mechanisms. <i>Oncology Research</i> , 2009, 18, 173-184.	0.6	41
264	Transcriptional corepressor TLE1 functions with Runx2 in epigenetic repression of ribosomal RNA genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4165-4169.	3.3	41
265	Runx2 is required for early stages of endochondral bone formation but delays final stages of bone repair in <i>Axin2</i> -deficient mice. <i>Bone</i> , 2014, 66, 277-286.	1.4	41
266	Animal models for studying the etiology and treatment of low back pain. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1305-1312.	1.2	41
267	Regulation of transcription-factor activity during growth and differentiation: Involvement of the nuclear matrix in concentration and localization of promoter binding proteins. <i>Journal of Cellular Biochemistry</i> , 1991, 47, 300-305.	1.2	40
268	Multiple mechanisms regulate the proliferation-specific histone gene transcription factor H1NF-D in normal human diploid fibroblasts. <i>Biochemistry</i> , 1992, 31, 2812-2818.	1.2	40
269	Alterations in intranuclear localization of Runx2 affect biological activity. <i>Journal of Cellular Physiology</i> , 2006, 209, 935-942.	2.0	40
270	Subnuclear targeting of the Runx3 tumor suppressor and its epigenetic association with mitotic chromosomes. <i>Journal of Cellular Physiology</i> , 2009, 218, 473-479.	2.0	40

#	ARTICLE	IF	CITATIONS
271	Intranuclear and higher-order chromatin organization of the major histone gene cluster in breast cancer. <i>Journal of Cellular Physiology</i> , 2018, 233, 1278-1290.	2.0	40
272	Targeted stimulation of MSCs in peripheral nerve repair. <i>Gene</i> , 2019, 710, 17-23.	1.0	40
273	Cell cycle controlled histone H1, H3, and H4 genes share unusual arrangements of recognition motifs for HiNF-D supporting a coordinate promoter binding mechanism. <i>Journal of Cellular Physiology</i> , 1994, 159, 515-530.	2.0	39
274	Multiple levels of steroid hormone-dependent control of osteocalcin during osteoblast differentiation: Glucocorticoid regulation of basal and vitamin D stimulated gene expression. <i>Journal of Cellular Biochemistry</i> , 1998, 69, 154-168.	1.2	39
275	Differential gene expression analysis using paraffin-embedded tissues after laser microdissection. <i>Journal of Cellular Biochemistry</i> , 2003, 90, 998-1006.	1.2	39
276	Biological effects of the plant-derived polyphenol resveratrol in human articular cartilage and chondrosarcoma cells. <i>Journal of Cellular Physiology</i> , 2012, 227, 3488-3497.	2.0	39
277	Intrarenal Delivery of Mesenchymal Stem Cells and Endothelial Progenitor Cells Attenuates Hypertensive Cardiomyopathy in Experimental Renovascular Hypertension. <i>Cell Transplantation</i> , 2015, 24, 2041-2053.	1.2	39
278	Chromosomes at Work: Organization of Chromosome Territories in the Interphase Nucleus. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 9-19.	1.2	39
279	TIEG1/KLF10 Modulates Runx2 Expression and Activity in Osteoblasts. <i>PLoS ONE</i> , 2011, 6, e19429.	1.1	39
280	Involvement of the cell cycle-regulated nuclear factor HiNF-D in cell growth control of a human H4 histone gene during hepatic development in transgenic mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 2573-2577.	3.3	38
281	Molecular characterization of Celtix-1, a bromodomain protein interacting with the transcription factor interferon regulatory factor 2. <i>Journal of Cellular Physiology</i> , 2000, 185, 269-279.	2.0	38
282	1,25-dihydroxy vitamin D <sub>3</sub> -enhanced expression of the osteocalcin gene involves increased promoter occupancy of basal transcription regulators and gradual recruitment of the 1,25-dihydroxy vitamin D <sub>3</sub> receptor- SRC-1 coactivator complex. <i>Journal of Cellular Physiology</i> , 2008, 214, 740-749.	2.0	38
283	Improved Post-Thaw Function and Epigenetic Changes in Mesenchymal Stromal Cells Cryopreserved Using Multicomponent Osmolyte Solutions. <i>Stem Cells and Development</i> , 2017, 26, 828-842.	1.1	38
284	Sustained perfusion of revascularized bioengineered livers heterotopically transplanted into immunosuppressed pigs. <i>Nature Biomedical Engineering</i> , 2020, 4, 437-445.	11.6	38
285	Purification and Functional Analysis of a Novel Leucine-Zipper/Nucleotide-Fold Protein, BZAP45, Stimulating Cell Cycle Regulated Histone H4 Gene Transcription. <i>Biochemistry</i> , 2001, 40, 10693-10699.	1.2	37
286	Interaction of the 1,25-dihydroxyvitamin D <sub>3</sub> receptor at the distal promoter region of the bone-specific osteocalcin gene requires nucleosomal remodelling. <i>Biochemical Journal</i> , 2002, 363, 667-676.	1.7	37
287	Bovine lactoferricin is anti-inflammatory and anti-catabolic in human articular cartilage and synovium. <i>Journal of Cellular Physiology</i> , 2013, 228, 447-456.	2.0	37
288	Diabetes Mellitus and Hyperglycemia and the Risk of Aseptic Loosening in Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, S251-S253.	1.5	37

#	ARTICLE	IF	CITATIONS
289	Molecular landscape of arthrofibrosis: Microarray and bioinformatic analysis of the temporal expression of 380 genes during contracture genesis. <i>Gene</i> , 2017, 610, 15-23.	1.0	37
290	Contributions of Nuclear Architecture to Transcriptional Control. <i>International Review of Cytology</i> , 1996, 162A, 251-278.	6.2	36
291	Phosphorylation at serine 208 of the 1 $\alpha$ ,25-dihydroxy Vitamin D3 receptor modulates the interaction with transcriptional coactivators. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007, 103, 425-429.	1.2	36
292	C/EBP $\beta$ binds the P1 promoter of the Runx2 gene and up-regulates Runx2 transcription in osteoblastic cells. <i>Journal of Cellular Physiology</i> , 2011, 226, 3043-3052.	2.0	36
293	A Runx2-HDAC1 co-repressor complex regulates rRNA gene expression by modulating UBF acetylation. <i>Journal of Cell Science</i> , 2012, 125, 2732-9.	1.2	36
294	Interaction of CBF $\beta$ /AML/PEBP2 $\beta$ Transcription Factors with Nucleosomes Containing Promoter Sequences Requires Flexibility in the Translational Positioning of the Histone Octamer and Exposure of the CBF $\beta$ Site. <i>Biochemistry</i> , 2000, 39, 13565-13574.	1.2	35
295	Definitive hematopoiesis requires Runx1 C-terminal-mediated subnuclear targeting and transactivation. <i>Human Molecular Genetics</i> , 2010, 19, 1048-1057.	1.4	35
296	A Conserved Interaction That Is Essential for the Biogenesis of Histone Locus Bodies. <i>Journal of Biological Chemistry</i> , 2014, 289, 33767-33782.	1.6	35
297	Obesity-induced mitochondrial dysfunction in porcine adipose tissue-derived mesenchymal stem cells. <i>Journal of Cellular Physiology</i> , 2018, 233, 5926-5936.	2.0	35
298	<i>miR-219a-5p</i> Regulates Ror $\beta$ During Osteoblast Differentiation and in Age-related Bone Loss. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 135-144.	3.1	35
299	Functional Role for Sp1 in the Transcriptional Amplification of a Cell Cycle Regulated Histone H4 Gene. <i>Biochemistry</i> , 1995, 34, 7648-7658.	1.2	34
300	Functional interrelationships between nuclear structure and transcriptional control: Contributions to regulation of cell cycle-and tissue-specific gene expression. <i>Journal of Cellular Biochemistry</i> , 1996, 62, 198-209.	1.2	34
301	HiNF-D (CDP-cut/CDC2/cyclin A/pRB-complex) influences the timing of IRF-2-dependent cell cycle activation of human histone H4 gene transcription at the G1/S phase transition. <i>Journal of Cellular Physiology</i> , 1998, 177, 453-464.	2.0	34
302	The Cell Cycle Control Element of Histone H4 Gene Transcription Is Maximally Responsive to Interferon Regulatory Factor Pairs IRF-1/IRF-3 and IRF-1/IRF-7. <i>Journal of Biological Chemistry</i> , 2001, 276, 18624-18632.	1.6	34
303	The notch-responsive transcription factor Hes $\beta$ 1 attenuates osteocalcin promoter activity in osteoblastic cells. <i>Journal of Cellular Biochemistry</i> , 2009, 108, 651-659.	1.2	34
304	Cyclin D2 and the CDK substrate p220 <sup>NPAT</sup> are required for self-renewal of human embryonic stem cells. <i>Journal of Cellular Physiology</i> , 2010, 222, 456-464.	2.0	34
305	Subcellular partitioning of transcription factors during osteoblast differentiation: Developmental association of the AML/CBF $\beta$ /PEBP2 $\beta$ -related transcription factor-NMP-2 with the nuclear matrix. <i>Journal of Cellular Biochemistry</i> , 1997, 66, 123-132.	1.2	33
306	Implications for interrelationships between nuclear architecture and control of gene expression under microgravity conditions. <i>FASEB Journal</i> , 1999, 13, S157-66.	0.2	33

#	ARTICLE	IF	CITATIONS
307	Nuclear microenvironments support assembly and organization of the transcriptional regulatory machinery for cell proliferation and differentiation. <i>Journal of Cellular Biochemistry</i> , 2004, 91, 287-302.	1.2	33
308	The subnuclear organization of histone gene regulatory proteins and 3' end processing factors of normal somatic and embryonic stem cells is compromised in selected human cancer cell types. <i>Journal of Cellular Physiology</i> , 2009, 220, 129-135.	2.0	33
309	Bookmarking Target Genes in Mitosis: A Shared Epigenetic Trait of Phenotypic Transcription Factors and Oncogenes?. <i>Cancer Research</i> , 2014, 74, 420-425.	0.4	33
310	Circulating microRNA-23b as a new biomarker for rheumatoid arthritis. <i>Gene</i> , 2019, 712, 143911.	1.0	33
311	Sequence-specific DNA binding activities of nuclear matrix proteins of mammalian lens epithelial cells. <i>Journal of Cellular Biochemistry</i> , 1995, 58, 1-5.	1.2	32
312	Cell cycle-dependent modifications in activities of pRb-related tumor suppressors and proliferation-specific CDP/cut homeodomain factors in murine hematopoietic progenitor cells. <i>Journal of Cellular Biochemistry</i> , 1997, 66, 512-523.	1.2	32
313	Prostate cancer regulatory networks. <i>Journal of Cellular Biochemistry</i> , 2009, 107, 845-852.	1.2	32
314	Osteoblasts Protect AML Cells From SDF1 $\alpha$ -Induced Apoptosis. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 1128-1137.	1.2	32
315	Molecular Validation of Chondrogenic Differentiation and Hypoxia Responsiveness of Platelet-Lysate Expanded Adipose Tissue-Derived Human Mesenchymal Stromal Cells. <i>Cartilage</i> , 2017, 8, 283-299.	1.4	32
316	Osteogenic Stimulation of Human Adipose-Derived Mesenchymal Stem Cells Using a Fungal Metabolite That Suppresses the Polycomb Group Protein EZH2. <i>Stem Cells Translational Medicine</i> , 2018, 7, 197-209.	1.6	32
317	The histone gene activator HINFP is a nonredundant cyclin E/CDK2 effector during early embryonic cell cycles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12359-12364.	3.3	31
318	The Gene for Aromatase, a Rate-Limiting Enzyme for Local Estrogen Biosynthesis, Is a Downstream Target Gene of Runx2 in Skeletal Tissues. <i>Molecular and Cellular Biology</i> , 2010, 30, 2365-2375.	1.1	31
319	Lactoferricin mediates anabolic and anti-catabolic effects in the intervertebral disc. <i>Journal of Cellular Physiology</i> , 2012, 227, 1512-1520.	2.0	31
320	Safety Studies for Use of Adipose Tissue-Derived Mesenchymal Stromal/Stem Cells in a Rabbit Model for Osteoarthritis to Support a Phase I Clinical Trial. <i>Stem Cells Translational Medicine</i> , 2017, 6, 910-922.	1.6	31
321	Coordination of protein-DNA interactions in the promoters of human H4, H3, and H1 histone genes during the cell cycle, tumorigenesis, and development. <i>Journal of Cellular Physiology</i> , 1991, 148, 174-189.	2.0	30
322	Identification of novel protein/DNA interactions within the promoter of the bone-related transcription factor Runx2/Cbfa1. <i>Journal of Cellular Biochemistry</i> , 2002, 86, 403-412.	1.2	30
323	Molecular Switches Involving Homeodomain Proteins, HOXA10 and RUNX2 Regulate Osteoblastogenesis. <i>Cells Tissues Organs</i> , 2009, 189, 122-125.	1.3	30
324	Pin1-mediated Runx2 modification is critical for skeletal development. <i>Journal of Cellular Physiology</i> , 2013, 228, 2377-2385.	2.0	30

#	ARTICLE	IF	CITATIONS
325	Runx2 Protein Represses Axin2 Expression in Osteoblasts and Is Required for Craniosynostosis in Axin2-deficient Mice*. <i>Journal of Biological Chemistry</i> , 2013, 288, 5291-5302.	1.6	30
326	Genome-wide co-occupancy of AML1-ETO and N-CoR defines the t(8;21) AML signature in leukemic cells. <i>BMC Genomics</i> , 2015, 16, 309.	1.2	30
327	Development of an Experimental Animal Model for Lower Back Pain by Percutaneous Injury-Induced Lumbar Facet Joint Osteoarthritis. <i>Journal of Cellular Physiology</i> , 2015, 230, 2837-2847.	2.0	30
328	A Versatile Protocol for Studying Calvarial Bone Defect Healing in a Mouse Model. <i>Tissue Engineering - Part C: Methods</i> , 2017, 23, 686-693.	1.1	30
329	Regulation and biological roles of the multifaceted miRNA-23b (MIR23B). <i>Gene</i> , 2018, 642, 103-109.	1.0	30
330	A Simple Dynamic Strategy to Deliver Stem Cells to Decellularized Nerve Allografts. <i>Plastic and Reconstructive Surgery</i> , 2018, 142, 402-413.	0.7	30
331	MiR-202-3p regulates interleukin-1 $\beta$ -induced expression of matrix metalloproteinase 1 in human nucleus pulposus. <i>Gene</i> , 2019, 687, 156-165.	1.0	30
332	Contributions of distal and proximal promoter elements to glucocorticoid regulation of osteocalcin gene transcription. <i>Molecular Endocrinology</i> , 1995, 9, 679-690.	3.7	30
333	Inhibiting DNA-PKCS radiosensitizes human osteosarcoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 307-313.	1.0	29
334	Local Cellular Responses to Titanium Dioxide from Orthopedic Implants. <i>BioResearch Open Access</i> , 2017, 6, 94-103.	2.6	29
335	Pharmacological targeting of the mammalian clock reveals a novel analgesic for osteoarthritis-induced pain. <i>Gene</i> , 2018, 655, 1-12.	1.0	29
336	Development of an in vivo mouse model of discogenic low back pain. <i>Journal of Cellular Physiology</i> , 2018, 233, 6589-6602.	2.0	29
337	Inhibition of COX-2 Pathway as a Potential Prophylaxis Against Arthrofibrogenesis in a Rabbit Model of Joint Contracture. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2609-2620.	1.2	29
338	Tissue-specific protein-DNA interactions of the mouse protamine 2 gene promoter. , 1997, 64, 94-105.		28
339	The bone-specific Runx2-P1 promoter displays conserved three-dimensional chromatin structure with the syntenic Supt3h promoter. <i>Nucleic Acids Research</i> , 2014, 42, 10360-10372.	6.5	28
340	Epigenetic landscape during osteoblastogenesis defines a differentiation-dependent Runx2 promoter region. <i>Gene</i> , 2014, 550, 1-9.	1.0	28
341	Identification of differentially methylated regions in new genes associated with knee osteoarthritis. <i>Gene</i> , 2016, 576, 312-318.	1.0	28
342	The metabolic syndrome modifies the mRNA expression profile of extracellular vesicles derived from porcine mesenchymal stem cells. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 58.	1.2	28

#	ARTICLE	IF	CITATIONS
343	TG-interacting factor 1 (Tgif1)-deficiency attenuates bone remodeling and blunts the anabolic response to parathyroid hormone. <i>Nature Communications</i> , 2019, 10, 1354.	5.8	28
344	Molecular pathology of human knee arthrofibrosis defined by RNA sequencing. <i>Genomics</i> , 2020, 112, 2703-2712.	1.3	28
345	The integrated activities of IRF-2 (HiNF-M), CDP/cut (HiNF-D) and H4TF-2 (HiNF-P) regulate transcription of a cell cycle controlled human histone H4 gene: mechanistic differences between distinct H4 genes. <i>Molecular Biology Reports</i> , 1998, 25, 1-12.	1.0	27
346	Intranuclear Trafficking: Organization and Assembly of Regulatory Machinery for Combinatorial Biological Control. <i>Journal of Biological Chemistry</i> , 2004, 279, 43363-43366.	1.6	27
347	Functional characterization of a human histone gene cluster duplication. <i>Gene</i> , 2004, 342, 35-40.	1.0	27
348	Chromatin Remodeling by SWI/SNF Results in Nucleosome Mobilization to Preferential Positions in the Rat Osteocalcin Gene Promoter. <i>Journal of Biological Chemistry</i> , 2007, 282, 9445-9457.	1.6	27
349	Osteoblasts secrete miRNA-containing extracellular vesicles that enhance expansion of human umbilical cord blood cells. <i>Scientific Reports</i> , 2016, 6, 32034.	1.6	27
350	Adipose-derived mesenchymal stem cells from patients with atherosclerotic renovascular disease have increased DNA damage and reduced angiogenesis that can be modified by hypoxia. <i>Stem Cell Research and Therapy</i> , 2016, 7, 128.	2.4	27
351	Affinity Selection of FGF2-Binding Heparan Sulfates for Ex Vivo Expansion of Human Mesenchymal Stem Cells. <i>Journal of Cellular Physiology</i> , 2017, 232, 566-575.	2.0	27
352	Profiling secondary metabolites of plant defence mechanisms and oil palm in response to <i>Ganoderma boninense</i> attack. <i>International Biodeterioration and Biodegradation</i> , 2017, 122, 151-164.	1.9	27
353	Histone Deacetylase 3 Deletion in Mesenchymal Progenitor Cells Hinders Long Bone Development. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 2453-2465.	3.1	27
354	Nicotinamide Phosphoribosyltransferase Inhibitor APO866 Prevents IL-1 $\beta$ -Induced Human Nucleus Pulposus Cell Degeneration via Autophagy. <i>Cellular Physiology and Biochemistry</i> , 2018, 49, 2463-2482.	1.1	27
355	Identification of an enhancer-like element upstream from a cell cycle dependent human H4 histone gene. <i>Journal of Cellular Physiology</i> , 1987, 132, 552-558.	2.0	26
356	ATF1 and CREB Trans-Activate a Cell Cycle Regulated Histone H4 Gene at a Distal Nuclear Matrix Associated Promoter Element. <i>Biochemistry</i> , 1997, 36, 14447-14455.	1.2	26
357	Tumor suppressor pRB functions as a co-repressor of the CCAAT displacement protein (CDP/cut) to regulate cell cycle controlled histone H4 transcription. <i>Journal of Cellular Physiology</i> , 2003, 196, 541-556.	2.0	26
358	Maintenance of Open Chromatin and Selective Genomic Occupancy at the Cell Cycle-Regulated Histone H4 Promoter during Differentiation of HL-60 Promyelocytic Leukemia Cells. <i>Molecular and Cellular Biology</i> , 2003, 23, 1460-1469.	1.1	26
359	Organization of transcriptional regulatory machinery in osteoclast nuclei: Compartmentalization of Runx1. <i>Journal of Cellular Physiology</i> , 2005, 204, 871-880.	2.0	26
360	Cell cycle related modulations in Runx2 protein levels are independent of lymphocyte enhancer-binding factor 1 (Lef1) in proliferating osteoblasts. <i>Journal of Molecular Histology</i> , 2007, 38, 501-506.	1.0	26



#	ARTICLE	IF	CITATIONS
361	RNA sequencing identifies gene regulatory networks controlling extracellular matrix synthesis in intervertebral disk tissues. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1356-1369.	1.2	26
362	<i>In vivo</i> assessment of high-molecular-weight polyethylene core suture tape for intra-articular ligament reconstruction. <i>Bone and Joint Journal</i> , 2019, 101-B, 1238-1247.	1.9	26
363	Temporal and Spatial Parameters of Skeletal Gene Expression: Targeting RUNX Factors and their Coregulatory Proteins to Subnuclear Domains. <i>Connective Tissue Research</i> , 2003, 44, 149-153.	1.1	25
364	Quantitative signature for architectural organization of regulatory factors using intranuclear informatics. <i>Journal of Cell Science</i> , 2004, 117, 4889-4896.	1.2	25
365	The 1 $\alpha$ ,25-dihydroxy Vitamin D3 receptor preferentially recruits the coactivator SRC-1 during up-regulation of the osteocalcin gene. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007, 103, 420-424.	1.2	25
366	Architectural Genetic and Epigenetic Control of Regulatory Networks: Compartmentalizing Machinery for Transcription and chromatin remodeling in nuclear Microenvironments. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2010, 20, 149-155.	0.4	25
367	Osteoarthritic tissues modulate functional properties of sensory neurons associated with symptomatic OA pain. <i>Molecular Biology Reports</i> , 2011, 38, 5335-5339.	1.0	25
368	Epigenetic Control of Cell Cycle-Dependent Histone Gene Expression Is a Principal Component of the Abbreviated Pluripotent Cell Cycle. <i>Molecular and Cellular Biology</i> , 2012, 32, 3860-3871.	1.1	25
369	Fidelity of Histone Gene Regulation Is Obligatory for Genome Replication and Stability. <i>Molecular and Cellular Biology</i> , 2014, 34, 2650-2659.	1.1	25
370	Acute-phase protein serum amyloid A3 is a novel paracrine coupling factor that controls bone homeostasis. <i>FASEB Journal</i> , 2015, 29, 1344-1359.	0.2	25
371	Runx1 Activities in Superficial Zone Chondrocytes, Osteoarthritic Chondrocyte Clones and Response to Mechanical Loading. <i>Journal of Cellular Physiology</i> , 2015, 230, 440-448.	2.0	25
372	Osteogenic potential of human adipose-tissue-derived mesenchymal stromal cells cultured on 3D-printed porous structured titanium. <i>Gene</i> , 2016, 581, 95-106.	1.0	25
373	Ethanol Extract of <i>Cissus quadrangularis</i> Enhances Osteoblast Differentiation and Mineralization of Murine Pre-Osteoblastic MC3T3-E1 Cells. <i>Journal of Cellular Physiology</i> , 2017, 232, 540-547.	2.0	25
374	Profiling of human epigenetic regulators using a semi-automated real-time qPCR platform validated by next generation sequencing. <i>Gene</i> , 2017, 609, 28-37.	1.0	25
375	Histone H4 Methyltransferase Suv420h2 Maintains Fidelity of Osteoblast Differentiation. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 1262-1272.	1.2	25
376	Micro-RNAs Regulate Metabolic Syndrome-induced Senescence in Porcine Adipose Tissue-derived Mesenchymal Stem Cells through the P16/MAPK Pathway. <i>Cell Transplantation</i> , 2018, 27, 1495-1503.	1.2	25
377	Multiple pharmacological inhibitors targeting the epigenetic suppressor enhancer of zeste homolog 2 (Ezh2) accelerate osteoblast differentiation. <i>Bone</i> , 2021, 150, 115993.	1.4	25
378	Preliminary Crystallographic Study of GlutathioneS-Transferase Fused with the Nuclear Matrix Targeting Signal of the Transcription Factor AML-1/CBF-1. <i>Journal of Structural Biology</i> , 1998, 123, 83-85.	1.3	24



#	ARTICLE	IF	CITATIONS
379	Multiple interactions of the transcription factor YY1 with human histone H4 gene regulatory elements. <i>Journal of Cellular Biochemistry</i> , 1999, 72, 507-516.	1.2	24
380	Interaction of the 1 $\alpha$ ,25-dihydroxyvitamin D3 receptor at the distal promoter region of the bone-specific osteocalcin gene requires nucleosomal remodelling. <i>Biochemical Journal</i> , 2002, 363, 667.	1.7	24
381	SWI/SNF-Independent Nuclease Hypersensitivity and an Increased Level of Histone Acetylation at the P1 Promoter Accompany Active Transcription of the Bone Master Gene Runx2. <i>Biochemistry</i> , 2009, 48, 7287-7295.	1.2	24
382	Ribonucleoprotein immunoprecipitation (RNP $\hat{=}$ P): A direct in vivo analysis of microRNA $\hat{=}$ targets. <i>Journal of Cellular Biochemistry</i> , 2010, 110, 817-822.	1.2	24
383	RUNX family members are covalently modified and regulated by PIAS1-mediated sumoylation. <i>Oncogenesis</i> , 2014, 3, e101-e101.	2.1	24
384	Effectiveness of rosiglitazone in reducing flexion contracture in a rabbit model of arthrofibrosis with surgical capsular release. <i>Bone and Joint Research</i> , 2016, 5, 11-17.	1.3	24
385	RNA $\hat{=}$ seq analysis of clinical $\hat{=}$ grade osteochondral allografts reveals activation of early response genes. <i>Journal of Orthopaedic Research</i> , 2016, 34, 1950-1959.	1.2	24
386	Validation of Osteogenic Properties of Cytochalasin D by High-Resolution RNA-Sequencing in Mesenchymal Stem Cells Derived from Bone Marrow and Adipose Tissues. <i>Stem Cells and Development</i> , 2018, 27, 1136-1145.	1.1	24
387	Inhibition of PARP Sensitizes Chondrosarcoma Cell Lines to Chemo- and Radiotherapy Irrespective of the IDH1 or IDH2 Mutation Status. <i>Cancers</i> , 2019, 11, 1918.	1.7	24
388	The HiNF-P/p220NPAT Cell Cycle Signaling Pathway Controls Nonhistone Target Genes. <i>Cancer Research</i> , 2007, 67, 10334-10342.	0.4	23
389	The interactome of the histone gene regulatory factor HiNF-P suggests novel cell cycle related roles in transcriptional control and RNA processing. <i>Journal of Cellular Biochemistry</i> , 2007, 102, 136-148.	1.2	23
390	Planar Cell Polarity Aligns Osteoblast Division in Response to Substrate Strain. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 423-435.	3.1	23
391	Three-Dimension-Printed Porous Poly(Propylene Fumarate) Scaffolds with Delayed rhBMP-2 Release for Anterior Cruciate Ligament Graft Fixation. <i>Tissue Engineering - Part A</i> , 2017, 23, 359-365.	1.6	23
392	VEGF-mediated angiogenesis and vascularization of a fumarate-crosslinked polycaprolactone (PCLF) scaffold. <i>Connective Tissue Research</i> , 2018, 59, 542-549.	1.1	23
393	Cytotoxicity of Local Anesthetics in Mesenchymal Stem Cells. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, 50-55.	0.7	23
394	Cytokine induction of proliferation and expression of CDC2 and cyclin a in FDC-P1 myeloid hematopoietic progenitor cells: Regulation of ubiquitous and cell cycle-dependent histone gene transcription factors. <i>Journal of Cellular Biochemistry</i> , 1995, 59, 291-302.	1.2	22
395	Leukemia-associated AML1/ETO (8;21) chromosomal translocation protein increases the cellular representation of PML bodies. <i>Journal of Cellular Biochemistry</i> , 2000, 79, 103-112.	1.2	22
396	Glycosaminoglycans modulate RANKL $\hat{=}$ induced osteoclastogenesis. <i>Journal of Cellular Biochemistry</i> , 2010, 109, 1222-1231.	1.2	22

#	ARTICLE	IF	CITATIONS
397	Targeting deregulated epigenetic control in cancer. <i>Journal of Cellular Physiology</i> , 2013, 228, 2103-2108.	2.0	22
398	Control of bone development by P2X and P2Y receptors expressed in mesenchymal and hematopoietic cells. <i>Gene</i> , 2015, 570, 1-7.	1.0	22
399	Molecular characterization of human osteoblast-derived extracellular vesicle mRNA using next-generation sequencing. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 1133-1141.	1.9	22
400	Hypoxic preconditioning induces epigenetic changes and modifies swine mesenchymal stem cell angiogenesis and senescence in experimental atherosclerotic renal artery stenosis. <i>Stem Cell Research and Therapy</i> , 2021, 12, 240.	2.4	22
401	Runx2/Cbfa1 Functions: Diverse Regulation of Gene Transcription by Chromatin Remodeling and Co-Regulatory Protein Interactions. <i>Connective Tissue Research</i> , 2003, 44, 141-148.	1.1	22
402	Protein/DNA interactions involving ATF/AP1-, CCAAT-, and HiNF-D-related factors in the human H3-ST519 histone promoter: Cross-competition with transcription regulatory sites in cell cycle controlled H4 and H1 histone genes. <i>Journal of Cellular Biochemistry</i> , 1991, 47, 337-351.	1.2	21
403	Interrelationships of Transcriptional Machinery with Nuclear Architecture. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 1999, 9, 183-190.	0.4	21
404	Subnuclear organization and trafficking of regulatory proteins: Implications for biological control and cancer. <i>Journal of Cellular Biochemistry</i> , 2000, 79, 84-92.	1.2	21
405	Cooperation between p27 and p107 during Endochondral Ossification Suggests a Genetic Pathway Controlled by p27 and p130. <i>Molecular and Cellular Biology</i> , 2007, 27, 5161-5171.	1.1	21
406	Organization of transcriptional regulatory machinery in nuclear microenvironments: Implications for biological control and cancer. <i>Advances in Enzyme Regulation</i> , 2007, 47, 242-250.	2.9	21
407	Transcription factor-mediated epigenetic regulation of cell growth and phenotype for biological control and cancer. <i>Advances in Enzyme Regulation</i> , 2010, 50, 160-167.	2.9	21
408	Subnuclear domain proteins in cancer cells support transcription factor RUNX2 functions in DNA damage response. <i>Journal of Cell Science</i> , 2015, 128, 728-40.	1.2	21
409	Flyingfish (Exocoetidae) species diversity and habitats in the eastern tropical Pacific Ocean. <i>Marine Biodiversity</i> , 2018, 48, 1755-1765.	0.3	21
410	Gene regulation through dynamic actin control of nuclear structure. <i>Experimental Biology and Medicine</i> , 2019, 244, 1345-1353.	1.1	21
411	The epigenetic reader Brd4 is required for osteoblast differentiation. <i>Journal of Cellular Physiology</i> , 2020, 235, 5293-5304.	2.0	21
412	The Micro-RNA Cargo of Extracellular Vesicles Released by Human Adipose Tissue-Derived Mesenchymal Stem Cells Is Modified by Obesity. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 660851.	1.8	21
413	Detection of a proliferation specific gene during development of the osteoblast phenotype by mRNA differential display. <i>Journal of Cellular Biochemistry</i> , 1997, 64, 106-116.	1.2	20
414	Selective expression of specific histone H4 genes reflects distinctions in transcription factor interactions with divergent H4 promoter elements. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1442, 82-100.	2.4	20

#	ARTICLE	IF	CITATIONS
415	Repressor elements in the coding region of the human histone H4 gene interact with the transcription factor CDP/cut. <i>Gene</i> , 1998, 221, 267-277.	1.0	20
416	Subnuclear targeting of Runx1 Is required for synergistic activation of the myeloid specific M-CSF receptor promoter by PU.1. <i>Journal of Cellular Biochemistry</i> , 2005, 96, 795-809.	1.2	20
417	Transcription-factor-mediated epigenetic control of cell fate and lineage commitmentThis paper is one of a selection of papers published in this Special Issue, entitled CSBMCBâ€™s 51st Annual Meeting“Epigenetics and Chromatin Dynamics, and has undergone the Journalâ€™s usual peer review process.. <i>Biochemistry and Cell Biology</i> , 2009, 87, 1-6.	0.9	20
418	Identification of RUNX3 as a component of the MST/Hpo signaling pathway. <i>Journal of Cellular Physiology</i> , 2012, 227, 839-849.	2.0	20
419	Ligament Tissue Engineering Using a Novel Porous Polycaprolactone Fumarate Scaffold and Adipose Tissue-Derived Mesenchymal Stem Cells Grown in Platelet Lysate. <i>Tissue Engineering - Part A</i> , 2015, 21, 2703-2713.	1.6	20
420	Targeting the heparin-binding domain of fibroblast growth factor receptor 1 as a potential cancer therapy. <i>Molecular Cancer</i> , 2015, 14, 136.	7.9	20
421	Clinical Factors, Disease Parameters, and Molecular Therapies Affecting Osseointegration of Orthopedic Implants. <i>Current Molecular Biology Reports</i> , 2016, 2, 123-132.	0.8	20
422	Seeding decellularized nerve allografts with adipose-derived mesenchymal stromal cells: An in vitro analysis of the gene expression and growth factors produced. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2019, 72, 1316-1325.	0.5	20
423	Office-Based Mesenchymal Stem Cell Therapy for the Treatment of Musculoskeletal Disease: A Systematic Review of Recent Human Studies. <i>Pain Medicine</i> , 2019, 20, 1570-1583.	0.9	20
424	Gene expression profiles of differentiated and undifferentiated adipose derived mesenchymal stem cells dynamically seeded onto a processed nerve allograft. <i>Gene</i> , 2020, 724, 144151.	1.0	20
425	Expression of the ectodomainâ€™releasing protease ADAM17 is directly regulated by the osteosarcoma and boneâ€™related transcription factor RUNX2. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 8204-8219.	1.2	20
426	Runx2/Cbfa1 functions: diverse regulation of gene transcription by chromatin remodeling and co-regulatory protein interactions. <i>Connective Tissue Research</i> , 2003, 44 Suppl 1, 141-8.	1.1	20
427	Bovine lactoferricin induces TIMP-3 via the ERK1/2-Sp1 axis in human articular chondrocytes. <i>Gene</i> , 2013, 517, 12-18.	1.0	19
428	Identifying Nuclear Matrixâ€™Attached DNA Across the Genome. <i>Journal of Cellular Physiology</i> , 2017, 232, 1295-1305.	2.0	19
429	Variations in vitamin D receptor transcription factor complexes associated with the osteocalcin gene vitamin D responsive element in osteoblasts and osteosarcoma cells. <i>Journal of Cellular Biochemistry</i> , 1994, 55, 218-229.	1.2	18
430	Nucleosome organization and targeting of SWI/SNF chromatin-remodeling complexes: contributions of the DNA sequenceThis paper is one of a selection of papers published in this Special Issue, entitled 28th International West Coast Chromatin and Chromosomes Conference, and has undergone the Journal's usual peer review process.. <i>Biochemistry and Cell Biology</i> , 2007, 85, 419-425.	0.9	18
431	Genetic and epigenetic regulation in nuclear microenvironments for biological control in cancer. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 2016-2026.	1.2	18
432	Histone Deacetylase Inhibitors Target the Leukemic Microenvironment by Enhancing a Nherf1-Protein Phosphatase 1â€™-TAZ Signaling Pathway in Osteoblasts. <i>Journal of Biological Chemistry</i> , 2015, 290, 29478-29492.	1.6	18

#	ARTICLE	IF	CITATIONS
433	Metabolic syndrome alters expression of insulin signaling-related genes in swine mesenchymal stem cells. <i>Gene</i> , 2018, 644, 101-106.	1.0	18
434	Molecular characterization of physis tissue by RNA sequencing. <i>Gene</i> , 2018, 668, 87-96.	1.0	18
435	Human Fibrosis: Is There Evidence for a Genetic Predisposition in Musculoskeletal Tissues?. <i>Journal of Arthroplasty</i> , 2020, 35, 3343-3352.	1.5	18
436	The homeodomain transcription factor CDP/cut interacts with the cell cycle regulatory element of histone H4 genes packaged into nucleosomes. <i>Molecular Biology Reports</i> , 1999, 26, 185-194.	1.0	17
437	The Histone Gene Transcription Factor HiNF-P Stabilizes Its Cell Cycle Regulatory Co-Activator p220NPAT. <i>Biochemistry</i> , 2006, 45, 15915-15920.	1.2	17
438	Live cell imaging of the cancer-related transcription factor RUNX2 during mitotic progression. <i>Journal of Cellular Physiology</i> , 2011, 226, 1383-1389.	2.0	17
439	Genomic occupancy of HLH, AP1 and Runx2 motifs within a nuclease sensitive site of the Runx2 gene. <i>Journal of Cellular Physiology</i> , 2013, 228, 313-321.	2.0	17
440	RUNX3 Facilitates Growth of Ewing Sarcoma Cells. <i>Journal of Cellular Physiology</i> , 2014, 229, 2049-2056.	2.0	17
441	Alterations in genetic and protein content of swine adipose tissue-derived mesenchymal stem cells in the metabolic syndrome. <i>Stem Cell Research</i> , 2019, 37, 101423.	0.3	17
442	Light chain amyloidosis induced inflammatory changes in cardiomyocytes and adipose-derived mesenchymal stromal cells. <i>Leukemia</i> , 2020, 34, 1383-1393.	3.3	17
443	Therapeutic Effect of Adipose Derived Mesenchymal Stem Cell Transplantation in Reducing Restenosis in a Murine Angioplasty Model. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1781-1795.	3.0	17
444	Gut-microbiota modulation: The impact of the gut-microbiota on osteoarthritis. <i>Gene</i> , 2021, 785, 145619.	1.0	17
445	Vitamin D Control of Gene Expression: Temporal and Spatial Parameters for Organization of the Regulatory Machinery. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2008, 18, 163-172.	0.4	17
446	Lactobacillus acidophilus Mitigates Osteoarthritis-Associated Pain, Cartilage Disintegration and Gut Microbiota Dysbiosis in an Experimental Murine OA Model. <i>Biomedicines</i> , 2022, 10, 1298.	1.4	17
447	Lactoferricin enhances BMP7-stimulated anabolic pathways in intervertebral disc cells. <i>Gene</i> , 2013, 524, 282-291.	1.0	16
448	Mitotic Inheritance of mRNA Facilitates Translational Activation of the Osteogenic-Lineage Commitment Factor Runx2 in Progeny of Osteoblastic Cells. <i>Journal of Cellular Physiology</i> , 2016, 231, 1001-1014.	2.0	16
449	The synovial microenvironment of osteoarthritic joints alters RNA-seq expression profiles of human primary articular chondrocytes. <i>Gene</i> , 2016, 591, 456-464.	1.0	16
450	RUNX3 and p53: How Two Tumor Suppressors Cooperate Against Oncogenic Ras?. <i>Advances in Experimental Medicine and Biology</i> , 2017, 962, 321-332.	0.8	16

#	ARTICLE	IF	CITATIONS
451	Extracellular matrix protein production in human adipose-derived mesenchymal stem cells on three-dimensional polycaprolactone (PCL) scaffolds responds to GDF5 or FGF2. <i>Gene Reports</i> , 2018, 10, 149-156.	0.4	16
452	Blockade of vascular endothelial growth factor receptor-1 (Flt-1), reveals a novel analgesic for osteoarthritis-induced joint pain. <i>Gene Reports</i> , 2018, 11, 94-100.	0.4	16
453	The Rapidly Assessed Predictor of Intraoperative Damage (RAPID) Score: An In-Clinic Predictive Model for High-Grade Acetabular Chondrolabral Disruption. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711879906.	0.8	16
454	Joint contracture is reduced by intra-articular implantation of rosiglitazone-loaded hydrogels in a rabbit model of arthrofibrosis. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2949-2955.	1.2	16
455	In Vivo Survival of Mesenchymal Stromal Cell-Enhanced Decellularized Nerve Grafts for Segmental Peripheral Nerve Reconstruction. <i>Journal of Hand Surgery</i> , 2019, 44, 514.e1-514.e11.	0.7	16
456	Anti-fibrotic effects of the antihistamine ketotifen in a rabbit model of arthrofibrosis. <i>Bone and Joint Research</i> , 2020, 9, 302-310.	1.3	16
457	Mechanical strain-mediated reduction in RANKL expression is associated with RUNX2 and BRD2. <i>Gene: X</i> , 2020, 763, 100027.	2.3	16
458	Combination of BMP2 and EZH2 Inhibition to Stimulate Osteogenesis in a 3D Bone Reconstruction Model. <i>Tissue Engineering - Part A</i> , 2021, 27, 1084-1098.	1.6	16
459	Polycomb PRC2 complex mediates epigenetic silencing of a critical osteogenic master regulator in the hippocampus. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016, 1859, 1043-1055.	0.9	15
460	Epigenetic Control of Osteoblast Differentiation by Enhancer of Zeste Homolog 2 (EZH2). <i>Current Molecular Biology Reports</i> , 2017, 3, 94-106.	0.8	15
461	Intra-articular injection of a substance P inhibitor affects gene expression in a joint contracture model. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 1326-1336.	1.2	15
462	Fresh Osteochondral Allograft Transplantation in the Knee: A Viability and Histologic Analysis for Optimizing Graft Viability and Expanding Existing Standard Processed Graft Resources Using a Living Donor Cartilage Program. <i>Cartilage</i> , 2021, 13, 948S-956S.	1.4	15
463	Mll-COMPASS complexes mediate H3K4me3 enrichment and transcription of the osteoblast master gene Runx2/p57 in osteoblasts. <i>Journal of Cellular Physiology</i> , 2019, 234, 6244-6253.	2.0	15
464	Transcriptomic Analysis of Cellular Pathways in Healing Flexor Tendons of Plasminogen Activator Inhibitor 1 (PAI-1/Serpine1) Null Mice. <i>Journal of Orthopaedic Research</i> , 2020, 38, 43-58.	1.2	15
465	Absence of VEGFR-1/Flt-1 signaling pathway in mice results in insensitivity to discogenic low back pain in an established disc injury mouse model. <i>Journal of Cellular Physiology</i> , 2020, 235, 5305-5317.	2.0	15
466	Cobalt and Chromium Ion Release in Metal-on-Polyethylene and Ceramic-on-Polyethylene THA: A Simulator Study With Cellular and Microbiological Correlations. <i>Journal of Arthroplasty</i> , 2020, 35, 1123-1129.	1.5	15
467	Lumbar intervertebral disc mRNA sequencing identifies the regulatory pathway in patients with disc herniation and spondylolisthesis. <i>Gene</i> , 2020, 750, 144634.	1.0	15
468	Biological Effects of Gyrophoric Acid and Other Lichen Derived Metabolites, on Cell Proliferation, Apoptosis and Cell Signaling pathways. <i>Chemico-Biological Interactions</i> , 2022, 351, 109768.	1.7	15

#	ARTICLE	IF	CITATIONS
469	Modifications in molecular mechanisms associated with control of cell cycle regulated human histone gene expression during differentiation. <i>Cell Biophysics</i> , 1989, 15, 201-223.	0.4	14
470	Differential regulation of H4 histone gene expression in 3T3-L1 pre-adipocytes during arrest of proliferation following contact inhibition or differentiation and its modulation by TGF $\beta$ 1. <i>Journal of Cellular Biochemistry</i> , 1992, 50, 62-72.	1.2	14
471	An architectural perspective of vitamin D responsiveness. <i>Archives of Biochemistry and Biophysics</i> , 2007, 460, 293-299.	1.4	14
472	CDK inhibitors selectively diminish cell cycle controlled activation of the histone H4 gene promoter by p220 <sup>NPAT</sup> and HiNF $\epsilon$ . <i>Journal of Cellular Physiology</i> , 2009, 219, 438-448.	2.0	14
473	p53 checkpoint ablation exacerbates the phenotype of Hinf $\rho$ dependent histone H4 deficiency. <i>Cell Cycle</i> , 2015, 14, 2501-2508.	1.3	14
474	Mitotic Gene Bookmarking: An Epigenetic Mechanism for Coordination of Lineage Commitment, Cell Identity and Cell Growth. <i>Advances in Experimental Medicine and Biology</i> , 2017, 962, 95-102.	0.8	14
475	A Drug Eluting Scaffold for the Treatment of Arthrofibrosis. <i>Tissue Engineering - Part C: Methods</i> , 2018, 24, 514-523.	1.1	14
476	Global epigenetic alterations of mesenchymal stem cells in obesity: the role of vitamin C reprogramming. <i>Epigenetics</i> , 2021, 16, 705-717.	1.3	14
477	Reduction of arthrofibrosis utilizing a collagen membrane drug-eluting scaffold with celecoxib and subcutaneous injections with ketotifen. <i>Journal of Orthopaedic Research</i> , 2020, 38, 2474-2483.	1.2	14
478	Acquired Idiopathic Stiffness After Contemporary Total Knee Arthroplasty: Incidence, Risk Factors, and Results Over 25 Years. <i>Journal of Arthroplasty</i> , 2021, 36, 2980-2985.	1.5	14
479	Surface Roughness of Titanium Orthopedic Implants Alters the Biological Phenotype of Human Mesenchymal Stromal Cells. <i>Tissue Engineering - Part A</i> , 2021, 27, 1503-1516.	1.6	14
480	Downregulation of histone H4 gene transcription during postnatal development in transgenic mice and at the onset of differentiation in transgenically derived calvarial osteoblast cultures. <i>Journal of Cellular Biochemistry</i> , 1992, 49, 137-147.	1.2	13
481	The Osteocalcin Gene Promoter Provides a Molecular Blueprint for Regulatory Mechanisms Controlling Bone Tissue Formation: Role of Transcription Factors Involved in Development. <i>Connective Tissue Research</i> , 1996, 35, 15-21.	1.1	13
482	A Central Dinucleotide within Vitamin D Response Elements Modulates DNA Binding and Transactivation by the Vitamin D Receptor in Cellular Response to Natural and Synthetic Ligands. <i>Journal of Biological Chemistry</i> , 2002, 277, 14539-14546.	1.6	13
483	Intranuclear organization of RUNX transcriptional regulatory machinery in biological control of skeletogenesis and cancer. <i>Blood Cells, Molecules, and Diseases</i> , 2003, 30, 170-176.	0.6	13
484	Maternal expression and early induction of histone gene transcription factor Hinf $\rho$ sustains development in pre-implantation embryos. <i>Developmental Biology</i> , 2016, 419, 311-320.	0.9	13
485	Hypoxia-related microRNA-210 is a diagnostic marker for discriminating osteoblastoma and osteosarcoma. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1137-1146.	1.2	13
486	Higher order genomic organization and regulatory compartmentalization for cell cycle control at the G1/S $\phi$ phase transition. <i>Journal of Cellular Physiology</i> , 2018, 233, 6406-6413.	2.0	13



#	ARTICLE	IF	CITATIONS
487	Metabolic Syndrome Modulates Protein Import into the Mitochondria of Porcine Mesenchymal Stem Cells. <i>Stem Cell Reviews and Reports</i> , 2019, 15, 427-438.	5.6	13
488	Knockdown of formin mDia2 alters lamin B1 levels and increases osteogenesis in stem cells. <i>Stem Cells</i> , 2020, 38, 102-117.	1.4	13
489	ECHO, the executable CHondrocyte: A computational model to study articular chondrocytes in health and disease. <i>Cellular Signalling</i> , 2020, 68, 109471.	1.7	13
490	Brd4 is required for chondrocyte differentiation and endochondral ossification. <i>Bone</i> , 2022, 154, 116234.	1.4	13
491	Protein-DNA interactions at the H4-Site III upstream transcriptional element of a cell cycle regulated histone H4 gene: Differences in normal versus tumor cells. <i>Journal of Cellular Biochemistry</i> , 1992, 49, 93-110.	1.2	12
492	HiNF-P is a bifunctional regulator of cell cycle controlled histone H4 gene transcription. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 181-191.	1.2	12
493	The cleidocranial dysplasia-related R131G mutation in the Runt-related transcription factor RUNX2 disrupts binding to DNA but not CBF $\beta$ . <i>Journal of Cellular Biochemistry</i> , 2010, 110, 97-103.	1.2	12
494	A germline point mutation in Runx1 uncouples its role in definitive hematopoiesis from differentiation. <i>Experimental Hematology</i> , 2013, 41, 980-991.e1.	0.2	12
495	microRNA-Mediated Survivin Control of Pluripotency. <i>Journal of Cellular Physiology</i> , 2015, 230, 63-70.	2.0	12
496	Human Adipose-Derived Mesenchymal Stromal/Stem Cells Remain Viable and Metabolically Active Following Needle Passage. <i>PM and R</i> , 2016, 8, 844-854.	0.9	12
497	Fabrication of polycaprolactone-silanated $\beta$ -tricalcium phosphate-heparan sulfate scaffolds for spinal fusion applications. <i>Spine Journal</i> , 2018, 18, 818-830.	0.6	12
498	A Combination of a Polycaprolactone Fumarate Scaffold with Polyethylene Terephthalate Sutures for Intra-Articular Ligament Regeneration. <i>Tissue Engineering - Part A</i> , 2018, 24, 245-253.	1.6	12
499	Decreased local and systemic levels of sFRP3 protein in osteosarcoma patients. <i>Gene</i> , 2018, 674, 1-7.	1.0	12
500	Modernizing Storage Conditions for Fresh Osteochondral Allografts by Optimizing Viability at Physiologic Temperatures and Conditions. <i>Cartilage</i> , 2021, 13, 280S-292S.	1.4	12
501	Molecular pathology of adverse local tissue reaction caused by metal-on-metal implants defined by RNA-seq. <i>Genomics</i> , 2019, 111, 1404-1411.	1.3	12
502	Diabetic Kidney Disease Alters the Transcriptome and Function of Human Adipose-Derived Mesenchymal Stromal Cells but Maintains Immunomodulatory and Paracrine Activities Important for Renal Repair. <i>Diabetes</i> , 2021, 70, 1561-1574.	0.3	12
503	Polysaccharide from <i>Angelica sinensis</i> attenuates SNP-induced apoptosis in osteoarthritis chondrocytes by inducing autophagy via the ERK1/2 pathway. <i>Arthritis Research and Therapy</i> , 2021, 23, 47.	1.6	12
504	Subnuclear distribution of the vitamin D receptor. <i>Journal of Cellular Biochemistry</i> , 1994, 54, 494-500.	1.2	11



#	ARTICLE	IF	CITATIONS
505	Nuclear structure/gene expression interrelationships. , 1999, 181, 240-250.		11
506	The Histone Gene Cell Cycle Regulator HiNF-P Is a Unique Zinc Finger Transcription Factor with a Novel Conserved Auxiliary DNA-Binding Motif. <i>Biochemistry</i> , 2008, 47, 11415-11423.	1.2	11
507	Gene Wiki Reviews: Marrying crowdsourcing with traditional peer review. <i>Gene</i> , 2013, 531, 125.	1.0	11
508	CBF $\hat{1}^2$ and the Leukemogenic Fusion Protein CBF $\hat{1}^2$ â€SMHC Associate With Mitotic Chromosomes to Epigenetically Regulate Ribosomal Genes. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 2155-2164.	1.2	11
509	The Dynamic Architectural and Epigenetic Nuclear Landscape: Developing the Genomic Almanac of Biology and Disease. <i>Journal of Cellular Physiology</i> , 2014, 229, 711-727.	2.0	11
510	Tissue-Nonspecific Alkaline Phosphatase Is Required for MC3T3 Osteoblastâ€Mediated Protection of Acute Myeloid Leukemia Cells from Apoptosis. <i>Journal of Immunology</i> , 2018, 201, 1086-1096.	0.4	11
511	Higher order genomic organization and epigenetic control maintain cellular identity and prevent breast cancer. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 484-499.	1.5	11
512	Multiphasic scaffold for scapholunate interosseous ligament reconstruction: A study in the rabbit knee. <i>Journal of Orthopaedic Research</i> , 2021, 39, 1811-1824.	1.2	11
513	Lowâ€Dose Tamoxifen Induces Significant Bone Formation in Mice. <i>JBMR Plus</i> , 2021, 5, e10450.	1.3	11
514	FGFR2 accommodates osteogenic cell fate determination in human mesenchymal stem cells. <i>Gene</i> , 2022, 818, 146199.	1.0	11
515	In vivo occupancy of histone gene proximal promoter elements reflects gene copy number-dependent titratable transactivation factors and cross-species compatibility of regulatory sequences. <i>Journal of Cellular Biochemistry</i> , 1995, 57, 191-207.	1.2	10
516	Modified intranuclear organization of regulatory factors in human acute leukemias: Reversal after treatment. , 2000, 77, 30-43.		10
517	Bone tissue specific transcriptional control. <i>Cancer</i> , 2000, 88, 2899-2902.	2.0	10
518	Epigenetic mechanisms in leukemia. <i>Advances in Biological Regulation</i> , 2012, 52, 369-376.	1.4	10
519	Core Binding Factor $\hat{1}^2$ (CBF $\hat{1}^2$ ) Is Retained in the Midbody During Cytokinesis. <i>Journal of Cellular Physiology</i> , 2014, 229, 1466-1474.	2.0	10
520	MicroRNA Levels as Prognostic Markers for the Differentiation Potential of Human Mesenchymal Stromal Cell Donors. <i>Stem Cells and Development</i> , 2015, 24, 1946-1955.	1.1	10
521	Predicting Fracture Risk for Enchondroma of the Hand. <i>Hand</i> , 2016, 11, 206-210.	0.7	10
522	Genome-wide DNase hypersensitivity, and occupancy of RUNX2 and CTCF reveal a highly dynamic gene regulome during MC3T3 pre-osteoblast differentiation. <i>PLoS ONE</i> , 2017, 12, e0188056.	1.1	10

#	ARTICLE	IF	CITATIONS
523	Validation of a dynamic joint contracture measuring device in a live rabbit model of arthrofibrosis. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2186-2192.	1.2	10
524	Nuclear organization mediates cancer-compromised genetic and epigenetic control. <i>Advances in Biological Regulation</i> , 2018, 69, 1-10.	1.4	10
525	Scapholunate Ligament Internal Brace 360 Tenodesis (SLITT) Procedure: A Biomechanical Study. <i>Journal of Wrist Surgery</i> , 2019, 08, 250-254.	0.3	10
526	CORR® ORS Richard A. Brand Award: Disruption in Peroxisome Proliferator-Activated Receptor- $\beta$ (PPARG) Increases Osteonecrosis Risk Through Genetic Variance and Pharmacologic Modulation. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1800-1812.	0.7	10
527	Adhesion, distribution, and migration of differentiated and undifferentiated mesenchymal stem cells (MSCs) seeded on nerve allografts. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 81-89.	0.5	10
528	Challenges in the Measurement and Interpretation of Serum Titanium Concentrations. <i>Biological Trace Element Research</i> , 2020, 196, 20-26.	1.9	10
529	Enhancing the Efficacy of Stem Cell Therapy with Glycosaminoglycans. <i>Stem Cell Reports</i> , 2020, 14, 105-121.	2.3	10
530	Injectable Biologics. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, 950-960.	0.7	10
531	Introducing human adipose-derived mesenchymal stem cells to Avance® nerve grafts and NeuraGen® nerve guides. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 1473-1481.	0.5	10
532	Identification of osteolineage cell-derived extracellular vesicle cargo implicated in hematopoietic support. <i>FASEB Journal</i> , 2020, 34, 5435-5452.	0.2	10
533	Biomechanical, histological, and molecular characterization of a new posttraumatic model of arthrofibrosis in rats. <i>Journal of Orthopaedic Research</i> , 2022, 40, 323-337.	1.2	10
534	Lamin A/C Is Dispensable to Mechanical Repression of Adipogenesis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6580.	1.8	10
535	Forced expression of the interferon regulatory factor 2 oncoprotein causes polyploidy and cell death in FDC-P1 myeloid hematopoietic progenitor cells. <i>Cancer Research</i> , 2002, 62, 2510-5.	0.4	10
536	Temporal and spatial parameters of skeletal gene expression: targeting RUNX factors and their coregulatory proteins to subnuclear domains. <i>Connective Tissue Research</i> , 2003, 44 Suppl 1, 149-53.	1.1	10
537	Lysine-Specific Demethylase 1 (LSD1) epigenetically controls osteoblast differentiation. <i>PLoS ONE</i> , 2022, 17, e0265027.	1.1	10
538	Transcriptional control within the three-dimensional context of nuclear architecture: Requirements for boundaries and direction. <i>Journal of Cellular Biochemistry</i> , 1999, 75, 24-31.	1.2	9
539	Combinatorial organization of the transcriptional regulatory machinery in biological control and cancer. <i>Advances in Enzyme Regulation</i> , 2005, 45, 136-154.	2.9	9
540	Transcriptional activation of the histone nuclear factor P (HiNF-P) gene by HiNF-P and its cyclin E/CDK2 responsive co-factor p220NPAT defines a novel autoregulatory loop at the G1/S phase transition. <i>Gene</i> , 2007, 402, 94-102.	1.0	9

#	ARTICLE	IF	CITATIONS
541	Functional coupling of transcription factor HiNF-P and histone H4 gene expression during pre- and post-natal mouse development. <i>Gene</i> , 2011, 483, 1-10.	1.0	9
542	Safety of Intra-Articular Implantation of Oligo[Poly(ethylene glycol) Fumarate] Scaffolds into the Rabbit Knee. <i>Tissue Engineering - Part C: Methods</i> , 2016, 22, 991-998.	1.1	9
543	Chondrocyte Attachment, Proliferation, and Differentiation on Three-Dimensional Polycaprolactone Fumarate Scaffolds. <i>Tissue Engineering - Part A</i> , 2017, 23, 622-629.	1.6	9
544	Fibrin glue mediated delivery of bone anabolic reagents to enhance healing of tendon to bone. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 5715-5724.	1.2	9
545	Hypothermia and nutrient deprivation alter viability of human adipose-derived mesenchymal stem cells. <i>Gene</i> , 2020, 722, 144058.	1.0	9
546	Genetic background dependent modifiers of craniosynostosis severity. <i>Journal of Structural Biology</i> , 2020, 212, 107629.	1.3	9
547	FSTL1 promotes nitric oxide-induced chondrocyte apoptosis via activating the SAPK/JNK/caspase3 signaling pathway. <i>Gene</i> , 2020, 732, 144339.	1.0	9
548	Phenotypic, Transcriptional, and Functional Analysis of Liver Mesenchymal Stromal Cells and Their Immunomodulatory Properties. <i>Liver Transplantation</i> , 2020, 26, 549-563.	1.3	9
549	Differences in Cytotoxicity of Lidocaine, Ropivacaine, and Bupivacaine on the Viability and Metabolic Activity of Human Adipose-Derived Mesenchymal Stem Cells. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2021, 100, 82-91.	0.7	9
550	Expression screening of factors binding to the osteocalcin bone-specific promoter element OC Box I: Isolation of a novel osteoblast differentiation-specific factor. <i>Journal of Cellular Biochemistry</i> , 2001, 80, 156-168.	1.2	8
551	Basic fibroblast growth factor induces matrix metalloproteinase-13 via ERK MAP kinase-altered phosphorylation and sumoylation of Elk-1 in human adult articular chondrocytes. <i>Open Access Rheumatology: Research and Reviews</i> , 2009, 1, 151.	0.8	8
552	1 $\alpha$ ,25(OH) <sub>2</sub> D <sub>3</sub> induces nuclear matrix association of the 1 $\alpha$ ,25(OH) <sub>2</sub> D <sub>3</sub> receptor in osteoblasts independently of its ability to bind DNA. <i>Journal of Cellular Physiology</i> , 2010, 222, 336-346.	2.0	8
553	A Functional N-terminal Domain in C/EBP $\beta$ LAP* is Required for Interacting with SWI/SNF and to Repress Ric $\beta$ Gene Transcription in Osteoblasts. <i>Journal of Cellular Physiology</i> , 2014, 229, 1521-1528.	2.0	8
554	Dickkopf-1 reduces hypertrophic changes in human chondrocytes derived from bone marrow stem cells. <i>Gene</i> , 2019, 687, 228-237.	1.0	8
555	A Potential Theragnostic Regulatory Axis for Arthrofibrosis Involving Adiponectin (ADIPOQ) Receptor 1 and 2 (ADIPOR1 and ADIPOR2), TGF $\beta$ 1, and Smooth Muscle $\alpha$ -Actin (ACTA2). <i>Journal of Clinical Medicine</i> , 2020, 9, 3690.	1.0	8
556	Surgical angiogenesis modifies the cellular environment of nerve allografts in a rat sciatic nerve defect model. <i>Gene</i> , 2020, 751, 144711.	1.0	8
557	Topical vancomycin for treatment of methicillin-resistant <i>Staphylococcus epidermidis</i> infection in a rat spinal implant model. <i>Spine Deformity</i> , 2020, 8, 553-559.	0.7	8
558	Alterations of mesenchymal stromal cells in cerebrospinal fluid: insights from transcriptomics and an ALS clinical trial. <i>Stem Cell Research and Therapy</i> , 2021, 12, 187.	2.4	8

#	ARTICLE	IF	CITATIONS
559	Ezh2 knockout in mesenchymal cells causes enamel hyper-mineralization. <i>Biochemical and Biophysical Research Communications</i> , 2021, 567, 72-78.	1.0	8
560	Temporal and Spatial Parameters of Skeletal Gene Expression: Targeting RUNX Factors and their Coregulatory Proteins to Subnuclear Domains. <i>Connective Tissue Research</i> , 2003, 44, 149-153.	1.1	8
561	Linkages of nuclear architecture to biological and pathological control of gene expression. , 1998, 72, 220-231.		7
562	Intraarticular slow-release triamcinolone acetate reduces allodynia in an experimental mouse knee osteoarthritis model. <i>Gene</i> , 2016, 591, 1-5.	1.0	7
563	Intra-articular implantation of collagen scaffold carriers is safe in both native and arthrofibrotic rabbit knee joints. <i>Bone and Joint Research</i> , 2017, 6, 162-171.	1.3	7
564	Gene expression profiles of human adipose-derived mesenchymal stem cells dynamically seeded on clinically available processed nerve allografts and collagen nerve guides. <i>Neural Regeneration Research</i> , 2021, 16, 1613.	1.6	7
565	Cell Surface Glycoprotein CD24 Marks Bone Marrow-Derived Human Mesenchymal Stem/Stromal Cells with Reduced Proliferative and Differentiation Capacity In Vitro. <i>Stem Cells and Development</i> , 2021, 30, 325-336.	1.1	7
566	Population Genetic Structure of the Tropical Two-Wing Flyingfish ( <i>Exocoetus volitans</i> ). <i>PLoS ONE</i> , 2016, 11, e0163198.	1.1	7
567	Hinfp is a guardian of the somatic genome by repressing transposable elements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	7
568	Mechanically Induced Nuclear Shuttling of $\beta$ -Catenin Requires Co-transfer of Actin. <i>Stem Cells</i> , 2022, 40, 423-434.	1.4	7
569	Altered TGF $\beta$ 1 regulated pathways promote accelerated tendon healing in the superhealer MRL/MpJ mouse. <i>Scientific Reports</i> , 2022, 12, 3026.	1.6	7
570	Bipartite structure of the proximal promoter of a human H4 histone gene. <i>Journal of Cellular Biochemistry</i> , 1995, 58, 372-379.	1.2	6
571	Insight into Regulatory Factor Targeting to Transcriptionally Active Subnuclear Sites. <i>Experimental Cell Research</i> , 1999, 253, 110-116.	1.2	6
572	Nuclear microenvironments support physiological control of gene expression. <i>Chromosome Research</i> , 2003, 11, 527-536.	1.0	6
573	An architectural genetic and epigenetic perspective. <i>Integrative Biology (United Kingdom)</i> , 2011, 3, 297-303.	0.6	6
574	Factor affecting the endogenous $\beta$ -glucuronidase activity in rapeseed haploid cells: How to avoid interference with the Gus transgene in transformation studies. <i>Gene</i> , 2011, 487, 96-102.	1.0	6
575	Genome-wide screening in human growth plates during puberty in one patient suggests a role for RUNX2 in epiphyseal maturation. <i>Journal of Endocrinology</i> , 2011, 209, 245-254.	1.2	6
576	Induction of chondrogenic or mesenchymal stem cells from human periodontal ligament cells through inhibition of Twist2 or Klf12. <i>Journal of Oral Science</i> , 2019, 61, 313-320.	0.7	6

#	ARTICLE	IF	CITATIONS
577	Functional expression of ZNF467 and PCBP2 supports adipogenic lineage commitment in adipose-derived mesenchymal stem cells. <i>Gene</i> , 2020, 737, 144437.	1.0	6
578	Human meniscus allograft augmentation by allogeneic mesenchymal stromal/stem cell injections. <i>Journal of Orthopaedic Research</i> , 2022, 40, 712-726.	1.2	6
579	Molecular Mechanisms That Mediate a Functional Relationship between Proliferation and Differentiation. , 1992, , 299-341.		6
580	Intra-articular celecoxib improves knee extension regardless of surgical release in a rabbit model of arthrofibrosis. <i>Bone and Joint Research</i> , 2022, 11, 32-39.	1.3	6
581	Phosphorylation-mediated control of chromatin organization and transcriptional activity of the tissue-specific osteocalcin gene. <i>Journal of Cellular Biochemistry</i> , 1999, 72, 586-594.	1.2	5
582	<I>In Situ</I> Immunofluorescence Analysis: Immunofluorescence Microscopy. , 2004, 285, 023-028.		5
583	Organization, Integration, and Assembly of Genetic and Epigenetic Regulatory Machinery in Nuclear Microenvironments. <i>Annals of the New York Academy of Sciences</i> , 2009, 1155, 4-14.	1.8	5
584	Pathogenesis and Treatment of Dupuytren Disease. <i>JBJS Reviews</i> , 2014, 2, .	0.8	5
585	RNA sequencing reveals a depletion of collagen targeting microRNAs in Dupuytren's disease. <i>BMC Medical Genomics</i> , 2015, 8, 59.	0.7	5
586	Gene Wiki Reviews"Raising the quality and accessibility of information about the human genome. <i>Gene</i> , 2016, 592, 235-238.	1.0	5
587	Phylogenetics and biogeography of the two-wing flyingfish ( <i>Exocoetidae</i> : <i>Exocoetus</i> ). <i>Ecology and Evolution</i> , 2017, 7, 1751-1761.	0.8	5
588	Molecular pathology of total knee arthroplasty instability defined by RNA-seq. <i>Genomics</i> , 2018, 110, 247-256.	1.3	5
589	Cytotoxic Effects of Nonionic Iodinated Contrast Agent on Human Adipose-Derived Mesenchymal Stem Cells. <i>PM and R</i> , 2019, 11, 45-55.	0.9	5
590	A Versatile Protocol for Studying Anterior Cruciate Ligament Reconstruction in a Rabbit Model. <i>Tissue Engineering - Part C: Methods</i> , 2019, 25, 191-196.	1.1	5
591	Total protein staining is superior to classical or tissue-specific protein staining for standardization of protein biomarkers in heterogeneous tissue samples. <i>Gene Reports</i> , 2020, 19, 100641.	0.4	5
592	Absence of signature inflammatory markers in synovial fluid for total knee arthroplasties revised for arthrofibrosis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102870.	0.9	5
593	Identification of novel therapeutic targets for contrast induced acute kidney injury (CI-AKI): alpha blockers as a therapeutic strategy for CI-AKI. <i>Translational Research</i> , 2021, 235, 32-47.	2.2	5
594	Transcriptional autoregulation of the bone related CBFA1/RUNX2 gene. , 2000, 184, 341.		5

#	ARTICLE	IF	CITATIONS
595	Chromatin Immunoprecipitation Assays: Application of ChIP-on-Chip for Defining Dynamic Transcriptional Mechanisms in Bone Cells. <i>Methods in Molecular Biology</i> , 2008, 455, 165-176.	0.4	5
596	Habitat Preference and Behaviour of the Guiana Dolphin ( <i>Sotalia guianensis</i> ) in a Well-Preserved Estuary off Southern Brazil. <i>Pakistan Journal of Zoology</i> , 2017, 49, .	0.1	5
597	Are Serum Ion Levels Elevated in Pediatric Patients With Metal Implants?. <i>Journal of Pediatric Orthopaedics</i> , 2021, Publish Ahead of Print, .	0.6	5
598	Architectural control of mesenchymal stem cell phenotype through nuclear actin. <i>Nucleus</i> , 2022, 13, 35-48.	0.6	5
599	Nuclear matrix associated DNA-binding proteins of ocular lens epithelial cells. <i>Molecular Biology Reports</i> , 1998, 25, 13-19.	1.0	4
600	Subnuclear Localization and Intranuclear Trafficking of Transcription Factors. <i>Methods in Molecular Biology</i> , 2010, 647, 77-93.	0.4	4
601	Histone deacetylase inhibitors reduce differentiating osteoblast-mediated protection of acute myeloid leukemia cells from cytarabine. <i>Oncotarget</i> , 2017, 8, 94569-94579.	0.8	4
602	Defining the baseline transcriptional fingerprint of rabbit hamstring autograft. <i>Gene Reports</i> , 2019, 15, 100363.	0.4	4
603	Effect of Lidocaine on Viability and Gene Expression of Human Adipose-derived Mesenchymal Stem Cells: An in vitro Study. <i>PM and R</i> , 2019, 11, 1218-1227.	0.9	4
604	Neo-Angiogenesis, Transplant Viability, and Molecular Analyses of Vascularized Bone Allograft Transplantation Surgery in a Large Animal Model. <i>Journal of Orthopaedic Research</i> , 2020, 38, 288-296.	1.2	4
605	Autophagy Is Involved in Mesenchymal Stem Cell Death in Coculture with Chondrocytes. <i>Cartilage</i> , 2021, 13, 969S-979S.	1.4	4
606	Inhibition of the catalytic subunit of DNA-dependent protein kinase (DNA-PKcs) stimulates osteoblastogenesis by potentiating bone morphogenetic protein 2 (BMP2) responses. <i>Journal of Cellular Physiology</i> , 2021, 236, 1195-1213.	2.0	4
607	<i>Ezh2</i> Is Essential for Patterning of Multiple Musculoskeletal Tissues but Dispensable for Tendon Differentiation. <i>Stem Cells and Development</i> , 2021, 30, 601-609.	1.1	4
608	Constitutive activation of NF- $\kappa$ B inducing kinase (NIK) in the mesenchymal lineage using Osterix (Sp7)- or Fibroblast-specific protein 1 (S100a4)-Cre drives spontaneous soft tissue sarcoma. <i>PLoS ONE</i> , 2021, 16, e0254426.	1.1	4
609	Metabolic Syndrome Is Associated With Altered mRNA and miRNA Content in Human Circulating Extracellular Vesicles. <i>Frontiers in Endocrinology</i> , 2021, 12, 687586.	1.5	4
610	Differentially Expressed Functional LncRNAs in Human Subjects With Metabolic Syndrome Reflect a Competing Endogenous RNA Network in Circulating Extracellular Vesicles. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 667056.	1.6	4
611	Osteocalcin gene promoter: Unlocking the secrets for regulation of osteoblast growth and differentiation. , 1998, 72, 62.		4
612	Involvement of Nuclear Architecture in Regulating Gene Expression in Bone Cells. , 2002, , 169-XVII.		4



#	ARTICLE	IF	CITATIONS
613	Human outgrowth knee fibroblasts from patients undergoing total knee arthroplasty exhibit a unique gene expression profile and undergo myofibroblastogenesis upon TGF $\beta$ 1 stimulation. <i>Journal of Cellular Biochemistry</i> , 2022, 123, 878-892.	1.2	4
614	LncMIR181A1HG is a novel chromatin-bound epigenetic suppressor of early stage osteogenic lineage commitment. <i>Scientific Reports</i> , 2022, 12, 7770.	1.6	4
615	TGF- $\beta$ 1 modifications in nuclear matrix proteins of osteoblasts during differentiation. , 1998, 69, 291-303.		3
616	Protein-Deoxyribonucleic Acid Interactions Linked to Gene Expression: Electrophoretic Mobility Shift Assay. , 2004, 285, 045-056.		3
617	The polypyrimidine/polypurine motif in the mouse mu opioid receptor gene promoter is a supercoiling-regulatory element. <i>Gene</i> , 2011, 487, 52-61.	1.0	3
618	Human Dupuytren's <i>Ex Vivo</i> Culture for the Study of Myofibroblasts and Extracellular Matrix Interactions. <i>Journal of Visualized Experiments</i> , 2015, , .	0.2	3
619	Vitamin-D Supplementation: A Low-Risk, High-Gain Therapy to Prevent PJI?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, e110.	1.4	3
620	MicroRNA Applications in Marine Biology. <i>Current Molecular Biology Reports</i> , 2019, 5, 167-175.	0.8	3
621	Relative mRNA and protein stability of epigenetic regulators in musculoskeletal cell culture models. <i>Gene</i> , 2021, 766, 145032.	1.0	3
622	Fibroblastic differentiation of mesenchymal stem/stromal cells (MSCs) is enhanced by hypoxia in 3D cultures treated with bone morphogenetic protein 6 (BMP6) and growth and differentiation factor 5 (GDF5). <i>Gene</i> , 2021, 788, 145662.	1.0	3
623	Biological and Molecular Effects of Vitamin D on Bone. , 2010, , 189-209.		3
624	Nuclear Architecture in Developmental Transcriptional Control of Cell Growth and Tissue-Specific Genes. , 1997, , 177-214.		3
625	Intranuclear trafficking of transcription factors: Requirements for vitamin D-mediated biological control of gene expression. <i>Journal of Cellular Biochemistry</i> , 2003, 88, 340-355.	1.2	2
626	Genetic and Epigenetic Control of the Regulatory Machinery for Skeletal Development and Bone Formation: Contributions of Vitamin D3. , 2011, , 301-319.		2
627	Current understanding of safety and efficacy of stem cell therapy for discogenic pain- A systematic review of human studies. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2015, 19, 32-37.	0.2	2
628	Immobilization of vitronectin-binding heparan sulfates onto surfaces to support human pluripotent stem cells. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 1887-1896.	1.6	2
629	Spine Disorders and Regenerative Rehabilitation. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2020, 8, 30-36.	0.3	2
630	Brd4 Inactivation Increases Adenoviral Delivery of <i>BMP2</i> for Paracrine Stimulation of Osteogenic Differentiation as a Gene Therapeutic Concept to Enhance Bone Healing. <i>JBMR Plus</i> , 2021, 5, e10520.	1.3	2

#	ARTICLE	IF	CITATIONS
631	Arabidopsis thaliana and Oryza sativa receptor for activated C kinase 1 (RACK1) mediated signaling pathway shows hypersensitivity to oxidative stress. <i>Plant Gene</i> , 2021, 27, 100299.	1.4	2
632	Engineering Cartilage Tissue by Co-culturing of Chondrocytes and Mesenchymal Stromal Cells. <i>Methods in Molecular Biology</i> , 2021, 2221, 53-70.	0.4	2
633	Intranuclear Organization of the Regulatory Machinery for Vitamin Dâ€“Mediated Control of Skeletal Gene Expression. , 2005, , 327-340.		2
634	Control of the Human Pluripotent Cell Cycle. , 2010, , 235-251.		2
635	Biologic and Molecular Effects of Vitamin D on Bone. , 1999, , 175-193.		2
636	MicroRNAs are prognostic markers for the chondrogenic potential of MSCs. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S31-S32.	0.6	1
637	Biopolymer-based intra-articular delivery of DKK1 into the contracted rabbit knee. <i>Gene Reports</i> , 2017, 8, 69-74.	0.4	1
638	A consistent, and predictable drug: The first 100 patients treated with autologous adipose derived mesenchymal stromal cells (MSCs) at the Mayo Clinic. <i>Cytotherapy</i> , 2017, 19, S155.	0.3	1
639	A multi-chamber tissue culture device for load-dependent parallel evaluation of tendon explants. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 549.	0.8	1
640	A New â€“Vicious Cycleâ€“™: Bidirectional Interactions Between Myeloma Cells and Adipocytes. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e88-e89.	0.2	1
641	Autogenous Arteriovenous Bundle Implantation Maintains Viability Without Increased Immune Response in Large Porcine Bone Allografts. <i>Transplantation Proceedings</i> , 2021, 53, 417-426.	0.3	1
642	Epigenetic control of skeletal homeostasis and diseases. <i>Bone</i> , 2021, 144, 115797.	1.4	1
643	Elevated expression of plasminogen activator inhibitor (PAI-1/SERPINE1) is independent from rs1799889 genotypes in arthrofibrosis. <i>Meta Gene</i> , 2021, 28, 100877.	0.3	1
644	Osteoblast biology: developmental origin and interactive nature of osteoblasts. , 2021, , 111-134.		1
645	Functional interrelationships between nuclear structure and transcriptional control: Contributions to regulation of cell cycleâ€“and tissueâ€“specific gene expression. <i>Journal of Cellular Biochemistry</i> , 1996, 62, 198-209.	1.2	1
646	Reduced CpG methylation is associated with transcriptional activation of the bone-specific rat osteocalcin gene in osteoblasts*The contents are solely the responsibility of the authors and do not necessarily represent the official views of the National Institutes of Health.. <i>Journal of Cellular Biochemistry</i> , 2002, 85, 112.	1.2	1
647	MicroRNA-141 and miR-200a induce the chondrogenic cell fate in human periodontal ligament cells by targeting TWIST2 and KLF12. <i>Gene Reports</i> , 2021, 25, 101414.	0.4	1
648	Osteoporosis and osteoarthritis. Preface. <i>Methods in Molecular Biology</i> , 2015, 1226, v.	0.4	1

#	ARTICLE	IF	CITATIONS
649	Architectural Organization of the Regulatory Machinery for Transcription, Replication, and Repair: Dynamic Temporal-Spatial Parameters of Cell Cycle Control. , 2004, , 15-92.		0
650	The CFBF-MYH11 butterfly effect in hematopoiesis. Blood, 2007, 109, 3131-3132.	0.6	0
651	Novel cell surface markers reveal biological variability in adipose-derived mesenchymal stromal cell (AMSC) expansion: applications for regenerative cell therapy. Cytotherapy, 2015, 17, S33.	0.3	0
652	Innovation of mesenchymal stem cell therapies by molecular landscaping and cell surface selection. Cytotherapy, 2015, 17, S33.	0.3	0
653	Poster 124: Office-Based Stem Cell Therapies for Painful Degenerative Facetogenic and Sacroiliac Joint Disease: A Case Series. PM and R, 2017, 9, S174.	0.9	0
654	Response to Letter to the Editor on "Cobalt and Chromium Ion Release in Metal-on-Polyethylene and Ceramic-on-Polyethylene THA: A Simulator Study With Cellular and Microbiological Correlations" Journal of Arthroplasty, 2020, 35, 1167.	1.5	0
655	Transplant chimerism in porcine structural vascularized bone allotransplants. Gene, 2020, 747, 144627.	1.0	0
656	VEGF functionalization of suture tape results in decreased graft inflammatory and catabolic response in a rabbit model of ACL reconstruction. Journal of Cartilage & Joint Preservation, 2021, 1, 100003.	0.2	0
657	Absence de marqueurs synoviaux spécifiques pour les lésions de prothèse totale de genou pour arthrofibrose. Revue De Chirurgie Orthopedique Et Traumatologique, 2021, 107, 315.	0.0	0
658	Toward a Genetic Crystal Ball for Patients with Rotator Cuff Disease. Journal of Bone and Joint Surgery - Series A, 2021, 103, e55.	1.4	0
659	ANTERIOR CRUCIATE LIGAMENT GRAFT HEALING BY PEPTIDE-BASED VASCULAR ENDOTHELIAL GROWTH FACTOR AND BONE MORPHOGENETIC PROTEIN RECRUITMENT. Journal of Cartilage & Joint Preservation, 2021, , 100030.	0.2	0
660	In Situ Nuclear Organization of Regulatory Machinery. Methods in Molecular Biology, 2008, 455, 239-259.	0.4	0
661	Synergistic regulation of the Runx2 P1 promoter in mesenchymal cells by a conserved HLH box and purine-rich elements (GAY motifs). FASEB Journal, 2008, 22, 782.17.	0.2	0
662	A Helix-Loop-Helix Motif within a Genomic DNaseI Footprint of the Runx2 Gene Promoter is Essential for Basal Bone Tissue-Specific Transcription. FASEB Journal, 2010, 24, lb67.	0.2	0
663	An In Vivo role of Runx1 Subnuclear Targeting In Regulating the Gene Expression Program of Definitive Hematopoiesis. Blood, 2010, 116, 3151-3151.	0.6	0
664	Abstract 2999: Gene expression signature of differential response to chemotherapy in sporadic pediatric osteosarcoma. , 2012, , .		0
665	Abstract 1413: RUNX3 plays an oncogenic role in Ewing sarcoma cells. , 2014, , .		0
666	Abstract B28: Co-occupancy of AML1-ETO and N-CoR defines a dominant phenotypic signature in leukemic cells.. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
667	Abstract 3292: Manipulating osteoblast differentiation in order to inhibit protection of AML cells within the bone marrow. , 2016, , .		0
668	Abstract 5930: Osteoblasts protect AML cells from cytarabine-induced death. , 2017, , .		0
669	Abstract 2137: Osteoblast-lineage cells protect AML cells from cytarabine-induced apoptosis via a mechanism sensitive to HDACi and reduced cell-cell contact. , 2018, , .		0
670	Epigenetic Control of Osteoblast Differentiation by Chromobox 3 (Cb3) Protein 3. FASEB Journal, 2020, 34, 1-1.	0.2	0
671	Treatment of Pediatric Osteoid Osteomas Not Amenable to Radiofrequency Ablation: A Retrospective Review of Surgical Outcomes. Journal of Surgical Orthopaedic Advances, 2018, 27, 299-302.	0.1	0
672	Population-level Patterns of Prostate Cancer Occurrence: Disparities in Virginia. Current Molecular Biology Reports, 2022, 8, 1-8.	0.8	0
673	Revision Surgery After TJR: A Family Affair?. Journal of Bone and Joint Surgery - Series A, 2022, 104, e29.	1.4	0
674	Dynamic Seeding versus Microinjection of Mesenchymal Stem Cells for Acellular Nerve Allograft: An In Vitro Comparison. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2022, , .	0.5	0
675	A retrospective evaluation of a decade of Gene Wiki Reviews and their impact. Gene, 2022, 830, 146534.	1.0	0