

Lin-Chi Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/453179/publications.pdf>

Version: 2024-02-01

62
papers

2,531
citations

186254

28
h-index

189881

50
g-index

63
all docs

63
docs citations

63
times ranked

4242
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoporous carbons through direct carbonization of a zeolitic imidazolate framework for supercapacitor electrodes. <i>Chemical Communications</i> , 2012, 48, 7259.	4.1	624
2	Block copolymer assisted synthesis of porous $\text{Ni}(\text{OH})_2$ microflowers with high surface areas as electrochemical pseudocapacitor materials. <i>Chemical Communications</i> , 2012, 48, 9150.	4.1	124
3	A quantum dot-aptamer beacon using a DNA intercalating dye as the FRET reporter: Application to label-free thrombin detection. <i>Biosensors and Bioelectronics</i> , 2011, 26, 3346-3352.	10.1	115
4	Glucose sensing electrodes based on a poly(3,4-ethylenedioxythiophene)/Prussian blue bilayer and multi-walled carbon nanotubes. <i>Biosensors and Bioelectronics</i> , 2009, 24, 2015-2020.	10.1	89
5	Amperometric detection of morphine at a Prussian blue-modified indium tin oxide electrode. <i>Biosensors and Bioelectronics</i> , 2004, 20, 3-8.	10.1	85
6	Synthesis of Redox Polymer Nanobeads and Nanocomposites for Glucose Biosensors. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 7852-7861.	8.0	79
7	Enhancement of Aptamer Microarray Sensitivity through Spacer Optimization and Avidity Effect. <i>Analytical Chemistry</i> , 2009, 81, 1747-1754.	6.5	78
8	Functionalized Carbon Nanomaterial Supported Palladium Nano-Catalysts for Electrocatalytic Glucose Oxidation Reaction. <i>Electrochimica Acta</i> , 2015, 152, 408-416.	5.2	76
9	Design equations for complementary electrochromic devices: application to the tungsten oxide-Prussian blue system. <i>Electrochimica Acta</i> , 2001, 46, 2151-2158.	5.2	68
10	Multicolor electrochromic thin films and devices based on the Prussian blue family nanoparticles. <i>Solar Energy Materials and Solar Cells</i> , 2016, 145, 26-34.	6.2	68
11	Amperometric detection of hydrogen peroxide at a Prussian Blue-modified FTO electrode. <i>Sensors and Actuators B: Chemical</i> , 2005, 108, 738-745.	7.8	66
12	Hydrothermal Synthesis of Binary Ni^{II} - Co Hydroxides and Carbonate Hydroxides as Pseudosupercapacitors. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 39-43.	2.0	62
13	A bioanode based on MWCNT/protein-assisted co-immobilization of glucose oxidase and 2,5-dihydroxybenzaldehyde for glucose fuel cells. <i>Biosensors and Bioelectronics</i> , 2010, 25, 2515-2521.	10.1	60
14	A binary palladium-bismuth nanocatalyst with high activity and stability for alkaline glucose electrooxidation. <i>Journal of Power Sources</i> , 2015, 287, 323-333.	7.8	59
15	A red-to-gray poly(3-methylthiophene) electrochromic device using a zinc hexacyanoferrate/PEDOT:PSS composite counter electrode. <i>Electrochimica Acta</i> , 2010, 55, 3966-3973.	5.2	46
16	Nano-Prussian blue analogue/PEDOT:PSS composites for electrochromic windows. <i>Solar Energy Materials and Solar Cells</i> , 2012, 104, 64-74.	6.2	44
17	Using poly(3-aminophenylboronic acid) thin film with binding-induced ion flux blocking for amperometric detection of hemoglobin A1c. <i>Biosensors and Bioelectronics</i> , 2015, 63, 317-324.	10.1	44
18	The influences of operating voltage and cell gap on the performance of a solution-phase electrochromic device containing HV and TMPD. <i>Solid State Ionics</i> , 2003, 165, 279-287.	2.7	40

#	ARTICLE	IF	CITATIONS
19	Encapsulating benzoquinone and glucose oxidase with a PEDOT film: Application to oxygen-independent glucose sensors and glucose/O ₂ biofuel cells. <i>Bioresource Technology</i> , 2010, 101, 5480-5486.	9.6	39
20	Influence of coloring voltage on the optical performance and cycling stability of a polyaniline- α -indium hexacyanoferrate electrochromic system. <i>Solar Energy Materials and Solar Cells</i> , 2008, 92, 112-119.	6.2	38
21	A complementary electrochromic system based on a Prussian blue thin film and a heptyl viologen solution. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 3074-3080.	6.2	37
22	A complementary electrochromic system based on Prussian blue and indium hexacyanoferrate. <i>Journal of Solid State Electrochemistry</i> , 2002, 7, 6-10.	2.5	36
23	Electro-Engineered Polymeric Films for the Development of Sensitive Aptasensors for Prostate Cancer Marker Detection. <i>ACS Sensors</i> , 2016, 1, 1308-1314.	7.8	35
24	Colorimetric detection of morphine in a molecularly imprinted polymer using an aqueous mixture of Fe ³⁺ and [Fe(CN) ₆] ³⁻ . <i>Analytica Chimica Acta</i> , 2004, 504, 141-147.	5.4	34
25	Amperometric Detection of Cysteine at an In ³⁺ Stabilized Indium Hexacyanoferrate Modified Electrode. <i>Electroanalysis</i> , 2006, 18, 1306-1312.	2.9	33
26	Prussian blue nanoparticles as nanocargoes for delivering DNA drugs to cancer cells. <i>Science and Technology of Advanced Materials</i> , 2013, 14, 044405.	6.1	32
27	An indium hexacyanoferrate-tungsten oxide electrochromic battery with a hybrid K ⁺ /H ⁺ -conducting polymer electrolyte. <i>Solid State Ionics</i> , 2003, 165, 257-267.	2.7	31
28	Deposition-order-dependent polyelectrochromic and redox behaviors of the polyaniline- α -prussian blue bilayer. <i>Electrochimica Acta</i> , 2008, 53, 6215-6227.	5.2	31
29	Synthetic multivalent DNazymes for enhanced hydrogen peroxide catalysis and sensitive colorimetric glucose detection. <i>Analytica Chimica Acta</i> , 2015, 856, 96-102.	5.4	30
30	Signal-on Protein Detection via Dye Translocation between Aptamer and Quantum Dot. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12048-12055.	8.0	28
31	Selection of aptamers for fluorescent detection of alpha-methylacyl-CoA racemase by single-bead SELEX. <i>Biosensors and Bioelectronics</i> , 2014, 62, 106-112.	10.1	25
32	Selection of aptamers targeting the sialic acid receptor of hemagglutinin by epitope-specific SELEX. <i>Chemical Communications</i> , 2014, 50, 8719-8722.	4.1	24
33	Molybdate hexacyanoferrate (MoOHCF) thin film: A brownish red Prussian blue analog for electrochromic window application. <i>Solar Energy Materials and Solar Cells</i> , 2016, 145, 8-15.	6.2	24
34	Multimode optoelectrochemical detection of cysteine based on an electrochromic Prussian blue electrode α . <i>Sensors and Actuators B: Chemical</i> , 2008, 130, 418-424.	7.8	23
35	Switching behavior of the Prussian blue- α -indium hexacyanoferrate electrochromic device using the K ⁺ -doped poly-AMPS electrolyte. <i>Solid State Ionics</i> , 2003, 165, 269-277.	2.7	18
36	A glucose bio-battery prototype based on a GDH/poly(methylene blue) bioanode and a graphite cathode with an iodide/tri-iodide redox couple. <i>Bioresource Technology</i> , 2012, 116, 502-506.	9.6	18

#	ARTICLE	IF	CITATIONS
37	Graphene Nanosheets/Poly(3,4-ethylenedioxythiophene) Nanotubes Composite Materials for Electrochemical Biosensing Applications. <i>Electrochimica Acta</i> , 2015, 172, 61-70.	5.2	17
38	Aptamer microarray as a novel bioassay for protein-protein interaction discovery and analysis. <i>Biosensors and Bioelectronics</i> , 2013, 42, 248-255.	10.1	15
39	Tunable coverage of immobilized biomolecules for biofunctional interface design. <i>Biomaterials Science</i> , 2015, 3, 1266-1269.	5.4	15
40	Stability-enhanced indium hexacyanoferrate electrodes: Morphological characterization, in situ EQCM analysis in nonaqueous electrolytes and application to a WO ₃ electrochromic device. <i>Electrochimica Acta</i> , 2008, 53, 5306-5314.	5.2	13
41	Nonlinear Diffusion Behavior for the Prussian Blue Electrode. II. Interpretation of Variable Diffusivity during the Insertion/Extraction Processes. <i>Journal of the Electrochemical Society</i> , 2002, 149, E40.	2.9	11
42	Nonlinear Diffusion Behavior for the Prussian Blue Electrode: I. Variable Diffusivity Revealed by Potentiostatic Intermittent Titration Technique-Chronoabsorptometry. <i>Journal of the Electrochemical Society</i> , 2001, 148, E282.	2.9	10
43	Enhanced electrodeposition of indium hexacyanoferrate thin films through improved plating solution stability. <i>Journal of Solid State Electrochemistry</i> , 2002, 7, 1-5.	2.5	10
44	A novel DNA selection and direct extraction process and its application in DNA recombination. <i>Electrophoresis</i> , 2011, 32, 423-430.	2.4	8
45	Synthesis and characterization of Pd-Ni core-shell nanocatalysts for alkaline glucose electrooxidation. <i>RSC Advances</i> , 2015, 5, 53333-53339.	3.6	8
46	Selection of aptamers for AMACR detection from DNA libraries with different primers. <i>RSC Advances</i> , 2018, 8, 19067-19074.	3.6	8
47	Microfluidic amperometry with two symmetric Au microelectrodes under one-way and shuttle flow conditions. <i>Electrochimica Acta</i> , 2019, 297, 118-128.	5.2	8
48	Impedimetric aptasensing using a symmetric Randles circuit model. <i>Electrochimica Acta</i> , 2020, 337, 135750.	5.2	8
49	Interpretations of voltammograms in a typical two-electrode cell: application to complementary electrochromic systems. <i>Electrochimica Acta</i> , 2001, 46, 2159-2166.	5.2	7
50	<title>Influence of charge capacity ratio on the optical attenuation of a tungsten oxide-polyaniline electrochromic device</title>. , 1999, , .		5
51	General Kinetic Model for Amperometric Sensors Based on Prussian Blue Mediator and Its Analogs: Application to Cysteine Detection. <i>Electroanalysis</i> , 2006, 18, 1313-1321.	2.9	5
52	A selective decoy-doxorubicin complex for targeted co-delivery, STAT3 probing and synergistic anti-cancer effect. <i>Chemical Communications</i> , 2015, 51, 13309-13312.	4.1	4
53	Spectral contrast imaging method for mapping transmission surface plasmon images in metallic nanostructures. <i>Biosensors and Bioelectronics</i> , 2019, 142, 111545.	10.1	4
54	Diffusion impedance modeling for interdigitated array electrodes by conformal mapping and cylindrical finite length approximation. <i>Electrochimica Acta</i> , 2019, 320, 134629.	5.2	4

#	ARTICLE	IF	CITATIONS
55	Fabrication of a PVC-based solid-state Ag/AgCl reference electrode. , 2019, , .		4
56	Confocal epifluorescence sensor with an arc-shaped aperture for slide-based PCR quantification. Biosensors and Bioelectronics, 2018, 100, 71-78.	10.1	3
57	Turning Glucose and Starch into Electricity with an Enzymatic Fuel Cell. Engineering in Agriculture, Environment and Food, 2009, 2, 1-6.	0.5	1
58	Electrochemistry of toluidine blue O in situ bound to a DNA-modified electrode. , 2011, , .		0
59	Fabrication of nanocatalyst-enhanced enzyme electrode and application in glucose biofuel cells. , 2011, , .		0
60	Cell-on-a-Chip with Reversible Package for Studying the Drug Metabolism Between Cancer and Liver Cells. , 2018, , .		0
61	Development of a Potentionmetric CO2 Sensor Chip Based on the Solid-Contact Ion-Selecitve Electrodes. , 2019, , .		0
62	A smartphone sensing system for solid-contact ion-selective electrodes. , 2019, , .		0