

Miwa Nahata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4532112/publications.pdf>

Version: 2024-02-01

14
papers

359
citations

1039880

9
h-index

1125617

13
g-index

14
all docs

14
docs citations

14
times ranked

402
citing authors

#	ARTICLE	IF	CITATIONS
1	Decline in Liver Mitochondria Metabolic Function Is Restored by Hochuekkito Through Sirtuin 1 in Aged Mice With Malnutrition. <i>Frontiers in Physiology</i> , 2022, 13, 848960.	1.3	1
2	Bcl-2-dependent autophagy disruption during aging impairs amino acid utilization that is restored by hochuekkito. <i>Npj Aging and Mechanisms of Disease</i> , 2021, 7, 13.	4.5	7
3	Usefulness of a Kampo Medicine on Stress-Induced Delayed Gastric Emptying in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-8.	0.5	5
4	CRF receptor 1 antagonism and brain distribution of active components contribute to the ameliorative effect of rikkunshito on stress-induced anorexia. <i>Scientific Reports</i> , 2016, 6, 27516.	1.6	18
5	Rikkunshito and Ghrelin. <i>Methods in Pharmacology and Toxicology</i> , 2016, , 135-163.	0.1	0
6	A New Strategy Using Rikkunshito to Treat Anorexia and Gastrointestinal Dysfunction. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-10.	0.5	15
7	Influence of Aging and Gender Differences on Feeding Behavior and Ghrelin-Related Factors during Social Isolation in Mice. <i>PLoS ONE</i> , 2015, 10, e0140094.	1.1	32
8	Serotonin 2C receptor antagonism ameliorates novelty-induced hypophagia in aged mice. <i>Psychoneuroendocrinology</i> , 2013, 38, 2051-2064.	1.3	23
9	Rikkunshito, a Japanese Kampo Medicine, Ameliorates Decreased Feeding Behavior via Ghrelin and Serotonin 2B Receptor Signaling in a Novelty Stress Murine Model. <i>BioMed Research International</i> , 2013, 2013, 1-9.	0.9	24
10	Changes in Ghrelin-Related Factors in Gastroesophageal Reflux Disease in Rats. <i>Gastroenterology Research and Practice</i> , 2013, 2013, 1-8.	0.7	6
11	Impaired ghrelin signaling is associated with gastrointestinal dysmotility in rats with gastroesophageal reflux disease. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G42-G53.	1.6	39
12	10-Gingerol, a component of rikkunshito, improves cisplatin-induced anorexia by inhibiting acylated ghrelin degradation. <i>Biochemical and Biophysical Research Communications</i> , 2011, 412, 506-511.	1.0	62
13	Decreased plasma ghrelin contributes to anorexia following novelty stress. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 301, E685-E696.	1.8	67
14	Rikkunshito and 5-HT _{2C} receptor antagonist improve cisplatin-induced anorexia via hypothalamic ghrelin interaction. <i>Regulatory Peptides</i> , 2010, 161, 97-105.	1.9	60