

# Davide Gerbaudo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4532300/publications.pdf>

Version: 2024-02-01

442  
papers

23,325  
citations

8181  
76  
h-index

18647  
119  
g-index

453  
all docs

453  
docs citations

453  
times ranked

9788  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
2	Measurements of top-quark pair spin correlations in the $\$emu$ channel at $\$sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
3	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 $fb^{-1}$ of pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
4	Measurement of the W-boson mass in pp collisions at $\$sqrt{s}=7$ , $\$boxed{TeV}$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
5	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\$sqrt{s} = 13, \mathit{mathrm{TeV}}$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
6	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$sqrt{s_{\text{ext}}\{NN\}}=2.76$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
7	Measurement of quarkonium production in protonâ€“lead and protonâ€“proton collisions at $\$5.02 \sim \mathit{mathrm{TeV}}$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
8	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$sqrt{s}=\{13\}\{ext{TeV}\}$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
9	A search for pair-produced resonances in four-jet final states at $\$sqrt{s}=13$ s = 13 $\$ext{TeV}$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
10	Search for heavy resonances decaying into WW in the $\$eu mu u \$e \hat{1/2} \hat{1/4} \hat{1/2}$ final state in pp collisions at $\$sqrt{s}=13$ s = 13 $\$ext{TeV}$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
11	Search for WW/Z resonance production in $\hat{1/2}qq$ final states in pp collisions at $\$sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
12	Search for Higgs boson pair production in the $\$gamma gamma WW^{**} \hat{13} \hat{13} WW$ channel using pp collision data recorded at $\$sqrt{s}=13$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
13	Measurement of colour flow using jet-pull observables in $\$tar{t} t t \bar{t}$ events with the ATLAS experiment at $\$sqrt{s} = 13$ , $\$boxed{TeV}$ s = 13 TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
14	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb $\hat{-1}$ of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
15	Performance of missing transverse momentum reconstruction with the ATLAS detector using protonâ€“proton collisions at $\$sqrt{s}=13$ $\$boxed{TeV}$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
16	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	3.9	25
17	Measurement of the inclusive and fiducial $\$tar{t} t t \bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
18	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ€“proton collisions at $\$sqrt{s} = 13$ s = 13 $\$ext{TeV}$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79

#	ARTICLE	IF	CITATIONS
19	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	136
20	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 18.	3.9	60
21	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 199.	3.9	132
22	Measurement of the $Z/\gamma^*$ polarization in $Z \rightarrow l^+l^-$ . <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
23	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40.	3.9	41
24	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
25	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
26	Measurement of the W boson polarization in $t\bar{t}Z$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
27	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292.	3.9	27
28	Performance of algorithms that reconstruct missing transverse momentum in proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 241.	3.9	61
29	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	3.9	81
30	Search for triboson $WW^{\pm}WW^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
31	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.	3.9	325
32	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.	3.9	56
33	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.	3.9	26
34	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017, 77, 466.	3.9	145
35	Measurement of multi-particle azimuthal correlations in pp, p-Pb and low-multiplicity Pb-Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 428.	3.9	86
36	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28

#	ARTICLE	IF	CITATIONS
37	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
38	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
39	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=13$ TeV p p collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	3.9	12
40	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ and Z Z decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	1
41	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
42	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
43	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
44	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ s. <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
45	Precision measurement and interpretation of inclusive $WW^+$ , $WW^-$ . <i>European Physical Journal C</i> , 2017, 77, 367.	3.9	145
46	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
47	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50
48	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
49	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
50	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
51	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
52	Measurement of $WW/WZ \rightarrow q\bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
53	Studies of $Z^3$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
54	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16

#	ARTICLE		IF	CITATIONS
55	Study of $WW\gamma$ and $WZ\gamma$ . European Physical Journal C, 2017, 77, 646.	3.9	30	
56	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20	
57	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16	
58	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	28	
59	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45	
60	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36	
61	Measurement of the k t splitting scales in $Z\rightarrow e^+e^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3	
62	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8	
63	Evidence for the $H\rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64	
64	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $s = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 872.	3.9	32	
65	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30	
66	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10	
67	Measurement of event-shape observables in $Z\rightarrow e^+e^-$ events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15	
68	Charged-particle distributions in pp interactions at $s = 8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30	
69	Charged-particle distributions at low transverse momentum in $s = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61	
70	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12	
71	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21	
72	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23	

#	ARTICLE	IF	CITATIONS
73	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
74	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
75	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
76	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
77	Search for flavour-changing neutral current top-quark decays to $\varphi Z$ in $p p$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 12.	3.9	39
78	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 87.	3.9	39
79	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
80	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
81	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
82	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
83	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
84	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
85	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 581.	3.9	298
86	Measurement of the charged-particle multiplicity inside jets from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
87	Measurement of jet activity in top quark events using the $e^{\pm} e^{\mp}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
88	Measurement of the transverse momentum and $\phi$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
89	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} e^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
90	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
91	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
92	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
93	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
94	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
95	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
96	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
97	Addendum to "Measurement of the $t\bar{t}$ production cross-section using emu $e^{\pm}\nu e^{\pm}\bar{\nu}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
98	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
99	Measurement of the CP-violating phase $\delta_s$ and the $B_s \rightarrow D_s^+ \pi^-$ meson decay width difference with $B_s \rightarrow D_s^+ \pi^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
100	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
101	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
102	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
103	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
104	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
105	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
106	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
107	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
108	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62

#	ARTICLE	IF	CITATIONS
109	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
110	Probing lepton flavour violation via neutrinoless $\varvec{\mu} \rightarrow e + \nu + \bar{\nu}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
111	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
112	Search for supersymmetry at $\sqrt{s}=13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
113	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
114	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
115	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
116	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7 \text{ TeV}$ and $8 \text{ TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
117	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
118	Study of the $B_c \rightarrow J/\psi D_s^+ \bar{D}_s^-$ and $B_c \rightarrow J/\psi D_s^0 \bar{D}_s^0$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
119	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow l^+l^-Z Z$ decay channel at $\sqrt{s}=8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
120	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
121	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.	1	
122	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
123	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}, \tilde{\chi}^0$ in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
124	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
125	Search for lepton-flavour-violating $H \rightarrow l^+l^-l^+l^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
126	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11

#	ARTICLE	IF	CITATIONS
127	A search for $t\bar{t}\Lambda^-$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
128	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
129	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
130	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
131	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
132	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
133	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
134	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
135	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
136	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
137	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
138	Determination of the top-quark pole mass using $t\bar{t}\Lambda^- + 1\text{-jet}$ events collected with the ATLAS experiment in $7 \text{ TeV}$ pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
139	Measurement of the $t\bar{t}\Lambda^- W$ and $t\bar{t}\Lambda^- Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
140	Search for flavour-changing neutral current top quark decays $t\rightarrow Hq$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
141	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
142	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
143	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
144	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
145	Search for $W'$ decays in $t\bar{t}$ and $b\bar{b}$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
146	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2015, 75, 158.	3.9	17
147	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
148	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
149	Search for metastable heavy charged particles with large ionisation energy loss in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
150	Measurement of the production and lepton charge asymmetry of $W$ bosons in $\text{Pb+Pb}$ collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
151	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
152	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
153	Search for resonant diboson production in the $q\bar{q} \rightarrow q\bar{q} \rightarrow W^+ W^-$ final state in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
154	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
155	Search for dark matter in events with heavy quarks and missing transverse momentum in $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
156	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
157	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
158	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
159	Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
160	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
161	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8 \text{ TeV}$ $p\bar{p}$ collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
162	Search for charged Higgs bosons decaying via $H \rightarrow \tau^{\pm} \tau^{\mp}, \tau^{\pm} \nu_{\tau}$ in fully hadronic final states using $p\bar{p}$ collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69

#	ARTICLE	IF	CITATIONS
163	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $p\ p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
164	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 120.	3.9	62
165	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
166	Determination of spin and parity of the Higgs boson in the $WW^*$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
167	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
168	Search for a new resonance decaying to a $W$ or $Z$ boson and a Higgs boson in the $ell\ ell / ell\ u + b\ bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
169	Measurement of three-jet production cross-sections in $p\ p$ collisions at $7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
170	Constraints on the off-shell Higgs boson signal strength in the high-mass $ZZ$ and $WW$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
171	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 303.	3.9	70
172	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
173	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a $Z$ boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
174	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
175	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
176	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
177	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
178	Measurement of the top quark mass in the $t\bar{t}$ lepton+jets and $t\bar{t}$ dilepton channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
179	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
180	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}) = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. European Physical Journal C, 2015, 75, 1.	3	

#	ARTICLE	IF	CITATIONS
181	Search for production of ( $WW/WZ$ ) resonances decaying to a lepton, neutrino and jets in ( $pp$ ) collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. , 2015, 75, 1.	1	
182	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at ( $\sqrt{s}=8\sim$ )TeV with the ATLAS detector. , 2015, 75, 1.	2	
183	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
184	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	3	
185	Search for neutral Higgs bosons of the minimal supersymmetric standard model in $pp$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
186	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
187	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp$ collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
188	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
189	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
190	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
191	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
192	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with $b$ -tagged jets in $pp$ collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
193	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
194	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
195	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
196	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}\sim 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
197	Measurement of flow harmonics with multi-particle cumulants in $Pb+Pb$ collisions at $\sqrt{s_{NN}}=2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
198	Measurement of distributions sensitive to the underlying event in inclusive $Z$ -boson production in $pp$ collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46

#	ARTICLE	IF	CITATIONS
199	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
200	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\ell^+\ell^- + \nu\bar{\nu})$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
201	Measurement of the $Z\tilde{l}^3$ boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	131
202	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
203	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
204	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
205	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
206	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
207	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
208	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
209	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
210	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
211	Light-quark and gluon jet discrimination in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
212	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
213	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	88
214	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W \pm$ boson in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
215	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
216	Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59

#	ARTICLE	IF	CITATIONS
217	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
218	Search for supersymmetry at $\sqrt{s} = 8\text{TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
219	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
220	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
221	Measurement of $t\bar{t}\text{ c1}$ and $t\bar{t}\text{ c2}$ production with $\sqrt{s} = 7\text{TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
222	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8\text{TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
223	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
224	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
225	Measurement of the $(t\bar{t})$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}=7$ ) and 8 TeV with the ATLAS detector. , 2014, 74, 1.	2	
226	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
227	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
228	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
229	Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
230	Measurement of ZZ production in pp collisions at $\sqrt{s}=7\text{TeV}$ and limits on anomalous ZZZ and ZZ $\tilde{l}^3$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
231	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
232	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7\text{TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
233	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
234	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
235	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
236	Measurement of k T splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
237	Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	3.9	119
238	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
239	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
240	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
241	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
242	Search for physics beyond the standard model in events with $\tilde{l}$ , leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 2493.	3.9	22
243	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
244	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
245	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
246	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
247	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\geq 3$ b-quark jets in $7 \text{ TeV}$ pp collisions using the variable $\hat{T}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
248	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
249	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	13
250	Measurement of the differential cross section at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.1	33
251	Measurement of the ratio of three-jet to two-jet cross sections at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.1	31
252	Measurement of the ratio of three-jet to two-jet cross sections at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.1	7

#	ARTICLE	IF	CITATIONS
253	Measurement of the $\tau$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
254	Measurement of differential top-quark-pair production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	125
255	Search for WH production with a light Higgs boson decaying to prompt electron+jets in proton+proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
256	Measurement of leptonic asymmetries and top-quark polarization in t̄t production. Physical Review D, 2013, 87, .	4.7	33
257	Measurement of the Semileptonic Charge Asymmetry using Bs0 → Ds1/2 → X Decays. Physical Review Letters, 2013, 110, 011801.	7.8	38
258	Measurement of the $\mathcal{W}$ boson mass with the D0 Detector. Physical Review Letters, 2012, 108, 151804.	7.8	104
259	Observation of a narrow mass state decaying into $\chi(1S) \rightarrow l^+l^-$ in pp̄ collisions at $\sqrt{s}=1.96 \text{ TeV}$ . Physical Review D, 2012, 86, .	4.7	38
260	Search for Doubly Charged Higgs Boson Pair Production in $\mathcal{W} \mathcal{W}$ collisions at $\sqrt{s}=1.96 \text{ TeV}$ . Physical Review Letters, 2012, 108, 021801.	7.8	27
261	Search for $Z \chi$ events with large missing transverse energy in pp̄ collisions at $\sqrt{s}=1.96 \text{ TeV}$ . Physical Review D, 2012, 86, .	4.7	7
262	Search for WH associated production in pp̄ collisions at $\sqrt{s}=1.96 \text{ TeV}$ . Physical Review D, 2012, 86, .	4.7	6
263	Evidence for Spin Correlation in $\mathcal{W} \mathcal{W}$ Production. Physical Review Letters, 2012, 108, 032004.	7.8	50
264	Search for the Standard Model Higgs Boson in Associated WH Production in 9.7 fb⁻¹ of pp̄ Collisions with the D0 Detector. Physical Review Letters, 2012, 109, 121804.	7.8	14
265	Search for Violation of Lorentz Invariance in Top Quark Pair Production and Decay. Physical Review Letters, 2012, 108, 261603.	7.8	32
266	Search for Universal Extra Dimensions in $\mathcal{W} \mathcal{W}$ Collisions. Physical Review Letters, 2012, 108, 131802.	7.8	6
267	Measurement of the top-quark mass in pp̄ collisions using events with two leptons. Physical Review D, 2012, 86, .	4.7	19
268	Measurement of the $\mathcal{W} \mathcal{Z}$ and $\mathcal{Z} \mathcal{Z}$ production cross sections using leptonic final states in $\mathcal{W} \mathcal{Z}$ and $\mathcal{Z} \mathcal{Z}$ resonances. Physical Review Letters, 2012, 108, 131804.	4.7	28
269	Search for the Standard Model Higgs Boson in $Z \rightarrow b\bar{b}$ production with the D0 Detector in 9.7 fb⁻¹ of pp̄ Collisions. Physical Review Letters, 2012, 109, 121803.	4.7	30
270	Search for the Standard Model Higgs Boson in $Z \rightarrow b\bar{b}$ production with the D0 Detector in 9.7 fb⁻¹ of pp̄ Collisions at $\sqrt{s}=1.96 \text{ TeV}$ . Physical Review Letters, 2012, 109, 121803.	7.8	16

#	ARTICLE	IF	CITATIONS
271	Measurement of the semileptonic charge asymmetry in B0meson mixing with the D0 detector. Physical Review D, 2012, 86, .	4.7	41
272	Search for Charged Massive Long-Lived Particles. Physical Review Letters, 2012, 108, 121802.	7.8	21
273	Measurement of the differential cross section $\text{d}\sigma/\text{d}m_{\text{miss}}$ for the production of a Higgs boson in association with a photon at the Tevatron. Physical Review Letters, 2012, 108, 121803.	4.7	59
274	Study of the decay $B_s \rightarrow f_2(1525) \pi^+ \pi^-$ and $K^+ K^-$ final states. Physical Review D, 2012, 86, .	4.7	10
275	Search for Higgs boson production in oppositely charged dilepton and missing energy events. Physical Review Letters, 2012, 109, 121802.	4.7	4
276	Combined Search for the Standard Model Higgs Boson Decaying to $b\bar{b}$ Using the D0 Run II Data Set. Physical Review Letters, 2012, 109, 121802.	7.8	32
277	Measurement of the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2012, 109, 121803.	4.7	64
278	Measurement of the $t\bar{t}$ cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2012, 109, 121804.	4.7	75
279	Measurement of the $b\bar{b}$ lifetime in the exclusive decay $b\bar{b} \rightarrow t\bar{t} + \text{miss. energy}$ . Physical Review D, 2012, 85, .	4.7	19
280	Inclusive b-jet production in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
281	Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
282	Suppression of non-prompt $J/\psi$ , prompt $J/\psi$ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
283	Search for heavy bottom-like quarks in $4.9 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
284	Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
285	Measurement of the $Z/\gamma^*$ b-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
286	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
287	Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
288	Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117

#	ARTICLE	IF	CITATIONS
289	Search for leptonic decays of $W^{\pm}$ bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
290	Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
291	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
292	Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
293	Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
294	Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	168
295	Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
296	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
297	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
298	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
299	Search for exclusive or semi-exclusive $\tilde{b}\tilde{b}$ production and observation of exclusive and semi-exclusive $e+e^-$ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
300	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
301	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
302	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
303	Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
304	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
305	Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1. Measurement of the relative branching ratio $\frac{\text{rate}(t\bar{t})}{\text{rate}(t\bar{t} \rightarrow b\bar{b})}$ .	4.7	38
306	Measurement of the relative branching ratio $\frac{\text{rate}(t\bar{t})}{\text{rate}(t\bar{t} \rightarrow b\bar{b})}$ . $\frac{\text{rate}(t\bar{t})}{\text{rate}(t\bar{t} \rightarrow b\bar{b})} = \frac{\int_{\text{kinetic energy}} \text{rate}(t\bar{t}) \, dE}{\int_{\text{kinetic energy}} \text{rate}(t\bar{t} \rightarrow b\bar{b}) \, dE}$ where $E = \sqrt{p_T^2 + m^2}$ and $m = \sqrt{m_t^2 + p_T^2}$ . The result is $\frac{\text{rate}(t\bar{t})}{\text{rate}(t\bar{t} \rightarrow b\bar{b})} = 1.00 \pm 0.01$ .	4.7	47
	Physical Review D, 2012, 85,		



#	ARTICLE	IF	CITATIONS
325	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-l^+l^-$ channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
326	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^- + l^+l^-$ decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
327	Search for $B_s^0 \rightarrow D_s^+ l^- \bar{\nu}_l$ and $B_s^0 \rightarrow D_s^0 l^+ \bar{\nu}_l$ decays. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
328	Search for a Higgs boson in the decay channel $H \rightarrow ZZ(*) \rightarrow q\bar{q} \rightarrow l^+l^- + l^+l^-$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
329	Search for microscopic black holes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
330	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	16
331	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
332	Search for Higgs bosons decaying to pairs in $\rightarrow l^+l^- + l^+l^-$ production in $\rightarrow l^+l^- + l^+l^-$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.1	14
333	Search for Higgs bosons of the minimal supersymmetric standard model in $\rightarrow l^+l^- + l^+l^-$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.1	22
334	Search for pair production of the scalar top quark in muon+tau final states. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 578-586.	4.1	13
336	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	369
337	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	181
338	Jet production rates in association with W and Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
339	Exclusive $t\bar{t} \rightarrow l^+l^- + l^+l^-$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	56
340	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
341	Measurements of single top quark production cross sections and $ V_{tb} $ in $p\bar{p} \rightarrow t\bar{b}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ . Physical Review D, 2011, 84, 1.	4.7	31
342	Measurement of the W boson helicity in top quark decays using 5.4 fb $^{-1}$ of pp collision data. Physical Review D, 2011, 83, 1.	4.7	35



#	ARTICLE	IF	CITATIONS
361	Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
362	Measurement of $\overline{B}$ angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
363	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
364	Measurement of Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
365	Strange particle production in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	139
366	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
367	Search for resonances in the dilepton mass distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	39
368	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	26
369	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
370	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
371	Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
372	Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
373	Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.	4.7	13
374	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
375	Search for same-sign top-quark pair production at $\sqrt{s} = 7 \text{ TeV}$ and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
376	Charged particle transverse momentum spectra in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	56
377	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
378	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	99



#	ARTICLE	IF	CITATIONS
397	al decorrelations and multiple parton interactions in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \rangle$ display="inline" > $\langle \text{mml:mi} \rangle \hat{3} \langle /mml:mi \rangle \langle \text{mml:mo} \rangle + \langle /mml:mo \rangle \langle \text{mml:mn} \rangle 2 \langle /mml:mn \rangle \langle /mml:math \rangle$ jet and $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \rangle$ display="inline" > $\langle \text{mml:mi} \rangle \hat{3} \langle /mml:mi \rangle \langle \text{mml:mo} \rangle + \langle /mml:mo \rangle \langle \text{mml:mn} \rangle 3 \langle /mml:mn \rangle \langle /mml:math \rangle$ jet events in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \rangle$ display="inline" > $\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle$	4.7	22
398	Measurement of color flow intt $\bar{\ell}$ events from pp $\bar{\ell}$ collisions at $s=1.96\text{ TeV}$ . Physical Review D, 2011, 83, . 4.7		15

399	Search for associated Higgs boson production using like charge dilepton events in pp $\bar{\ell}$ collisions $s=1.96\text{ TeV}$ . Physical Review D, 2011, 84, . Measurement of the production fraction times branching fraction $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \rangle$ display="inline" > $\langle \text{mml:mi} \rangle f \langle /mml:mi \rangle \langle \text{mml:mo} \rangle$ stretchy="false" > $\langle /mml:mo \rangle \langle \text{mml:mi} \rangle b \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \hat{f}' \langle /mml:mo \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle \hat{l} \langle /mml:mi \rangle \langle \text{mml:mi} \rangle b \langle /mml:mi \rangle$	4.7	13
400			

#	ARTICLE	IF	CITATIONS
415	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9 \text{ GeV}$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
416	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
417	Search for single top quarks in the tau + jets channel using 4.8 $\text{fb}^{-1}$ of $\langle \text{mml:math} \rangle$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \text{accent}=\text{"true"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ collision data. Measurement of direct photon pair production cross sections in $\langle \text{mml:math} \rangle$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{production using } 2.3 \text{ fb}^{-1} \text{ of } \langle \text{mml:math} \rangle \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{Search for flavor-changing neutral currents via quark-gluon couplings in single top quark production using } 2.3 \text{ fb}^{-1} \text{ of } \langle \text{mml:math} \rangle \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si2.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{Search for scalar bottom quarks and third-generation leptoquarks in } \langle \text{mml:math} \rangle \text{ altimg}=\text{"si3.gif"}$ $\text{overflow}=\text{"scroll"}$ $\text{xmlns:xocs}=\text{"http://www.elsevier.com/xml/xocs/dtd"}$ $\text{xmlns:xsi}=\text{"http://www.w3.org/2001/XMLSchema-instance"}$ $\text{xmlns:ja}=\text{"http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{xmlns:xocs}=\text{"http://www.elsevier.com/xml/xocs/dtd/xmlel11.xsd"}$ $\text{xmlns:xsi}=\text{"http://www.w3.org/2001/XMLSchema-instance"}$ $\text{xmlns:ja}=\text{"http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{xmlns:tb}=\text{"http://www.elsevier.com/xml/common/table/dtd"}$ $\text{Measurement of the normalized } \langle \text{mml:math} \rangle \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{stretchy}=\text{"false"}$ $\langle / \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:mo} \rangle^3 \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:math} \rangle$ $\text{transverse momentum distribution in } \langle \text{mml:math} \rangle \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si2.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle$ Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 693, 322-330	4.1	11
418	Search for the rare decay $\langle \text{mml:math} \rangle \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle B \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle / \text{mml:mn} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:math} \rangle$ Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 693, 539-544.	4.1	48
419	Search for b-Jet identification in the D0 experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 620, 490-517.	4.1	48
420	Search for a Resonance Decaying into WZBoson Pairs in $p\bar{p}$ Collisions. Physical Review Letters, 2010, 104, 061801.	7.8	16
421	Search for Diphoton Events with Large Missing Transverse Energy in $6.3 \text{ fb}^{-1}$ of $p\bar{p}$ Collisions $\text{ats}=1.96 \text{ TeV}$ . Physical Review Letters, 2010, 105, 221802.	7.8	24
422	Search for New Fermions ("Quirks") at the Fermilab Tevatron Collider. Physical Review Letters, 2010, 105, 211803.	7.8	12
423	Search for Events with Leptonic Jets and Missing Transverse Energy in $p\bar{p}$ Collisions $\text{ats}=1.96 \text{ TeV}$ . Physical Review Letters, 2010, 105, 211804.	7.8	67
424	Search for the Associated Production of a Quark and a Neutral Supersymmetric Higgs Boson that Decays into Pairs. Physical Review Letters, 2010, 104, 151801.	7.8	11
425	Evidence for an Anomalous Like-Sign Dimuon Charge Asymmetry. Physical Review Letters, 2010, 105, 221801.	7.8	108

#	ARTICLE	IF	CITATIONS
433	Evidence for an anomalous like-sign dimuon charge asymmetry. Physical Review D, 2010, 82, .	4.7	127
434	Search for the Standard Model Higgs Boson in the $ZH \rightarrow l^+l^-bb$ Channel in 5.2 fb <sup>-1</sup> of pp Collisions. Physical Review Letters, 2010, 104, 071801.	7.8	15
435	Search for Higgs Boson Production in Dilepton and Missing Energy Final States with 5.4 fb <sup>-1</sup> of pp Collisions. Physical Review Letters, 2010, 104, 061804. Search for Snuetrino Production in $\text{S} \rightarrow l^+l^-bb$ . Physical Review Letters, 2010, 104, 061804.	7.8	34
436	Search for Higgs Boson Production in Dilepton and Missing Energy Final States with 5.4 fb <sup>-1</sup> of pp Collisions. Physical Review Letters, 2010, 104, 061804. Search for Snuetrino Production in $\text{S} \rightarrow l^+l^-bb$ . Physical Review Letters, 2010, 104, 061804.	7.8	19
437	Search for $ZH \rightarrow l^+l^-bb$ Production in 4.2 fb <sup>-1</sup> of pp Collisions. Physical Review Letters, 2010, 105, 251801. Search for Randall-Sundrum Gravitons in the Dielectron and Diphoton Final States with 5.4 fb <sup>-1</sup> of pp Collisions. Physical Review Letters, 2010, 105, 251801.	7.8	17
438	Data from $ZH \rightarrow l^+l^-bb$ Production in 4.2 fb <sup>-1</sup> of pp Collisions. Physical Review Letters, 2010, 105, 251801.	7.8	35
439	Measurement of $t\bar{t}$ production in the $t\bar{t} + \text{jet}$ topology using pp collisions. Physical Review D, 2010, 82, .	4.7	13
440	Measurement of the $t\bar{t}$ cross section using high-multiplicity jet events. Physical Review D, 2010, 82, .	4.7	12
441	The CMS barrel calorimeter response to particle beams from 2 to 350 GeV/c. European Physical Journal C, 2009, 60, 359-373. Determination of the strong coupling constant from the inclusive jet cross section in $\text{e}^+ \text{e}^- \rightarrow t\bar{t}$ at 14 TeV. Physical Review D, 2009, 80, 094011.	3.9	29
442	Determination of the strong coupling constant from the inclusive jet cross section in $\text{e}^+ \text{e}^- \rightarrow t\bar{t}$ at 14 TeV. Physical Review D, 2009, 80, 094011.	4.7	48