

Roger L Papke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4535037/publications.pdf>

Version: 2024-02-01

135
papers

5,770
citations

66250

44
h-index

107981

68
g-index

140
all docs

140
docs citations

140
times ranked

3687
citing authors

#	ARTICLE	IF	CITATIONS
1	Selective Agonists and Antagonists of $\alpha 9$ Versus $\alpha 7$ Nicotinic Acetylcholine Receptors. ACS Chemical Neuroscience, 2022, 13, 624-637.	1.7	10
2	Comparison of the Anti-inflammatory Properties of Two Nicotinic Acetylcholine Receptor Ligands, Phosphocholine and pCF3-diEPP. Frontiers in Cellular Neuroscience, 2022, 16, 779081.	1.8	11
3	Coffee and cigarettes: Modulation of high and low sensitivity $\alpha 4\beta 2$ nicotinic acetylcholine receptors by n-MP, a biomarker of coffee consumption. Neuropharmacology, 2022, 216, 109173.	2.0	5
4	Therapeutic Targeting of $\alpha 7$ Nicotinic Acetylcholine Receptors. Pharmacological Reviews, 2021, 73, 1118-1149.	7.1	43
5	The Allosteric Activation of $\alpha 7$ nAChR by α -Conotoxin MrlC Is Modified by Mutations at the Vestibular Site. Toxins, 2021, 13, 555.	1.5	5
6	Stable desensitization of $\alpha 7$ nicotinic acetylcholine receptors by NS6740 requires interaction with S36 in the orthosteric agonist binding site. European Journal of Pharmacology, 2021, 905, 174179.	1.7	4
7	Nicotine: Understanding the big picture while also studying the details. Neuropharmacology, 2021, 196, 108715.	2.0	0
8	Sulfonium Ligands of the $\alpha 7$ nAChR. Molecules, 2021, 26, 5643.	1.7	2
9	A silent agonist of $\alpha 7$ nicotinic acetylcholine receptors modulates inflammation ex vivo and attenuates EAE. Brain, Behavior, and Immunity, 2020, 87, 286-300.	2.0	35
10	Betel Nut (areca) and Smokeless Tobacco Use in Myanmar. Substance Use and Misuse, 2020, 55, 1385-1394.	0.7	15
11	Allosterically Potentiated $\alpha 7$ Nicotinic Acetylcholine Receptors: Reduced Calcium Permeability and Current-Independent Control of Intracellular Calcium. Molecular Pharmacology, 2020, 98, 695-709.	1.0	10
12	Nicotinic Acetylcholine Receptor Accessory Subunits Determine the Activity Profile of Epibatidine Derivatives. Molecular Pharmacology, 2020, 98, 328-342.	1.0	10
13	Design, synthesis, and electrophysiological evaluation of NS6740 derivatives: Exploration of the structure-activity relationship for $\alpha 7$ nicotinic acetylcholine receptor silent activation. European Journal of Medicinal Chemistry, 2020, 205, 112669.	2.6	12
14	Differing Activity Profiles of the Stereoisomers of 2,3,5,6TMP-TQS, a Putative Silent Allosteric Modulator of $\alpha 7$ nAChR. Molecular Pharmacology, 2020, 98, 292-302.	1.0	12
15	Cholinergic Receptors and Addiction. Current Topics in Behavioral Neurosciences, 2020, 45, 123-151.	0.8	15
16	Betel Quid, Health, and Addiction. Substance Use and Misuse, 2020, 55, 1528-1532.	0.7	8
17	Nicotinic acetylcholine receptors: Conventional and unconventional ligands and signaling. Neuropharmacology, 2020, 168, 108021.	2.0	71
18	In Silico Modeling of the $\alpha 7$ Nicotinic Acetylcholine Receptor: New Pharmacological Challenges Associated with Multiple Modes of Signaling. Mini-Reviews in Medicinal Chemistry, 2020, 20, 841-864.	1.1	7

#	ARTICLE	IF	CITATIONS
19	Effects of $\alpha 7$ Nicotinic Acetylcholine Receptor Positive Allosteric Modulator on BDNF, NKCC1 and KCC2 Expression in the Hippocampus following Lipopolysaccharide-induced Allodynia and Hyperalgesia in a Mouse Model of Inflammatory Pain. <i>CNS and Neurological Disorders - Drug Targets</i> , 2020, 19, 366-377.	0.8	7
20	The $\alpha 7$ nicotinic acetylcholine receptor positive allosteric modulator prevents lipopolysaccharide-induced allodynia, hyperalgesia and TNF- α in the hippocampus in mice. <i>Pharmacological Reports</i> , 2019, 71, 1168-1176.	1.5	15
21	The $\alpha 7$ nicotinic receptor silent agonist R-47 prevents and reverses paclitaxel-induced peripheral neuropathy in mice without tolerance or altering nicotine reward and withdrawal. <i>Experimental Neurology</i> , 2019, 320, 113010.	2.0	23
22	Heteromeric Neuronal Nicotinic Acetylcholine Receptors with Mutant $\alpha 2$ Subunits Acquire Sensitivity to $\alpha 7$ -Selective Positive Allosteric Modulators. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 370, 252-268.	1.3	10
23	Synthesis, Pharmacological Characterization, and Structure-Activity Relationships of Noncanonical Selective Agonists for $\alpha 7$ nAChRs. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 10376-10390.	2.9	12
24	Allosteric Agonism of $\alpha 7$ Nicotinic Acetylcholine Receptors: Receptor Modulation Outside the Orthosteric Site. <i>Molecular Pharmacology</i> , 2019, 95, 606-614.	1.0	24
25	Macroscopic and Microscopic Activation of $\alpha 7$ Nicotinic Acetylcholine Receptors by the Structurally Unrelated Allosteric Agonist-Positive Allosteric Modulators (ago-PAMs) B-973B and GAT107. <i>Molecular Pharmacology</i> , 2019, 95, 43-61.	1.0	21
26	Cracking the Betel Nut: Cholinergic Activity of Areca Alkaloids and Related Compounds. <i>Nicotine and Tobacco Research</i> , 2019, 21, 805-812.	1.4	25
27	Nicotinic acetylcholine receptor silent agonists modulate inflammation. <i>FASEB Journal</i> , 2019, 33, lb236.	0.2	0
28	NS6740, an $\alpha 7$ nicotinic acetylcholine receptor silent agonist, disrupts hippocampal synaptic plasticity. <i>Neuroscience Letters</i> , 2018, 677, 6-13.	1.0	11
29	Pharmacological modulation of the $\alpha 7$ nicotinic acetylcholine receptor in a mouse model of mecamylamine-precipitated nicotine withdrawal. <i>Psychopharmacology</i> , 2018, 235, 1897-1905.	1.5	15
30	Persistent activation of $\alpha 7$ nicotinic ACh receptors associated with stable induction of different desensitized states. <i>British Journal of Pharmacology</i> , 2018, 175, 1838-1854.	2.7	31
31	Perspectives on areca nut with some global implications: Symposium report. <i>Translational Research in Oral Oncology</i> , 2018, 3, 2057178X1881406.	2.3	14
32	B-973, a Novel $\alpha 7$ nAChR Ago-PAM: Racemic and Asymmetric Synthesis, Electrophysiological Studies, and <i>in Vivo</i> Evaluation. <i>ACS Medicinal Chemistry Letters</i> , 2018, 9, 1144-1148.	1.3	14
33	Novel 5-(quinuclidin-3-ylmethyl)-1,2,4-oxadiazoles to investigate the activation of the $\alpha 7$ nicotinic acetylcholine receptor subtype: Synthesis and electrophysiological evaluation. <i>European Journal of Medicinal Chemistry</i> , 2018, 160, 207-228.	2.6	9
34	The Antinociceptive and Anti-Inflammatory Properties of the $\alpha 7$ nAChR Weak Partial Agonist <i>p</i> -CF ₃ -N,N-diethyl-N- ϵ -phenylpiperazine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 367, 203-214.	1.3	17
35	New Insights on Neuronal Nicotinic Acetylcholine Receptors as Targets for Pain and Inflammation: A Focus on $\alpha 7$ nAChRs. <i>Current Neuropharmacology</i> , 2018, 16, 415-425.	1.4	76
36	Identification of $\alpha 7$ Nicotinic Acetylcholine Receptor Silent Agonists Based on the Spirocyclic Quinuclidine- <i>oxazoline</i> Scaffold: Synthesis and Electrophysiological Evaluation. <i>ChemMedChem</i> , 2017, 12, 1335-1348.	1.6	15

#	ARTICLE	IF	CITATIONS
37	The interaction between alpha 7 nicotinic acetylcholine receptor and nuclear peroxisome proliferator-activated receptor- α represents a new antinociceptive signaling pathway in mice. <i>Experimental Neurology</i> , 2017, 295, 194-201.	2.0	23
38	Anti-inflammatory Silent Agonists. <i>ACS Medicinal Chemistry Letters</i> , 2017, 8, 989-991.	1.3	38
39	Rabies virus modifies host behaviour through a snake-toxin like region of its glycoprotein that inhibits neurotransmitter receptors in the CNS. <i>Scientific Reports</i> , 2017, 7, 12818.	1.6	38
40	Design, synthesis, and biological activity of 5-phenyl-1,2,5,6-tetrahydro-3-bipyridine analogues as potential antagonists of nicotinic acetylcholine receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 4350-4353.	1.0	2
41	Sulfonium as a Surrogate for Ammonium: A New $\alpha 7$ Nicotinic Acetylcholine Receptor Partial Agonist with Desensitizing Activity. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7928-7934.	2.9	10
42	The $\alpha 7$ nicotinic acetylcholine receptor positive allosteric modulator attenuates lipopolysaccharide-induced activation of hippocampal α and β and CD11b gene expression in mice. <i>Drug Discoveries and Therapeutics</i> , 2017, 11, 206-211.	0.6	22
43	Role of the $\alpha 7$ Nicotinic Acetylcholine Receptor and RIC-3 in the Cholinergic Anti-inflammatory Pathway. <i>Central Nervous System Agents in Medicinal Chemistry</i> , 2017, 17, 90-99.	0.5	30
44	The $\alpha 7$ nicotinic receptor dual allosteric agonist and positive allosteric modulator GAT107 reverses nociception in mouse models of inflammatory and neuropathic pain. <i>British Journal of Pharmacology</i> , 2016, 173, 2506-2520.	2.7	64
45	Critical Molecular Determinants of $\alpha 7$ Nicotinic Acetylcholine Receptor Allosteric Activation. <i>Journal of Biological Chemistry</i> , 2016, 291, 5049-5067.	1.6	43
46	Dissection of N,N-diethyl-N-phenylpiperazines as $\alpha 7$ nicotinic receptor silent agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 286-293.	1.4	31
47	Two Novel $\alpha 7$ Nicotinic Acetylcholine Receptor Ligands: In Vitro Properties and Their Efficacy in Collagen-Induced Arthritis in Mice. <i>PLoS ONE</i> , 2015, 10, e0116227.	1.1	38
48	Nicotinic Activity of Arecoline, the Psychoactive Element of "Betel Nuts", Suggests a Basis for Habitual Use and Anti-Inflammatory Activity. <i>PLoS ONE</i> , 2015, 10, e0140907.	1.1	96
49	Looking below the surface of nicotinic acetylcholine receptors. <i>Trends in Pharmacological Sciences</i> , 2015, 36, 514-523.	4.0	76
50	The analgesic-like properties of the alpha7 nAChR silent agonist NS6740 is associated with non-conducting conformations of the receptor. <i>Neuropharmacology</i> , 2015, 91, 34-42.	2.0	77
51	The $\alpha 7$ nicotinic receptor agonist ABT-107 protects against nigrostriatal damage in rats with unilateral 6-hydroxydopamine lesions. <i>Experimental Neurology</i> , 2015, 263, 277-284.	2.0	50
52	Diverse strategies targeting $\alpha 7$ homomeric and $\alpha 6\beta 2^*$ heteromeric nicotinic acetylcholine receptors for smoking cessation. <i>Annals of the New York Academy of Sciences</i> , 2014, 1327, 27-45.	1.8	35
53	Merging old and new perspectives on nicotinic acetylcholine receptors. <i>Biochemical Pharmacology</i> , 2014, 89, 1-11.	2.0	154
54	Discovery and optimization of Lu AF58801, a novel, selective and brain penetrant positive allosteric modulator of alpha-7 nicotinic acetylcholine receptors: Attenuation of subchronic phencyclidine (PCP)-induced cognitive deficits in rats following oral administration. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 288-293.	1.0	26

#	ARTICLE	IF	CITATIONS
55	The cytisine derivatives, CC4 and CC26, reduce nicotine-induced conditioned place preference in zebrafish by acting on heteromeric neuronal nicotinic acetylcholine receptors. <i>Psychopharmacology</i> , 2014, 231, 4681-4693.	1.5	28
56	Varenicline and Cytisine Diminish the Dysphoric-Like State Associated with Spontaneous Nicotine Withdrawal in Rats. <i>Neuropsychopharmacology</i> , 2014, 39, 445-455.	2.8	58
57	The Minimal Pharmacophore for Silent Agonism of the $\alpha 7$ Nicotinic Acetylcholine Receptor. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 350, 665-680.	1.3	41
58	The Activity of GAT107, an Allosteric Activator and Positive Modulator of $\alpha 7$ Nicotinic Acetylcholine Receptors (nAChR), Is Regulated by Aromatic Amino Acids That Span the Subunit Interface. <i>Journal of Biological Chemistry</i> , 2014, 289, 4515-4531.	1.6	36
59	Synthesis and evaluation of a conditionally-silent agonist for the $\alpha 7$ nicotinic acetylcholine receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 4145-4149.	1.0	41
60	The 3,7-diazabicyclo[3.3.1]nonane scaffold for subtype selective nicotinic acetylcholine receptor ligands. Part 2: Carboxamide derivatives with different spacer motifs. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 7309-7329.	1.4	16
61	The 3,7-diazabicyclo[3.3.1]nonane scaffold for subtype selective nicotinic acetylcholine receptor (nAChR) ligands. Part 1: The influence of different hydrogen bond acceptor systems on alkyl and (hetero)aryl substituents. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 7283-7308.	1.4	12
62	Expeditious Synthesis, Enantiomeric Resolution, and Enantiomer Functional Characterization of		

#	ARTICLE	IF	CITATIONS
73	Positive allosteric modulators as an approach to nicotinic acetylcholine receptor-targeted therapeutics: Advantages and limitations. <i>Biochemical Pharmacology</i> , 2011, 82, 915-930.	2.0	236
74	Electrophysiological Perspectives on the Therapeutic Use of Nicotinic Acetylcholine Receptor Partial Agonists. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 337, 367-379.	1.3	59
75	Investigation of the Molecular Mechanism of the $\alpha 7$ Nicotinic Acetylcholine Receptor Positive Allosteric Modulator PNU-120596 Provides Evidence for Two Distinct Desensitized States. <i>Molecular Pharmacology</i> , 2011, 80, 1013-1032.	1.0	99
76	The effective opening of nicotinic acetylcholine receptors with single agonist binding sites. <i>Journal of General Physiology</i> , 2011, 137, 369-384.	0.9	44
77	Tricks of Perspective: Insights and Limitations to the Study of Macroscopic Currents for the Analysis of nAChR Activation and Desensitization. <i>Journal of Molecular Neuroscience</i> , 2010, 40, 77-86.	1.1	24
78	Discovery of novel $\alpha 7$ nicotinic receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4825-4830.	1.0	25
79	$\alpha 4\beta 2$ Nicotinic acetylcholine receptors, willing if able. <i>British Journal of Pharmacology</i> , 2010, 160, 1903-1905.	2.7	1
80	Biochemical and functional properties of distinct nicotinic acetylcholine receptors in the superior cervical ganglion of mice with targeted deletions of nAChR subunit genes. <i>European Journal of Neuroscience</i> , 2010, 31, 978-993.	1.2	52
81	Activation and Inhibition of Mouse Muscle and Neuronal Nicotinic Acetylcholine Receptors Expressed in <i>Xenopus</i> Oocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 333, 501-518.	1.3	59
82	Tethered Agonist Analogs as Site-Specific Probes for Domains of the Human $\alpha 7$ Nicotinic Acetylcholine Receptor that Differentially Regulate Activation and Desensitization. <i>Molecular Pharmacology</i> , 2010, 78, 1012-1025.	1.0	23
83	Working with OpusXpress: Methods for high volume oocyte experiments. <i>Methods</i> , 2010, 51, 121-133.	1.9	64
84	Activation and Desensitization of Nicotinic $\alpha 7$ -type Acetylcholine Receptors by Benzylidene Anabaseines and Nicotine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 791-807.	1.3	83
85	Differential Regulation of Receptor Activation and Agonist Selectivity by Highly Conserved Tryptophans in the Nicotinic Acetylcholine Receptor Binding Site. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 330, 40-53.	1.3	24
86	Selective Inhibition of Acetylcholine-Evoked Responses of $\alpha 7$ Neuronal Nicotinic Acetylcholine Receptors by Novel tris- and tetrakis-Azaaromatic Quaternary Ammonium Antagonists. <i>Molecular Pharmacology</i> , 2009, 76, 652-666.	1.0	21
87	Cytisine-Based Nicotinic Partial Agonists as Novel Antidepressant Compounds. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 377-386.	1.3	71
88	Synthesis of H-bonding probes of $\alpha 7$ nAChR agonist selectivity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 474-476.	1.0	4
89	Positive modulation of $\alpha 7$ nAChR responses in rat hippocampal interneurons to full agonists and the $\alpha 7$ -selective partial agonists, 4OH-GTS-21 and S 24795. <i>Neuropharmacology</i> , 2009, 56, 821-830.	2.0	24
90	High Throughput Electrophysiology with <i>Xenopus</i> Oocytes. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2009, 12, 38-50.	0.6	30

#	ARTICLE	IF	CITATIONS
91	Modulation of spontaneous hippocampal synaptic events with 5-hydroxyindole, 4OH-GTS-21, and rAAV-mediated $\alpha 7$ nicotinic receptor gene transfer. <i>Brain Research</i> , 2008, 1203, 51-60.	1.1	4
92	Extending the analysis of nicotinic receptor antagonists with the study of $\alpha 6$ nicotinic receptor subunit chimeras. <i>Neuropharmacology</i> , 2008, 54, 1189-1200.	2.0	82
93	Modeling Binding Modes of $\alpha 7$ Nicotinic Acetylcholine Receptor with Ligands: The Roles of Gln117 and Other Residues of the Receptor in Agonist Binding. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6293-6302.	2.9	29
94	Neuronal Nicotinic Receptors as Brain Targets for Pharmacotherapy of Drug Addiction. <i>CNS and Neurological Disorders - Drug Targets</i> , 2008, 7, 422-441.	0.8	32
95	Multiple Pharmacophores for the Selective Activation of Nicotinic $\alpha 7$ -Type Acetylcholine Receptors. <i>Molecular Pharmacology</i> , 2008, 74, 1496-1511.	1.0	52
96	Reversal of Agonist Selectivity by Mutations of Conserved Amino Acids in the Binding Site of Nicotinic Acetylcholine Receptors. <i>Journal of Biological Chemistry</i> , 2007, 282, 5899-5909.	1.6	31
97	Partial agonist and neuromodulatory activity of S 24795 for $\alpha 7$ nAChR responses of hippocampal interneurons. <i>Neuropharmacology</i> , 2007, 53, 134-144.	2.0	36
98	Quinuclidines as selective agonists for $\alpha 7$ nicotinic acetylcholine receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1520-1522.	1.0	16
99	The pharmacological activity of nicotine and nornicotine on nAChRs subtypes: relevance to nicotine dependence and drug discovery. <i>Journal of Neurochemistry</i> , 2007, 101, 160-167.	2.1	66
100	Discovery of a novel nicotinic receptor antagonist for the treatment of nicotine addiction: 1-(3-Picolinium)-12-triethylammonium-dodecane dibromide (TMPD). <i>Biochemical Pharmacology</i> , 2007, 74, 1271-1282.	2.0	10
101	Estimation of both the potency and efficacy of $\alpha 7$ nAChR agonists from single-concentration responses. <i>Life Sciences</i> , 2006, 78, 2812-2819.	2.0	37
102	Multiple calcium channels and kinases mediate $\alpha 7$ nicotinic receptor neuroprotection in PC12 cells. <i>Journal of Neurochemistry</i> , 2005, 94, 926-933.	2.1	53
103	In vivo characterization of a novel inhibitor of CNS nicotinic receptors. <i>European Journal of Pharmacology</i> , 2005, 521, 43-48.	1.7	14
104	Rhesus monkey $\alpha 7$ nicotinic acetylcholine receptors: Comparisons to human $\alpha 7$ receptors expressed in <i>Xenopus</i> oocytes. <i>European Journal of Pharmacology</i> , 2005, 524, 11-18.	1.7	16
105	The characterization of a novel rigid nicotine analog with $\alpha 7$ -selective nAChR agonist activity and modulation of agonist properties by boron inclusion. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 3874-3880.	1.0	14
106	An $\alpha 7$ Nicotinic Acetylcholine Receptor Gain-of-Function Mutant That Retains Pharmacological Fidelity. <i>Molecular Pharmacology</i> , 2005, 68, 1863-1876.	1.0	27
107	The Effects of Subunit Composition on the Inhibition of Nicotinic Receptors by the Amphipathic Blocker 2,2,6,6-Tetramethylpiperidin-4-yl Heptanoate. <i>Molecular Pharmacology</i> , 2005, 67, 1977-1990.	1.0	30
108	Molecular dissection of tropisetron, an $\alpha 7$ nicotinic acetylcholine receptor-selective partial agonist. <i>Neuroscience Letters</i> , 2005, 378, 140-144.	1.0	49

#	ARTICLE	IF	CITATIONS
109	Medial septal/diagonal band cells express multiple functional nicotinic receptor subtypes that are correlated with firing frequency. <i>Neuroscience Letters</i> , 2005, 389, 163-168.	1.0	25
110	Septal innervation regulates the function of $\alpha 7$ nicotinic receptors in CA1 hippocampal interneurons. <i>Experimental Neurology</i> , 2005, 195, 342-352.	2.0	19
111	The Neuroprotective Effect of 2-(3-Pyridyl)-1-azabicyclo[3.2.2]nonane (TC-1698), a Novel $\alpha 7$ Ligand, Is Prevented through Angiotensin II Activation of a Tyrosine Phosphatase. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 16-27.	1.3	57
112	The Structural Basis for GTS-21 Selectivity between Human and Rat Nicotinic $\alpha 7$ Receptors. <i>Molecular Pharmacology</i> , 2004, 66, 14-24.	1.0	54
113	Hydroxy Metabolites of the Alzheimer's Drug Candidate 3-[(2,4-Dimethoxy)Benzylidene]-Anabaseine Dihydrochloride (GTS-21): Their Molecular Properties, Interactions with Brain Nicotinic Receptors, and Brain Penetration. <i>Molecular Pharmacology</i> , 2004, 65, 56-67.	1.0	106
114	A Single Point Mutation Confers Properties of the Muscle-Type Nicotinic Acetylcholine Receptor to Homomeric $\alpha 7$ Receptors. <i>Molecular Pharmacology</i> , 2004, 66, 169-177.	1.0	25
115	Effects at a distance in $\alpha 7$ nAChR selective agonists: benzylidene substitutions that regulate potency and efficacy. <i>Neuropharmacology</i> , 2004, 46, 1023-1038.	2.0	32
116	Regulation of Neuronal Function by Choline and 4OH-GTS-21 Through $\alpha 7$ Nicotinic Receptors. <i>Journal of Neurophysiology</i> , 2003, 89, 1797-1806.	0.9	82
117	Nicotinic Receptors on Local Circuit Neurons in Dentate Gyrus: A Potential Role in Regulation of Granule Cell Excitability. <i>Journal of Neurophysiology</i> , 2003, 89, 3018-3028.	0.9	72
118	Enhanced Inhibition of a Mutant Neuronal Nicotinic Acetylcholine Receptor by Agonists: Protection of Function by (E)-N-Methyl-4-(3-pyridinyl)-3-butene-1-amine (TC-2403). <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 301, 765-773.	1.3	11
119	Activation and inhibition of native neuronal alpha-bungarotoxin-sensitive nicotinic ACh receptors. <i>Brain Research</i> , 2002, 948, 33-46.	1.1	79
120	Comparative pharmacology of rat and human $\alpha 7$ nAChR conducted with net charge analysis. <i>British Journal of Pharmacology</i> , 2002, 137, 49-61.	2.7	226
121	2-(2-Piperidyl)- and 2-(2-Pyrrolidyl)chromans as Nicotine Agonists: Synthesis and Preliminary Pharmacological Characterization. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 4704-4715.	2.9	19
122	Inhibition of Wild-Type and Mutant Neuronal Nicotinic Acetylcholine Receptors by Local Anesthetics. <i>Molecular Pharmacology</i> , 2001, 60, 1365-1374.	1.0	17
123	The Activation and Inhibition of Human Nicotinic Acetylcholine Receptor by RJR-2403 Indicate a Selectivity for the $\alpha 4\beta 2$ Receptor Subtype. <i>Journal of Neurochemistry</i> , 2001, 75, 204-216.	2.1	59
124	$\alpha 7$ Receptor-selective agonists and modes of $\alpha 7$ receptor activation. <i>European Journal of Pharmacology</i> , 2000, 393, 179-195.	1.7	107
125	Antagonist activities of mecamylamine and nicotine show reciprocal dependence on beta subunit sequence in the second transmembrane domain. <i>British Journal of Pharmacology</i> , 1999, 127, 1337-1348.	2.7	47
126	Characterization of the neuroprotective and toxic effects of $\alpha 7$ nicotinic receptor activation in PC12 cells. <i>Brain Research</i> , 1999, 830, 218-225.	1.1	94

#	ARTICLE	IF	CITATIONS
127	The correction of alpha7 nicotinic acetylcholine receptor concentration-response relationships in <i>Xenopus</i> oocytes. <i>Neuroscience Letters</i> , 1998, 256, 163-166.	1.0	78
128	Sensitivity to Voltage-Independent Inhibition Determined by Pore-Lining Region of the Acetylcholine Receptor. <i>Biophysical Journal</i> , 1998, 74, 2306-2317.	0.2	19
129	Activation and inhibition of rat neuronal nicotinic receptors by ABT-418. <i>British Journal of Pharmacology</i> , 1997, 120, 429-438.	2.7	48
130	3-[2,4-Dimethoxybenzylidene]anabaseine (DMXB) selectively activates rat $\alpha 7$ receptors and improves memory-related behaviors in a mecamylamine-sensitive manner. <i>Brain Research</i> , 1997, 768, 49-56.	1.1	162
131	An evaluation of neuronal nicotinic acetylcholine receptor activation by quaternary nitrogen compounds indicates that choline is selective for the $\alpha 7$ subtype. <i>Neuroscience Letters</i> , 1996, 213, 201-204.	1.0	264
132	Muscle-type nicotinic acetylcholine receptor delta subunit determines sensitivity to noncompetitive inhibitors, while gamma subunit regulates divalent permeability. <i>Neuropharmacology</i> , 1996, 35, 1547-1556.	2.0	24
133	A novel nicotinic agonist facilitates induction of long-term potentiation in the rat hippocampus. <i>Neuroscience Letters</i> , 1994, 168, 130-134.	1.0	145
134	The kinetic properties of neuronal nicotinic receptors: Genetic basis of functional diversity. <i>Progress in Neurobiology</i> , 1993, 41, 509-531.	2.8	118
135	Single-channel currents of rat neuronal nicotinic acetylcholine receptors expressed in <i>xenopus</i> oocytes. <i>Neuron</i> , 1989, 3, 589-596.	3.8	182