

Hyunil Ha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/453577/publications.pdf>

Version: 2024-02-01

35
papers

1,697
citations

279798

23
h-index

377865

34
g-index

35
all docs

35
docs citations

35
times ranked

2613
citing authors

#	ARTICLE	IF	CITATIONS
1	Reactive oxygen species mediate RANK signaling in osteoclasts. <i>Experimental Cell Research</i> , 2004, 301, 119-127.	2.6	289
2	Epigallocatechin-3-gallate Inhibits Osteoclastogenesis by Down-Regulating c-Fos Expression and Suppressing the Nuclear Factor- κ B Signal. <i>Molecular Pharmacology</i> , 2010, 77, 17-25.	2.3	117
3	Reciprocal cross-talk between RANKL and interferon- γ -inducible protein 10 is responsible for bone-erosive experimental arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 1332-1342.	6.7	105
4	Pathogenic roles of CXCL10 signaling through CXCR3 and TLR4 in macrophages and T cells: relevance for arthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 163.	3.5	104
5	CXCL10 Promotes Osteolytic Bone Metastasis by Enhancing Cancer Outgrowth and Osteoclastogenesis. <i>Cancer Research</i> , 2012, 72, 3175-3186.	0.9	97
6	α -Lipoic Acid Inhibits Inflammatory Bone Resorption by Suppressing Prostaglandin E2 Synthesis. <i>Journal of Immunology</i> , 2006, 176, 111-117.	0.8	83
7	Membrane Rafts Play a Crucial Role in Receptor Activator of Nuclear Factor κ B Signaling and Osteoclast Function. <i>Journal of Biological Chemistry</i> , 2003, 278, 18573-18580.	3.4	80
8	Inhibition of osteoclast differentiation and bone resorption by tanshinone IIA isolated from <i>Salvia miltiorrhiza</i> Bunge. <i>Biochemical Pharmacology</i> , 2004, 67, 1647-1656.	4.4	72
9	Tanshinone IIA inhibits osteoclast differentiation through down-regulation of c-Fos and NFATc1. <i>Experimental and Molecular Medicine</i> , 2006, 38, 256-264.	7.7	64
10	Monokine induced by interferon- γ is induced by receptor activator of nuclear factor κ B ligand and is involved in osteoclast adhesion and migration. <i>Blood</i> , 2005, 105, 2963-2969.	1.4	60
11	Trolox Prevents Osteoclastogenesis by Suppressing RANKL Expression and Signaling. <i>Journal of Biological Chemistry</i> , 2009, 284, 13725-13734.	3.4	60
12	Histone deacetylase inhibitor MS-275 stimulates bone formation in part by enhancing Dlx36-mediated TNAP transcription. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 2161-2173.	2.8	48
13	Stimulation by TLR5 Modulates Osteoclast Differentiation through STAT1/IFN- γ . <i>Journal of Immunology</i> , 2008, 180, 1382-1389.	0.8	47
14	cAMP-response-element-binding protein positively regulates breast cancer metastasis and subsequent bone destruction. <i>Biochemical and Biophysical Research Communications</i> , 2010, 398, 309-314.	2.1	43
15	α -Tocotrienol inhibits osteoclastic bone resorption by suppressing RANKL expression and signaling and bone resorbing activity. <i>Biochemical and Biophysical Research Communications</i> , 2011, 406, 546-551.	2.1	43
16	Trichostatin A inhibits osteoclastogenesis and bone resorption by suppressing the induction of c-Fos by RANKL. <i>European Journal of Pharmacology</i> , 2009, 623, 22-29.	3.5	33
17	Lipid rafts are important for the association of RANK and TRAF6. <i>Experimental and Molecular Medicine</i> , 2003, 35, 279-284.	7.7	32
18	Tanshinone IIA suppresses inflammatory bone loss by inhibiting the synthesis of prostaglandin E2 in osteoblasts. <i>European Journal of Pharmacology</i> , 2008, 601, 30-37.	3.5	31

#	ARTICLE	IF	CITATIONS
19	Aristolochia Manshuriensis Kom Inhibits Adipocyte Differentiation by Regulation of ERK1/2 and Akt Pathway. <i>PLoS ONE</i> , 2012, 7, e49530.	2.5	27
20	Modulation of the caveolin-3 and Akt status in caveolae by insulin resistance in H9c2 cardiomyoblasts. <i>Experimental and Molecular Medicine</i> , 2005, 37, 169-178.	7.7	26
21	Tumor necrosis factor- α induces differentiation of human peripheral blood mononuclear cells into osteoclasts through the induction of p21(WAF1/Cip1). <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 1080-1086.	2.1	26
22	Water extract of <i>Spatholobus suberectus</i> inhibits osteoclast differentiation and bone resorption. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 112.	3.7	26
23	Trolox inhibits osteolytic bone metastasis of breast cancer through both PGE2-dependent and independent mechanisms. <i>Biochemical Pharmacology</i> , 2014, 91, 51-60.	4.4	25
24	ATP6vOd2 deficiency increases bone mass, but does not influence ovariectomy-induced bone loss. <i>Biochemical and Biophysical Research Communications</i> , 2010, 403, 73-78.	2.1	24
25	MS-275, a benzamide histone deacetylase inhibitor, prevents osteoclastogenesis by down-regulating c-Fos expression and suppresses bone loss in mice. <i>European Journal of Pharmacology</i> , 2012, 691, 69-76.	3.5	21
26	Trapidil, a platelet-derived growth factor antagonist, inhibits osteoclastogenesis by down-regulating NFATc1 and suppresses bone loss in mice. <i>Biochemical Pharmacology</i> , 2013, 86, 782-790.	4.4	19
27	Pyridone 6, A Pan-Janus-Activated Kinase Inhibitor, Suppresses Osteoclast Formation and Bone Resorption through Down-Regulation of Receptor Activator of Nuclear Factor- κ B (NF- κ B) Ligand (RANKL)-Induced c-Fos and Nuclear Factor of Activated T Cells (NFAT) c1 Expression. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 45-50.	1.4	17
28	The anti-osteoporotic effect of Yijung-tang in an ovariectomized rat model mediated by inhibition of osteoclast differentiation. <i>Journal of Ethnopharmacology</i> , 2013, 146, 83-89.	4.1	16
29	<i>In Vitro</i> and <i>In Vivo</i> Genotoxicity Assessment of <i>Aristolochia manshuriensis</i> Kom.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-9.	1.2	15
30	JN-2, a C-X-C motif chemokine receptor 3 antagonist, ameliorates arthritis progression in an animal model. <i>European Journal of Pharmacology</i> , 2018, 823, 1-10.	3.5	14
31	Hwangryun-Haedok-Tang Fermented with <i>Lactobacillus casei</i> Suppresses Ovariectomy-Induced Bone Loss. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-12.	1.2	11
32	A water extract of <i>Malva verticillata</i> seeds suppresses osteoclastogenesis and bone resorption stimulated by RANK ligand. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 332.	3.7	10
33	Haptoglobin Acts as a TLR4 Ligand to Suppress Osteoclastogenesis via the TLR4-IFN- γ Axis. <i>Journal of Immunology</i> , 2019, 202, 3359-3369.	0.8	8
34	Trapidil induces osteogenesis by upregulating the signaling of bone morphogenetic proteins. <i>Cellular Signalling</i> , 2018, 49, 68-78.	3.6	4
35	Data on the expression of CXCR3 ligands and pro-inflammatory cytokines in macrophages and CD4+ T cells after stimuli of CXCR3 ligands. <i>Data in Brief</i> , 2018, 18, 518-522.	1.0	0