Crispen Phiri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4535884/publications.pdf

Version: 2024-02-01

| | | 1040056 | 940533 | |
|----------|----------------|--------------|----------------|--|
| 17 | 276 | 9 | 16 | |
| papers | citations | h-index | g-index | |
| | | | | |
| | | | | |
| | | | | |
| 17 | 17 | 17 | 381 | |
| all docs | docs citations | times ranked | citing authors | |
| | | | | |

| # | Article | IF | CITATIONS |
|----|---|-------------|----------------|
| 1 | Spatial and temporal distribution of an invasive crayfish (Cherax quadricarinatus) in Lake Kariba, Zimbabwe. Lakes and Reservoirs: Research and Management, 2020, 25, 394-402. | 0.9 | 1 |
| 2 | Vulnerability of fisherfolks and their perceptions towards climate change and its impacts on their livelihoods in a peri-urban lake system in Zimbabwe. Environment, Development and Sustainability, 2019, 21, 917-934. | 5.0 | 16 |
| 3 | Drivers and barriers to sustainable fisheries in two peri-urban impoundments in Zimbabwe. Water S A, 2019, 45, . | 0.4 | 1 |
| 4 | Ethnomedicinal use and pharmacological potential of Japanese quail (Coturnix coturnix japonica) birds` meat and eggs, and its potential implications on wild quail conservation in Zimbabwe: A review. Cogent Food and Agriculture, 2018, 4, 1507305. | 1.4 | 15 |
| 5 | Fish catches, and the influence of climatic and non-climatic factors in Lakes Chivero and Manyame, Zimbabwe. Cogent Food and Agriculture, 2018, 4, 1435018. | 1.4 | 7 |
| 6 | Nutritional compositions of Japanese quail (<i>Coturnix coturnix japonica</i>) breed lines raised on a basal poultry ration under farm conditions in Ruwa, Zimbabwe. Cogent Food and Agriculture, 2018, 4, 1473009. | 1.4 | 8 |
| 7 | Diet composition changes in tigerfish of Lake Kariba following an invasion by redclaw crayfish. Annales De Limnologie, 2017, 53, 47-56. | 0.6 | 13 |
| 8 | Benthic diatom assemblages in mountain streams: community structure in relation to environmental and human pressures. African Journal of Ecology, 2013, 51, 625-634. | 0.9 | 14 |
| 9 | Body-size distribution, biomass estimates and life histories of common insect taxa associated with a submerged macrophyte <i>Lagarosiphon ilicifolius</i> In the Sanyati Basin, Lake Kariba, Zimbabwe. African Journal of Aquatic Science, 2012, 37, 289-299. | 1.1 | 0 |
| 10 | Macroinvertebrates associated with two submerged macrophytes, Lagarosiphon ilicifoliusand Vallisneria aethiopica, in the Sanyati Basin, Lake Kariba, Zimbabwe: effect of plant morphological complexity. African Journal of Aquatic Science, 2012, 37, 277-288. | 1.1 | 6 |
| 11 | The effect of plant density on epiphytic macroinvertebrates associated with a submerged macrophyte,Lagarosiphon ilicifoliusObermeyer, in Lake Kariba, Zimbabwe. African Journal of Aquatic Science, 2011, 36, 289-297. | 1.1 | 9 |
| 12 | Aquatic insects associated with two morphologically different submerged macrophytes, Lagarosiphon ilicifolius and Vallisneria aethiopica, in small fishless ponds. Aquatic Ecology, 2011, 45, 405-416. | 1.5 | 7 |
| 13 | Changes in biota along a dry-land river in northwestern Zimbabwe: declines and improvements in river health related to land use. Aquatic Ecology, 2009, 43, 1095-1106. | 1.5 | 21 |
| 14 | Potential for Trichoptera communities as biological indicators of morphological degradation in riverine systems. Hydrobiologia, 2009, 621, 155-167. | 2.0 | 18 |
| 15 | The influence of habitat structure and flow permanence on macroinvertebrate assemblages in temporary rivers in northwestern Zimbabwe. Hydrobiologia, 2008, 607, 199-209. | 2.0 | 39 |
| 16 | The impact of water hyacinth (Eichhornia crassipes) in a eutrophic subtropical impoundment (Lake) Tj ETQq0 0 C |) rgBT /Ove | erlock 10 Tf 5 |
| 17 | The degradation of an urban stream in Harare, Zimbabwe. African Journal of Ecology, 2002, 40, 401-406. | 0.9 | 14 |