

Nadia Duarte

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4539237/publications.pdf>

Version: 2024-02-01

18
papers

638
citations

932766

10
h-index

839053

18
g-index

24
all docs

24
docs citations

24
times ranked

1119
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Population homogeneity for the antibody response to COVID-19 BNT162b2/Comirnaty vaccine is only reached after the second dose across all adult age ranges. <i>Nature Communications</i> , 2022, 13, 140. | 5.8 | 22 |
| 2 | Prediabetes blunts DPP4 genetic control of postprandial glycaemia and insulin secretion. <i>Diabetologia</i> , 2022, 65, 861-871. | 2.9 | 3 |
| 3 | Insights into Macrophage/Monocyte-Endothelial Cell Crosstalk in the Liver: A Role for Trem-2. <i>Journal of Clinical Medicine</i> , 2021, 10, 1248. | 1.0 | 7 |
| 4 | Production of high-quality SARS-CoV-2 antigens: Impact of bioprocess and storage on glycosylation, biophysical attributes, and ELISA serologic tests performance. <i>Biotechnology and Bioengineering</i> , 2021, 118, 2202-2219. | 1.7 | 27 |
| 5 | Longitudinal Analysis of Antibody Responses to the mRNA BNT162b2 Vaccine in Patients Undergoing Maintenance Hemodialysis: A 6-Month Follow-Up. <i>Frontiers in Medicine</i> , 2021, 8, 796676. | 1.2 | 6 |
| 6 | Trem-2 Promotes Emergence of Restorative Macrophages and Endothelial Cells During Recovery From Hepatic Tissue Damage. <i>Frontiers in Immunology</i> , 2020, 11, 616044. | 2.2 | 34 |
| 7 | Dipeptidyl Peptidase-4 Is a Pro-Recovery Mediator During Acute Hepatotoxic Damage and Mirrors Severe Shifts in Kupffer Cells. <i>Hepatology Communications</i> , 2018, 2, 1080-1094. | 2.0 | 10 |
| 8 | Immunoglobulin M gene association with autoantibody reactivity and type 1 diabetes. <i>Immunogenetics</i> , 2017, 69, 429-437. | 1.2 | 6 |
| 9 | A New Mouse Model That Spontaneously Develops Chronic Liver Inflammation and Fibrosis. <i>PLoS ONE</i> , 2016, 11, e0159850. | 1.1 | 11 |
| 10 | How Inflammation Impinges on NAFLD: A Role for Kupffer Cells. <i>BioMed Research International</i> , 2015, 2015, 1-11. | 0.9 | 100 |
| 11 | Skin and Peripheral Lymph Node Invariant NKT Cells Are Mainly Retinoic Acid Receptor-Related Orphan Receptor 1 ^{3t+} and Respond Preferentially under Inflammatory Conditions. <i>Journal of Immunology</i> , 2009, 183, 2142-2149. | 0.4 | 140 |
| 12 | Autoimmunity Triggers in the NOD Mouse. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 442-448. | 1.8 | 10 |
| 13 | iNKT cell development is orchestrated by different branches of TGF- β 2 signaling. <i>Journal of Experimental Medicine</i> , 2009, 206, 1365-1378. | 4.2 | 81 |
| 14 | The Idd6.2 diabetes susceptibility region controls defective expression of the Lrmp gene in nonobese diabetic (NOD) mice. <i>Immunogenetics</i> , 2007, 59, 407-416. | 1.2 | 8 |
| 15 | Defective Induction of CTLA-4 in the NOD Mouse Is Controlled by the NOD Allele of Idd3/IL-2 and a Novel Locus (Ctex) Telomeric on Chromosome 1. <i>Diabetes</i> , 2006, 55, 538-544. | 0.3 | 21 |
| 16 | Prevention of Diabetes in Nonobese Diabetic Mice Mediated by CD1d-Restricted Nonclassical NKT Cells. <i>Journal of Immunology</i> , 2004, 173, 3112-3118. | 0.4 | 98 |
| 17 | Diabetes Protection and Restoration of Thymocyte Apoptosis in NOD Idd6 Congenic Strains. <i>Diabetes</i> , 2003, 52, 1677-1682. | 0.3 | 29 |
| 18 | The MHC locus controls size variations in the CD4 compartment of the mouse thymus. <i>Immunogenetics</i> , 2001, 53, 662-668. | 1.2 | 8 |