
Géraldine Villain

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4539515/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Blind comparison of saturation ratio profiles on large RC structures by means of NDT and SFE—Application to the VeRCoRs mock-up. Engineering Structures, 2022, 258, 114057. | 5.3 | 4 |
| 2 | Non-destructive measurements for the evaluation of the air permeability of concrete structures. Measurement: Journal of the International Measurement Confederation, 2022, 196, 111204. | 5.0 | 7 |
| 3 | Linking Degree of Saturation With the Complex Dielectric Permittivity of Limestone in a GPR Frequency Band Using SVR. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-9. | 4.7 | 4 |
| 4 | Joint inversion of electromagnetic measurements for the determination of water saturation profiles in concrete structures. Cement and Concrete Research, 2021, 147, 106500. | 11.0 | 5 |
| 5 | Optimized retrieval of 1D-resistivity profiles in cover concrete by electrical sounding measurements. Journal of Applied Geophysics, 2021, 193, 104413. | 2.1 | 1 |
| 6 | Design and validation of a multi-electrode embedded sensor to monitor resistivity profiles over depth in concrete. Construction and Building Materials, 2019, 223, 310-321. | 7.2 | 17 |
| 7 | Accounting for steel rebar effect on resistivity profiles in view of reinforced concrete structure survey. Construction and Building Materials, 2019, 223, 898-909. | 7.2 | 17 |
| 8 | Development of a calibration methodology to improve the on-site non-destructive evaluation of concrete durability indicators. Materials and Structures/Materiaux Et Constructions, 2018, 51, 1. | 3.1 | 23 |
| 9 | Electrical Methods. , 2018, , 139-172. | | 3 |
| 10 | Construction of Conversion Models of Observables into Indicators. , 2018, , 231-257. | | 2 |
| 11 | Influence of Concrete Carbonation on Electromagnetic Permittivity Measured by GPR and Capacitive Techniques. Journal of Environmental and Engineering Geophysics, 2018, 23, 443-456. | 0.5 | 4 |
| 12 | Monitoring water transfers in limestone building materials with water retention curve and Ground Penetrating Radar: A comparative study. NDT and E International, 2018, 100, 31-39. | 3.7 | 4 |
| 13 | Determining chloride content profiles in concrete using an electrical resistivity tomography device. Cement and Concrete Composites, 2018, 94, 315-326. | 10.7 | 29 |
| 14 | Effect of Steel Reinforcement on Electrical Measurements on Concrete. IABSE Symposium Report, 2018, | 0.0 | 0 |
| 15 | Development of a multi-linear quadratic experimental design for the EM characterization of concretes in the radar frequency-band. Construction and Building Materials, 2017, 136, 237-245. | 7.2 | 16 |
| 16 | Determination of concrete water content by coupling electromagnetic methods: Coaxial/cylindrical transition line with capacitive probes. NDT and E International, 2017, 88, 59-70. | 3.7 | 18 |
| 17 | Near-Field Full-Waveform Inversion of Ground-Penetrating Radar Data to Monitor the Water Front in Limestone. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2017, 10, 4328-4336. | 4.9 | 13 |
| 18 | Effect of water and chloride contents and carbonation on the electromagnetic characterization of concretes on the GPR frequency band through designs of experiment. NDT and E International, 2017, 92, 187-198. | 3.7 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Effect of concrete carbonation on GPR and capacitive measurements. , 2017, , . | | 1 |
| 20 | Use of electromagnetic two-layer wave-guided propagation in the GPR frequency range to characterize water transfer in concrete. NDT and E International, 2017, 86, 164-174. | 3.7 | 9 |
| 21 | Using machine learning algorithms to link volumetric water content to complex dielectric permittivity in a wide (33–2000 MHz) frequency band for hydraulic concretes. Near Surface Geophysics, 2016, 14, 527-536. | 1.2 | 8 |
| 22 | EM characterization of concretes focused on water and chloride contents in the frame of multi-linear experimental designs. , 2016, , . | | 1 |
| 23 | Modeling of stepped-frequency radar wave propagation through partially wet limestone. , 2016, , . | | 2 |
| 24 | Determining the permittivity profile inside reinforced concrete using capacitive probes. NDT and E International, 2016, 79, 150-161. | 3.7 | 22 |
| 25 | Characterization of random fields from NDT measurements: A two stages procedure. Engineering Structures, 2016, 111, 312-322. | 5.3 | 26 |
| 26 | Use of electromagnetic nonâ€destructive techniques for monitoring water and chloride ingress into concrete. Near Surface Geophysics, 2015, 13, 299-309. | 1.2 | 26 |
| 27 | Recent developments of EM non-destructive testing in the radar frequency-band for the evaluation of cover concretes. , 2015, , . | | 2 |
| 28 | Temperature influence on electromagnetic measurements of concrete moisture. European Journal of Environmental and Civil Engineering, 2015, 19, 482-495. | 2.1 | 5 |
| 29 | Use of electromagnetic waves propagating in multilayer waveguide to characterize water transfer in concrete. , 2015, , . | | 1 |
| 30 | Electromagnetic non-destructive evaluation techniques for the monitoring of water and chloride ingress into concrete: a comparative study. Materials and Structures/Materiaux Et Constructions, 2015, 48, 369-386. | 3.1 | 50 |
| 31 | Parametric study on processing GPR signals to get a dispersion curve. , 2014, , . | | 2 |
| 32 | Development of a multi-ring resistivity cell and multi-electrode resistivity probe for investigation of cover concrete condition. NDT and E International, 2013, 54, 27-36. | 3.7 | 60 |
| 33 | Acoustic techniques for concrete evaluation: Improvements, comparisons and consistency. Construction and Building Materials, 2013, 43, 598-613. | 7.2 | 59 |
| 34 | Use of electromagnetic non-destructive techniques for monitoring the chloride ingress into concrete. , 2013, , . | | 1 |
| 35 | GPR characterization of water transfers in Tuffeau walls. , 2013, , . | | 1 |
| 36 | Durability diagnosis of a concrete structure in a tidal zone by combining NDT methods: Laboratory tests and case study. Construction and Building Materials, 2012, 37, 893-903. | 7.2 | 56 |

GéRALDINE VILLAIN

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Non-contact, automated surface wave measurements for the mechanical characterisation of concrete. Construction and Building Materials, 2012, 37, 904-915. | 7.2 | 57 |
| 38 | Development of an ultrasonic experimental device to characterise concrete for structural repair. Construction and Building Materials, 2012, 37, 934-942. | 7.2 | 17 |
| 39 | Complex Permittivity Frequency Variations From Multioffset GPR Data: Hydraulic Concrete Characterization. IEEE Transactions on Instrumentation and Measurement, 2012, 61, 1636-1648. | 4.7 | 29 |
| 40 | On Variants of the Frequency Power Law for the Electromagnetic Characterization of Hydraulic Concrete. IEEE Transactions on Instrumentation and Measurement, 2011, 60, 3658-3668. | 4.7 | 27 |
| 41 | Mechanical properties estimation of functionally graded materials using surface waves recorded with a laser interferometer. NDT and E International, 2011, 44, 169-177. | 3.7 | 35 |
| 42 | Use of frequency power law to link the results of two EM testing methods for the characterization of humid concretes. , 2011, , . | | 5 |
| 43 | Determination of the bulk elastic moduli of various concretes by resonance frequency analysis of slabs submitted to impact echo. European Journal of Environmental and Civil Engineering, 2011, 15, 601-617. | 2.1 | 9 |
| 44 | Extraction of the frequency variation of the complex permittivity using GPR. , 2011, , . | | 0 |
| 45 | Evaluation of concrete water content and other durability indicators by electromagnetic measurements. , 2010, , . | | 13 |
| 46 | The effect of coupling on the determination of time zero for radar antennae. , 2010, , . | | 3 |
| 47 | Electromagnetic dispersion estimated from multi-offset, ground-penetrating radar. , 2010, , . | | 3 |
| 48 | On the variants of Jonscher's model for the electromagnetic characterization of concrete. , 2010, , . | | 3 |
| 49 | Analysis of coherent surface wave dispersion and attenuation for non-destructive testing of concrete. Ultrasonics, 2009, 49, 743-751. | 3.9 | 46 |
| 50 | Experimental study of the evolution of heat and moisture transfer parameters of a concrete slab. Magazine of Concrete Research, 2007, 59, 377-386. | 2.0 | 3 |
| 51 | Investigation of the carbonation front shape on cementitious materials: Effects of the chemical kinetics. Cement and Concrete Research, 2007, 37, 1047-1058. | 11.0 | 465 |
| 52 | Measurement methods of carbonation profiles in concrete: Thermogravimetry, chemical analysis and gammadensimetry. Cement and Concrete Research, 2007, 37, 1182-1192. | 11.0 | 435 |
| 53 | Gammadensimetry: A method to determine drying and carbonation profiles in concrete. NDT and E International, 2006, 39, 328-337. | 3.7 | 66 |
| 54 | Homogenisation of concrete in a batch plant: the influence of mixing time and method on the introduction of mineral admixtures. Magazine of Concrete Research, 2003, 55, 105-116. | 2.0 | 0 |