## Inah Hwang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4540417/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Therapy-Induced Transdifferentiation Promotes Glioma Growth Independent of EGFR Signaling. Cancer Research, 2021, 81, 1528-1539.	0.9	5
2	Oxidative stress sensing and response in neural stem cell fate. Free Radical Biology and Medicine, 2021, 169, 74-83.	2.9	9
3	Cellular stress signaling activates type-I IFN response through FOXO3-regulated lamin posttranslational modification. Nature Communications, 2021, 12, 640.	12.8	22
4	PRMT5 Inhibition Promotes FOXO1 Tumor Suppressor Activity to Drive a Pro-Apoptotic Program That Creates Vulnerability to Combination Treatment with Venetoclax in Mantle Cell Lymphoma. Blood, 2021, 138, 681-681.	1.4	3
5	FOXO1 Dependent Transcription Network Is a Targetable Vulnerability of Mantle Cell Lymphoma. Blood, 2021, 138, 30-30.	1.4	0
6	The impaired redox balance in peroxisomes of catalase knockout mice accelerates nonalcoholic fatty liver disease through endoplasmic reticulum stress. Free Radical Biology and Medicine, 2020, 148, 22-32.	2.9	34
7	CIC is a critical regulator of neuronal differentiation. JCI Insight, 2020, 5, .	5.0	21
8	<scp>ATRX</scp> loss induces telomere dysfunction and necessitates induction of alternative lengthening of telomeres during human cell immortalization. EMBO Journal, 2019, 38, e96659.	7.8	71
9	Peroxiredoxin 3 deficiency accelerates chronic kidney injury in mice through interactions between macrophages and tubular epithelial cells. Free Radical Biology and Medicine, 2019, 131, 162-172.	2.9	23
10	N-Myc–mediated epigenetic reprogramming drives lineage plasticity in advanced prostate cancer. Journal of Clinical Investigation, 2019, 129, 3924-3940.	8.2	115
11	Integrative Omics Reveals Metabolic and Transcriptomic Alteration of Nonalcoholic Fatty Liver Disease in Catalase Knockout Mice. Biomolecules and Therapeutics, 2019, 27, 134-144.	2.4	11
12	Abstract 2099: N-Myc-mediated epigenetic reprogramming drives lineage plasticity in advanced prostate cancer. , 2019, , .		0
13	Far Upstream Element-Binding Protein 1 Regulates LSD1 Alternative Splicing to Promote Terminal Differentiation of Neural Progenitors. Stem Cell Reports, 2018, 10, 1208-1221.	4.8	28
14	<scp>FOXO</scp> protects against ageâ€progressive axonal degeneration. Aging Cell, 2018, 17, e12701.	6.7	52
15	DRES-03. EGFR-TARGETED THERAPY-INDUCED RESISTANCE MECHANISM IN MALIGNANT GLIOMAS. Neuro-Oncology, 2018, 20, vi75-vi76.	1.2	Ο
16	Abstract 2481: Loss of FUBP1 impairs terminal neuronal differentiation and predisposes neural progenitors for transformation. , 2018, , .		0
17	Delayed treatment with fenofibrate protects against high-fat diet-induced kidney injury in mice: the possible role of AMPK autophagy. American Journal of Physiology - Renal Physiology, 2017, 312, F323-F334.	2.7	58
18	STEM-33. LOSS OF FUBP1 IMPAIRS TERMINAL NEURONAL DIFFERENTIATION AND PREDISPOSES NEURAL PROGENITORS FOR TRANSFORMATION. Neuro-Oncology, 2017, 19, vi233-vi233.	1.2	0

Inah Hwang

#	Article	IF	CITATIONS
19	Novel Role of Endogenous Catalase in Macrophage Polarization in Adipose Tissue. Mediators of Inflammation, 2016, 2016, 1-14.	3.0	22
20	Functional regulation of FoxO1 in neural stem cell differentiation. Cell Death and Differentiation, 2015, 22, 2034-2045.	11.2	74
21	Synthesis and Anti-Renal Fibrosis Activity of Conformationally Locked Truncated 2-Hexynyl- <i>N</i> <sup>6</sup> -Substituted-( <i>N</i> )-Methanocarba-nucleosides as A <sub>3</sub> Adenosine Receptor Antagonists and Partial Agonists. Journal of Medicinal Chemistry, 2014, 57, 1344-1354.	6.4	22
22	The Selective A3AR Antagonist LJ-1888 Ameliorates UUO-Induced Tubulointerstitial Fibrosis. American Journal of Pathology, 2013, 183, 1488-1497.	3.8	39
23	Human umbilical cord blood-derived mesenchymal stem cells prevent diabetic renal injury through paracrine action. Diabetes Research and Clinical Practice, 2012, 98, 465-473.	2.8	88
24	Catalase Deficiency Accelerates Diabetic Renal Injury Through Peroxisomal Dysfunction. Diabetes, 2012, 61, 728-738.	0.6	143
25	Wnt/Ĵ²-catenin signaling: A novel target for therapeutic intervention of fibrotic kidney disease. Archives of Pharmacal Research, 2009, 32, 1653-1662.	6.3	60