

# Christopher G Beevers

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4540485/publications.pdf>

Version: 2024-02-01

140  
papers

8,293  
citations

44066  
48  
h-index

54911  
84  
g-index

144  
all docs

144  
docs citations

144  
times ranked

8751  
citing authors

#	ARTICLE	IF	CITATIONS
1	Trait attributions and threat appraisals explain why an entity theory of personality predicts greater internalizing symptoms during adolescence. <i>Development and Psychopathology</i> , 2022, 34, 1104-1114.	2.3	14
2	Efficacy of attention bias modification training for depressed adults: a randomized clinical trial. <i>Psychological Medicine</i> , 2022, 52, 3865-3873.	4.5	9
3	Not just “big data”: Importance of sample size, measurement error, and uninformative predictors for developing prognostic models for digital interventions. <i>Behaviour Research and Therapy</i> , 2022, 153, 104086.	3.1	18
4	Factors predicting the development of psychopathology among first responders: A prospective, longitudinal study.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021, 13, 75-83.	2.1	15
5	Inclusion of genetic variants in an ensemble of gradient boosting decision trees does not improve the prediction of citalopram treatment response. <i>Scientific Reports</i> , 2021, 11, 3780.	3.3	5
6	Multifactorial prediction of depression diagnosis and symptom dimensions. <i>Psychiatry Research</i> , 2021, 298, 113805.	3.3	11
7	Internet-Based Cognitive Behavioral Therapy for Depression. <i>JAMA Psychiatry</i> , 2021, 78, 361.	11.0	398
8	Improving prediction of real-time loneliness and companionship type using geosocial features of personal smartphone data. <i>Smart Health</i> , 2021, 20, 100180.	3.2	24
9	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. <i>Lancet Psychiatry</i> , 2021, 8, 500-511.	7.4	105
10	Personalized cognitive training: Protocol for individual-level meta-analysis implementing machine learning methods. <i>Journal of Psychiatric Research</i> , 2021, 138, 342-348.	3.1	9
11	Symptom centrality and infrequency of endorsement identify adolescent depression symptoms more strongly associated with life satisfaction. <i>Journal of Affective Disorders</i> , 2021, 289, 90-97.	4.1	11
12	Toward Identifying Neurocognitive Processes That Confer Suicidal Behavior. <i>Biological Psychiatry Global Open Science</i> , 2021, 1, 3-4.	2.2	0
13	A computational account of the mechanisms underlying face perception biases in depression.. <i>Journal of Abnormal Psychology</i> , 2021, 130, 443-454.	1.9	4
14	Change in negative attention bias mediates the association between attention bias modification training and depression symptom improvement.. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 816-829.	2.0	7
15	Network analyses reveal which symptoms improve (or not) following an Internet intervention (Deprexis) for depression. <i>Depression and Anxiety</i> , 2020, 37, 115-124.	4.1	15
16	A consensus-based transparency checklist. <i>Nature Human Behaviour</i> , 2020, 4, 4-6.	12.0	79
17	Response: Commentary: Acetaminophen Enhances the Reflective Learning Process. <i>Frontiers in Psychology</i> , 2020, 11, 2099.	2.1	0
18	Getting Fewer “Likes” Than Others on Social Media Elicits Emotional Distress Among Victimized Adolescents. <i>Child Development</i> , 2020, 91, 2141-2159.	3.0	43

#	ARTICLE	IF	CITATIONS
19	Neurocognitive predictors of self-reported reward responsivity and approach motivation in depression: A data-driven approach. <i>Depression and Anxiety</i> , 2020, 37, 682-697.	4.1	13
20	Therapist Guided Activity Practice for Depressive Symptoms in University Students: A Randomized Controlled Trial. <i>Cognitive Therapy and Research</i> , 2020, 44, 499-510.	1.9	1
21	Impact of depression on speech perception in noise. <i>PLoS ONE</i> , 2019, 14, e0220928.	2.5	6
22	The superior longitudinal fasciculus and its functional triple-network mechanisms in brooding. <i>NeuroImage: Clinical</i> , 2019, 24, 101935.	2.7	22
23	Approach bias retraining to augment smoking cessation: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2019, 14, 100340.	1.1	3
24	A machine learning ensemble to predict treatment outcomes following an Internet intervention for depression. <i>Psychological Medicine</i> , 2019, 49, 2330-2341.	4.5	41
25	Effect of cognitive bias modification-memory on depressive symptoms and autobiographical memory bias: two independent studies in high-ruminating and dysphoric samples. <i>Cognition and Emotion</i> , 2019, 33, 288-304.	2.0	13
26	Using Network Analysis to Identify Central Symptoms of Adolescent Depression. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2019, 48, 656-668.	3.4	198
27	Association between negative cognitive bias and depression: A symptom-level approach.. <i>Journal of Abnormal Psychology</i> , 2019, 128, 212-227.	1.9	66
28	Specificity and overlap of attention and memory biases in depression. <i>Journal of Affective Disorders</i> , 2018, 225, 404-412.	4.1	63
29	Attentional bias modification treatment for depression: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2018, 75, 59-66.	1.8	4
30	Ensemble machine learning prediction of posttraumatic stress disorder screening status after emergency room hospitalization. <i>Journal of Anxiety Disorders</i> , 2018, 60, 35-42.	3.2	47
31	Acetaminophen enhances the reflective learning process. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 1029-1035.	3.0	6
32	Positive imagery training increases positive self-referent cognition in depression. <i>Behaviour Research and Therapy</i> , 2018, 111, 72-83.	3.1	22
33	Negative self-referential processing is associated with genetic variation in the serotonin transporter-linked polymorphic region (5-HTTLPR): Evidence from two independent studies. <i>PLoS ONE</i> , 2018, 13, e0198950.	2.5	8
34	Determining optimal parameters of the self-referent encoding task: A large-scale examination of self-referent cognition and depression.. <i>Psychological Assessment</i> , 2018, 30, 1527-1540.	1.5	28
35	Serotonin Transporter Genetic Variation is Differentially Associated with Reflexive- and Reflective-Optimal Learning. <i>Cerebral Cortex</i> , 2017, 27, bhv309.	2.9	5
36	Self-referential schemas and attentional bias predict severity and naturalistic course of depression symptoms. <i>Cognition and Emotion</i> , 2017, 31, 632-644.	2.0	62

#	ARTICLE	IF	CITATIONS
37	Effectiveness of an internet intervention (Deprexis) for depression in a United States adult sample: A parallel-group pragmatic randomized controlled trial.. Journal of Consulting and Clinical Psychology, 2017, 85, 367-380.	2.0	47
38	Evaluating the diagnostic utility of applying a machine learning algorithm to diffusion tensor MRI measures in individuals with major depressive disorder. Psychiatry Research - Neuroimaging, 2017, 264, 1-9.	1.8	53
39	A Preliminary Study of Genetic Variation in the Dopaminergic and Serotonergic Systems and Genome-Wide Additive Genetic Effects on Depression Severity and Treatment Response. Clinical Psychological Science, 2017, 5, 158-165.	4.0	2
40	Sustained engagement of attention is associated with increased negative self-referent processing in major depressive disorder. Biological Psychology, 2017, 129, 231-241.	2.2	38
41	Cognitive and affective remediation training for mood disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 317-319.	2.3	10
42	Transcranial Laser Stimulation as Neuroenhancement for Attention Bias Modification in Adults with Elevated Depression Symptoms. Brain Stimulation, 2016, 9, 780-787.	1.6	82
43	BDNF Val66Met polymorphism as a moderator of exercise enhancement of smoking cessation treatment in anxiety vulnerable adults. Mental Health and Physical Activity, 2016, 10, 73-77.	1.8	3
44	Differential sensitivity to the environment: contribution of cognitive biases and genes to psychological wellbeing. Molecular Psychiatry, 2016, 21, 1657-1662.	7.9	43
45	Attentional biases to emotional stimuli: Key components of the RDoC constructs of sustained threat and loss. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 65-80.	1.7	67
46	Attention bias dynamics and symptom severity during and following CBT for social anxiety disorder.. Journal of Consulting and Clinical Psychology, 2016, 84, 795-802.	2.0	37
47	The effects of respiratory sinus arrhythmia on anger reactivity and persistence in major depression. Psychophysiology, 2016, 53, 1587-1599.	2.4	8
48	Additive genetic contribution to symptom dimensions in major depressive disorder.. Journal of Abnormal Psychology, 2016, 125, 495-501.	1.9	8
49	Serotonin Promoter Polymorphism (5-HTTLPR) Predicts Biased Attention for Emotion Stimuli. Clinical Psychological Science, 2016, 4, 122-128.	4.0	9
50	Attention bias modification for major depressive disorder: Effects on attention bias, resting state connectivity, and symptom change.. Journal of Abnormal Psychology, 2015, 124, 463-475.	1.9	146
51	Neurocognitive therapeutics: from concept to application in the treatment of negative attention bias. Biology of Mood & Anxiety Disorders, 2015, 5, 1.	4.7	47
52	5-HTTLPR genotype potentiates the effects of war zone stressors on the emergence of PTSD, depressive and anxiety symptoms in soldiers deployed to iraq. World Psychiatry, 2015, 14, 198-206.	10.4	25
53	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. Internet Interventions, 2015, 2, 48-59.	2.7	149
54	Influence of depressive symptoms on speech perception in adverse listening conditions. Cognition and Emotion, 2015, 29, 900-909.	2.0	11

#	ARTICLE	IF	CITATIONS
55	DRD4 Long Allele Carriers Show Heightened Attention to High-priority Items Relative to Low-priority Items. <i>Journal of Cognitive Neuroscience</i> , 2015, 27, 509-521.	2.3	11
56	Editorial overview: The assessment, etiology, and treatment of unipolar depression. <i>Current Opinion in Psychology</i> , 2015, 4, v-viii.	4.9	0
57	Inhibition of attention for affective material: Contributions by HOMER1 gene variation.. <i>Psychology and Neuroscience</i> , 2015, 8, 495-508.	0.8	3
58	Mood-Reactive Self-Esteem and Depression Vulnerability: Person-Specific Symptom Dynamics via Smart Phone Assessment. <i>PLoS ONE</i> , 2015, 10, e0129774.	2.5	27
59	Effect of Antidepressant Medication Use on Emotional Information Processing in Major Depression. <i>American Journal of Psychiatry</i> , 2014, 171, 195-200.	7.2	37
60	Serotonin transporter and <i>BDNF</i> polymorphisms interact to predict trait worry. <i>Anxiety, Stress and Coping</i> , 2014, 27, 712-721.	2.9	15
61	Training attention improves decision making in individuals with elevated self-reported depressive symptoms. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2014, 14, 729-741.	2.0	21
62	Childhood abuse and vulnerability to depression: Cognitive scars in otherwise healthy young adults. <i>Cognition and Emotion</i> , 2014, 28, 821-833.	2.0	29
63	The role of controlled attention on recall in major depression. <i>Cognition and Emotion</i> , 2014, 28, 520-529.	2.0	17
64	Association between serotonin Cumulative Genetic Score and the Behavioral Approach System (BAS): Moderation by early life environment. <i>Personality and Individual Differences</i> , 2014, 70, 140-144.	2.9	52
65	Elevated depressive symptoms enhance reflexive but not reflective auditory category learning. <i>Cortex</i> , 2014, 58, 186-198.	2.4	21
66	5-HTTLPR, HTR1A, and HTR2A cumulative genetic score interacts with mood reactivity to predict mood-congruent gaze bias. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2014, 14, 1259-1270.	2.0	12
67	Sleep and sadness: exploring the relation among sleep, cognitive control, and depressive symptoms in young adults. <i>Sleep Medicine</i> , 2014, 15, 144-149.	1.6	63
68	Cognitive control network connectivity in adolescent women with and without a parental history of depression. <i>Developmental Cognitive Neuroscience</i> , 2014, 7, 13-22.	4.0	59
69	Enhanced Anger Reactivity and Reduced Distress Tolerance in Major Depressive Disorder. <i>Cognitive Therapy and Research</i> , 2013, 37, 498-509.	1.9	67
70	The influence of depression symptoms on exploratory decision-making. <i>Cognition</i> , 2013, 129, 563-568.	2.2	70
71	Influence of depression symptoms on history-independent reward and punishment processing. <i>Psychiatry Research</i> , 2013, 207, 53-60.	3.3	35
72	Toward an integration of cognitive and genetic models of risk for depression. <i>Cognition and Emotion</i> , 2013, 27, 193-216.	2.0	45

#	ARTICLE	IF	CITATIONS
73	Attentional biases and the persistence of sad mood in major depressive disorder.. Journal of Abnormal Psychology, 2013, 122, 74-85.	1.9	64
74	Dopamine D4 receptor gene variation is associated with context-dependent attention for emotion stimuli. International Journal of Neuropsychopharmacology, 2013, 16, 525-534.	2.1	9
75	Everyday Social Behavior During a Major Depressive Episode. Social Psychological and Personality Science, 2013, 4, 445-452.	3.9	45
76	War Zone Stress Interacts With the 5-HTTLPR Polymorphism to Predict the Development of Sustained Attention for Negative Emotion Stimuli in Soldiers Returning From Iraq. Clinical Psychological Science, 2013, 1, 413-425.	4.0	12
77	Memory monitoring performance and PFC activity are associated with 5-HTTLPR genotype in older adults. Neuropsychologia, 2012, 50, 2257-2270.	1.6	17
78	Therapygenetics: moving towards personalized psychotherapy treatment. Trends in Cognitive Sciences, 2012, 16, 11-12.	7.8	39
79	Depressive symptoms enhance loss-minimization, but attenuate gain-maximization in history-dependent decision-making. Cognition, 2012, 125, 118-124.	2.2	30
80	Genetic and hormonal sensitivity to threat: Testing a serotonin transporter genotype×testosterone interaction. Psychoneuroendocrinology, 2012, 37, 752-761.	2.7	33
81	Associations between serotonin transporter gene promoter region (5-HTTLPR) polymorphism and gaze bias for emotional information.. Journal of Abnormal Psychology, 2011, 120, 187-197.	1.9	66
82	Neural mechanisms of the cognitive model of depression. Nature Reviews Neuroscience, 2011, 12, 467-477.	10.2	1,227
83	Identifying processes that maintain depression: Strategies and suggestions.. Clinical Psychology: Science and Practice, 2011, 18, 300-304.	0.9	1
84	Serotonin transporter promoter region (5-HTTLPR) polymorphism predicts resting respiratory sinus arrhythmia. Psychophysiology, 2011, 48, 923-926.	2.4	13
85	5-HTTLPR and BDNF Val66Met polymorphisms moderate effects of stress on rumination. Genes, Brain and Behavior, 2011, 10, 740-746.	2.2	64
86	Attention Allocation and Incidental Recognition of Emotional Information in Dysphoria. Cognitive Therapy and Research, 2011, 35, 425-433.	1.9	62
87	Heart Rate Variability Predicts Cognitive Reactivity to a Sad Mood Provocation. Cognitive Therapy and Research, 2011, 35, 395-403.	1.9	18
88	Association of Predeployment Gaze Bias for Emotion Stimuli With Later Symptoms of PTSD and Depression in Soldiers Deployed in Iraq. American Journal of Psychiatry, 2011, 168, 735-741.	7.2	98
89	Treatment Goals of Depressed Outpatients. Journal of Psychiatric Practice, 2010, 16, 425-430.	0.7	35
90	Gaze behavior predicts memory bias for angry facial expressions in stable dysphoria.. Emotion, 2010, 10, 894-902.	1.8	27

#	ARTICLE	IF	CITATIONS
91	Serotonin transporter and BDNF genetic variants interact to predict cognitive reactivity in healthy adults. <i>Journal of Affective Disorders</i> , 2010, 126, 223-229.	4.1	29
92	Association of the serotonin transporter promoter region polymorphism with biased attention for negative word stimuli. <i>Depression and Anxiety</i> , 2010, 27, 746-751.	4.1	31
93	Prefrontal morphology, 5-HTTLPR polymorphism and biased attention for emotional stimuli. <i>Genes, Brain and Behavior</i> , 2010, 9, 224-233.	2.2	36
94	Biased attention and dysphoria: Manipulating selective attention reduces subsequent depressive symptoms. <i>Cognition and Emotion</i> , 2010, 24, 719-728.	2.0	177
95	Serotonin transporter gene promoter region polymorphism and selective processing of emotional images. <i>Biological Psychology</i> , 2010, 83, 260-265.	2.2	73
96	Depression symptoms and cognitive control of emotion cues: a functional magnetic resonance imaging study. <i>Neuroscience</i> , 2010, 167, 97-103.	2.3	91
97	Is dysphoria about being red and blue? Potentiation of anger and reduced distress tolerance among dysphoric individuals. <i>Cognition and Emotion</i> , 2010, 24, 596-608.	2.0	35
98	Negative cognitive response to a sad mood induction: Associations with polymorphisms of the serotonin transporter (5-HTTLPR) gene. <i>Cognition and Emotion</i> , 2009, 23, 726-738.	2.0	18
99	Frontal-Limbic White Matter Pathway Associations with the Serotonin Transporter Gene Promoter Region (5-HTTLPR) Polymorphism. <i>Journal of Neuroscience</i> , 2009, 29, 6229-6233.	3.6	125
100	Major and minor depression in female adolescents: onset, course, symptom presentation, and demographic associations. <i>Journal of Clinical Psychology</i> , 2009, 65, 1339-1349.	1.9	83
101	Identification of Emotionally Ambiguous Interpersonal Stimuli Among Dysphoric and Nondysphoric Individuals. <i>Cognitive Therapy and Research</i> , 2009, 33, 283-290.	1.9	43
102	Emotional dysregulation in dysphoria: Support for emotion context insensitivity in response to performance-based feedback. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2009, 40, 443-454.	1.2	10
103	Family Functioning Is Associated With Depressive Symptoms in Caregivers of Acute Stroke Survivors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 947-955.	0.9	60
104	The BDNF Val66Met polymorphism is associated with rumination in healthy adults.. <i>Emotion</i> , 2009, 9, 579-584.	1.8	60
105	Association of the serotonin transporter gene promoter region (5-HTTLPR) polymorphism with biased attention for emotional stimuli.. <i>Journal of Abnormal Psychology</i> , 2009, 118, 670-681.	1.9	153
106	Effectiveness of a Novel Integrative Online Treatment for Depression (Deprexis): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2009, 11, e15.	4.3	313
107	I Feel Fine but the Glass is Still Half Empty: Thought Suppression Biases Information Processing Despite Recovery from a Dysphoric Mood State. <i>Cognitive Therapy and Research</i> , 2008, 32, 323-332.	1.9	11
108	Time course of selective attention in clinically depressed young adults: An eye tracking study. <i>Behaviour Research and Therapy</i> , 2008, 46, 1238-1243.	3.1	248

#	ARTICLE	IF	CITATIONS
109	Depression Vulnerable and Nonvulnerable Smokers After a Failure Experience. Behavior Modification, 2008, 32, 519-539.	1.6	4
110	The Importance of Interpersonal Treatment Goals for Depressed Inpatients. Journal of Nervous and Mental Disease, 2008, 196, 217-222.	1.0	25
111	Recovery from major depressive disorder among female adolescents: A prospective test of the scar hypothesis.. Journal of Consulting and Clinical Psychology, 2007, 75, 888-900.	2.0	50
112	Efficiently assessing negative cognition in depression: An item response theory analysis of the Dysfunctional Attitude Scale.. Psychological Assessment, 2007, 19, 199-209.	1.5	81
113	Serotonin transporter genetic variation and biased attention for emotional word stimuli among psychiatric inpatients.. Journal of Abnormal Psychology, 2007, 116, 208-212.	1.9	123
114	Discontinuities and cognitive changes in an exposure-based cognitive therapy for depression.. Journal of Consulting and Clinical Psychology, 2007, 75, 409-421.	2.0	153
115	Predicting response to depression treatment: The role of negative cognition.. Journal of Consulting and Clinical Psychology, 2007, 75, 422-431.	2.0	24
116	The prevention of depressive symptoms in low-income, minority children: Two-year follow-up. Behaviour Research and Therapy, 2007, 45, 313-327.	3.1	108
117	Happiness and despair on the catwalk: Need satisfaction, well-being, and personality adjustment among fashion models. Journal of Positive Psychology, 2007, 2, 2-17.	4.0	60
118	Unique association of approach motivation and mania vulnerability. Cognition and Emotion, 2007, 21, 1647-1668.	2.0	14
119	Serotonin Transporter (5-HTTLPR) Genotype, Childhood Abuse, and Suicide Attempts in Adult Psychiatric Inpatients. Suicide and Life-Threatening Behavior, 2006, 36, 687-693.	1.9	68
120	Family functioning in bipolar I disorder.. Journal of Family Psychology, 2006, 20, 701-704.	1.3	19
121	The Hopelessness Theory of Depression: A Prospective Multi-Wave Test of the Vulnerability-Stress Hypothesis. Cognitive Therapy and Research, 2006, 30, 763-772.	1.9	37
122	High risk cognitive style predicts onset of depression. Evidence-Based Mental Health, 2006, 9, 108-108.	4.5	0
123	Differential Response to Combined Treatment in Patients With Psychotic Versus Nonpsychotic Major Depression. Journal of Nervous and Mental Disease, 2005, 193, 625-628.	1.0	37
124	The GIFT Program for Major Depression: Integrating Group, Individual, and Family Treatment.. Journal of Psychotherapy Integration, 2005, 15, 147-168.	1.1	7
125	Unlinking Negative Cognition and Symptoms of Depression: Evidence of a Specific Treatment Effect for Cognitive Therapy.. Journal of Consulting and Clinical Psychology, 2005, 73, 68-77.	2.0	35
126	Avoidance and processing as predictors of symptom change and positive growth in an integrative therapy for depression. International Journal of Behavioral Medicine, 2005, 12, 111-122.	1.7	142

#	ARTICLE	IF	CITATIONS
127	Treatment Matching in the Posthospital Care of Depressed Patients. American Journal of Psychiatry, 2005, 162, 2131-2138.	7.2	74
128	Cognitive vulnerability to depression: A dual process model. Clinical Psychology Review, 2005, 25, 975-1002.	11.4	293
129	Perfectionism, Cognitive Bias, and Hopelessness as Prospective Predictors of Suicidal Ideation. Suicide and Life-Threatening Behavior, 2004, 34, 126-137.	1.9	103
130	Goal Appraisals and Vulnerability to Bipolar Disorder: A Personal Projects Analysis. Cognitive Therapy and Research, 2004, 28, 173-182.	1.9	48
131	Depression-Related Negative Cognition: Mood-State and Trait Dependent Properties. Cognitive Therapy and Research, 2004, 28, 293-307.	1.9	34
132	BRIEF REPORT Thought suppression and depression risk. Cognition and Emotion, 2004, 18, 859-867.	2.0	45
133	Cognitive Vulnerability to Depression: A Taxometric Analysis.. Journal of Abnormal Psychology, 2004, 113, 81-89.	1.9	53
134	What's in a (Neutral) Face? Personality Disorders, Attachment Styles, and the Appraisal of Ambiguous Social Cues. Journal of Personality Disorders, 2004, 18, 320-336.	1.4	88
135	Attentional Bias and Mood Persistence as Prospective Predictors of Dysphoria. Cognitive Therapy and Research, 2003, 27, 619-637.	1.9	119
136	Cognitive predictors of symptom return following depression treatment.. Journal of Abnormal Psychology, 2003, 112, 488-496.	1.9	44
137	Lack of positive experiences and positive expectancies mediate the relationship between BAS responsiveness and depression. Cognition and Emotion, 2002, 16, 549-564.	2.0	52
138	Ignorance May Be Bliss, But Thought Suppression Promotes Superficial Cognitive Processing. Journal of Research in Personality, 2001, 35, 546-553.	1.7	24
139	Depression and the ironic effects of thought suppression: Therapeutic strategies for improving mental control.. Clinical Psychology: Science and Practice, 1999, 6, 133-148.	0.9	115
140	Depression and Interpersonal Responses to Others' Moods: The Solicitation of Negative Information about Happy People. Personality and Social Psychology Bulletin, 1998, 24, 386-398.	3.0	9