

Hien T T Ngo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/454072/publications.pdf>

Version: 2024-02-01

45
papers

914
citations

535685

17
h-index

620720

26
g-index

48
all docs

48
docs citations

48
times ranked

1280
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of the TMPRSS2 inhibitor camostat mesilate in patients hospitalized with Covid-19-a double-blind randomized controlled trial.. <i>EClinicalMedicine</i> , 2021, 35, 100849.	3.2	146
2	Conditioned Medium from Human Adipose-Derived Mesenchymal Stem Cell Culture Prevents UVB-Induced Skin Aging in Human Keratinocytes and Dermal Fibroblasts. <i>International Journal of Molecular Sciences</i> , 2020, 21, 49.	1.8	59
3	Mixture of enzyme-processed <i>Panax ginseng</i> and <i>Gastrodia elata</i> extract prevents UVB-induced decrease of procollagen type 1 and increase of MMP-1 and IL-6 in human dermal fibroblasts. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 2327-2336.	0.6	5
4	Anti-inflammatory Effects of <i>Achillea millefolium</i> on Atopic Dermatitis-Like Skin Lesions in NC/Nga Mice. <i>The American Journal of Chinese Medicine</i> , 2020, 48, 1121-1140.	1.5	12
5	Inhibitory Effects of <i>Urtica thunbergiana</i> Ethanol Extract on Atopic Dermatitis-Induced NC/Nga Mice. <i>Antioxidants</i> , 2020, 9, 197.	2.2	6
6	Protective effects of <i>Carica papaya</i> leaf against skin photodamage by blocking production of matrix metalloproteinases and collagen degradation in UVB-irradiated normal human dermal fibroblasts. <i>South African Journal of Botany</i> , 2020, 131, 398-405.	1.2	11
7	<i>Aquitalea aquatilis</i> sp. nov., isolated from Jungwon waterfall. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4903-4907.	0.8	7
8	Evaluation of protective effect of cyclodextrin glucanotransferase-treated <i>Gastrodia elata</i> Blume extract on ultraviolet B-induced premature skin aging. <i>Tropical Journal of Pharmaceutical Research</i> , 2019, 17, 1969.	0.2	1
9	<i>Sambucus nigra</i> L. ameliorates UVB-induced photoaging and inflammatory response in human skin keratinocytes. <i>Cytotechnology</i> , 2019, 71, 1003-1017.	0.7	35
10	<i>Helianthus annuus</i> L. flower prevents UVB-induced photodamage in human dermal fibroblasts by regulating the MAPK/AP-1, NFAT, and Nrf2 signaling pathways. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 601-612.	1.2	17
11	Dietary enzyme-treated <i>Hibiscus syriacus</i> L. protects skin against chronic UVB-induced photoaging via enhancement of skin hydration and collagen synthesis. <i>Archives of Biochemistry and Biophysics</i> , 2019, 662, 190-200.	1.4	23
12	<i>Orobanche cernua</i> Loefling Attenuates Ultraviolet B-mediated Photoaging in Human Dermal Fibroblasts. <i>Photochemistry and Photobiology</i> , 2018, 94, 733-743.	1.3	9
13	<i>Prunella vulgaris</i> L. Exerts a Protective Effect Against Extrinsic Aging Through NF- κ B, MAPKs, AP-1, and TGF- β 2/Smad Signaling Pathways in UVB-Aged Normal Human Dermal Fibroblasts. <i>Rejuvenation Research</i> , 2018, 21, 313-322.	0.9	33
14	Antiphotodamage Effect of <i>Prunus yeonensis</i> Blossom Extract via Inhibition of MAPK/AP-1 and Regulation of the TGF- β 2/Smad and Nrf2/ARE Signaling Pathways. <i>Photochemistry and Photobiology</i> , 2018, 94, 725-732.	1.3	16
15	Protective effect of dietary <i>Alchemilla mollis</i> on UVB-irradiated premature skin aging through regulation of transcription factor NFATc1 and Nrf2/ARE pathways. <i>Phytomedicine</i> , 2018, 39, 125-136.	2.3	28
16	<i>Pterocarpus santalinus</i> L. Regulated Ultraviolet B Irradiation-induced Procollagen Reduction and Matrix Metalloproteinases Expression Through Activation of TGF- β 2/Smad and Inhibition of the MAPK/AP-1 Pathway in Normal Human Dermal Fibroblasts. <i>Photochemistry and Photobiology</i> , 2018, 94, 139-149.	1.3	20
17	Protective Effects of <i>Euphrasia officinalis</i> Extract against Ultraviolet B-Induced Photoaging in Normal Human Dermal Fibroblasts. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3327.	1.8	9
18	Icariin and icaritin recover UVB-induced photoaging by stimulating Nrf2/ARE and reducing AP-1 and NF- κ B signaling pathways: a comparative study on UVB-irradiated human keratinocytes. <i>Photochemical and Photobiological Sciences</i> , 2018, 17, 1396-1408.	1.6	30

#	ARTICLE	IF	CITATIONS
19	Clove attenuates UVB-induced photodamage and repairs skin barrier function in hairless mice. <i>Food and Function</i> , 2018, 9, 4936-4947.	2.1	27
20	<i>Ribes nigrum</i> L. Prevents UVB-mediated Photoaging in Human Dermal Fibroblasts: Potential Antioxidant and Antiinflammatory Activity. <i>Photochemistry and Photobiology</i> , 2018, 94, 1032-1039.	1.3	11
21	Ginsenoside Cx Isolated from Notoginseng Stem-leaf Ginsenosides Attenuates Ultraviolet B-mediated Photoaging in Human Dermal Fibroblasts. <i>Photochemistry and Photobiology</i> , 2018, 94, 1040-1048.	1.3	15
22	Evaluation of in-vitro antimicrobial activity of <i>Artemisia</i> <i>apiacea</i> H. and <i>Scutellaria baicalensis</i> G. extracts. <i>Journal of Medical Microbiology</i> , 2018, 67, 489-495.	0.7	19
23	Topical application of neem leaves prevents wrinkles formation in UVB-exposed hairless mice. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017, 169, 161-170.	1.7	19
24	<i>Urtica thunbergiana</i> prevents UVB-induced premature skin aging by regulating the transcription factor NFATc1: An in vitro and in vivo study. <i>Journal of Functional Foods</i> , 2017, 36, 162-177.	1.6	12
25	Myrcene, an Aromatic Volatile Compound, Ameliorates Human Skin Extrinsic Aging via Regulation of MMPs Production. <i>The American Journal of Chinese Medicine</i> , 2017, 45, 1113-1124.	1.5	25
26	<i>Niabella hibiscisoli</i> sp. nov., isolated from soil of a Rose of Sharon garden. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 784-788.	0.8	17
27	<i>Emticicia aquatilis</i> sp. nov., isolated from a freshwater sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1703-1708.	0.8	10
28	<i>Devosia humi</i> sp. nov., isolated from soil of a Korean pine (<i>Pinus koraiensis</i>) garden. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 341-346.	0.8	14
29	<i>Luteimonas terrae</i> sp. nov., isolated from rhizosphere soil of <i>Radix ophiopogonis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1920-1925.	0.8	21
30	<i>Novosphingobium lotistagni</i> sp. nov., isolated from a lotus pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4729-4734.	0.8	12
31	<i>Chryseobacterium solani</i> sp. nov., isolated from field-grown eggplant rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2372-2377.	0.8	15
32	<i>Rhodanobacter koreensis</i> sp. nov., a bacterium isolated from tomato rhizosphere. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1180-1185.	0.8	13
33	<i>Pedobacter ureilyticus</i> sp. nov., isolated from tomato rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1008-1014.	0.8	15
34	<i>Pedobacter daejeonensis</i> sp. nov. and <i>Pedobacter trunci</i> sp. nov., isolated from an ancient tree trunk, and emended description of the genus <i>Pedobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1241-1246.	0.8	33
35	<i>Pedobacter lotistagni</i> sp. nov. isolated from lotus pond water. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 951-959.	0.7	11
36	<i>Lysobacter tyrosinolyticus</i> sp. nov. isolated from Gyeryongsan national park soil. <i>Journal of Microbiology</i> , 2015, 53, 365-370.	1.3	13

#	ARTICLE	IF	CITATIONS
37	<i>Lysobacter fragariae</i> sp. nov. and <i>Lysobacter rhizosphaerae</i> sp. nov. isolated from rhizosphere of strawberry plant. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1437-1444.	0.7	23
38	<i>Pedobacter edaphicus</i> sp. nov. isolated from forest soil in South Korea. <i>Archives of Microbiology</i> , 2015, 197, 781-787.	1.0	10
39	<i>Chryseobacterium formosus</i> sp. nov., a bacterium isolated from an ancient tree trunk. <i>Archives of Microbiology</i> , 2015, 197, 1011-1017.	1.0	7
40	<i>Lysobacter terrae</i> sp. nov. isolated from <i>Aglaia odorata</i> rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 587-592.	0.8	21
41	<i>Flavobacterium daemonensis</i> sp. nov., isolated from Daemo Mountain soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 983-989.	0.8	17
42	<i>Phycococcus soli</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2351-2356.	0.8	10
43	<i>Chryseobacterium camelliae</i> sp. nov., isolated from green tea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 851-857.	0.8	19
44	<i>Arthrobacter bambusae</i> sp. nov., isolated from soil of a bamboo grove. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3069-3074.	0.8	25
45	<i>Pedobacter seoulensis</i> sp. nov., isolated from soil of a bamboo field. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 961-970.	0.7	10