
Monica Napolitano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/454314/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Sex―and genderâ€associated clinical and psychosocial characteristics of patients with psoriasis. Clinical and Experimental Dermatology, 2020, 45, 705-711.	1.3	19
2	Fewer common melanocytic nevi in atopic vs. nonâ€atopic dermatitis children in a birth cohort study. International Journal of Dermatology, 2019, 58, e253-e254.	1.0	2
3	Use of the SFâ€12 questionnaire to assess physical and mental health status in patients with psoriasis. Journal of Dermatology, 2019, 46, 1153-1159.	1.2	12
4	The role of the 12(<i>S</i>)-HETE/GPR31/12-HETER axis in cancer and ischemia–reperfusion injury. Biochemical Society Transactions, 2019, 47, 743-754.	3.4	6
5	General health status in psoriasis patients, as assessed by the 12â€item Short Form (SFâ€12) Health Survey, is poorly associated with Psoriasis Area Severity Index. Journal of the European Academy of Dermatology and Venereology, 2019, 33, e233-e235.	2.4	6
6	Biologics for pityriasis rubra pilaris treatment: A review of the literature. Journal of the American Academy of Dermatology, 2018, 79, 353-359.e11.	1.2	46
7	Ustekinumab treatment of pityriasis rubra pilaris: A report of five cases. Journal of Dermatology, 2018, 45, 202-206.	1.2	21
8	Transcriptional control of skin reepithelialization. Journal of Dermatological Science, 2014, 73, 3-9.	1.9	31
9	Ex vivo acidic preconditioning enhances bone marrow ckit+ cell therapeutic potential via increased CXCR4 expression. European Heart Journal, 2013, 34, 2007-2016.	2.2	15
10	C/EBPÎ ³ Regulates Wound Repair and EGF Receptor Signaling. Journal of Investigative Dermatology, 2012, 132, 1908-1917.	0.7	30
11	The SDF-1/CXCR4 axis in stem cell preconditioning. Cardiovascular Research, 2012, 94, 400-407.	3.8	121
12	Role of HIF-1α in proton-mediated CXCR4 down-regulation in endothelial cells. Cardiovascular Research, 2010, 86, 293-301.	3.8	19
13	Gene expression profiles in peripheral blood mononuclear cells of chronic heart failure patients. Physiological Genomics, 2009, 38, 233-240.	2.3	68
14	Role of rat α adducin in angiogenesis: Null effect of the F316Y polymorphism. Cardiovascular Research, 2007, 75, 608-617.	3.8	8
15	Laminar shear stress inhibits CXCR4 expression on endothelial cells: functional consequences for atherogenesis. FASEB Journal, 2005, 19, 1-25.	0.5	50
16	The chemokine receptor CCR8 mediates rescue from dexamethasone-induced apoptosis via an ERK-dependent pathway. Journal of Leukocyte Biology, 2003, 73, 201-207.	3.3	46
17	Aberrant in Vivo T Helper Type 2 Cell Response and Impaired Eosinophil Recruitment in Cc Chemokine Receptor 8 Knockout Mice. Journal of Experimental Medicine, 2001, 193, 573-584.	8.5	222
18	I-309 binds to and activates endothelial cell functions and acts as an angiogenic molecule in vivo. Blood, 2000, 96, 4039-4045.	1.4	82

#	Article	IF	CITATIONS
19	The Viral Chemokine Macrophage Inflammatory Protein-II Is a Selective Th2 Chemoattractant. Blood, 1998, 92, 4036-4039.	1.4	167
20	Isolation and Chromosomal Localization of GPR31, a Human Gene Encoding a Putative G Protein-Coupled Receptor. Genomics, 1997, 42, 519-523.	2.9	24
21	Establishment of a new Epstein-Barr virus-immortalized cell line from chronic lymphocytic leukemia with trisomy of chromosome 12 that produces monoclonal IgM against a sheep RBC antigen. Blood, 1988, 71, 9-12.	1.4	17
22	Establishment of a new Epstein-Barr virus-immortalized cell line from chronic lymphocytic leukemia with trisomy of chromosome 12 that produces monoclonal IgM against a sheep RBC antigen. Blood, 1988, 71, 9-12.	1.4	0