

# Jian Yan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4543655/publications.pdf>

Version: 2024-02-01

73  
papers

5,037  
citations

136885

32  
h-index

91828

69  
g-index

73  
all docs

73  
docs citations

73  
times ranked

7788  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Facile Coating of Manganese Oxide on Tin Oxide Nanowires with High-Performance Capacitive Behavior. ACS Nano, 2010, 4, 4247-4255.  | 7.3  | 518       |
| 2  | An Optimized Ultraviolet-Å Light Photodetector with Wide-Å Range Photoresponse Based on ZnS/ZnO Biaxial Nanobelt. Advanced Materials, 2012, 24, 2305-2309.   | 11.1 | 426       |
| 3  | Enhancing electrochemical reaction sites in nickel-Å cobalt layered double hydroxides on zinc tin oxide nanowires: a hybrid material for an asymmetric supercapacitor device. Nanoscale, 2012, 4, 7266.                      | 2.8  | 409       |
| 4  | Polydopamine Spheres as Active Templates for Convenient Synthesis of Various Nanostructures. Small, 2013, 9, 596-603.  | 5.2  | 323       |
| 5  | Ultrahigh External Quantum Efficiency from Thin SnO <sub>2</sub> Nanowire Ultraviolet Photodetectors. Small, 2011, 7, 1012-1017.   | 5.2  | 278       |
| 6  | Rational Design of Nanostructured Electrode Materials toward Multifunctional Supercapacitors. Advanced Functional Materials, 2020, 30, 1902564.  | 7.8  | 252       |
| 7  | Structure and Cathodoluminescence of Individual ZnS/ZnO Biaxial Nanobelt Heterostructures. Nano Letters, 2008, 8, 2794-2799.   | 4.5  | 185       |
| 8  | Achieving High Rate Performance in Layered Hydroxide Supercapacitor Electrodes. Advanced Energy Materials, 2014, 4, 1301240.   | 10.2 | 166       |
| 9  | Novel polymer nanocomposites from bioinspired green aqueous functionalization of BNNTs. Polymer Chemistry, 2012, 3, 962.   | 1.9  | 155       |
| 10 | Orthorhombic niobium oxide nanowires for next generation hybrid supercapacitor device. Nano Energy, 2015, 11, 765-772.   | 8.2  | 149       |
| 11 | Thin SnO <sub>2</sub> Nanowires with Uniform Diameter as Excellent Field Emitters: A Stability of More Than 2400 Minutes. Advanced Functional Materials, 2012, 22, 1613-1622.  | 7.8  | 134       |
| 12 | Coordination derived stable Ni-Å Co MOFs for foldable all-solid-state supercapacitors with high specific energy. Journal of Materials Chemistry A, 2019, 7, 4998-5008.   | 5.2  | 133       |
| 13 | V <sub>2</sub> O <sub>5</sub> Loaded on SnO <sub>2</sub> Nanowires for High-Å Rate Li Ion Batteries. Advanced Materials, 2011, 23, 746-750.  | 11.1 | 132       |
| 14 | Epitaxial ZnO Nanowire-Å Nanoplate Structures as Efficient and Transferable Field Emitters. Advanced Materials, 2013, 25, 5750-5755.   | 11.1 | 111       |
| 15 | Nanoarchitected current collector for high rate capability of polyaniline based supercapacitor electrode. Electrochimica Acta, 2012, 65, 190-195.  | 2.6  | 108       |
| 16 | Manganese oxide micro-supercapacitors with ultra-high areal capacitance. Nanoscale, 2013, 5, 4119.   | 2.8  | 103       |
| 17 | Self-Loomotive Soft Actuator Based on Asymmetric Microstructural Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Film Driven by Natural Sunlight Fluctuation. ACS Nano, 2021, 15, 5294-5306.                             | 7.3  | 103       |
| 18 | Significant electrochemical stability of manganese dioxide/polyaniline coaxial nanowires by self-terminated double surfactant polymerization for pseudocapacitor electrode. Journal of Materials Chemistry, 2012, 22, 23921. | 6.7  | 82        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Retarding Ostwald ripening through Gibbs adsorption and interfacial complexions leads to high-performance SnTe thermoelectrics. <i>Energy and Environmental Science</i> , 2021, 14, 5469-5479.                              | 15.6 | 67        |
| 20 | Systematic study on hybrid supercapacitor of Ni-Co layered double hydroxide//activated carbons. <i>Electrochimica Acta</i> , 2019, 305, 403-415.  | 2.6  | 58        |
| 21 | Local nanostructures enhanced the thermoelectric performance of n-type PbTe. <i>Journal of Materials Chemistry A</i> , 2019, 7, 18458-18467.  | 5.2  | 53        |
| 22 | Ni(OH) <sub>2</sub> /CNTs hierarchical spheres for a foldable all-solid-state supercapacitor with high specific energy. <i>Nanoscale</i> , 2018, 10, 7377-7381.   | 2.8  | 52        |
| 23 | Fabrication of carbon-modified TiO <sub>2</sub> nanotube arrays and their photocatalytic activity. <i>Materials Letters</i> , 2008, 62, 4579-4581.  | 1.3  | 46        |
| 24 | Insights on the Fundamental Capacitive Behavior: A Case Study of MnO <sub>2</sub> . <i>Small</i> , 2014, 10, 3568-3578.   | 5.2  | 45        |
| 25 | Aniline Tetramerâ€Graphene Oxide Composites for High Performance Supercapacitors. <i>Advanced Energy Materials</i> , 2014, 4, 1400781.  | 10.2 | 44        |
| 26 | In situ Growth of Ni <sub>x</sub> Cu <sub>1-x</sub> Alloy Nanocatalysts on Redox-reversible Rutile (Nb,Ti)O <sub>4</sub> Towards High-Temperature Carbon Dioxide Electrolysis. <i>Scientific Reports</i> , 2014, 4, 5156.   | 1.6  | 44        |
| 27 | MoS <sub>2</sub> quantum dots decorated ultrathin NiO nanosheets for overall water splitting. <i>Journal of Colloid and Interface Science</i> , 2020, 566, 411-418.   | 5.0  | 38        |
| 28 | Ultrathin carbon coated mesoporous Ni-NiFe <sub>2</sub> O <sub>4</sub> nanosheet arrays for efficient overall water splitting. <i>Electrochimica Acta</i> , 2019, 321, 134652.  | 2.6  | 37        |
| 29 | 3D carbon coated NiCo <sub>2</sub> S <sub>4</sub> nanowires doped with nitrogen for electrochemical energy storage and conversion. <i>Journal of Colloid and Interface Science</i> , 2019, 556, 449-457.                    | 5.0  | 37        |
| 30 | Enhanced High-Temperature Cyclic Stability of Al-Doped Manganese Dioxide and Morphology Evolution Study Through in situ NMR under High Magnetic Field. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 9398-9406. | 4.0  | 36        |
| 31 | Dual-conductive N,S co-doped carbon nanoflowers for high-loading quasi-solid-state supercapacitor. <i>Chemical Engineering Science</i> , 2020, 217, 115496.   | 1.9  | 36        |
| 32 | Long Cyclic Life in Manganese Oxide-Based Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 18078-18088.   | 4.0  | 35        |
| 33 | Flexible Supercapacitors Based on Solid Ion Conducting Polymer with High Mechanical Strength. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1952-A1957.   | 1.3  | 34        |
| 34 | A multifunctional separator based on scandium oxide nanocrystal decorated carbon nanotubes for high performance lithiumâ€sulfur batteries. <i>Nanoscale</i> , 2020, 12, 6832-6843.  | 2.8  | 34        |
| 35 | Sticky tubes and magnetic hydrogels co-assembled by a short peptide and melanin-like nanoparticles. <i>Chemical Communications</i> , 2015, 51, 5432-5435.   | 2.2  | 33        |
| 36 | Antibacterial triboelectric membrane-based highly-efficient self-charging supercapacitors. <i>Nano Energy</i> , 2017, 36, 30-37.  | 8.2  | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | New insights into the key bifunctional role of sulfur in Fe@N-C single-atom catalysts for ORR/OER. <i>Nanoscale</i> , 2022, 14, 3212-3223.   | 2.8 | 32        |
| 38 | Hierarchical NiCo <sub>2</sub> O <sub>4</sub> /MnO <sub>2</sub> core-shell nanosheets arrays for flexible asymmetric supercapacitor. <i>Journal of Materials Science</i> , 2020, 55, 688-700.  | 1.7 | 31        |
| 39 | Enhanced electrochemical performance of Sn-doped MnO <sub>2</sub> and study on morphology evolution. <i>Journal of Alloys and Compounds</i> , 2019, 788, 302-310.  | 2.8 | 27        |
| 40 | Ni-Co coordination hollow spheres for high performance flexible all-solid-state supercapacitor. <i>Electrochimica Acta</i> , 2020, 337, 135828.  | 2.6 | 27        |
| 41 | Self-healing polyaniline-graphene oxides based electrodes with enhanced cycling stability. <i>Electrochimica Acta</i> , 2018, 282, 835-844.  | 2.6 | 25        |
| 42 | Nitrogen, sulfur-codoped micro-mesoporous carbon derived from boat-fruited sterculia seed for robust lithium-sulfur batteries. <i>RSC Advances</i> , 2019, 9, 15715-15726.   | 1.7 | 24        |
| 43 | Self-assembly of 0D/2D homostructure for enhanced hydrogen evolution. <i>Materials Today</i> , 2020, 36, 83-90.  | 8.3 | 24        |
| 44 | Layer-by-Layer Assembly of CeO <sub>2</sub> @C-rGO Nanocomposites and CNTs as a Multifunctional Separator Coating for Highly Stable Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 18634-18645. | 4.0 | 24        |
| 45 | Theoretical prediction of B/Al-doped black phosphorus as potential cathode material in lithium-sulfur batteries. <i>Applied Surface Science</i> , 2020, 512, 145639.   | 3.1 | 22        |
| 46 | Random Lasing Action from Randomly Assembled ZnS Nanosheets. <i>Nanoscale Research Letters</i> , 2010, 5, 809-812.   | 3.1 | 20        |
| 47 | Al doped Ni-Co layered double hydroxides with surface-sulphuration for highly stable flexible supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2022, 615, 173-183.   | 5.0 | 19        |
| 48 | Rate mechanism of vanadium oxide coated tin dioxide nanowire electrode for lithium ion battery. <i>Nano Energy</i> , 2017, 42, 294-299.  | 8.2 | 18        |
| 49 | A split-type structure of Ag nanoparticles and Al <sub>2</sub> O <sub>3</sub> @Ag@Si nanocone arrays: an ingenious strategy for SERS-based detection. <i>Nanoscale</i> , 2020, 12, 4359-4365.  | 2.8 | 18        |
| 50 | All solid supercapacitors based on an anion conducting polymer electrolyte. <i>RSC Advances</i> , 2016, 6, 19826-19832.  | 1.7 | 17        |
| 51 | Integration of nickel phosphide nanodot-enriched 3D graphene-like carbon with carbon fibers as self-supported sulfur hosts for advanced lithium sulfur batteries. <i>Electrochimica Acta</i> , 2021, 382, 138267.                    | 2.6 | 17        |
| 52 | 3D Tungsten Disulfide/Carbon Nanotube Networks as Separator Coatings and Cathode Additives for Stable and Fast Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 45547-45557.                      | 4.0 | 17        |
| 53 | Cathodoluminescence and Photoconductive Characteristics of Single-Crystal Ternary CdS/CdSe/CdS Biaxial Nanobelts. <i>Small</i> , 2015, 11, 1531-1536.  | 5.2 | 14        |
| 54 | A core-shell structured metal-organic frameworks-derived porous carbon nanowires as a superior anode for alkaline metal-ion batteries. <i>Applied Surface Science</i> , 2021, 541, 148473.   | 3.1 | 14        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Single-crystal snowflake of Cu <sub>7</sub> S <sub>4</sub> : Low temperature, large scale synthesis and growth mechanism. <i>Materials Letters</i> , 2008, 62, 2567-2570.  | 1.3  | 13        |
| 56 | Wide bandwidth lasing randomly assembled ZnS/ZnO biaxial nanobelt heterostructures. <i>Applied Physics Letters</i> , 2010, 96, 141115.   | 1.5  | 12        |
| 57 | Construction of three-dimensional graphene like carbon on carbon fibers and loading of polyaniline for high performance asymmetric supercapacitor. <i>Electrochimica Acta</i> , 2020, 335, 135679.                           | 2.6  | 11        |
| 58 | Synthesis of ZnGa <sub>2</sub> O <sub>4</sub> Hierarchical Nanostructure by Au Catalysts Induced Thermal Evaporation. <i>Nanoscale Research Letters</i> , 2010, 5, 1387-1392.  | 3.1  | 10        |
| 59 | Ultrasensitive Glucose Biosensor Using Micro-Nano Interface of Tilted Fiber Grating Coupled With Biofunctionalized Au Nanoparticles. <i>IEEE Sensors Journal</i> , 2022, 22, 4122-4134.                                      | 2.4  | 10        |
| 60 | Manipulation of optical properties of Ag/Cu alloy nanowire arrays embedded in anodic alumina membranes. <i>Applied Surface Science</i> , 2008, 254, 3845-3848.   | 3.1  | 9         |
| 61 | Enhanced supercapacitive performance of novel ultrathin SiC nanosheets directly by liquid phase exfoliation. <i>Inorganic Chemistry Communication</i> , 2019, 106, 174-179.  | 1.8  | 9         |
| 62 | Effect of Stacking Fault on the Formation of the Saw-Teeth of ZnS Nanosaws. <i>Crystal Growth and Design</i> , 2008, 8, 1723-1726.   | 1.4  | 8         |
| 63 | Dithiothreitol-assisted polysulfide reduction in the interlayer of lithium-sulfur batteries: a first-principles study. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 16435-16443.                                   | 1.3  | 7         |
| 64 | Multifunctional Supercapacitors: Rational Design of Nanostructured Electrode Materials toward Multifunctional Supercapacitors ( <i>Adv. Funct. Mater.</i> 2/2020). <i>Advanced Functional Materials</i> , 2020, 30, 2070008. | 7.8  | 7         |
| 65 | Effect of dispersants on the physicochemical properties of ultra-fine ZrB <sub>2</sub> powder in Sol-gel synthesis. <i>Surfaces and Interfaces</i> , 2021, 25, 101162.   | 1.5  | 7         |
| 66 | Tunable Plasmonic Random Laser Based on Emitters Coupled to Plasmonic Resonant Nanocavities of Silver Nanorod Arrays. <i>Advanced Optical Materials</i> , 2022, 10, .  | 3.6  | 7         |
| 67 | Zinc doped Fe <sub>2</sub> O <sub>3</sub> hierarchical particles for stable all-solid-state Ni-Co/Fe battery. <i>Journal of Alloys and Compounds</i> , 2021, 879, 160436.  | 2.8  | 4         |
| 68 | Solution synthesis ultrathin PbTe <sub>0.5</sub> Se <sub>0.5</sub> nanowires and the low lattice thermal conductivity. <i>Journal of Physics and Chemistry of Solids</i> , 2020, 141, 109370.                                | 1.9  | 3         |
| 69 | Enhanced thermoelectric properties of Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> /PbTe@C nanocomposites. <i>Journal of Physics and Chemistry of Solids</i> , 2022, 169, 110799.                                     | 1.9  | 1         |
| 70 | Supercapacitors: Achieving High Rate Performance in Layered Hydroxide Supercapacitor Electrodes ( <i>Adv. Energy Mater.</i> 6/2014). <i>Advanced Energy Materials</i> , 2014, 4, n/a-n/a.                                    | 10.2 | 0         |
| 71 | Î±-MnO <sub>2</sub> Nanowires and Amino-Modified Reduced Graphene Oxide Hybrid Films for Constructing the Flexible High-Performance Symmetrical Supercapacitors. <i>Nano</i> , 2021, 16, 2150080.                            | 0.5  | 0         |
| 72 | II-VI Semiconductor Nanostructures. , 2012, , 167-235.   |      | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Tunable Plasmonic Random Laser Based on Emitters Coupled to Plasmonic Resonant Nanocavities of Silver Nanorod Arrays (Advanced Optical Materials 10/2022). Advanced Optical Materials, 2022, 10, . | 3.6 | 0         |