Mikk Jürisson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4544155/publications.pdf

Version: 2024-02-01

58 papers	66,090 citations	43 h-index	1	59 g-index
63 all docs	63 docs citations	63 times ranked		78992 citing authors

#	Article	IF	Citations
1	The 1st year of the COVID-19 epidemic in Estonia: a population-based nationwide sequential/consecutive cross-sectional study. Public Health, 2022, 205, 150-156.	1.4	4
2	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. Archives of Public Health, 2022, 80, 142.	1.0	9
3	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	4.7	38
4	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	6.3	609
5	COVID-19 Vaccines Safety Tracking (CoVaST): Protocol of a Multi-Center Prospective Cohort Study for Active Surveillance of COVID-19 Vaccines' Side Effects. International Journal of Environmental Research and Public Health, 2021, 18, 7859.	1.2	49
6	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	6.3	229
7	Tracking development assistance for health and for COVID-19: a review of development assistance, government, out-of-pocket, and other private spending on health for 204 countries and territories, 1990–2050. Lancet, The, 2021, 398, 1317-1343.	6.3	79
8	Global, regional, and national burden of bone fractures in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. The Lancet Healthy Longevity, 2021, 2, e580-e592.	2.0	277
9	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	4.9	2,308
10	Prevalence of chronic conditions and multimorbidity in Estonia: a population-based cross-sectional study. BMJ Open, 2021, 11, e049045.	0.8	10
11	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	6.3	92
12	Physical-mental health comorbidity: A population-based cross-sectional study. PLoS ONE, 2021, 16, e0260464.	1.1	10
13	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	6.3	7,664
14	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	6.3	3,928
15	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
16	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	6.3	335
17	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	1.2	44
18	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	6.3	330

#	Article	IF	CITATIONS
19	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	1.2	103
20	Global, Regional, and National Burden of Calcific Aortic Valve and Degenerative Mitral Valve Diseases, 1990–2017. Circulation, 2020, 141, 1670-1680.	1.6	206
21	The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i3-i11.	1.2	185
22	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. Lancet, The, 2020, 396, 693-724.	6.3	87
23	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	1.2	44
24	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	1.3	56
25	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 151-159.	1.3	64
26	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	13.7	161
27	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	3.4	1,691
28	Past, present, and future of global health financing: a review of development assistance, government, out-of-pocket, and other private spending on health for 195 countries, 1995–2050. Lancet, The, 2019, 393, 2233-2260.	6.3	283
29	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	4.9	2,005
30	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	4.9	2,625
31	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	4.9	1,064
32	Quality of life after hip, vertebral, and distal forearm fragility fractures measured using the EQ-5D-3L, EQ-VAS, and time-trade-off: results from the ICUROS. Quality of Life Research, 2018, 27, 707-716.	1.5	36
33	Quality of life for up to 18Âmonths after low-energy hip, vertebral, and distal forearm fractures—results from the ICUROS. Osteoporosis International, 2018, 29, 557-566.	1.3	88
34	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
35	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
36	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269

#	Article	IF	Citations
37	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	6.3	294
38	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
39	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335
40	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
41	Global, regional, and national burden of meningitis, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1061-1082.	4.9	221
42	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
43	Future and potential spending on health 2015–40: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. Lancet, The, 2017, 389, 2005-2030.	6.3	163
44	Evolution and patterns of global health financing 1995–2014: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. Lancet, The, 2017, 389, 1981-2004.	6.3	204
45	The impact of comorbidities on hip fracture mortality: a retrospective population-based cohort study. Archives of Osteoporosis, 2017, 12, 76.	1.0	15
46	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
47	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
48	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
49	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
50	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
51	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
52	The impact of hip fracture on mortality in Estonia: a retrospective population-based cohort study. BMC Musculoskeletal Disorders, 2017, 18, 243.	0.8	15
53	Quality of life, resource use, and costs related to hip fracture in Estonia. Osteoporosis International, 2016, 27, 2555-2566.	1.3	17
54	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298

#	Article	IF	CITATIONS
55	The incidence of hip fractures in Estonia, 2005–2012. Osteoporosis International, 2015, 26, 77-84.	1.3	15
56	The epidemiological and economic impact of a quadrivalent human papillomavirus (hpv) vaccine in Estonia. BMC Infectious Diseases, 2013, 13, 304.	1.3	9
57	The International Costs and Utilities Related to Osteoporotic Fractures Study (ICUROS)—quality of life during the first 4Âmonths after fracture. Osteoporosis International, 2013, 24, 811-823.	1.3	114
58	Incidence of Cervical Intraepithelial Neoplasia in Estonia. Journal of Lower Genital Tract Disease, 2013, 17, 129-136.	0.9	4