

John D Reveille

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/454588/john-d-reveille-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

196
papers

16,046
citations

61
h-index

124
g-index

207
ext. papers

18,336
ext. citations

5.6
avg, IF

6.29
L-index

#	Paper	IF	Citations
196	Chronic inflammatory back pain commencing late in life: a neglected concept.. <i>Internal Medicine Journal</i> , 2022 , 52, 485-487	1.6	
195	Spinal Radiographic Progression and Predictors of Progression in Patients With Radiographic Axial Spondyloarthritis Receiving Ixekizumab Over 2 Years. <i>Journal of Rheumatology</i> , 2021 ,	4.1	3
194	Biomarkers in axial spondyloarthritis and low back pain: a comprehensive review. <i>Clinical Rheumatology</i> , 2021 , 1	3.9	1
193	Single-cell analysis reveals innate immunity dynamics in ankylosing spondylitis. <i>Clinical and Translational Medicine</i> , 2021 , 11, e369	5.7	1
192	Ankylosing spondylitis risk factors: a systematic literature review. <i>Clinical Rheumatology</i> , 2021 , 40, 3079-3093	3.9	10
191	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1168-1174	2.4	8
190	Correspondence on Factors associated with COVID-19-related death in people with rheumatic diseases: results from the COVID-19 Global Rheumatology Alliance physician-reported registryR <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	3
189	Repeated Spinal Mobility Measures and Their Association With Radiographic Damage in Ankylosing Spondylitis. <i>ACR Open Rheumatology</i> , 2021 , 3, 413-421	3.5	
188	HLA-B27 is associated with reduced disease activity in axial spondyloarthritis. <i>Scientific Reports</i> , 2021 , 11, 12331	4.9	0
187	Achievement of the 2019 European Alliance of Associations for Rheumatology/American College of Rheumatology Criteria for Systemic Lupus Erythematosus and Amount of Damage Accrual: Results From a Multiethnic Multicenter Cohort. <i>Arthritis Care and Research</i> , 2021 , 73, 1038-1040	4.7	6
186	The Effect of HLA-B27 on Susceptibility and Severity of COVID-19. <i>Journal of Rheumatology</i> , 2021 , 48, 621-622	4.1	11
185	Exome-Wide Association Analysis Suggests LRP2BP as a Susceptibility Gene for Endothelial Injury in Systemic Sclerosis in the Han Chinese Population. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1254-1263.e6	4.3	0
184	Validation of the Ankylosing Spondylitis Quality of Life assessment tool in patients with non-radiographic axial spondyloarthritis. <i>Quality of Life Research</i> , 2021 , 30, 945-954	3.7	2
183	The effect of intravenous golimumab on health-related quality of life and work productivity in adult patients with active ankylosing spondylitis: results of the phase 3 GO-ALIVE trial. <i>Clinical Rheumatology</i> , 2021 , 40, 1331-1341	3.9	2
182	Identifying Trajectories of Radiographic Spinal Disease in Ankylosing Spondylitis: A 15-year follow up study of the PSOAS Cohort. <i>Rheumatology</i> , 2021 ,	3.9	2
181	Development of an environmental contextual factor item set relevant to global functioning and health in patients with axial Spondyloarthritis. <i>Rheumatology</i> , 2021 ,	3.9	2
180	The Interplay Between COVID-19 and Spondyloarthritis or Its Treatment. <i>Journal of Rheumatology</i> , 2021 ,	4.1	3

179	Genomewide Association Study of Acute Anterior Uveitis Identifies New Susceptibility Loci 2020 , 61, 3		20
178	A missense mutation in the MLKL brace region promotes lethal neonatal inflammation and hematopoietic dysfunction. <i>Nature Communications</i> , 2020 , 11, 3150	17.4	41
177	Longitudinal associations between depressive symptoms and clinical factors in ankylosing spondylitis patients: analysis from an observational cohort. <i>Rheumatology International</i> , 2020 , 40, 1053-1061	3.6	4
176	The IgG galactosylation ratio is higher in spondyloarthritis patients and associated with the MRI score. <i>Clinical Rheumatology</i> , 2020 , 39, 2317-2323	3.9	6
175	The changing profile of ankylosing spondylitis in the biologic era. <i>Clinical Rheumatology</i> , 2020 , 39, 2641-2651	3.9	2
174	Reliability and Validity of Patient-reported Outcomes Measurement Information System Short Forms in Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2020 , 47, 1182-1188	4.1	7
173	Chronic back pain in first-degree relatives (FDRs) of patients with ankylosing spondylitis: predictive value of HLA-B27 and persistence of inflammatory back pain over time. <i>RMD Open</i> , 2020 , 6,	5.9	1
172	A latent class based imputation method under Bayesian quantile regression framework using asymmetric Laplace distribution for longitudinal medication usage data with intermittent missing values. <i>Journal of Biopharmaceutical Statistics</i> , 2020 , 30, 160-177	1.3	1
171	Nonsteroidal Antiinflammatory Drug Use and Association With Incident Hypertension in Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2020 , 72, 1645-1652	4.7	11
170	Systemic lupus erythematosus in the setting of HIV-1 infection: a longitudinal analysis. <i>Clinical Rheumatology</i> , 2020 , 39, 413-418	3.9	2
169	Content validity of the ASQoL for use in a non-radiographic axial spondyloarthritis population: a qualitative study. <i>Quality of Life Research</i> , 2020 , 29, 3155-3166	3.7	1
168	Effects of Intravenous Golimumab on Health-Related Quality of Life in Patients with Ankylosing Spondylitis: 28-Week Results of the GO-ALIVE Trial. <i>Value in Health</i> , 2020 , 23, 1281-1285	3.3	0
167	Imputation-based analysis of MICA alleles in the susceptibility to ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e1	2.4	2
166	Safety and Efficacy of Intravenous Golimumab in Adults with Ankylosing Spondylitis: Results through 1 Year of the GO-ALIVE Study. <i>Journal of Rheumatology</i> , 2019 , 46, 1277-1283	4.1	7
165	Cauda Equina Syndrome in Ankylosing Spondylitis: Challenges in Diagnosis, Management, and Pathogenesis. <i>Journal of Rheumatology</i> , 2019 , 46, 1582-1588	4.1	5
164	Spondyloarthritis 2019 , 769-787		4
163	The Major Histocompatibility Complex and Reactive Arthritis 2019 , 355-372		
162	Genetic association of non-MHC region with ankylosing spondylitis in a Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 852-853	2.4	9

161	Efficacy and Safety of Ixekizumab in the Treatment of Radiographic Axial Spondyloarthritis: Sixteen-Week Results From a Phase III Randomized, Double-Blind, Placebo-Controlled Trial in Patients With Prior Inadequate Response to or Intolerance of Tumor Necrosis Factor Inhibitors. <i>Arthritis and Rheumatology</i> , 2019 , 71, 599-611	9.5	96
160	HLA class I and II alleles in susceptibility to ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 66-73	2.4	31
159	A plausibly causal functional lupus-associated risk variant in the STAT1-STAT4 locus. <i>Human Molecular Genetics</i> , 2018 , 27, 2392-2404	5.6	22
158	Safety and Efficacy of Golimumab Administered Intravenously in Adults with Ankylosing Spondylitis: Results through Week 28 of the GO-ALIVE Study. <i>Journal of Rheumatology</i> , 2018 , 45, 341-348	4.1	26
157	Smoking quantity determines disease activity and function in Chinese patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2018 , 37, 1605-1616	3.9	3
156	A multiple imputation method based on weighted quantile regression models for longitudinal censored biomarker data with missing values at early visits. <i>BMC Medical Research Methodology</i> , 2018 , 18, 8	4.7	8
155	Harmonization, data management, and statistical issues related to prospective multicenter studies in Ankylosing spondylitis (AS): Experience from the Prospective Study Of Ankylosing Spondylitis (PSOAS) cohort. <i>Contemporary Clinical Trials Communications</i> , 2018 , 11, 127-135	1.8	8
154	Gene-level association analysis of systemic sclerosis: A comparison of African-Americans and White populations. <i>PLoS ONE</i> , 2018 , 13, e0189498	3.7	15
153	Opioid Analgesic Use in Patients with Ankylosing Spondylitis: An Analysis of the Prospective Study of Outcomes in an Ankylosing Spondylitis Cohort. <i>Journal of Rheumatology</i> , 2018 , 45, 188-194	4.1	13
152	Ixekizumab, an interleukin-17A antagonist in the treatment of ankylosing spondylitis or radiographic axial spondyloarthritis in patients previously untreated with biological disease-modifying anti-rheumatic drugs (COAST-V): 16 week results of a phase 3 randomised, double-blind, active-controlled and placebo-controlled trial. <i>Lancet, The</i> , 2018 , 392, 2441-2451	4.0	161
151	A family-based genome-wide association study reveals an association of spondyloarthritis with MAPK14. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 310-314	2.4	6
150	2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 978-991	2.4	801
149	Correlation of serum MMP3 and other biomarkers with clinical outcomes in patients with ankylosing spondylitis: a pilot study. <i>Clinical Rheumatology</i> , 2017 , 36, 1819-1826	3.9	8
148	Association between Body Mass Index, C-Reactive Protein Levels, and Melanoma Patient Outcomes. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1792-1795	4.3	26
147	Ethnicity and disease severity in ankylosing spondylitis a cross-sectional analysis of three ethnic groups. <i>Clinical Rheumatology</i> , 2017 , 36, 2359-2364	3.9	19
146	Melanoma Expression Genes Identified through Genome-Wide Association Study of Breslow Tumor Thickness. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 253-257	4.3	2
145	Rheumatic Manifestations of Human Immunodeficiency Virus Infection 2017 , 1929-1942		1
144	CCL2 in the Circulation Predicts Long-Term Progression of Interstitial Lung Disease in Patients With Early Systemic Sclerosis: Data From Two Independent Cohorts. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1871-1878	9.5	43

143	Preferential association of a functional variant in complement receptor 2 with antibodies to double-stranded DNA. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 242-52	2.4	8
142	Review of Current Workforce for Rheumatology in the Countries of the Americas 2012-2015. <i>Journal of Clinical Rheumatology</i> , 2016 , 22, 405-410	1.1	22
141	Decreased SMG7 expression associates with lupus-risk variants and elevated antinuclear antibody production. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 2007-2013	2.4	12
140	Association of Vitamin D Levels With Outcome in Patients With Melanoma After Adjustment For C-Reactive Protein. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1741-7	2.2	49
139	American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network 2015 Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. <i>Arthritis Care and Research</i> , 2016 , 68, 151-66	4.7	39
138	American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network 2015 Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 282-98	9.5	292
137	Frequency of Axial Spondyloarthritis Diagnosis Among Patients Seen by US Rheumatologists for Evaluation of Chronic Back Pain. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1669-76	9.5	55
136	Association of Common Genetic Polymorphisms with Melanoma Patient IL-12p40 Blood Levels, Risk, and Outcomes. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 2266-2272	4.3	5
135	Spondyloarthropathies: EULAR recommendations reflect advances in imaging. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 388-9	8.1	2
134	ERAP2 is associated with ankylosing spondylitis in HLA-B27-positive and HLA-B27-negative patients. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1627-9	2.4	63
133	Antinuclear antibody-negative systemic sclerosis. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 680-6	5.3	43
132	Lupus Risk Variant Increases pSTAT1 Binding and Decreases ETS1 Expression. <i>American Journal of Human Genetics</i> , 2015 , 96, 731-9	11	31
131	Biomarkers for diagnosis, monitoring of progression, and treatment responses in ankylosing spondylitis and axial spondyloarthritis. <i>Clinical Rheumatology</i> , 2015 , 34, 1009-18	3.9	56
130	Genetic associations of leptin-related polymorphisms with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2015 , 161, 157-62	9	8
129	Genetic dissection of acute anterior uveitis reveals similarities and differences in associations observed with ankylosing spondylitis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 140-51	9.5	78
128	Major histocompatibility complex associations of ankylosing spondylitis are complex and involve further epistasis with ERAP1. <i>Nature Communications</i> , 2015 , 6, 7146	17.4	164
127	C-reactive protein as a marker of melanoma progression. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1389-96	2.2	55
126	Analysis of HLA-B15 and HLA-B27 in spondyloarthritis with peripheral and axial clinical patterns. <i>BMJ Open</i> , 2015 , 5, e009092	3	19

125	Lupus risk variants in the PTK2 locus alter B-cell receptor internalization. <i>Frontiers in Genetics</i> , 2014 , 5, 450	4.5	22
124	New population-based reference values for spinal mobility measures based on the 2009-2010 National Health and Nutrition Examination Survey. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2628-37	9.5	12
123	MICA, a gene contributing strong susceptibility to ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1552-7	2.4	32
122	An update on the contribution of the MHC to AS susceptibility. <i>Clinical Rheumatology</i> , 2014 , 33, 749-57	3.9	33
121	ImmunoChip analysis identifies multiple susceptibility loci for systemic sclerosis. <i>American Journal of Human Genetics</i> , 2014 , 94, 47-61	11	151
120	The concept of axial spondyloarthritis: joint statement of the spondyloarthritis research and treatment network and the Assessment of SpondyloArthritis international Society in response to the US Food and Drug Administration's comments and concerns. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2448-56	9.5	72
119	Treating spondyloarthritis, including ankylosing spondylitis and psoriatic arthritis, to target: recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 6-16	2.4	308
118	Association of the HLA-DRB1 with scleroderma in Chinese population. <i>PLoS ONE</i> , 2014 , 9, e106939	3.7	27
117	Two functional lupus-associated BLK promoter variants control cell-type- and developmental-stage-specific transcription. <i>American Journal of Human Genetics</i> , 2014 , 94, 586-98	11	49
116	The impact of tumor necrosis factor inhibitors on radiographic progression in ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2645-54		301
115	Axial spondyloarthritis: a new disease entity, not necessarily early ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 162-4	2.4	59
114	Regional radiographic damage and functional limitations in patients with ankylosing spondylitis: differences in early and late disease. <i>Arthritis Care and Research</i> , 2013 , 65, 257-65	4.7	16
113	Identification of multiple risk variants for ankylosing spondylitis through high-density genotyping of immune-related loci. <i>Nature Genetics</i> , 2013 , 45, 730-8	36.3	551
112	The prevalence of inflammatory back pain: population-based estimates from the US National Health and Nutrition Examination Survey, 2009-10. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 369-73	2.4	59
111	Preferential binding to Elk-1 by SLE-associated IL10 risk allele upregulates IL10 expression. <i>PLoS Genetics</i> , 2013 , 9, e1003870	6	33
110	A registry of ankylosing spondylitis registries and prospects for global interfacing. <i>Current Opinion in Rheumatology</i> , 2013 , 25, 468-76	5.3	7
109	A systemic sclerosis and systemic lupus erythematosus pan-meta-GWAS reveals new shared susceptibility loci. <i>Human Molecular Genetics</i> , 2013 , 22, 4021-9	5.6	81
108	Functional limitations due to axial and peripheral joint impairments in patients with ankylosing spondylitis: are focused measures more informative?. <i>Arthritis Care and Research</i> , 2013 , 65, 607-14	4.7	6

107	The epidemiology of back pain, axial spondyloarthritis and HLA-B27 in the United States. <i>American Journal of the Medical Sciences</i> , 2013 , 345, 431-6	2.2	107
106	Profiling of hla-B alleles for association studies with ankylosing spondylitis in the chinese population. <i>Open Rheumatology Journal</i> , 2013 , 7, 51-4	0.2	18
105	Spondyloarthritis 2013 , 676-692		1
104	Rheumatic Manifestations of Human Immunodeficiency Virus Infection 2013 , 1851-1864		
103	Economic considerations of the treatment of ankylosing spondylitis. <i>American Journal of the Medical Sciences</i> , 2012 , 343, 371-4	2.2	35
102	Genetics of spondyloarthritis--beyond the MHC. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 296-304	8.1	142
101	Epidemiology of spondyloarthritis. <i>Rheumatic Disease Clinics of North America</i> , 2012 , 38, 441-76	2.4	140
100	Markers of intestinal inflammation in patients with ankylosing spondylitis: a pilot study. <i>Arthritis Research and Therapy</i> , 2012 , 14, R261	5.7	34
99	Is there a higher genetic load of susceptibility loci in familial ankylosing spondylitis?. <i>Arthritis Care and Research</i> , 2012 , 64, 780-4	4.7	17
98	Prevalence of axial spondylarthritis in the United States: estimates from a cross-sectional survey. <i>Arthritis Care and Research</i> , 2012 , 64, 905-10	4.7	147
97	The prevalence of HLA-B27 in the US: data from the US National Health and Nutrition Examination Survey, 2009. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1407-11		92
96	IRF5 polymorphism predicts prognosis in patients with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1197-202	2.4	66
95	Epidemiology of spondyloarthritis in North America. <i>American Journal of the Medical Sciences</i> , 2011 , 341, 284-6	2.2	87
94	Anti-fibrillar antibody in African American patients with systemic sclerosis: immunogenetics, clinical features, and survival analysis. <i>Journal of Rheumatology</i> , 2011 , 38, 1622-30	4.1	31
93	Interaction between ERAP1 and HLA-B27 in ankylosing spondylitis implicates peptide handling in the mechanism for HLA-B27 in disease susceptibility. <i>Nature Genetics</i> , 2011 , 43, 761-7	36.3	646
92	The genetic basis of spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70 Suppl 1, i44-50	2.4	65
91	Genetic studies of ankylosing spondylitis in Koreans confirm associations with ERAP1 and 2p15 reported in white patients. <i>Journal of Rheumatology</i> , 2011 , 38, 322-4	4.1	32
90	The contribution of disease activity on functional limitations over time through psychological mediators: a 12-month longitudinal study in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2011 , 50, 2087-92	3.9	11

89	Genome-wide association study of ankylosing spondylitis identifies non-MHC susceptibility loci. <i>Nature Genetics</i> , 2010 , 42, 123-7	36.3	484
88	Novel sequence feature variant type analysis of the HLA genetic association in systemic sclerosis. <i>Human Molecular Genetics</i> , 2010 , 19, 707-19	5.6	33
87	Prologue: 2009 Joint Meeting of Spondyloarthritis Research and Therapy Network (SPARTAN) and International Genetics of Ankylosing Spondylitis (IGAS). <i>Journal of Rheumatology</i> , 2010 , 37, 2604-5	4.1	1
86	The chromosome 16q region associated with ankylosing spondylitis includes the candidate gene tumour necrosis factor receptor type 1-associated death domain (TRADD). <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1243-6	2.4	28
85	Association of an ERAP1 ERAP2 haplotype with familial ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 733-6	2.4	83
84	Psychological correlates of self-reported disease activity in ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2010 , 37, 829-34	4.1	32
83	Association of variants at 1q32 and STAT3 with ankylosing spondylitis suggests genetic overlap with Crohn's disease. <i>PLoS Genetics</i> , 2010 , 6, e1001195	6	162
82	Association of the C8orf13-BLK region with systemic sclerosis in North-American and European populations. <i>Journal of Autoimmunity</i> , 2010 , 34, 155-62	15.5	108
81	Epidemiology of ankylosing spondylitis: IGAS 2009. <i>Journal of Rheumatology</i> , 2010 , 37, 2624-5	4.1	10
80	Association of TNFSF4 (OX40L) polymorphisms with susceptibility to systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 550-5	2.4	98
79	The genetics of scleroderma (systemic sclerosis). <i>Current Opinion in Rheumatology</i> , 2010 , 22, 133-8	5.3	41
78	Development and validation of a case ascertainment tool for ankylosing spondylitis. <i>Arthritis Care and Research</i> , 2010 , 62, 19-27	4.7	18
77	Polymorphisms in TBX21 and STAT4 increase the risk of systemic sclerosis: evidence of possible gene-gene interaction and alterations in Th1/Th2 cytokines. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3794-806		85
76	HLA-DPB1 and DPB2 are genetic loci for systemic sclerosis: a genome-wide association study in Koreans with replication in North Americans. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3807-14		97
75	Recent studies on the genetic basis of ankylosing spondylitis. <i>Current Rheumatology Reports</i> , 2009 , 11, 340-8	4.9	32
74	A large-scale replication study identifies TNIP1, PRDM1, JAZF1, UHRF1BP1 and IL10 as risk loci for systemic lupus erythematosus. <i>Nature Genetics</i> , 2009 , 41, 1228-33	36.3	626
73	Psychological correlates of self-reported functional limitation in patients with ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2009 , 11, R182	5.7	42
72	Subtypes of HLA-B27: history and implications in the pathogenesis of ankylosing spondylitis. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 649, 159-76	3.6	33

71	Spondyloarthritis: clinical suspicion, diagnosis, and sports. <i>Current Sports Medicine Reports</i> , 2009 , 8, 29-34.	9	21
70	Rheumatic manifestations associated with HIV in the highly active antiretroviral therapy era. <i>Current Opinion in Rheumatology</i> , 2009 , 21, 404-10	5.3	49
69	Statins Reduce Disease Activity (SLAM-R) and Organ Damage Accrual (SLICC Damage Index, SDI) Scores in SLE Patients From A Multi-Center, Multi-Ethnic, US Cohort.. <i>Blood</i> , 2009 , 114, 5066-5066	2.2	
68	Therapy insight: the changing spectrum of rheumatic disease in HIV infection. <i>Nature Clinical Practice Rheumatology</i> , 2008 , 4, 428-38		34
67	The contribution of genes outside the major histocompatibility complex to susceptibility to ankylosing spondylitis. <i>Current Opinion in Rheumatology</i> , 2008 , 20, 384-91	5.3	31
66	Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part I. <i>Arthritis and Rheumatism</i> , 2008 , 58, 15-25		1675
65	Women with ankylosing spondylitis: a review. <i>Arthritis and Rheumatism</i> , 2008 , 59, 449-54		62
64	Impact of ankylosing spondylitis on work and family life: comparisons with the US population. <i>Arthritis and Rheumatism</i> , 2008 , 59, 497-503		54
63	Occupational physical activities and long-term functional and radiographic outcomes in patients with ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 822-32		59
62	Spondyloarthritis		1
61	Association of a TNAP haplotype with ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 234-43		18
60	Clinical, immunologic, and genetic features of familial systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2031-7		25
59	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. <i>Nature Genetics</i> , 2007 , 39, 1329-37	36.3	1130
58	Are there gender differences in severity of ankylosing spondylitis? Results from the PSOAS cohort. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 633-8	2.4	184
57	The genetic basis of autoantibody production. <i>Autoimmunity Reviews</i> , 2006 , 5, 389-98	13.6	57
56	Major histocompatibility genes and ankylosing spondylitis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 601-9	5.3	74
55	Infection and musculoskeletal conditions: Rheumatologic complications of HIV infection. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 1159-79	5.3	55
54	Efficacy and safety of adalimumab in patients with ankylosing spondylitis: results of a multicenter, randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2136-46		630

53	Changing spectrum of the diffuse infiltrative lymphocytosis syndrome. <i>Arthritis and Rheumatism</i> , 2006 , 55, 466-72		64
52	Update on the treatment of systemic lupus erythematosus. <i>Womens Health</i> , 2006 , 2, 605-16	3	
51	The genetic basis of ankylosing spondylitis. <i>Current Opinion in Rheumatology</i> , 2006 , 18, 332-41	5:3	45
50	Spondyloarthritis: update on pathogenesis and management. <i>American Journal of Medicine</i> , 2005 , 118, 592-603	2.4	90
49	ANKH variants associated with ankylosing spondylitis: gender differences. <i>Arthritis Research</i> , 2005 , 7, R513-25		56
48	A locus on chromosome 9p predisposes to a specific disease manifestation, acute anterior uveitis, in ankylosing spondylitis, a genetically complex, multisystem, inflammatory disease. <i>Arthritis and Rheumatism</i> , 2005 , 52, 269-74		54
47	Seasonal influence on the onset of idiopathic inflammatory myopathies in serologically defined groups. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2433-8		47
46	Risk factors for functional limitations in patients with long-standing ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2005 , 53, 710-7		88
45	Anti-scl-70. <i>Autoimmunity</i> , 2005 , 38, 65-72	3	35
44	Genetic studies in the rheumatic diseases: present status and implications for the future. <i>Journal of rheumatology Supplement, The</i> , 2005 , 72, 10-3		23
43	The genetic basis of spondyloarthritis. <i>Current Rheumatology Reports</i> , 2004 , 6, 117-25	4.9	16
42	Genetic studies in familial ankylosing spondylitis susceptibility. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2246-54		93
41	Lack of linkage of IL1RN genotypes with ankylosing spondylitis susceptibility. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3047-8		19
40	Anti-tumor necrosis factor agents for rheumatoid arthritis in the setting of chronic hepatitis C infection. <i>Arthritis and Rheumatism</i> , 2004 , 51, 800-4		94
39	Autoantibodies in systemic sclerosis and fibrosing syndromes: clinical indications and relevance. <i>Current Opinion in Rheumatology</i> , 2004 , 16, 723-32	5:3	65
38	Ethnicity and race and systemic sclerosis: how it affects susceptibility, severity, antibody genetics, and clinical manifestations. <i>Current Rheumatology Reports</i> , 2003 , 5, 160-7	4.9	57
37	Articular manifestations of human immunodeficiency virus infection. <i>Best Practice and Research in Clinical Rheumatology</i> , 2003 , 17, 265-87	5:3	57
36	Novel genetic markers in the 5Rflanking region of ANKH are associated with ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 791-7		52

35	Human immunodeficiency virus-associated polymyositis: a longitudinal study of outcome. <i>Arthritis and Rheumatism</i> , 2003 , 49, 172-8		84
34	High-throughput single-nucleotide polymorphism analysis of the IL1RN locus in patients with ankylosing spondylitis by matrix-assisted laser desorption ionization-time-of-flight mass spectrometry. <i>Arthritis and Rheumatism</i> , 2003 , 48, 2011-8		45
33	Evidence-based guidelines for the use of immunologic tests: anticentromere, Scl-70, and nucleolar antibodies. <i>Arthritis and Rheumatism</i> , 2003 , 49, 399-412		196
32	The clinical relevance of autoantibodies in scleroderma. <i>Arthritis Research</i> , 2003 , 5, 80-93		118
31	Systemic lupus erythematosus in three ethnic groups. VII [correction of VIII]. Predictors of early mortality in the LUMINA cohort. LUMINA Study Group. <i>Arthritis and Rheumatism</i> , 2001 , 45, 191-202		264
30	Familial occurrence frequencies and relative risks for systemic sclerosis (scleroderma) in three United States cohorts. <i>Arthritis and Rheumatism</i> , 2001 , 44, 1359-62		211
29	Systemic sclerosis in 3 US ethnic groups: a comparison of clinical, sociodemographic, serologic, and immunogenetic determinants. <i>Seminars in Arthritis and Rheumatism</i> , 2001 , 30, 332-46	5-3	184
28	HLA-B27 and genetic predisposing factors in spondyloarthropathies. <i>Current Opinion in Rheumatology</i> , 2001 , 13, 265-72	5-3	102
27	Autoantibodies to fibrillin 1 in systemic sclerosis: ethnic differences in antigen recognition and lack of correlation with specific clinical features or HLA alleles. <i>Arthritis and Rheumatism</i> , 2000 , 43, 2464-71		62
26	The changing spectrum of rheumatic disease in human immunodeficiency virus infection. <i>Seminars in Arthritis and Rheumatism</i> , 2000 , 30, 147-66	5-3	82
25	Associations of anti-beta2-glycoprotein I autoantibodies with HLA class II alleles in three ethnic groups. <i>Arthritis and Rheumatism</i> , 1999 , 42, 268-74		60
24	Systemic lupus erythematosus in three ethnic groups. V. Acculturation, health-related attitudes and behaviors, and disease activity in Hispanic patients from the LUMINA cohort. LUMINA Study Group. Lupus in Minority Populations, Nature versus Nurture. <i>Arthritis and Rheumatism</i> , 1999 , 12, 267-76		25
23	Systemic lupus erythematosus in three ethnic groups: V. Acculturation, health-related attitudes and behaviors, and disease activity in Hispanic patients from the LUMINA Cohort 1999 , 12, 267		2
22	Prevalence of the diffuse infiltrative lymphocytosis syndrome among human immunodeficiency virus type 1-positive outpatients. <i>Arthritis and Rheumatism</i> , 1998 , 41, 863-8		68
21	Systemic lupus erythematosus in three ethnic groups: II. Features predictive of disease activity early in its course. LUMINA Study Group. Lupus in minority populations, nature versus nurture. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1173-80		174
20	The genetic contribution to the pathogenesis of rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 1998 , 10, 187-200	5-3	90
19	The diffuse infiltrative lymphocytosis syndrome. <i>Aids</i> , 1996 , 10, 385-392	3-5	102
18	A dimorphic Alu Sb-like insertion in COL3A1 is ethnic-specific. <i>Journal of Molecular Evolution</i> , 1996 , 42, 117-23	3-1	12

17	Malignant melanoma: relationship of the human leukocyte antigen class II gene DQB1*0301 to disease recurrence in American Joint Committee on Cancer Stage I or II. <i>Cancer</i> , 1996 , 78, 758-63	6.4	27
16	Autoantibodies to fibrillar collagen in systemic sclerosis (scleroderma). An immunogenetic, serologic, and clinical analysis. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1151-60		140
15	The centromere kinesin-like protein, CENP-E. An autoantigen in systemic sclerosis. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1355-61		35
14	Increased prevalence of systemic sclerosis in a Native American tribe in Oklahoma. Association with an Amerindian HLA haplotype. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1362-70		168
13	Interrelationship of major histocompatibility complex class II alleles and autoantibodies in four ethnic groups with various forms of myositis. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1507-18		136
12	Malignant melanoma: relationship of the human leukocyte antigen Class II gene DQB1*0301 to disease recurrence in American Joint Committee on Cancer Stage I or II 1996 , 78, 758		5
11	Molecular genetics of systemic sclerosis. <i>Current Opinion in Rheumatology</i> , 1995 , 7, 522-8	5.3	17
10	Major histocompatibility complex class II and C4 alleles in Mexican Americans with systemic lupus erythematosus. <i>Tissue Antigens</i> , 1995 , 45, 91-7		31
9	Susceptibility to Reiter's syndrome is associated with alleles of TAP genes. <i>Arthritis and Rheumatism</i> , 1995 , 38, 684-9		43
8	Contrasting molecular patterns of MHC class II alleles associated with the anti-Sm and anti-RNP precipitin autoantibodies in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1993 , 36, 94-104		62
7	Clinical, serologic, and immunogenetic studies in childhood-onset systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1993 , 36, 348-54		108
6	HLA-DPB1 alleles and autoantibody subsets in systemic lupus erythematosus, Sjögren's syndrome and progressive systemic sclerosis: a question of disease relevance. <i>Tissue Antigens</i> , 1992 , 40, 45-8		29
5	Racial differences in the frequencies of scleroderma-related autoantibodies. <i>Arthritis and Rheumatism</i> , 1992 , 35, 216-8		60
4	HLA-DR2-DRB1 allele frequencies in DR2-positive black Americans with and without systemic lupus erythematosus. <i>Tissue Antigens</i> , 1991 , 38, 178-80		22
3	HLA-D region genes associated with autoantibody responses to histidyl-transfer RNA synthetase (Jo-1) and other translation-related factors in myositis. <i>Arthritis and Rheumatism</i> , 1990 , 33, 1240-8		59
2	Human immunodeficiency virus-associated psoriasis, psoriatic arthritis, and Reiter's syndrome: a disease continuum?. <i>Arthritis and Rheumatism</i> , 1990 , 33, 1574-8		94
1	DNA analysis of HLA-DR and DQ genes in American blacks with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1989 , 32, 1243-51		45