Mikael Landn

List of Publications by Citations

Source: https://exaly.com/author-pdf/4548394/mikael-landen-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182 8,965 45 92 h-index g-index citations papers 5.56 202 12,142 7.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
182	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
181	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
180	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
179	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019 , 51, 1207-1214	36.3	303
178	Increased burden of ultra-rare protein-altering variants among 4,877 individuals with schizophrenia. <i>Nature Neuroscience</i> , 2016 , 19, 1433-1441	25.5	291
177	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
176	Polygenic dissection of diagnosis and clinical dimensions of bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 2014 , 19, 1017-1024	15.1	258
175	Diagnostic Value of Cerebrospinal Fluid Neurofilament Light Protein in Neurology: A Systematic Review and Meta-analysis. <i>JAMA Neurology</i> , 2019 , 76, 1035-1048	17.2	237
174	Fecundity of patients with schizophrenia, autism, bipolar disorder, depression, anorexia nervosa, or substance abuse vs their unaffected siblings. <i>JAMA Psychiatry</i> , 2013 , 70, 22-30	14.5	218
173	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	40	216
172	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
171	The risk of switch to mania in patients with bipolar disorder during treatment with an antidepressant alone and in combination with a mood stabilizer. <i>American Journal of Psychiatry</i> , 2014 , 171, 1067-73	11.9	136
170	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017 , 81, 325-335	7.9	129
169	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
168	Serotonin transporter gene polymorphisms are associated with anxiety-related personality traits in women. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 458-63		110
167	Polycystic ovary syndrome and psychiatric disorders: Co-morbidity and heritability in a nationwide Swedish cohort. <i>Psychoneuroendocrinology</i> , 2016 , 73, 196-203	5	106
166	Bipolar disorder and its relation to major psychiatric disorders: a family-based study in the Swedish population. <i>Bipolar Disorders</i> , 2015 , 17, 184-93	3.8	89

165	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
164	How does premenstrual dysphoric disorder relate to depression and anxiety disorders?. <i>Depression and Anxiety</i> , 2003 , 17, 122-9	8.4	76
163	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
162	Manic episodes are related to changes in frontal cortex: a longitudinal neuroimaging study of bipolar disorder 1. <i>Brain</i> , 2015 , 138, 3440-8	11.2	74
161	Cortical thickness, volume and surface area in patients with bipolar disorder types I and II. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, 240-50	4.5	72
160	Attitudes toward transsexualism in a Swedish national survey. Archives of Sexual Behavior, 2000 , 29, 375	5- 8 8	69
159	Exome Sequencing of Familial Bipolar Disorder. <i>JAMA Psychiatry</i> , 2016 , 73, 590-7	14.5	69
158	Genetic Overlap Between Attention-Deficit/Hyperactivity Disorder and Bipolar Disorder: Evidence From Genome-wide Association Study Meta-analysis. <i>Biological Psychiatry</i> , 2017 , 82, 634-641	7.9	66
157	Cerebrospinal fluid kynurenic acid is associated with manic and psychotic features in patients with bipolar I disorder. <i>Bipolar Disorders</i> , 2012 , 14, 719-26	3.8	66
156	Suicidal Behavior During Lithium and Valproate Treatment: A Within-Individual 8-Year Prospective Study of 50,000 Patients With Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2017 , 174, 795-802	11.9	65
155	Apolipoprotein E genotype and the diagnostic accuracy of cerebrospinal fluid biomarkers for Alzheimer disease. <i>JAMA Psychiatry</i> , 2014 , 71, 1183-91	14.5	65
154	Children B Global Assessment Scale (CGAS) in a naturalistic clinical setting: Inter-rater reliability and comparison with expert ratings. <i>Psychiatry Research</i> , 2010 , 177, 206-10	9.9	65
153	Placebo-controlled trial comparing intermittent and continuous paroxetine in premenstrual dysphoric disorder. <i>Neuropsychopharmacology</i> , 2007 , 32, 153-61	8.7	64
152	Heritability of Perinatal Depression and Genetic Overlap With Nonperinatal Depression. <i>American Journal of Psychiatry</i> , 2016 , 173, 158-65	11.9	62
151	Congenital adrenal hyperplasia and risk for psychiatric disorders in girls and women born between 1915 and 2010: A total population study. <i>Psychoneuroendocrinology</i> , 2015 , 60, 195-205	5	62
150	Abnormality in serum levels of mature brain-derived neurotrophic factor (BDNF) and its precursor proBDNF in mood-stabilized patients with bipolar disorder: a study of two independent cohorts. <i>Journal of Affective Disorders</i> , 2014 , 160, 1-9	6.6	61
149	Genomic and drug target evaluation of 90 cardiovascular proteins in 30,931 individuals. <i>Nature Metabolism</i> , 2020 , 2, 1135-1148	14.6	61
148	Neurocognitive function in bipolar disorder: a comparison between bipolar I and II disorder and matched controls. <i>BMC Psychiatry</i> , 2013 , 13, 165	4.2	59

147	Monocyte and microglial activation in patients with mood-stabilized bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 250-8	4.5	59
146	Attempted suicide in bipolar disorder: risk factors in a cohort of 6086 patients. <i>PLoS ONE</i> , 2014 , 9, e940	93 .7	58
145	Obsessive-Compulsive Disorder, Psychosis, and Bipolarity: A Longitudinal Cohort and Multigenerational Family Study. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1076-83	1.3	56
144	Altered concentrations of amyloid precursor protein metabolites in the cerebrospinal fluid of patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2013 , 38, 664-72	8.7	55
143	Blood metabolomics analysis identifies abnormalities in the citric acid cycle, urea cycle, and amino acid metabolism in bipolar disorder. <i>BBA Clinical</i> , 2016 , 5, 151-8		54
142	Elevated concentrations of neurofilament light chain in the cerebrospinal fluid of bipolar disorder patients. <i>Neuropsychopharmacology</i> , 2014 , 39, 2349-56	8.7	50
141	Markers of neuroinflammation and neuronal injury in bipolar disorder: Relation to prospective clinical outcomes. <i>Brain, Behavior, and Immunity</i> , 2017 , 65, 195-201	16.6	49
140	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
139	Electroconvulsive therapy suppresses the neurotoxic branch of the kynurenine pathway in treatment-resistant depressed patients. <i>Journal of Neuroinflammation</i> , 2016 , 13, 51	10.1	47
138	The Roots of Autism and ADHD Twin Study in Sweden (RATSS). <i>Twin Research and Human Genetics</i> , 2014 , 17, 164-76	2.2	46
137	Genome-wide association study identifies SESTD1 as a novel risk gene for lithium-responsive bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1290-7	15.1	45
136	Compounds with affinity for serotonergic receptors in the treatment of premenstrual dysphoria: a comparison of buspirone, nefazodone and placebo. <i>Psychopharmacology</i> , 2001 , 155, 292-8	4.7	45
135	Increased cerebrospinal fluid interleukin-8 in bipolar disorder patients associated with lithium and antipsychotic treatment. <i>Brain, Behavior, and Immunity</i> , 2015 , 43, 198-204	16.6	44
134	The Risk of Treatment-Emergent Mania With Methylphenidate in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2017 , 174, 341-348	11.9	44
133	Reduction of the synaptophysin level but normal levels of glycerophospholipids in the gyrus cinguli in schizophrenia. <i>Schizophrenia Research</i> , 2002 , 55, 83-8	3.6	43
132	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
131	Changes in mood stabilizer prescription patterns in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 195, 50-6	6.6	41
130	Electroconvulsive Therapy in Sweden 2013: Data From the National Quality Register for ECT. <i>Journal of ECT</i> , 2015 , 31, 263-7	2	41

129	The association between schizophrenia and rheumatoid arthritis: a nationwide population-based Swedish study on intraindividual and familial risks. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1552-9	1.3	41	
128	Incidence of sexual side effects in refractory depression during treatment with citalopram or paroxetine. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 100-6	4.6	41	
127	CSF neuroinflammatory biomarkers in bipolar disorder are associated with cognitive impairment. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1091-8	1.2	40	
126	Gender differences in the treatment of patients with bipolar disorder: a study of 7354 patients. Journal of Affective Disorders, 2015 , 174, 303-9	6.6	39	
125	The societal cost of bipolar disorder in Sweden. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1601-10	4.5	39	
124	Maternal polycystic ovary syndrome and risk of neuropsychiatric disorders in offspring: prenatal androgen exposure or genetic confounding?. <i>Psychological Medicine</i> , 2020 , 50, 616-624	6.9	38	
123	Pharmacological treatment and risk of psychiatric hospital admission in bipolar disorder. <i>British Journal of Psychiatry</i> , 2017 , 210, 197-202	5.4	37	
122	Dietary intake, resting energy expenditure, and eating behavior in women with and without polycystic ovary syndrome. <i>Clinical Nutrition</i> , 2016 , 35, 213-218	5.9	37	
121	The Anorexia Nervosa Genetics Initiative (ANGI): Overview and methods. <i>Contemporary Clinical Trials</i> , 2018 , 74, 61-69	2.3	36	
120	Peripheral and central levels of kynurenic acid in bipolar disorder subjects and healthy controls. <i>Translational Psychiatry</i> , 2019 , 9, 37	8.6	33	
119	Blood-cerebrospinal fluid barrier dysfunction in patients with bipolar disorder in relation to antipsychotic treatment. <i>Psychiatry Research</i> , 2014 , 217, 143-6	9.9	32	
118	Heart rate variability in premenstrual dysphoric disorder. <i>Psychoneuroendocrinology</i> , 2004 , 29, 733-40	5	32	
117	Cognitive functioning in clinically stable patients with bipolar disorder I and II. PLoS ONE, 2015, 10, e011	5,562	32	
116	Markers of glutamate signaling in cerebrospinal fluid and serum from patients with bipolar disorder and healthy controls. <i>European Neuropsychopharmacology</i> , 2015 , 25, 133-40	1.2	30	
115	Lower CSF HVA and 5-HIAA in bipolar disorder type 1 with a history of childhood ADHD. <i>Journal of Neural Transmission</i> , 2009 , 116, 1667-74	4.3	29	
114	A Loss-of-Function Variant in a Minor Isoform of ANK3 Protects Against Bipolar Disorder and Schizophrenia. <i>Biological Psychiatry</i> , 2016 , 80, 323-330	7.9	28	
113	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28	
112	Subjective Memory Immediately Following Electroconvulsive Therapy. <i>Journal of ECT</i> , 2017 , 33, 96-103	2	27	

111	Short onset of action of a serotonin reuptake inhibitor when used to reduce premenstrual irritability. <i>Neuropsychopharmacology</i> , 2009 , 34, 585-92	8.7	27
110	The effect of a biological explanation on attitudes towards homosexual persons. A Swedish national sample study. <i>Nordic Journal of Psychiatry</i> , 2002 , 56, 181-6	2.3	26
109	Selective serotonin re-uptake inhibitor use during pregnancy: association with offspring birth size and gestational age. <i>International Journal of Epidemiology</i> , 2016 , 45, 170-7	7.8	25
108	Significant grey matter changes in a region of the orbitofrontal cortex in healthy participants predicts emotional dysregulation. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 1041-9	4	23
107	A model to explain the therapeutic effects of serotonin reuptake inhibitors: the role of 5-HT2 receptors. <i>Psychopharmacology Bulletin</i> , 2006 , 39, 147-66	0.9	23
106	Prevalences of autoimmune diseases in schizophrenia, bipolar I and II disorder, and controls. <i>Psychiatry Research</i> , 2017 , 258, 9-14	9.9	22
105	Lithium-Associated Hypercalcemia: Pathophysiology, Prevalence, Management. <i>World Journal of Surgery</i> , 2018 , 42, 415-424	3.3	22
104	Dyslipidemia and high waist-hip ratio in women with self-reported social anxiety. <i>Psychoneuroendocrinology</i> , 2004 , 29, 1037-46	5	22
103	Longitudinal Cortical Thickness Changes in Bipolar Disorder and the Relationship to Genetic Risk, Mania, and Lithium Use. <i>Biological Psychiatry</i> , 2020 , 87, 271-281	7.9	22
102	Improvement of postpartum depression and psychosis after electroconvulsive therapy: A population-based study with a matched comparison group. <i>Journal of Affective Disorders</i> , 2018 , 235, 258-264	6.6	21
101	Cognitive performance and cerebrospinal fluid biomarkers of neurodegeneration: a study of patients with bipolar disorder and healthy controls. <i>PLoS ONE</i> , 2015 , 10, e0127100	3.7	21
100	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
99	Polycystic ovary syndrome, personality, and depression: A twin study. <i>Psychoneuroendocrinology</i> , 2017 , 85, 63-68	5	20
98	Characteristics of bipolar I and II disorder: A study of 8766 individuals. <i>Bipolar Disorders</i> , 2020 , 22, 392-4	10908	20
97	Contribution of Rare Copy Number Variants to Bipolar Disorder Risk Is Limited to Schizoaffective Cases. <i>Biological Psychiatry</i> , 2019 , 86, 110-119	7.9	20
96	Specificity in Etiology of Subtypes of Bipolar Disorder: Evidence From a Swedish Population-Based Family Study. <i>Biological Psychiatry</i> , 2018 , 84, 810-816	7.9	20
95	Comparison of Genetic Liability for Sleep Traits Among Individuals With Bipolar Disorder I or II and Control Participants. <i>JAMA Psychiatry</i> , 2020 , 77, 303-310	14.5	19
94	A History of Psychosis in Bipolar Disorder is Associated With Gray Matter Volume Reduction. <i>Schizophrenia Bulletin</i> , 2017 , 43, 99-107	1.3	18

(2020-2019)

93	Methylphenidate and the risk of psychosis in adolescents and young adults: a population-based cohort study. <i>Lancet Psychiatry,the</i> , 2019 , 6, 651-658	23.3	18
92	Low neuropeptide Y in cerebrospinal fluid in bipolar patients is associated with previous and prospective suicide attempts. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1907-15	1.2	18
91	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
90	Personality traits in bipolar disorder and influence on outcome. <i>BMC Psychiatry</i> , 2017 , 17, 159	4.2	17
89	Preclinical effects of APOE 4 on cerebrospinal fluid A42 concentrations. <i>Alzheimerss Research and Therapy</i> , 2017 , 9, 87	9	16
88	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
87	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
86	Polymorphisms of dopamine pathway genes NRG1 and LMX1A are associated with cognitive performance in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 859-68	3.8	15
85	Genetic validation of bipolar disorder identified by automated phenotyping using electronic health records. <i>Translational Psychiatry</i> , 2018 , 8, 86	8.6	14
84	Rehospitalization and suicide following electroconvulsive therapy for bipolar depression-A population-based register study. <i>Journal of Affective Disorders</i> , 2018 , 226, 146-154	6.6	14
83	Cerebrospinal fluid monoamine metabolite profiles in bipolar disorder, ADHD, and controls. <i>Journal of Neural Transmission</i> , 2017 , 124, 1135-1143	4.3	14
82	Aberrant inflammatory profile in acute but not recovered anorexia nervosa. <i>Brain, Behavior, and Immunity</i> , 2020 , 88, 718-724	16.6	13
81	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , 2016 , 53, 6608-6619	6.2	13
80	Plasma neurofilament light chain concentration is increased in anorexia nervosa. <i>Translational Psychiatry</i> , 2019 , 9, 180	8.6	13
79	Elevated expression of a minor isoform of ANK3 is a risk factor for bipolar disorder. <i>Translational Psychiatry</i> , 2018 , 8, 210	8.6	13
78	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
77	Cerebrospinal fluid microglia and neurodegenerative markers in twins concordant and discordant for psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 391-402	5.1	11
76	Long-term subjective memory after electroconvulsive therapy. <i>BJPsych Open</i> , 2020 , 6, e26	5	11

75	Kynurenic acid and psychotic symptoms and personality traits in twins with psychiatric morbidity. <i>Psychiatry Research</i> , 2017 , 247, 105-112	9.9	11
74	A shared genetic contribution to breast cancer and schizophrenia. <i>Nature Communications</i> , 2020 , 11, 4637	17.4	11
73	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
72	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
71	CACNA1C polymorphism and altered phosphorylation of tau in bipolar disorder. <i>British Journal of Psychiatry</i> , 2016 , 208, 195-6	5.4	10
70	Vertex-based morphometry in euthymic bipolar disorder implicates striatal regions involved in psychomotor function. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 173-8	2.9	10
69	Acute intermittent porphyria: comorbidity and shared familial risks with schizophrenia and bipolar disorder in Sweden. <i>British Journal of Psychiatry</i> , 2015 , 207, 556-7	5.4	10
68	Polymorphisms of BDNF and CACNA1C are not associated with cognitive functioning in bipolar disorder or healthy controls. <i>Cognitive Neuropsychiatry</i> , 2016 , 21, 271-8	2	10
67	Psychoeducation for bipolar disorder and risk of recurrence and hospitalization - a within-individual analysis using registry data. <i>Psychological Medicine</i> , 2020 , 50, 1043-1049	6.9	10
66	Lithium for suicide and readmission prevention after electroconvulsive therapy for unipolar depression: population-based register study. <i>BJPsych Open</i> , 2019 , 5, e46	5	9
65	Congenital Adrenal Hyperplasia, Polycystic Ovary Syndrome and criminal behavior: A Swedish population based study. <i>Psychiatry Research</i> , 2015 , 229, 953-9	9.9	9
64	A comparison of seminar and computer based training on the accuracy and reliability of raters using the Childrenß Global Assessment Scale (CGAS). <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2012 , 39, 458-65	3.1	9
63	The neural correlates of self-paced finger tapping in bipolar depression with motor retardation. <i>Acta Neuropsychiatrica</i> , 2013 , 25, 43-51	3.9	8
62	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932	5.1	8
61	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8
60	Effects of Hesel-coil deep transcranial magnetic stimulation for depression - a systematic review. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 492-7	2.3	8
59	Genome-wide association study of patients with a severe major depressive episode treated with electroconvulsive therapy. <i>Molecular Psychiatry</i> , 2021 , 26, 2429-2439	15.1	8
58	Classification of cognitive performance in bipolar disorder. <i>Cognitive Neuropsychiatry</i> , 2017 , 22, 407-42	1 2	7

(2020-2020)

57	Executive functioning but not IQ or illness severity predicts occupational status in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 7	5.4	7
56	Polygenic risk for anxiety influences anxiety comorbidity and suicidal behavior in bipolar disorder. <i>Translational Psychiatry</i> , 2020 , 10, 298	8.6	7
55	Cortical brain structure and sexual orientation in adult females with bipolar disorder or attention deficit hyperactivity disorder. <i>Brain and Behavior</i> , 2018 , 8, e00998	3.4	7
54	Improvement of cycloid psychosis following electroconvulsive therapy. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 405-410	2.3	6
53	Genes, biomarkers, and clinical features associated with the course of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1152-1160	1.2	6
52	Cross-sex shifts in two brain imaging phenotypes and their relation to polygenic scores for same-sex sexual behavior: A study of 18,645 individuals from the UK Biobank. <i>Human Brain Mapping</i> , 2021 , 42, 2292-2304	5.9	6
51	Neuropsychological profiles of adult bipolar disorder patients with and without comorbid attention-deficit hyperactivity disorder. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 14	5.4	5
50	CACNA1C polymorphism and brain cortical structure in bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 45, 182-187	4.5	5
49	Psychosocial functioning in adolescent patients assessed with Children Global Assessment Scale (CGAS) predicts negative outcomes from age 18: A cohort study. <i>Psychiatry Research</i> , 2016 , 242, 295-30	19.9	5
48	Genome-wide study of immune biomarkers in cerebrospinal fluid and serum from patients with bipolar disorder and controls. <i>Translational Psychiatry</i> , 2020 , 10, 58	8.6	5
47	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
46	Central levels of tryptophan metabolites in subjects with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021 , 43, 52-62	1.2	5
45	Respiratory infections during lithium and valproate medication: a within-individual prospective study of 50,000 patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 4	5.4	5
44	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , 2017 , 54, 5166-5176	6.2	4
43	Rehospitalization of Postpartum Depression and Psychosis After Electroconvulsive Therapy: A Population-Based Study With a Matched Control Group. <i>Journal of ECT</i> , 2019 , 35, 264-271	2	4
42	A serum proteomic study of two case-control cohorts identifies novel biomarkers for bipolar disorder <i>Translational Psychiatry</i> , 2022 , 12, 55	8.6	3
41	Respiratory infection during lithium and valproate medication: a within-individual prospective study of 50,000 patients with bipolar disorder		3
40	The Effect of Gender-Affirming Treatment on Psychiatric Morbidity Is Still Undecided. <i>American Journal of Psychiatry</i> , 2020 , 177, 767-768	11.9	3

39	Cerebrospinal fluid and serum protein markers in autism: A co-twin study. <i>Journal of Neurochemistry</i> , 2021 , 158, 798-806	6	3
38	Regional lithium prescription rates and recurrence in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 18	5.4	3
37	Five-year outcomes of ADHD diagnosed in adulthood. Scandinavian Journal of Psychology, 2021, 62, 13-	24 .2	3
36	Association of CACNA1C polymorphisms with serum BDNF levels in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021 , 218, 77-79	5.4	3
35	Serum profiling of anorexia nervosa: A H NMR-based metabolomics study. <i>European Neuropsychopharmacology</i> , 2021 , 49, 1-10	1.2	3
34	Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 5239-5250	15.1	3
33	GRK3 deficiency elicits brain immune activation and psychosis. Molecular Psychiatry, 2021,	15.1	2
32	Twin study shows association between monocyte chemoattractant protein-1 and kynurenic acid in cerebrospinal fluid. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 933-938	5.1	2
31	Relapse risk after in-ward electroconvulsive therapy for acute polymorphic psychotic disorder. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 201-206	2.3	2
30	The Phenome-wide Consequences of Anorexia Nervosa Genes		2
29	Characterisation of age and polarity at onset in bipolar disorder <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
28	Cerebrospinal fluid proteomics targeted for central nervous system processes in bipolar disorder. <i>Molecular Psychiatry</i> , 2021 ,	15.1	2
27	Validity of diagnoses, treatment dates, and rating scales in the Swedish national quality register for electroconvulsive therapy. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-8	2.3	2
26	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
25	Physician estimated vs. self-reported subjective memory in depressed patients treated with electroconvulsive therapy. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 359-365	2.3	1
24	More Efforts Needed to Clarify the Effect of Lithium in Bipolar Disorder: Response to Terao et al. <i>American Journal of Psychiatry</i> , 2018 , 175, 80-81	11.9	1
23	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
22	Characterization of Age and Polarity at Onset in Bipolar Disorder		1

(2021-2021)

21	Long-term trajectory of cognitive performance in people with bipolar disorder and controls: 6-year longitudinal study. <i>BJPsych Open</i> , 2021 , 7, e115	5	1
20	A loop-counting method for covariate-corrected low-rank biclustering of gene-expression and genome-wide association study data. <i>PLoS Computational Biology</i> , 2018 , 14, e1006105	5	1
19	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2	1
18	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
17	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
16	Polygenic association with severity and long-term outcome in eating disorder cases <i>Translational Psychiatry</i> , 2022 , 12, 61	8.6	1
15	Mapping anorexia nervosa genes to clinical phenotypes Psychological Medicine, 2022, 1-15	6.9	1
14	Serum concentration of zinc is elevated in clinically stable bipolar disorder patients <i>Brain and Behavior</i> , 2021 , e2472	3.4	1
13	Patient educational level and management of bipolar disorder. BJPsych Open, 2021, 7, e63	5	О
12	Genetic risk for bipolar disorder and schizophrenia predicts structure and function of the ventromedial prefrontal cortex. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E441-E450	4.5	O
11	Influence of genetic variations in IL1B on brain region volumes in bipolar patients and controls. <i>Psychiatry Research</i> , 2021 , 296, 113606	9.9	О
10	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	О
9	Improving lithium dose prediction using population pharmacokinetics and pharmacogenomics: a cohort genome-wide association study in Sweden <i>Lancet Psychiatry,the</i> , 2022 , 9, 447-457	23.3	O
8	P4-063: APOE GENOTYPE AND CSF AB2 IN COGNITIVELY HEALTHY INDIVIDUALS 2014 , 10, P806-P806		
7	Calling for More Research of Medication Effects in Bipolar Disorder: Response to Ketter and Delli Posso. <i>American Journal of Psychiatry</i> , 2017 , 174, 804-805	11.9	
6	Response to Ostacher et al. <i>American Journal of Psychiatry</i> , 2015 , 172, 586-7	11.9	
5	First genome-wide association study of esophageal atresia identifies three genetic risk loci at , //, and <i>Human Genetics and Genomics Advances</i> , 2022 , 3, 100093	0.8	
4	A systematic review and meta-analysis of maintenance treatment for psychotic depression. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-9	2.3	

3	Reply to: Tripping Over the Same Stone. <i>Biological Psychiatry</i> , 2020 , 88, e13	7.9
2	Electroconvulsive therapy and psychiatric readmission in major depressive disorder - A population-based register study. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 599-625	6.5
1	The Quantified Behavioural Test Plus (QbTest+) in adult ADHD. Nordic Psychology,1-15	1.1