Ming Han Lincoln Liow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4548476/publications.pdf

Version: 2024-02-01

104 papers 1,829 citations

279798 23 h-index 330143 37 g-index

105 all docs

 $\begin{array}{c} 105 \\ \\ \text{docs citations} \end{array}$

105 times ranked 1542 citing authors

#	Article	IF	CITATIONS
1	The patient acceptable symptom state for the knee society score, oxford knee score and short form-36 following unicompartmental knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 1113-1122.	4.2	9
2	Aseptic revision total knee arthroplasty outcomes were equivalent to patients' own pre-failure state but inferior to patients without revision. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 822-829.	4.2	3
3	Posterior condylar offset and posterior tibial slope targets to optimize knee flexion after unicompartmental knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 822-831.	4.2	5
4	No differences in 10-year clinical outcomes and quality of life between patients with different mediolateral femoral component positions in fixed-bearing medial unicompartmental knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3176-3183.	4.2	0
5	Defining the minimal clinically important difference for theÂknee society score following revision total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 2744-2752.	4.2	9
6	Personal protective equipment training for non-healthcare workers in the Covid-19 pandemic: Effectiveness of an evidence-based skills training framework. Infection, Disease and Health, 2022, 27, 38-48.	1.1	7
7	All-polyethylene unicompartmental knee arthroplasty is associated with increased risks of poorer knee society knee score and lower satisfaction in obese patients. Archives of Orthopaedic and Trauma Surgery, 2022, , 1.	2.4	0
8	Leveraging electronic medical records for passive disease surveillance in a COVID-19 care facility. Singapore Medical Journal, 2022, , .	0.6	1
9	Improvements in functional outcome and quality of life are not sustainable for patients ≥ 68Âyears of 10Âyears after total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 3330-3336.	old 4.2	8
10	Similar postoperative outcomes after total knee arthroplasty with measured resection and gap balancing techniques using a contemporary knee system: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 3178-3185.	4.2	12
11	Coronal Alignment of Fixed-Bearing Unicompartmental Knee Arthroplasty Femoral Component May Affect Long-Term Clinical Outcomes. Journal of Arthroplasty, 2021, 36, 478-487.	3.1	10
12	Are Patient-Reported Outcomes of Minimally Invasive Transforaminal Lumbar Interbody Fusion Influenced by Preoperative Mental Health?. Global Spine Journal, 2021, 11, 500-508.	2.3	12
13	Patients With Parkinson's Disease Have Poorer Function and More Flexion Contractures After Total Knee Arthroplasty. Journal of Arthroplasty, 2021, 36, 2325-2330.	3.1	10
14	Long-Term Functional Outcomes and Quality of Life at Minimum 10-Year Follow-Up After Fixed-Bearing Unicompartmental Knee Arthroplasty and Total Knee Arthroplasty for Isolated Medial Compartment Osteoarthritis. Journal of Arthroplasty, 2021, 36, 1269-1276.	3.1	14
15	Higher Charlson Comorbidity Index Increases 90-Day Readmission Rate with Poorer Functional Outcomes in Surgically Treated Hip Fracture Patients. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932110362.	1.4	9
16	Mid-term functional outcomes of patient-specific versus conventional instrumentation total knee arthroplasty: a prospective study. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 669-674.	2.4	6
17	The effect of tibial and femoral component coronal alignment on clinical outcomes and survivorship in unicompartmental knee arthroplasty. Bone and Joint Journal, 2021, 103-B, 338-346.	4.4	9
18	More Anterior in vivo Contact Position in Patients With Fixed-Bearing Unicompartmental Knee Arthroplasty During Daily Activities Than in vitro Wear Simulator. Frontiers in Bioengineering and Biotechnology, 2021, 9, 666435.	4.1	3

#	Article	lF	Citations
19	Change in Body Mass Index after Simultaneous Bilateral Total Knee Arthroplasty: Risk Factors and Its Influence on Functional Outcomes. Journal of Arthroplasty, 2021, 36, 1974-1979.	3.1	3
20	No difference in long-term outcomes between men and women undergoing medial fixed-bearing cemented unicompartmental knee arthroplasty: A retrospective cohort study with minimum 10-year follow up. Knee, 2021, 30, 26-34.	1.6	6
21	Early Postoperative Pain After Total Knee Arthroplasty Is Associated With Subsequent Poorer Functional Outcomes and Lower Satisfaction. Journal of Arthroplasty, 2021, 36, 2466-2472.	3.1	20
22	Preoperative Mental Health Influences Patient-Reported Outcome Measures and Satisfaction After Revision Total Knee Arthroplasty. Journal of Arthroplasty, 2021, 36, 2878-2886.	3.1	22
23	A Weighted Scoring System Based on Preoperative and Long-Term Patient-Reported Outcome Measures to Guide Timing of Knee Arthroplasty. Journal of Arthroplasty, 2021, 36, 3894-3900.	3.1	3
24	Smoking Is Associated With Lower Satisfaction in Nondiabetic Patients Undergoing Minimally Invasive Single-level Transforaminal Lumbar Interbody Fusion. Clinical Spine Surgery, 2021, Publish Ahead of Print, .	1.3	2
25	Development and internal validation of machine learning algorithms to predict patient satisfaction after total hip arthroplasty. Arthroplasty, 2021, 3, 33.	2.2	7
26	Debridement, Antibiotics, and Implant Retention in Periprosthetic Joint Infection: What Predicts Success or Failure?. Journal of Arthroplasty, 2021, 36, 3562-3569.	3.1	8
27	Preoperative Flexion Contracture Does Not Compromise the Outcomes and Survivorship of Medial Fixed Bearing Unicompartmental Knee Arthroplasty. Journal of Arthroplasty, 2021, 36, 3406-3412.	3.1	4
28	The oxford knee score minimal clinically important difference for revision total knee arthroplasty. Knee, 2021, 32, 211-217.	1.6	9
29	Early postoperative straight leg raise is associated with shorter length of stay after unilateral total knee arthroplasty. Journal of Orthopaedic Surgery, 2021, 29, 230949902110022.	1.0	4
30	Artificial intelligence in arthroplasty. Arthroplasty, 2021, 3, 37.	2.2	12
31	Revision total hip arthroplasty is associated with poorer clinically meaningful improvements and patient satisfaction compared to primary total hip arthroplasty. Journal of Orthopaedics, 2021, 28, 96-100.	1.3	4
32	Poorer Preoperative Function Leads to Delayed Return to Work After Anterior Cervical Discectomy and Fusion for Degenerative Cervical Myelopathy. International Journal of Spine Surgery, 2021, 15, 1184-1191.	1.5	0
33	Patients With Poor Baseline Mental Health May Experience Significant Improvements in Pain and Disability After Minimally Invasive Transforaminal Lumbar Interbody Fusion. Clinical Spine Surgery, 2020, 33, 205-214.	1.3	9
34	Post-operative non-steroidal anti-inflammatory drugs do not affect clinical outcomes of rotator cuff repair. Journal of Orthopaedics, 2020, 17, 113-115.	1.3	2
35	Elderly Patients Undergoing Minimally Invasive Transforaminal Lumbar Interbody Fusion May Have Similar Clinical Outcomes, Perioperative Complications, and Fusion Rates As Their Younger Counterparts. Clinical Orthopaedics and Related Research, 2020, 478, 822-832.	1.5	17
36	Severity of Preoperative Myelopathy Symptoms Affects Patient-reported Outcomes, Satisfaction, and Return to Work After Anterior Cervical Discectomy and Fusion for Degenerative Cervical Myelopathy. Spine, 2020, 45, 649-656.	2.0	14

#	Article	IF	CITATIONS
37	Ten year outcomes for the prospective randomised trial comparing unlinked, modular bicompartmental knee arthroplasty and total knee arthroplasty. Knee, 2020, 27, 1914-1922.	1.6	5
38	Higher Body Mass Index Is Associated With Biochemical Changes in Knee Articular Cartilage After Marathon Running: A Quantitative T2-Relaxation MRI Study. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712094387.	1.7	12
39	Does obesity lead to lower rates of clinically meaningful improvement or satisfaction after total hip arthroplasty? A propensity score-matched study. HIP International, 2020, , 112070002097465.	1.7	3
40	Is constraint implant with metaphyseal sleeve a viable option for revision TKR with preoperative coronal plane instability and bone defect?. Journal of Orthopaedic Surgery, 2020, 28, 230949902092631.	1.0	4
41	Ten-Year Results of Unicompartmental Knee Arthroplasty in Patients With Psychological Distress. Journal of Arthroplasty, 2020, 35, 2830-2836.e1.	3.1	5
42	Ensuring Business Continuity of Musculoskeletal Care During the COVID-19 Pandemic. JBJS Open Access, 2020, 5, e0050-e0050.	1.5	10
43	The long-term impact of preoperative psychological distress on functional outcomes, quality of life, and patient satisfaction after total knee arthroplasty. Bone and Joint Journal, 2020, 102-B, 845-851.	4.4	13
44	Sagittally Balanced Degenerative Spondylolisthesis Patients With Increased Sacral Slope and Greater Lumbar Lordosis Experience Less Back Pain After Short-Segment Lumbar Fusion Surgery. Clinical Spine Surgery, 2020, 33, 1 .	1.3	11
45	Total knee arthroplasty in the next decade: is navigation necessary?. Annals of Translational Medicine, 2020, 8, 665-665.	1.7	2
46	Can Octogenarians Undergoing Total Knee Arthroplasty Experience Similar Functional Outcomes, Quality of Life, and Satisfaction Rates as Their Younger Counterparts? A Propensity Score Matched Analysis of 1188 Patients. Journal of Arthroplasty, 2020, 35, 1833-1839.	3.1	11
47	Are Oxford Hip Score and Western Ontario and McMaster Universities Osteoarthritis Index Useful Predictors of Clinical Meaningful Improvement and Satisfaction After Total Hip Arthroplasty?. Journal of Arthroplasty, 2020, 35, 2458-2464.	3.1	38
48	Should patients aged 75Âyears or older undergo medial unicompartmental knee arthroplasty? A propensity score-matched study. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 949-956.	2.4	16
49	Do Patients With Psychological Distress Have Poorer Patient-Reported Outcomes After Total Hip Arthroplasty?. Journal of Arthroplasty, 2020, 35, 2465-2471.	3.1	18
50	Unicompartmental knee arthroplasty in patients with Parkinson's disease. Knee, 2020, 27, 1325-1331.	1.6	3
51	From "business continuity―to "back to business―for orthopaedic surgeons during the COVID-19 pandemic. Bone & Joint Open, 2020, 1, 222-228.	2.6	2
52	From "business continuity―to "back to business―for orthopaedic surgeons during the COVID-19 pandemic. Bone & Joint Open, 2020, 1, 222-228.	2.6	9
53	Predictors of Outcomes After Single-level Anterior Cervical Discectomy and Fusion for Cervical Spondylotic Myelopathy. Clinical Spine Surgery, 2020, 33, E525-E532.	1.3	6
54	Women Do Not Have Poorer Outcomes After Minimally Invasive Lumbar Fusion Surgery: A Five-Year Follow-Up Study. International Journal of Spine Surgery, 2020, 14, 756-761.	1.5	0

#	Article	IF	Citations
55	Women Do Not Have Poorer Outcomes After Minimally Invasive Lumbar Fusion Surgery: A Five-Year Follow-Up Study. International Journal of Spine Surgery, 2020, 14, 756-761.	1.5	2
56	Total Knee Arthroplasty Technique: TSolution One (Robodoc). , 2019, , 195-201.		1
57	P146. Smoking is associated with poorer fusion, functional outcomes and lower satisfaction in non-diabetic patients undergoing single-level transforaminal lumbar interbody fusion. Spine Journal, 2019, 19, S225-S226.	1.3	1
58	Biâ€Cruciate Retaining Total Knee Arthroplasty Does Not Restore Native Tibiofemoral Articular Contact Kinematics During Gait. Journal of Orthopaedic Research, 2019, 37, 1929-1937.	2.3	38
59	Poor Baseline Mental Health Does Not Influence Improvement in Patient-reported Outcomes, Satisfaction, and Return to Work Two Years After Single-level Anterior Cervical Discectomy and Fusion. Spine, 2019, 44, 839-847.	2.0	17
60	The Influence of Body Mass Index on Functional Outcomes, Satisfaction, and Return to Work After Single-level Minimally-invasive Transforaminal Lumbar Interbody Fusion. Spine, 2019, 44, 809-817.	2.0	12
61	Reduction in foraminal height after lateral access surgery does not affect quality of life: A 2-year outcome study on lateral lumbar interbody fusion. Journal of Orthopaedic Surgery, 2019, 27, 230949901982933.	1.0	2
62	Time Taken to Return to Work Does Not Influence Outcomes of Minimally Invasive Transforaminal Lumbar Interbody Fusion. Spine, 2019, 44, 503-509.	2.0	8
63	The effect of gender in hallux valgus surgery. A propensity score matched study. Foot and Ankle Surgery, 2019, 25, 670-673.	1.7	7
64	Modern TKA implants are equivalent to traditional TKA implants in functional and patellofemoral joint-related outcomes. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 1116-1123.	4.2	20
65	Perioperative Factors Influencing Postoperative Satisfaction After Lateral Access Surgery for Degenerative Lumbar Spondylolisthesis. International Journal of Spine Surgery, 2019, 13, 415-422.	1.5	5
66	Patients With Poor Baseline Mental Health Undergoing Unicompartmental Knee Arthroplasty Have Poorer Outcomes. Journal of Arthroplasty, 2018, 33, 2428-2434.	3.1	22
67	Body mass index changes after unicompartmental knee arthroplasty do not adversely influence patient outcomes. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1691-1697.	4.2	11
68	Poorer Fusion Outcomes in Diabetic Cervical Spondylotic Myelopathy Patients Undergoing Single-level Anterior Cervical Discectomy and Fusion Does Not Compromise Functional Outcomes and Quality of Life. Spine, 2018, 43, 477-483.	2.0	20
69	Accelerometer-Based and Computer-Assisted Navigation in Total Knee Arthroplasty: A Reduction in Mechanical Axis Outliers Does Not Lead to Improvement in Functional Outcomes or Quality of Life When Compared to Conventional Total Knee Arthroplasty. Journal of Arthroplasty, 2018, 33, 379-385.	3.1	40
70	Inâ€vivo elongation of anterior and posterior cruciate ligament in biâ€cruciate retaining total knee arthroplasty. Journal of Orthopaedic Research, 2018, 36, 3239-3246.	2.3	18
71	Robotic-assisted total knee arthroplasty may lead to improvement in quality-of-life measures: a 2-year follow-up of a prospective randomized trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2942-2951.	4.2	140
72	Multiple Hip Intra-Articular Steroid Injections Increase Risk of Periprosthetic Joint Infection Compared With Single Injections. Journal of Arthroplasty, 2017, 32, 1980-1983.	3.1	44

#	Article	IF	Citations
73	In Vivo Characteristics of Nondegenerated Adjacent Segment Intervertebral Foramina in Patients With Degenerative Disc Disease During Flexion-Extension. Spine, 2017, 42, 359-365.	2.0	6
74	Retrieval analysis of metal and ceramic femoral heads on a single CoCr stem design. Bone and Joint Research, 2017, 6, 345-350.	3.6	11
75	Novel anatomical reconstruction of distal tibiofibular ligaments restores syndesmotic biomechanics. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1866-1872.	4.2	12
76	Critical Shoulder Angle and Acromial Index Do Not Influence 24-Month Functional Outcome After Arthroscopic Rotator Cuff Repair. American Journal of Sports Medicine, 2017, 45, 2989-2994.	4.2	51
77	Retrieval evidence of impingement at the third articulation in contemporary dual mobility cups for total hip arthroplasty. International Orthopaedics, 2017, 41, 2495-2501.	1.9	18
78	Metal-on-metal total hip arthroplasty: risk factors for pseudotumours and clinical systematic evaluation. International Orthopaedics, 2017, 41, 885-892.	1.9	44
79	Patient-Reported Outcomes, Quality of Life, and Satisfaction Rates in Young Patients Aged 50 Years or Younger After Total Knee Arthroplasty. Journal of Arthroplasty, 2017, 32, 419-425.	3.1	57
80	Unsuspected Malignancies in Routine Femoral Head Histopathologic Examination During Primary Total Hip Arthroplasty: Cost-Effectiveness Analysis. Journal of Arthroplasty, 2017, 32, 735-742.	3.1	12
81	Sensitivity and Specificity of Metal Ion Levels in Predicting "Pseudotumors―due to Taper Corrosion in Patients With Dual Taper Modular Total Hip Arthroplasty. Journal of Arthroplasty, 2017, 32, 996-1000.	3.1	29
82	THINK surgical TSolution-One [®] (Robodoc) total knee arthroplasty. Sicot-j, 2017, 3, 63.	1.8	59
83	Complications of Modular Neck-Stems. , 2017, , 161-171.		1
84	Medical Support for Aircraft Disaster Search and Recovery Operations at Sea: the RSN Experience. Prehospital and Disaster Medicine, 2016, 31, 294-299.	1.3	2
85	What Is the Natural History of "Asymptomatic―Pseudotumours in Metal-on-Metal Hip Arthroplasty? Minimum 4-Year Metal Artifact Reduction Sequence Magnetic Resonance Imaging Longitudinal Study. Journal of Arthroplasty, 2016, 31, 121-126.	3.1	25
86	Assessment of accuracy and precision of 3D reconstruction of unicompartmental knee arthroplasty in upright position using biplanar radiography. Medical Engineering and Physics, 2016, 38, 633-638.	1.7	9
87	Does 3-Dimensional InÂVivo Component Rotation Affect Clinical Outcomes in Unicompartmental Knee Arthroplasty?. Journal of Arthroplasty, 2016, 31, 2167-2172.	3.1	22
88	Early Outcomes of Revision Surgery for Taper Corrosion of Dual Taper Total Hip Arthroplasty in 187 Patients. Journal of Arthroplasty, 2016, 31, 1549-1554.	3.1	29
89	In Vivo Characteristics of Asymptomatic Adjacent Intervertebral Foramina in Patients with Degenerative Disc Disease during Flexion-Extension. Spine Journal, 2016, 16, S382.	1.3	O
90	Preoperative Risk Factors Associated With Poor Outcomes of Revision Surgery for "Pseudotumors―in Patients With Metal-on-Metal Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 2835-2842.	3.1	29

#	Article	IF	CITATIONS
91	Computer-assisted stereotaxic navigation improves the accuracy of mechanical alignment and component positioning in total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 1173-1180.	2.4	33
92	"Top-Out―Removal of Well-Fixed Dual-Taper Femoral Stems: Surgical Technique and Radiographic Risk Factors. Journal of Arthroplasty, 2016, 31, 2843-2849.	3.1	9
93	Asymptomatic Pseudotumors in Patients with Taper Corrosion of a Dual-Taper Modular Femoral Stem. Journal of Bone and Joint Surgery - Series A, 2016, 98, 1735-1740.	3.0	27
94	Three-Dimensional Imaging Analysis of Unicompartmental Knee Arthroplasty Evaluated in Standing Position: Component Alignment and InÂVivo Articular Contact. Journal of Arthroplasty, 2016, 31, 1096-1101.	3.1	12
95	Is Ultrasound As Useful As Metal Artifact Reduction Sequence Magnetic Resonance Imaging in Longitudinal Surveillance of Metal-on-Metal Hip Arthroplasty Patients?. Journal of Arthroplasty, 2016, 31, 1821-1827.	3.1	14
96	Metal Ion Levels Are Not Correlated With Histopathology of Adverse Local Tissue Reactions in Taper Corrosion of Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 1797-1802.	3.1	33
97	Utility of Serum Inflammatory and Synovial Fluid Counts in the Diagnosis of Infection in Taper Corrosion of Dual Taper Modular Stems. Journal of Arthroplasty, 2016, 31, 1997-2003.	3.1	24
98	Obesity and the absence of trochlear dysplasia increase the risk of revision in patellofemoral arthroplasty. Knee, 2016, 23, 331-337.	1.6	49
99	Accelerometer-Based Navigation Is as Accurate as Optical Computer Navigation in Restoring the Joint Line and Mechanical Axis After Total Knee Arthroplasty. Journal of Arthroplasty, 2016, 31, 92-97.	3.1	50
100	Outcome following Total Knee Arthroplasty in Obese versus Non-Obese Asian Patients. Journal of Orthopaedic Surgery, 2015, 23, 294-297.	1.0	3
101	Four-Year Follow Up Outcome Study of Patellofemoral Arthroplasty at a Single Institution. Journal of Arthroplasty, 2015, 30, 959-963.	3.1	25
102	Early experiences with robot-assisted total knee arthroplasty using the DigiMatchâ,,¢ ROBODOC® surgical system. Singapore Medical Journal, 2014, 55, 529-534.	0.6	59
103	Robot-Assisted Total Knee Arthroplasty Accurately Restores the Joint Line and Mechanical Axis. A Prospective Randomised Study. Journal of Arthroplasty, 2014, 29, 2373-2377.	3.1	179
104	Ease of intubation with the GlideScope or Airway Scope by novice operators in simulated easy and difficult airways – a manikin study*. Anaesthesia, 2009, 64, 187-190.	3.8	46