

Wolfgang Uter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4549201/publications.pdf>

Version: 2024-02-01

359
papers

15,233
citations

14124

69
h-index

37326

100
g-index

395
all docs

395
docs citations

395
times ranked

4515
citing authors

#	ARTICLE	IF	CITATIONS
1	Reporting Quality of Studies Developing and Validating Melanoma Prediction Models: An Assessment Based on the TRIPOD Statement. <i>Healthcare (Switzerland)</i> , 2022, 10, 238.	1.0	4
2	European patch test results with audit allergens as candidates for inclusion in the European Baseline Series, 2019/20: Joint results of the <sc>ESSCA</sc> and the <sc>EBS</sc> working groups of the <sc>ESCD</sc>, and the <sc>GEIDAC</sc>. <i>Contact Dermatitis</i> , 2022, 86, 379-389.	0.8	18
3	Differences between hairdressers and consumers in skin exposure to hair cosmetic products: A review. <i>Contact Dermatitis</i> , 2022, 86, 333-343.	0.8	10
4	Prevalence and incidence of hand eczema in hairdressers – A systematic review and meta-analysis of the published literature from 2000 – 2021. <i>Contact Dermatitis</i> , 2022, 86, 254-265.	0.8	15
5	Allergic contact dermatitis caused by 2-hydroxyethyl methacrylate and ethyl cyanoacrylate contained in cosmetic glues among hairdressers and beauticians who perform nail treatments and eyelash extension as well as hair extension applications: A systematic review. <i>Contact Dermatitis</i> , 2022, 86, 480-492.	0.8	18
6	The Role of the Global Solar UV Index for Sun Protection of Children in German Kindergartens. <i>Children</i> , 2022, 9, 198.	0.6	5
7	Respiratory toxicity of persulphate salts and their adverse effects on airways in hairdressers: a systematic review. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1679-1702.	1.1	9
8	Occupational Exposure of Hairdressers to Airborne Hazardous Chemicals: A Scoping Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4176.	1.2	16
9	Nickel and cobalt release from beauty tools: A field study in the German cosmetics trade. <i>Contact Dermatitis</i> , 2022, 87, 162-169.	0.8	8
10	Novel insights into contact dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 1162-1171.	1.5	31
11	Contact sensitization to essential oils: <sc>IVDK</sc> data of the years 2010 – 2019. <i>Contact Dermatitis</i> , 2022, 87, 71-80.	0.8	8
12	Using the Prediction Model Risk of Bias Assessment Tool (PROBAST) to Evaluate Melanoma Prediction Studies. <i>Cancers</i> , 2022, 14, 3033.	1.7	1
13	Skin Toxicity of Selected Hair Cosmetic Ingredients: A Review Focusing on Hairdressers. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7588.	1.2	5
14	Patch test results with the European baseline series, 2019/20 – Joint European results of the <sc>ESSCA</sc> and the <sc>EBS</sc> working groups of the <sc>ESCD</sc>, and the <sc>GEIDAC</sc>. <i>Contact Dermatitis</i> , 2022, 87, 343-355.	0.8	22
15	Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015 – 2018. <i>Contact Dermatitis</i> , 2021, 84, 109-120.	0.8	44
16	Developing a cosmetic series: Results from the <sc>ESSCA</sc> network, 2009 – 2018. <i>Contact Dermatitis</i> , 2021, 84, 82-94.	0.8	10
17	Formaldehyde 2% is not a useful means of detecting allergy to formaldehyde releasers – results of the <sc>ESSCA</sc> network, 2015 – 2018. <i>Contact Dermatitis</i> , 2021, 84, 95-102.	0.8	15
18	Long-term effectiveness, safety and immunogenicity of the biosimilar SB2 in inflammatory bowel disease patients after switching from originator infliximab. <i>Therapeutic Advances in Gastroenterology</i> , 2021, 14, 175628482098280.	1.4	14

#	ARTICLE	IF	CITATIONS
19	Decrease of contact allergy to hydroxyisohexyl 3- ϵ -cyclohexene carboxaldehyde in Europe prior to its ban and diagnostic value. <i>Contact Dermatitis</i> , 2021, 84, 419-422.	0.8	7
20	Patch test results with caine mix <scp>III</scp> and its three constituents in consecutive patients of the <scp>IVDK</scp>. <i>Contact Dermatitis</i> , 2021, 84, 481-483.	0.8	4
21	Quality of Information for Skin Cancer Prevention: A Quantitative Evaluation of Internet Offerings. <i>Healthcare (Switzerland)</i> , 2021, 9, 229.	1.0	3
22	Quality of life in rectal cancer patients with or without oxaliplatin in the randomised CAO/ARO/AIO-04 phase 3 trial. <i>European Journal of Cancer</i> , 2021, 144, 281-290.	1.3	6
23	The European baseline series: Criteria for allergen inclusion with reference to formaldehyde releasers. <i>Contact Dermatitis</i> , 2021, 85, 125-128.	0.8	8
24	European Surveillance System on Contact Allergies (ESSCA): Characteristics of patients patch tested and diagnosed with irritant contact dermatitis. <i>Contact Dermatitis</i> , 2021, 85, 186-197.	0.8	11
25	Position statement: The need for EU legislation to require disclosure and labelling of the composition of medical devices. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1444-1448.	1.3	18
26	Prevalence of contact allergies in the population compared to a tertiary referral patch test clinic in Jena/Germany. <i>Contact Dermatitis</i> , 2021, 85, 563-571.	0.8	0
27	Kontaktallergien – Neu auftretende Allergene und Auswirkungen für das Gesundheitswesen. <i>Karger Kompass Dermatologie</i> , 2021, 9, 56-75.	0.0	0
28	Clinical Aspects of Irritant Contact Dermatitis. , 2021, , 295-329.		4
29	Patch Testing with the Patients's™ Own Products. , 2021, , 551-569.		13
30	The SCCS Notes of Guidance for the testing of cosmetic ingredients and their safety evaluation, 11th revision, 30-31 March 2021, SCCS/1628/21. <i>Regulatory Toxicology and Pharmacology</i> , 2021, 127, 105052.	1.3	55
31	Epidemiology of Contact Dermatitis and Contact Allergy. , 2021, , 195-216.		0
32	Databases and Networks: The Benefit for Research and Quality Assurance in Patch Testing. , 2021, , 1209-1224.		0
33	The European Baseline Series. , 2021, , 679-695.		0
34	Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers. , 2021, , 1187-1198.		0
35	Occupational Contact Dermatitis: Hairdressers. , 2021, , 471-482.		1
36	Contact Allergy to Hair Dyes. , 2021, , 877-889.		0

#	ARTICLE	IF	CITATIONS
37	Epicutaneous Patch Testing in Type IV Allergy Diagnostics: State of the Art and Best Practice Recommendations. Handbook of Experimental Pharmacology, 2021, 268, 405-433.	0.9	1
38	Protocol for a systematic review on systemic and skin toxicity of important hazardous hair and nail cosmetic ingredients in hairdressers. BMJ Open, 2021, 11, e050612.	0.8	8
39	The epidemic of methylisothiazolinone contact allergy in Europe: follow-up on changing exposures. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 333-339.	1.3	52
40	Evaluation of urinary selenium as a biomarker of human occupational exposure to elemental and inorganic selenium. International Archives of Occupational and Environmental Health, 2020, 93, 325-335.	1.1	6
41	Patient recall may be of limited use in establishing the clinical relevance of positive patch test reactions (to fragrances). British Journal of Dermatology, 2020, 182, 831-832.	1.4	0
42	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm" to identify allergens tested in cosmetic series across Europe. Contact Dermatitis, 2020, 82, 195-200.	0.8	5
43	Risk Prediction Models for Melanoma: A Systematic Review on the Heterogeneity in Model Development and Validation. International Journal of Environmental Research and Public Health, 2020, 17, 7919.	1.2	18
44	Trends and current spectrum of contact allergy in Central Europe: results of the Information Network of Departments of Dermatology (IVDK) 2007-2018*. British Journal of Dermatology, 2020, 183, 857-865.	1.4	36
45	Contact Allergy - Emerging Allergens and Public Health Impact. International Journal of Environmental Research and Public Health, 2020, 17, 2404.	1.2	34
46	Surveillance in Occupational Contact Dermatitis. , 2020, , 69-75.		2
47	Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers. , 2020, , 1-12.		0
48	The European Baseline Series. , 2020, , 1-17.		0
49	Contact Allergy to Hair Dyes. , 2020, , 1-13.		0
50	Contact Allergy to Fragrances. , 2020, , 1-33.		2
51	Epidemiology of Contact Dermatitis and Contact Allergy. , 2020, , 1-22.		0
52	Long-Term Experience of Chemoradiotherapy Combined with Deep Regional Hyperthermia for Organ Preservation in High-Risk Bladder Cancer (Ta, Tis, T1, T2). Oncologist, 2019, 24, e1341-e1350.	1.9	28
53	Toxicokinetics of urinary 2-ethylhexyl salicylate and its metabolite 2-ethyl-hydroxyhexyl salicylate in humans after simulating real-life dermal sunscreen exposure. Archives of Toxicology, 2019, 93, 2565-2574.	1.9	19
54	Public Health Messages Associated with Low UV Index Values Need Reconsideration. International Journal of Environmental Research and Public Health, 2019, 16, 2067.	1.2	20

#	ARTICLE	IF	CITATIONS
55	S3 guidelines: Epicutaneous patch testing with contact allergens and drugs – Short version, Part 1. JDDG - Journal of the German Society of Dermatology, 2019, 17, 1076-1093.	0.4	81
56	Systemic availability of lipophilic organic UV filters through dermal sunscreen exposure. Environment International, 2019, 132, 105068.	4.8	38
57	The role of the dermatologist in the immune-mediated/allergic diseases – position statement of the EADV task force on contact dermatitis, EADV task force on occupational skin diseases, UEMS-EBDV subcommission allergology and European Dermatology Forum. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 1459-1464.	1.3	0
58	Erythematous UV Radiation on Days with Low UV Index Values – an Analysis of Data from the German Solar UV Monitoring Network over a Ten-Year Period. Photochemistry and Photobiology, 2019, 95, 1076-1082.	1.3	9
59	The extent of public awareness, understanding and use of the Global Solar UV index as a worldwide health promotion instrument to improve sun protection: protocol for a systematic review. BMJ Open, 2019, 9, e028092.	0.8	4
60	S3 Guidelines: Epicutaneous patch testing with contact allergens and drugs – Short version, Part 2. JDDG - Journal of the German Society of Dermatology, 2019, 17, 1187-1207.	0.4	44
61	The European baseline series and recommended additions: 2019. Contact Dermatitis, 2019, 80, 1-4.	0.8	142
62	European Surveillance System on Contact Allergies (ESSCA): Contact allergies in relation to body sites in patients with allergic contact dermatitis. Contact Dermatitis, 2019, 80, 263-272.	0.8	39
63	Patch Testing with the Patients' Own Products. , 2019, , 1-19.		2
64	Databases and Networks: The Benefit for Research and Quality Assurance in Patch Testing. , 2019, , 1-16.		1
65	Clinical Aspects of Irritant Contact Dermatitis. , 2019, , 1-36.		0
66	Hair Dyes. , 2019, , 1-13.		0
67	Occupational Contact Dermatitis: Hairdressers. , 2019, , 1-12.		0
68	European Surveillance System on Contact Allergies (ESSCA): polysensitization, 2009–2014. Contact Dermatitis, 2018, 78, 373-385.	0.8	17
69	Nickel and cobalt release from earrings and piercing jewellery – analytical results of a German survey in 2014. Contact Dermatitis, 2018, 78, 321-328.	0.8	18
70	Contact sensitization to lanolin alcohols and Amerchol® L101 – analysis of IVDK data. Contact Dermatitis, 2018, 78, 367-369.	0.8	14
71	Extended patch-test screening for fragrance contact allergy: findings and challenges. British Journal of Dermatology, 2018, 178, 592-593.	1.4	2
72	Factors associated with p-phenylenediamine sensitization: data from the Information Network of Departments of Dermatology, 2008–2013. Contact Dermatitis, 2018, 78, 199-207.	0.8	26

#	ARTICLE	IF	CITATIONS
73	Isothiazolinones are still widely used in paints purchased in five European countries: a follow-up study. Contact Dermatitis, 2018, 78, 246-253.	0.8	35
74	Self-testing for contact allergy to hair dyes – A 5-year follow-up multicentre study. Contact Dermatitis, 2018, 78, 131-138.	0.8	12
75	A proposal to create an extension to the European baseline series. Contact Dermatitis, 2018, 78, 101-108.	0.8	56
76	Shedding Light on the Shade: How Nurseries Protect Their Children from Ultraviolet Radiation. International Journal of Environmental Research and Public Health, 2018, 15, 1793.	1.2	7
77	Methylisothiazolinone contact allergy in Croatia: Epidemiology and course of disease following patch testing. Contact Dermatitis, 2018, 79, 162-167.	0.8	10
78	Extended documentation for hand dermatitis patients: Pilot study on irritant exposures. Contact Dermatitis, 2018, 79, 168-174.	0.8	15
79	Non-oxidative hair dye products on the European market: What do they contain?. Contact Dermatitis, 2018, 79, 281-287.	0.8	10
80	Contact Allergy: A Review of Current Problems from a Clinical Perspective. International Journal of Environmental Research and Public Health, 2018, 15, 1108.	1.2	53
81	Pilot study on a new concept of documenting the clinical relevance of patch test results in contact dermatitis patients. Contact Dermatitis, 2018, 79, 370-377.	0.8	8
82	Public Health Messages Associated with the Low Exposure Category of the UV Index Need Reconsideration. Proceedings (mdpi), 2018, 6, .	0.2	2
83	Surveillance in Occupational Contact Dermatitis. , 2018, , 1-8.		2
84	A permutation test to analyse systematic bias and random measurement errors of medical devices via boosting location and scale models. Statistical Methods in Medical Research, 2017, 26, 1443-1460.	0.7	16
85	Criteria for the evidence-based categorisation of skin sensitisers. Food and Chemical Toxicology, 2017, 105, 14-21.	1.8	6
86	Positive reactions to pairs of allergens associated with polysensitization: analysis of IVDK data with machine learning techniques. Contact Dermatitis, 2017, 76, 247-251.	0.8	7
87	Contact allergy to preservatives: ESSCA* results with the baseline series, 2009–2012. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 664-671.	1.3	64
88	Positive Patch-Test Reactions to Essential Oils in Consecutive Patients From North America and Central Europe. Dermatitis, 2017, 28, 246-252.	0.8	35
89	European Surveillance System on Contact Allergies (ESSCA): results with the European baseline series, 2013/14. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 1516-1525.	1.3	106
90	Reply to: Seasonality of birth for skin melanoma deserves further investigation. International Journal of Epidemiology, 2017, 46, 765-766.	0.9	1

#	ARTICLE	IF	CITATIONS
91	Guidelines for the presentation of contact allergy case reports. <i>Contact Dermatitis</i> , 2017, 76, 107-113.	0.8	12
92	Patch testing with rubber series in <sc>E</sc>urope: a critical review and recommendation. <i>Contact Dermatitis</i> , 2017, 76, 195-203.	0.8	21
93	The epidemic of methylisothiazolinone: a <sc>E</sc>uropean prospective study. <i>Contact Dermatitis</i> , 2017, 76, 272-279.	0.8	76
94	Immunological, chemical and clinical aspects of exposure to mixtures of contact allergens. <i>Contact Dermatitis</i> , 2017, 77, 133-142.	0.8	34
95	Is octocrylene a frequent contact allergen?. <i>Contact Dermatitis</i> , 2017, 77, 127-128.	0.8	17
96	Re â€œInternational survey on skin patch test procedures, attitudes and interpretationâ€œ. L.K. Tanno et al., <i>WAOJ</i> (2016) 9:8. <i>World Allergy Organization Journal</i> , 2017, 10, 18.	1.6	3
97	Occupational skin diseases: actual state analysis of patient management pathways in 28 European countries. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 12-30.	1.3	56
98	Minimum standards on prevention, diagnosis and treatment of occupational and workâ€related skin diseases in Europe â€ position paper of the COST Action StanDerm (TD 1206). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 31-43.	1.3	94
99	Contact allergy to fragrances: current clinical and regulatory trends. <i>Allergologie Select</i> , 2017, 1, 190-199.	1.6	11
100	Implications of Low Levels of the UV Index for Sun Protection. <i>Studies in Health Technology and Informatics</i> , 2017, 243, 25-29.	0.2	4
101	Registries in Clinical Epidemiology: the European Surveillance System on Contact Allergies (ESSCA). <i>Methods of Information in Medicine</i> , 2016, 55, 193-199.	0.7	32
102	Protection from Ultraviolet Radiation during Childhood: The Parental Perspective in Bavaria. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1011.	1.2	17
103	Highâ€grade histology as predictor of early distant metastases and decreased diseaseâ€free survival in salivary gland cancer irrespective of tumor subtype. <i>Head and Neck</i> , 2016, 38, E2041-8.	0.9	40
104	Does a short patch test training course have an impact?. <i>Contact Dermatitis</i> , 2016, 74, 317-319.	0.8	6
105	Patch test results with rubber series in the <sc>E</sc>uropean <sc>S</sc>urveillance <sc>S</sc>ystem on <sc>C</sc>ontact <sc>A</sc>llergies (<sc>ESSCA</sc>), 2013/14. <i>Contact Dermatitis</i> , 2016, 75, 345-352.	0.8	39
106	Seasonal variation in diagnosis of invasive cutaneous melanoma. <i>Cancer Epidemiology</i> , 2016, 40, 196-197.	0.8	1
107	Long-term development of parental knowledge about skin cancer risks in Germany: Has it changed for the better?. <i>Preventive Medicine</i> , 2016, 89, 31-36.	1.6	9
108	Monitoring of naevus density at age 6: Is it both feasible and meaningful?. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 118-122.	2.1	0

#	ARTICLE	IF	CITATIONS
109	Association between month of birth and melanoma risk: fact or fiction?. International Journal of Epidemiology, 2016, 46, dyw226.	0.9	6
110	Survey zu sensibilisierenden Inhaltsstoffen von oxidativen Haarfarben (Konsumenten- und Tj ETQq0 0 0 rgBT /Overlock 10 Jf 50 702 T	0.4	0
111	Quality in epidemiological surveillance of contact allergy. Contact Dermatitis, 2016, 74, 175-180.	0.8	9
112	Contact allergy to ingredients of topical medications: results of the European Surveillance System on Contact Allergies (ESSCA), 2009-2012. Pharmacoepidemiology and Drug Safety, 2016, 25, 1305-1312.	0.9	35
113	Comparative sensitizing potencies of fragrances, preservatives, and hair dyes. Contact Dermatitis, 2016, 75, 265-275.	0.8	29
114	Survey of sensitizing components of oxidative hair dyes (retail and professional products) in Germany. JDDG - Journal of the German Society of Dermatology, 2016, 14, 707-715.	0.4	23
115	ESSCA results with nickel, cobalt and chromium, 2009-2012. Contact Dermatitis, 2016, 75, 117-121.	0.8	41
116	Increased intima-media thickness in rayon workers after long-term exposure to carbon disulfide. International Archives of Occupational and Environmental Health, 2016, 89, 513-519.	1.1	5
117	<scp>ESSCA</scp> results with the baseline series, 2002-2012: <i>p</i>-phenylenediamine. Contact Dermatitis, 2016, 75, 165-172.	0.8	22
118	The Effect of Exposure to Ultraviolet Radiation in Infancy on Melanoma Risk. Studies in Health Technology and Informatics, 2016, 228, 788-92.	0.2	1
119	Effectiveness of an employee skin cancer screening program for secondary prevention. Cutis, 2016, 98, 113-9.	0.4	4
120	Patch testing with hair cosmetic series in <scp>E</scp>urope: a critical review and recommendation. Contact Dermatitis, 2015, 73, 69-81.	0.8	42
121	European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice. Contact Dermatitis, 2015, 73, 195-221.	0.8	1,012
122	Fragrance contact allergy in the population. British Journal of Dermatology, 2015, 173, 1358-1359.	1.4	1
123	Patch test results of the <scp>E</scp>uropean baseline series among patients with occupational contact dermatitis across <scp>E</scp>urope - analyses of the <scp>E</scp>uropean <scp>S</scp>urveillance <scp>S</scp>ystem on <scp>C</scp>ontact <scp>A</scp>llergy network, 2002-2010. Contact Dermatitis, 2015, 72, 154-163.	0.8	144
124	Good, but Not Perfect: Parental Knowledge About Risk Factors for Skin Cancer and the Necessity of Sun Protection in Southern Germany. Pediatric Dermatology, 2015, 32, e159-60.	0.5	15
125	Fragrance mix I and II: results of breakdown tests. Flavour and Fragrance Journal, 2015, 30, 264-274.	1.2	30
126	Contact allergy to acrylates and methacrylates in consumers and nail artists - data of the Information Network of Departments of Dermatology, 2004-2013. Contact Dermatitis, 2015, 72, 224-228.	0.8	75

#	ARTICLE	IF	CITATIONS
127	Characteristics of patients patch tested in the European Surveillance System on Contact Allergies (ESSCA) network, 2009–2012. Contact Dermatitis, 2015, 73, 82-90.	0.8	36
128	Replacing surrogate measures by direct quantification of ultraviolet radiation exposure in registry-based analyses of seasonality of melanoma diagnoses. Melanoma Research, 2015, 25, 543-549.	0.6	4
129	Patch test results in children and adolescents across Europe. Analysis of the ESSCA Network 2002–2010. Pediatric Allergy and Immunology, 2015, 26, 446-455.	1.1	76
130	ESSCA results with the baseline series, 2009–2012: rubber allergens. Contact Dermatitis, 2015, 73, 305-312.	0.8	35
131	Contact sensitization to fragrance mix I and II, to <i>Myroxylon pereirae</i> resin and oil of turpentine: multifactorial analysis of risk factors based on data of the IVDK network. Flavour and Fragrance Journal, 2015, 30, 255-263.	1.2	15
132	Patch test results with fragrance markers of the baseline series – analysis of the European Surveillance System on Contact Allergies (ESSCA) network 2009–2012. Contact Dermatitis, 2015, 73, 163-171.	0.8	44
133	Dihydroxydiphenyl – a historical rubber contact allergen?. Contact Dermatitis, 2015, 73, 377-380.	0.8	2
134	Methylisothiazolinone and benzisothiazolinone are widely used in paint: a multicentre study of paints from five European countries. Contact Dermatitis, 2015, 72, 127-138.	0.8	85
135	Risk of sensitization to fragrances estimated on the basis of patch test data and exposure, according to volume used and a sample of 5451 cosmetic products. Flavour and Fragrance Journal, 2015, 30, 208-217.	1.2	21
136	Occlusive gloves and skin conditions: is there a problem? Results of a cross-sectional study in a semiconductor company. British Journal of Dermatology, 2015, 172, 1058-1065.	1.4	25
137	Fragrance mix I: TRUE Test [®] versus pet.-based patch test. Contact Dermatitis, 2015, 72, 256-258.	0.8	16
138	The Impact of Parental Knowledge and Tanning Attitudes on Sun Protection Practice for Young Children in Germany. International Journal of Environmental Research and Public Health, 2014, 11, 4768-4781.	1.2	25
139	Contact sensitization to cobalt – multifactorial analysis of risk factors based on long-term data of the Information Network of Departments of Dermatology. Contact Dermatitis, 2014, 71, 326-337.	0.8	36
140	Cobalt release from earrings and piercing jewellery – analytical results of a German survey. Contact Dermatitis, 2014, 70, 369-375.	0.8	28
141	Coupled exposure to ingredients of cosmetic products: III. Ultraviolet filters. Contact Dermatitis, 2014, 71, 162-169.	0.8	40
142	Accuracy and reliability of naevus self-counts. Melanoma Research, 2014, 24, 611-616.	0.6	6
143	Contact allergy to ingredients of hair cosmetics – a comparison of female hairdressers and clients based on IVDK 2007–2012 data. Contact Dermatitis, 2014, 71, 13-20.	0.8	65
144	Coupled exposure to ingredients of cosmetic products: II. Preservatives. Contact Dermatitis, 2014, 70, 219-226.	0.8	40

#	ARTICLE	IF	CITATIONS
145	Assessing skin pigmentation in epidemiological studies: The reliability of measurements under different conditions. <i>Skin Research and Technology</i> , 2013, 19, 100-106.	0.8	7
146	Coupled exposure to ingredients of cosmetic products: <sc>l</sc>. <i>Fragrances. Contact Dermatitis</i> , 2013, 69, 335-341.	0.8	67
147	Risk factors of polysensitization to contact allergens. <i>British Journal of Dermatology</i> , 2013, 169, 611-617.	1.4	24
148	Categorization of fragrance contact allergens for prioritization of preventive measures: clinical and experimental data and consideration of structure-activity relationships. <i>Contact Dermatitis</i> , 2013, 69, 196-230.	0.8	73
149	Monitoring contact sensitization to <i>p</i> -phenylenediamine (<sc>PPD</sc>) by patch testing with <sc>PPD</sc> 0.3% in petrolatum. <i>Contact Dermatitis</i> , 2013, 69, 26-31.	0.8	20
150	What can be learnt from nothing? A statistical perspective. <i>Contact Dermatitis</i> , 2013, 69, 350-354.	0.8	35
151	Risk factors associated with methylisothiazolinone contact sensitization. <i>Contact Dermatitis</i> , 2013, 69, 231-238.	0.8	109
152	Activation of non-sensitizing or low-sensitizing fragrance substances into potent sensitizers-prehaptens and prohaptens. <i>Contact Dermatitis</i> , 2013, 69, 323-334.	0.8	85
153	Risk factors associated with sensitization to hydroxyisohexyl 3-cyclohexene carboxaldehyde. <i>Contact Dermatitis</i> , 2013, 69, 72-77.	0.8	9
154	Nickel allergy following European Union regulation in Denmark, Germany, Italy and the U.K.. <i>British Journal of Dermatology</i> , 2013, 169, 854-858.	1.4	79
155	Recent increase in allergic reactions to methylchloroisothiazolinone/methylisothiazolinone: is methylisothiazolinone the culprit?. <i>Contact Dermatitis</i> , 2012, 67, 334-341.	0.8	128
156	Surveillance in Occupational Contact Dermatitis. , 2012, , 59-63.		2
157	Follow-up of the monitored levels of preservative sensitivity in Europe. Overview of the years 2001-2008. <i>Contact Dermatitis</i> , 2012, 67, 312-314.	0.8	47
158	Beyond atopic eczema: filaggrin loss-of-function mutations in dry, fissured hand eczema. <i>British Journal of Dermatology</i> , 2012, 166, 3-3.	1.4	0
159	A comparison of patterns of sun protection during beach holidays and everyday outdoor activities in a population sample of young German children. <i>British Journal of Dermatology</i> , 2012, 166, 803-810.	1.4	26
160	Patch test characteristics of patients referred for suspected contact allergy of the feet-retrospective 10-year cross-sectional study of the IVDK data. <i>Contact Dermatitis</i> , 2012, 66, 271-278.	0.8	44
161	Allergic contact dermatitis caused by methylisothiazolinone from a 'waist reduction belt'. <i>Contact Dermatitis</i> , 2012, 66, 347-348.	0.8	11
162	Contact sensitization to tree moss (<i>Evernia furfuracea</i> extract, INCI) is heterogeneous. <i>Contact Dermatitis</i> , 2012, 67, 36-41.	0.8	15

#	ARTICLE	IF	CITATIONS
163	Current patch test results with the European baseline series and extensions to it from the "European Surveillance System on Contact Allergy"™ network, 2007-2008. Contact Dermatitis, 2012, 67, 9-19.	0.8	114
164	Methylchloroisothiazolinone/methylisothiazolinone contact sensitization: diverging trends in subgroups of IVDK patients in a period of 19 years. Contact Dermatitis, 2012, 67, 125-129.	0.8	39
165	Self-testing for contact sensitization to hair dyes " scientific considerations and clinical concerns of an industry-led screening programme. Contact Dermatitis, 2012, 66, 300-311.	0.8	25
166	Is hydroxyisohexyl 3-cyclohexene carboxaldehyde sensitization declining in central Europe?. Contact Dermatitis, 2012, 67, 47-49.	0.8	12
167	Occupational contact allergy caused by rubber gloves " nothing has changed. Contact Dermatitis, 2012, 67, 149-156.	0.8	85
168	Surveillance of contact allergies: methods and results of the Information Network of Departments of Dermatology (IVDK). Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 847-857.	2.7	119
169	Patch test characteristics of patients referred for suspected contact allergy of the feet-retrospective 10-year cross-sectional study of the IVDK data. Contact Dermatitis, 2012, 66, 271-278.	0.8	16
170	Berufsbedingte Kontaktallergie bei Maurern, Fliesenlegern und Angehörigen verwandter Berufe. Aktuelles Sensibilisierungsspektrum und Entwicklungen der letzten Jahre. Dermatologie in Beruf Und Umwelt, 2012, 60, 136-150.	0.5	5
171	Klinische Surveillance der Kontaktallergien in Mitteleuropa: Aktuelle Ergebnisse des Informationsverbundes Dermatologischer Kliniken. Allergologie, 2012, 35, 145-151.	0.1	0
172	Epidemiology of Contact Allergy in Europe: Current Situation and Outlook for the Future. Actas Dermo-sifiliográficas, 2011, 102, 4-7.	0.2	0
173	Importance of Epidemiologic Surveillance in Contact Dermatitis: Spanish Surveillance System on Contact Allergies. Actas Dermo-sifiliográficas, 2011, 102, 19-23.	0.2	3
174	Epidemiology of Contact Dermatitis in Spain. Results of the Spanish Surveillance System on Contact Allergies for the Year 2008. Actas Dermo-sifiliográficas, 2011, 102, 98-105.	0.2	7
175	Contact allergy to preservatives. Analysis of IVDK data 1996-2009. British Journal of Dermatology, 2011, 164, 1316-1325.	1.4	137
176	The European baseline series in Lithuania: results of patch testing in consecutive adult patients. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 59-63.	1.3	20
177	Genetic factors in contact allergy-review and future goals. Contact Dermatitis, 2011, 64, 2-23.	0.8	75
178	Characteristics of patch test reactions to common preservatives incorporated in petrolatum and water, respectively. Contact Dermatitis, 2011, 64, 43-48.	0.8	9
179	Nickel allergy is still frequent in young German females - probably because of insufficient protection from nickel-releasing objects. Contact Dermatitis, 2011, 64, 142-150.	0.8	63
180	The EU Nickel Directive revisited-future steps towards better protection against nickel allergy. Contact Dermatitis, 2011, 64, 121-125.	0.8	88

#	ARTICLE	IF	CITATIONS
181	Is cocamidopropyl betaine a contact allergen? Analysis of network data and short review of the literature. Contact Dermatitis, 2011, 64, 203-211.	0.8	49
182	Nickel allergy in Spain needs active intervention. Contact Dermatitis, 2011, 64, 289-291.	0.8	27
183	EMA revokes marketing authorization for bufexamac. Contact Dermatitis, 2011, 64, 235-236.	0.8	22
184	Patch testing with hydroxyethyl-p-phenylenediamine sulfate - cross-reactivity with p-phenylenediamine. Contact Dermatitis, 2011, 65, 96-100.	0.8	20
185	Revision of the European standard for control of the EU nickel restriction - a probable improvement for European citizens. Contact Dermatitis, 2011, 65, 60-61.	0.8	7
186	Extreme patch test reactivity to p-phenylenediamine but not to other allergens in children. Contact Dermatitis, 2011, 65, 220-226.	0.8	34
187	Risk of sensitization to preservatives estimated on the basis of patch test data and exposure, according to a sample of 3541 leave-on products. Contact Dermatitis, 2011, 65, 167-174.	0.8	68
188	The "overall yield"™ with the baseline series - a useful addition to the array of MOAHLFA factors describing departmental characteristics of patch tested patients. Contact Dermatitis, 2011, 65, 322-328.	0.8	54
189	The EU Clinical Trials Directive Jeopardises Consumer and Occupational Safety. Contact Dermatitis, 2011, 65, 251-253.	0.8	4
190	Parental perspective on sun protection for young children in Bavaria. Photodermatology Photoimmunology and Photomedicine, 2011, 27, 196-202.	0.7	16
191	Classification of skin sensitizing substances: A comparison between approaches used by the DFG-MAK Commission and the European Union legislation. Regulatory Toxicology and Pharmacology, 2011, 61, 1-8.	1.3	5
192	Occupational contact allergy in the building trade in Germany: influence of preventive measures and changing exposure. International Archives of Occupational and Environmental Health, 2011, 84, 403-411.	1.1	113
193	Databases and Networks. The Benefit for Research and Quality Assurance in Patch Testing. , 2011, , 1053-1063.		13
194	Contact allergy to thiurams: multifactorial analysis of clinical surveillance data collected by the IVDK network. International Archives of Occupational and Environmental Health, 2010, 83, 675-681.	1.1	47
195	Quantitative repeated open application testing with a rinse-off product in methyl-dibromo glutaronitril-sensitized patients: results of the IVDK. Contact Dermatitis, 2010, 62, 330-337.	0.8	11
196	Patch testing with fragrance mix II: results of the IVDK 2005-2008. Contact Dermatitis, 2010, 63, 262-269.	0.8	51
197	Contact allergy to fragrances: current patch test results (2005-2008) from the Information Network of Departments of Dermatology. Contact Dermatitis, 2010, 63, 254-261.	0.8	85
198	Contact allergy to essential oils: current patch test results (2000-2008) from the Information Network of Departments of Dermatology (IVDK). Contact Dermatitis, 2010, 63, 277-283.	0.8	78

#	ARTICLE	IF	CITATIONS
199	Acceptable risk of contact allergy in the general population assessed by CEâ€œDUR â€œ A method to detect and categorize contact allergy epidemics based on patient data. Regulatory Toxicology and Pharmacology, 2009, 54, 183-187.	1.3	29
200	Outdoor work and skin cancer incidence: a registry-based study in Bavaria. International Archives of Occupational and Environmental Health, 2009, 82, 357-363.	1.1	81
201	The importance of context information in the diagnostic rating of digital images of patch test reactions. British Journal of Dermatology, 2009, 161, 554-559.	1.4	10
202	Contact allergy to topical corticosteroids â€œ results from the IVDK and epidemiological risk assessment. JDDG - Journal of the German Society of Dermatology, 2009, 7, 34-41.	0.4	6
203	Skin sensitizing properties of the ethanolamines monoâ€œ, diâ€œ, and triethanolamine. Data analysis of a multicentre surveillance network (IVDK*) and review of the literature. Contact Dermatitis, 2009, 60, 243-255.	0.8	51
204	Are we biased when reading a doubtful patch test reaction to a â€œclearâ€œcutâ€œ™ allergen such as the thiuram mix?*. Contact Dermatitis, 2009, 60, 234-235.	0.8	10
205	The European baseline series in 10 European Countries, 2005/2006 â€œ Results of the European Surveillance System on Contact Allergies (ESSCA). Contact Dermatitis, 2009, 61, 31-38.	0.8	156
206	Quantitative patch and repeated open application testing in hydroxyisohexyl 3â€œcyclohexene carboxaldehyde sensitiveâ€œpatients. Contact Dermatitis, 2009, 61, 152-162.	0.8	40
207	Patch testing with benzoyl peroxide: reaction profile and interpretation of positive patch test reactions. Contact Dermatitis, 2009, 61, 209-216.	0.8	26
208	Presumptive frequency of, and review of reports on, allergies to household gloves. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 388-393.	1.3	14
209	Allergic contact dermatitis to topical drugsâ€œ epidemiological risk assessment. Pharmacoepidemiology and Drug Safety, 2008, 17, 813-821.	0.9	41
210	Changes of the patch test population (MOAHLFA index) in longâ€œterm participants of the Information Network of Departments of Dermatology*, 1999â€œ2006. Contact Dermatitis, 2008, 59, 56-57.	0.8	28
211	Is the irritant benzalkonium chloride a contact allergen? A contribution to the ongoing debate from a clinical perspective. Contact Dermatitis, 2008, 58, 359-363.	0.8	61
212	Patch testing with contact allergens. JDDG - Journal of the German Society of Dermatology, 2008, 6, 770-775.	0.4	155
213	P02â€œAnalysis of coupled patch test reactions to nickel, cobalt and chromate. Contact Dermatitis, 2008, 50, 178-178.	0.8	0
214	FS04.5â€œIodopropynylbutyl carbamate (IPBC) 0.2% is suggested for patch testing of patients with eczema possibly related to preservatives. Contact Dermatitis, 2008, 50, 138-138.	0.8	0
215	FC02.4â€œMeteorological factors and standard series patch test reactions. Contact Dermatitis, 2008, 50, 143-143.	0.8	0
216	P36â€œRisk factors of fragrance allergy revisited. Contact Dermatitis, 2008, 50, 191-191.	0.8	2

#	ARTICLE	IF	CITATIONS
217	Contact allergy in patients with rosacea: a clinicâ€based, prospective epidemiological study. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 1208-1214.	1.3	26
218	Polysensitization and increased susceptibility in contact allergy: a review. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 156-167.	2.7	74
219	Contact allergy to topical antifungal agents. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 946-947.	2.7	16
220	The impact of meteorological conditions on patch test results with 12 standard series allergens (fragrances, biocides, topical ingredients). British Journal of Dermatology, 2008, 158, 734-739.	1.4	37
221	<i>para</i>-Phenylenediamine: the profile of an important allergen. Results of the IVDK¹. British Journal of Dermatology, 2008, 159, 379-386.	1.4	101
222	Patch Test Results with Metals and Meteorological Conditions. International Archives of Allergy and Immunology, 2008, 147, 235-240.	0.9	11
223	The Relation between Patterns of Vacation Sun Exposure and the Development of Acquired Melanocytic Nevi in German Children 6-7 Years of Age. American Journal of Epidemiology, 2007, 165, 1162-1169.	1.6	39
224	Contact allergy to topical drugs: prevalence in a clinical setting and estimation of frequency at the population level. Pharmacoepidemiology and Drug Safety, 2007, 16, 377-384.	0.9	39
225	Patch test results with patients' own perfumes, deodorants and shaving lotions: results of the IVDK 1998?2002. Journal of the European Academy of Dermatology and Venereology, 2007, 21, 374-379.	1.3	42
226	Contact allergy to hairdressing allergens in female hairdressers and clients â€“ current data from the IVDK, 2003â€2006. JDDG - Journal of the German Society of Dermatology, 2007, 5, 993-1000.	0.4	80
227	MajantolÂ®- a new important fragrance allergen. Contact Dermatitis, 2007, 57, 48-50.	0.8	23
228	Patch test results in patients with scalp dermatitis: analysis of data of the Information Network of Departments of Dermatology. Contact Dermatitis, 2007, 56, 87-93.	0.8	48
229	Sensitization to 26 fragrances to be labelled according to current European regulation.. Contact Dermatitis, 2007, 57, 1-10.	0.8	205
230	The biocide polyhexamethylene biguanide remains an uncommon contact allergen.. Contact Dermatitis, 2007, 56, 235-239.	0.8	50
231	Is incident sensitization top-phenylenediamine related to particular exposure patterns? Results of a questionnaire study. Contact Dermatitis, 2007, 56, 266-270.	0.8	11
232	A further characteristic of susceptibility to contact allergy: sensitization to a weak contact allergen is associated with polysensitization. Results of the IVDK. Contact Dermatitis, 2007, 56, 331-337.	0.8	22
233	10-year prevalence of contact allergy in the general population in Denmark estimated through the CE-DUR method. Contact Dermatitis, 2007, 57, 265-272.	0.8	57
234	Current patch test results in consecutive patients with, and chemical analysis of, disperse blue (DB) 106, DB 124, and the mix of DB 106 and 124. Contact Dermatitis, 2007, 57, 230-234.	0.8	24

#	ARTICLE	IF	CITATIONS
235	The validity of rating patch test reactions based on digital images. Contact Dermatitis, 2007, 57, 337-342.	0.8	20
236	Are concomitant patch test reactions to epoxy resin and BIS-GMA indicative of cross-reactivity?. Contact Dermatitis, 2007, 57, 376-380.	0.8	15
237	The profile of patch test reactions to common contact allergens is related to sex. Contact Dermatitis, 2007, 58, 071027033135001-???	0.8	14
238	Is occupational exposure to solvents associated with an increased risk for developing systemic scleroderma?. Journal of Occupational Medicine and Toxicology, 2006, 1, 15.	0.9	12
239	White petrolatum (Ph. Eur.) is virtually non-sensitizing. Analysis of IVDK data on 80 000 patients tested between 1992 and 2004 and short discussion of identification and designation of allergens. Contact Dermatitis, 2006, 54, 338-343.	0.8	13
240	Is contact allergy to glyceryl monothioglycolate still a problem in Germany?. Contact Dermatitis, 2006, 55, 54-56.	0.8	49
241	Strong allergic patch test reactions may indicate a general disposition for contact allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 364-369.	2.7	28
242	Type-IV sensitization profile of individuals with atopic eczema: results from the Information Network of Departments of Dermatology (IVDK) and the German Contact Dermatitis Research Group (DKG). Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 611-616.	2.7	70
243	A high-positive patch test load correlates with further positive patch test reactions irrespective of their location. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 1411-1415.	2.7	6
244	Both mercaptobenzothiazole and mercapto mix should be part of the standard series. Contact Dermatitis, 2006, 55, 314-316.	0.8	18
245	Allergic Contact Dermatitis Due to β -blockers in Eye Drops: a Retrospective Analysis of Multicentre Surveillance Data 1993-2004. Acta Dermato-Venereologica, 2006, 86, 509-514.	0.6	48
246	Anilineâ€™s A â€™ Historicalâ€™ Contact Allergen? Current Data from the IVDK and Review of the Literature. Annals of Occupational Hygiene, 2006, 51, 219-26.	1.9	8
247	Die Informations- und Dokumentationsstelle f¼r Kontaktallergien (IDOK) des Informationsverbundes Dermatologischer Kliniken (IVDK). Dermatologie in Beruf Und Umwelt, 2006, 54, 160-166.	0.5	15
248	Clinical update on contact allergy. Current Opinion in Allergy and Clinical Immunology, 2005, 5, 429-436.	1.1	11
249	A multifactorial analysis of concurrent patch-test reactions to nickel, cobalt, and chromate. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 372-378.	2.7	104
250	A special case of subungual haematoma: weeder's thumb. Clinical and Experimental Dermatology, 2005, 30, 298-298.	0.6	7
251	Rosacea and contact allergy to cosmetics and topical medicaments - retrospective analysis of multicentre surveillance data 1995-2002. Contact Dermatitis, 2005, 52, 96-101.	0.8	47
252	Quantitative patch and repeated open application testing in methylidibromo glutaronitrile-sensitive patients. Contact Dermatitis, 2005, 52, 197-206.	0.8	50

#	ARTICLE	IF	CITATIONS
253	Patch testing with a new fragrance mix - reactivity to the individual constituents and chemical detection in relevant cosmetic products. Contact Dermatitis, 2005, 52, 216-225.	0.8	95
254	Patch testing with a new fragrance mix detects additional patients sensitive to perfumes and missed by the current fragrance mix. Contact Dermatitis, 2005, 52, 207-215.	0.8	157
255	Patch testing with p-toluene diamine preparations of different ages*+. Contact Dermatitis, 2005, 53, 75-79.	0.8	5
256	The European standard series in 9 European countries, 2002/2003 - First results of the European Surveillance System on Contact Allergies. Contact Dermatitis, 2005, 53, 136-145.	0.8	110
257	Patch testing with patients' own cosmetics and toiletries - results of the IVDK*, 1998-2002. Contact Dermatitis, 2005, 53, 226-233.	0.8	40
258	Skin-sensitizing and irritant properties of propylene glycol. Data analysis of a multicentre surveillance network (IVDK*) and review of the literature. Contact Dermatitis, 2005, 53, 247-259.	0.8	78
259	Patch testing with phenylmercuric acetate. Contact Dermatitis, 2005, 53, 117-118.	0.8	11
260	Meteorological influence on NaOH irritation varies with body site. Archives of Dermatological Research, 2005, 296, 320-326.	1.1	24
261	Secondary prevention of allergic symptoms in a dairy farmer by use of a milking robot. Clinical and Molecular Allergy, 2005, 3, 8.	0.8	3
262	Contact allergy to neomycin sulfate: results of a multifactorial analysis. Pharmacoepidemiology and Drug Safety, 2005, 14, 725-733.	0.9	59
263	Designation of substances as skin sensitizing chemicals: a reply. Human and Experimental Toxicology, 2005, 24, 157-159.	1.1	6
264	Diagnostic quality of the patch test preparation monoethanolamine 2% pet.. Contact Dermatitis, 2005, 52, 171-173.	0.8	6
265	Interne Qualitätssicherung von Epikutantest-Daten des multizentrischen Projektes "Informationsverbund Dermato-logischer Kliniken" (IVDK). Dermatologie in Beruf Und Umwelt, 2005, 53, 107-114.	0.5	78
266	Contact Allergy in Construction Workers: Results of a Multifactorial Analysis. Annals of Occupational Hygiene, 2004, 48, 21-7.	1.9	83
267	Fragrance allergy increases with age. British Journal of Dermatology, 2004, 150, 1218-1220.	1.4	17
268	Inter-relation between variables determining constitutional UV sensitivity in Caucasian children. Photodermatology Photoimmunology and Photomedicine, 2004, 20, 9-13.	0.7	10
269	Population Attributable Fraction Estimates of Familial Risk in Cutaneous Melanoma. Journal of Investigative Dermatology, 2004, 122, 853-854.	0.3	0
270	Contact allergy to fragrances: frequencies of sensitization from 1996 to 2002. Results of the IVDK*. Contact Dermatitis, 2004, 50, 65-76.	0.8	163

#	ARTICLE	IF	CITATIONS
271	Allergic and non-allergic periorbital dermatitis: patch test results of the Information Network of the Departments of Dermatology during a 5-year period. Contact Dermatitis, 2004, 51, 13-19.	0.8	95
272	Isopropyl myristate recommended for aimed rather than routine patch testing. Contact Dermatitis, 2004, 50, 242-244.	0.8	14
273	Reproducibility of patch tests. Contact Dermatitis, 2004, 51, 43-44.	0.8	7
274	Guidelines for the descriptive presentation and statistical analysis of contact allergy data. Contact Dermatitis, 2004, 51, 47-56.	0.8	195
275	Frequency of contact allergy in German children and adolescents patch tested between 1995 and 2002: results from the Information Network of Departments of Dermatology and the German Contact Dermatitis Research Group. Contact Dermatitis, 2004, 51, 111-117.	0.8	116
276	Patch test results with the metalworking fluid series of the German Contact Dermatitis Research Group (DKG). Contact Dermatitis, 2004, 51, 118-130.	0.8	116
277	Patch testing with metalworking fluids from the patient's workplace. Contact Dermatitis, 2004, 51, 172-179.	0.8	40
278	The MOAHLFA index of irritant sodium lauryl sulfate reactions: first results of a multicentre study on routine sodium lauryl sulfate patch testing. Contact Dermatitis, 2004, 51, 259-262.	0.8	22
279	An attempt to improve diagnostics of contact allergy due to epoxy resin systems. First results of the multicentre study EPOX 2002. Contact Dermatitis, 2004, 51, 263-272.	0.8	71
280	Contact allergy to farnesol in 2021 consecutively patch tested patients. Results of the IVDK*. Contact Dermatitis, 2004, 50, 117-121.	0.8	43
281	Iodopropynylbutyl carbamate 0.2% is suggested for patch testing of patients with eczema possibly related to preservatives. British Journal of Dermatology, 2004, 151, 608-615.	1.4	38
282	Contact sensitizations in metalworkers with occupational dermatitis exposed to water-based metalworking fluids: results of the research project ?FaSt?. International Archives of Occupational and Environmental Health, 2004, 77, 543-551.	1.1	96
283	Monitoring of nevus density in children as a method to detect shifts in melanoma risk in the population. Preventive Medicine, 2004, 38, 382-387.	1.6	22
284	The prevalence of contact allergy differed between population-based and clinic-based data. Journal of Clinical Epidemiology, 2004, 57, 627-632.	2.4	45
285	Prof. Dr. phil. Dr. med.Hans Joachim Schwanitz. Dermatologie in Beruf Und Umwelt, 2004, 52, 93-96.	0.5	0
286	Association between infections and signs and symptoms of 'atopic' hypersensitivity - results of a cross-sectional survey among first-year university students in Germany and Spain. Allergy: European Journal of Allergy and Clinical Immunology, 2003, 58, 580-584.	2.7	40
287	The positivity ratio - another parameter to assess the diagnostic quality of a patch test preparation. Contact Dermatitis, 2003, 48, 280-282.	0.8	123
288	Optimizing the patch-test concentration of para -tertiary-butylcatechol: results of a prospective study with a dilution series. Contact Dermatitis, 2003, 48, 140-143.	0.8	5

#	ARTICLE	IF	CITATIONS
289	Patch testing with zinc dibenzylthiocarbamate. A multicentre study of the Information Network of Departments of Dermatology* and the German Contact Dermatitis Research Group. Contact Dermatitis, 2003, 48, 209-211.	0.8	2
290	Contact allergy to Disperse Blue 106/124 mix in consecutive German, Austrian and Swiss patients. Contact Dermatitis, 2003, 48, 286-287.	0.8	18
291	Contact sensitization to N-(cyclohexylthio)phthalimide. Contact Dermatitis, 2003, 48, 1-6.	0.8	13
292	Occupational rubber glove allergy: results of the Information Network of Departments of Dermatology (IVDK), 1995-2001. Contact Dermatitis, 2003, 48, 39-44.	0.8	108
293	Patch testing with the irritant sodium lauryl sulfate (SLS) is useful in interpreting weak reactions to contact allergens as allergic or irritant. Contact Dermatitis, 2003, 48, 99-107.	0.8	77
294	Risk factors for contact allergy to nickel - results of a multifactorial analysis. Contact Dermatitis, 2003, 48, 33-38.	0.8	73
295	Frequency of sensitization to antimicrobials in patients with atopic eczema compared with nonatopic individuals: analysis of multicentre surveillance data, 1995-1999. British Journal of Dermatology, 2003, 149, 87-93.	1.4	51
296	The association between ambient air conditions (temperature and absolute humidity), irritant sodium lauryl sulfate patch test reactions and patch test reactivity to standard allergens. Contact Dermatitis, 2003, 49, 97-102.	0.8	30
297	Patch testing with components of water-based metalworking fluids. Contact Dermatitis, 2003, 49, 85-90.	0.8	43
298	Decrease in nickel allergy in Germany and regulatory interventions. Contact Dermatitis, 2003, 49, 107-108.	0.8	95
299	A multilingual European patch test software concept: WinAlldat/ESSCA. Contact Dermatitis, 2003, 49, 270-271.	0.8	45
300	Patch-test reaction patterns in patients with a predisposition to atopic dermatitis. Contact Dermatitis, 2003, 49, 197-201.	0.8	40
301	Contact allergy to ingredients of hair cosmetics in female hairdressers and clients - an 8-year analysis of IVDK* data. Contact Dermatitis, 2003, 49, 236-240.	0.8	115
302	When should a substance be designated as sensitizing for the skin (Shâ€™™) or for the airways (Saâ€™™)? Human and Experimental Toxicology, 2002, 21, 439-444.	1.1	24
303	The Spectrum of Contact Allergy in Elderly Patients with and without Lower Leg Dermatitis. Dermatology, 2002, 204, 266-272.	0.9	84
304	Diagnostic screening for contact allergy to mercaptobenzothiazole derivatives. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 2002, 13, 66-70.	0.4	14
305	Another Look at Allergies to Fragrances: Frequencies of Sensitisation to the Fragrance Mix and Its Constituents. Exogenous Dermatology, 2002, 1, 231-237.	0.5	32
306	The spectrum of allergic (cross-)sensitivity in clinical patch testing with 'para amino' compounds. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 319-322.	2.7	89

#	ARTICLE	IF	CITATIONS
307	The preservative iodopropynyl butylcarbamate: frequency of allergic reactions and diagnostic considerations. Contact Dermatitis, 2002, 46, 153-156.	0.8	39
308	Ammonium thiolactate and thiolactic acid: important hairdressers' allergens?. Contact Dermatitis, 2002, 46, 242-243.	0.8	8
309	Positive patch tests with a dermatophagoides mix relate to an increased responsiveness to standard patch test allergens. Contact Dermatitis, 2002, 46, 253-257.	0.8	12
310	Patch tests with thiurams at 0.25% pet. and 1% pet. are of equal diagnostic value. Contact Dermatitis, 2002, 46, 258-261.	0.8	9
311	Lyräl® has been included in the patch test standard series in Germany. Contact Dermatitis, 2002, 46, 295-297.	0.8	53
312	Epidemiology of contact allergy: an estimation of morbidity employing the clinical epidemiology and drug-utilization research (CE-DUR) approach. Contact Dermatitis, 2002, 47, 32-39.	0.8	172
313	Contact allergy from DMDM hydantoin, 1994-2000. Contact Dermatitis, 2002, 47, 57-58.	0.8	22
314	Zur Reproduzierbarkeit der Epikutantestung " die Bewertung der Konkordanz bei synchroner Applikation. Allergologie, 2002, 25, 415-419.	0.1	19
315	Diagnostic screening for contact allergy to mercaptobenzothiazole derivatives. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 2002, 13, 66-70.	0.4	10
316	Associated positive patch test reactions to standard contact allergens. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 2001, 12, 197-202.	0.4	34
317	Occupational contact urticaria and late-phase bronchial asthma caused by compositae pollen in a florist. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 2001, 12, 182-184.	0.4	12
318	Atopic Signs and Symptoms: Assessing the "Atopy Score"™ Concept. Dermatology, 2001, 202, 4-8.	0.9	32
319	Associated Positive Patch Test Reactions to Standard Contact Allergens. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 2001, 12, 197-202.	0.4	9
320	Limited Concordance Between "Oakmoss" and Colophony in Clinical Patch Testing. Journal of Investigative Dermatology, 2001, 116, 478-479.	0.3	6
321	Another look at seasonal variation in patch test results. Contact Dermatitis, 2001, 44, 146-152.	0.8	36
322	Contact allergy to Disperse Blue 106 and Disperse Blue 124 in German and Austrian patients, 1995 to 1999. Contact Dermatitis, 2001, 44, 173-177.	0.8	47
323	Patch test results with tixocortol pivalate and budesonide in Germany and Austria. Contact Dermatitis, 2001, 44, 308-319.	0.8	12
324	Patch test sensitization caused by para-tertiary-butylcatechol.. Contact Dermatitis, 2001, 45, 193-196.	0.8	14

#	ARTICLE	IF	CITATIONS
325	The application of methods to quantify attributable risk in medical practice. <i>Statistical Methods in Medical Research</i> , 2001, 10, 231-237.	0.7	41
326	Association between occupation and contact allergy to the fragrance mix: a multifactorial analysis of national surveillance data. <i>Occupational and Environmental Medicine</i> , 2001, 58, 392-398.	1.3	80
327	Reporting of Attributable Risk in Epidemiologic Studies. <i>Epidemiology</i> , 2001, 12, 474.	1.2	3
328	The application of methods to quantify attributable risk in medical practice. <i>Statistical Methods in Medical Research</i> , 2001, 10, 231-237.	0.7	22
329	Interdigital dermatitis: sentinel skin damage in hairdressers. <i>British Journal of Dermatology</i> , 2000, 142, 1011-1012.	1.4	48
330	Chronic fatigue syndrome and nickel allergy. <i>Contact Dermatitis</i> , 2000, 42, 56-57.	0.8	4
331	Relevance of multiparametric skin bioengineering in a prospectively-followed cohort of junior hairdressers. <i>Contact Dermatitis</i> , 2000, 43, 161-168.	0.8	65
332	Contact allergy to polidocanol, 1992 to 1999. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 106, 1203-1204.	1.5	39
333	The association between size of test chamber and patch test reaction: a statistical reanalysis. <i>Contact Dermatitis</i> , 1999, 40, 14-18.	0.8	24
334	Contact allergy to calcipotriol does exist.. <i>Contact Dermatitis</i> , 1999, 40, 66-71.	0.8	36
335	Lack of patch test reactivity to 3-dimethylaminopropylamine in German hairdressers. <i>Contact Dermatitis</i> , 1999, 41, 231-231.	0.8	5
336	Hand dermatitis in a prospectively-followed cohort of hairdressing apprentices: nal results of the POSH study. <i>Contact Dermatitis</i> , 1999, 41, 280-286.	0.8	148
337	The MOAHLFA index in 17 centers of the Information Network of Departments of Dermatology (IVDK) over 6 years. <i>Contact Dermatitis</i> , 1999, 41, 343-344.	0.8	12
338	Occupational allergic contact dermatitis, partly airborne, due to isocyanates and epoxy resin. <i>Contact Dermatitis</i> , 1999, 41, 117-118.	0.8	22
339	Risk of hand dermatitis among hairdressers versus office workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1999, 25, 450-456.	1.7	37
340	Prevalence and incidence of hand dermatitis in hairdressing apprentices: results of the POSH study. <i>International Archives of Occupational and Environmental Health</i> , 1998, 71, 487-492.	1.1	84
341	An epidemiological study of the influence of season (cold and dry air) on the occurrence of irritant skin changes of the hands. <i>British Journal of Dermatology</i> , 1998, 138, 266-272.	1.4	128
342	Patch testing with preservatives, antimicrobials and industrial biocides. Results from a multicentre study. <i>British Journal of Dermatology</i> , 1998, 138, 467-476.	1.4	256

#	ARTICLE	IF	CITATIONS
343	Hand eczema in a prospectively-followed cohort of office-workers. Contact Dermatitis, 1998, 38, 83-9.	0.8	32
344	Epidemiology of contact dermatitis. The information network of departments of dermatology (IVDK) in Germany. European Journal of Dermatology, 1998, 8, 36-40.	0.3	100
345	Adverse reactions to fragrances. Contact Dermatitis, 1997, 36, 57-86.	0.8	233
346	National rates and regional differences in sensitization to allergens of the standard series. Contact Dermatitis, 1997, 37, 200-209.	0.8	320
347	Good clinical practice in patch testing: readings beyond day 2 are necessary: A confirmatory analysis*1, *2. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 1996, 7, 231-237.	0.4	25
348	Occupational allergic contact dermatitis from thiolactic acid contained in "ester-free"™ permanent-waving solutions. Contact Dermatitis, 1996, 34, 229-230.	0.8	12
349	Contact dermatitis from propylene glycol in ECG electrode gel. Contact Dermatitis, 1996, 34, 230-231.	0.8	56
350	Testing with fragrance mix. Contact Dermatitis, 1995, 32, 266-272.	0.8	86
351	Patch test results with serial dilutions of nickel sulfate (with and without detergent), palladium chloride, and nickel and palladium metal plates. Contact Dermatitis, 1995, 32, 135-142.	0.8	51
352	Efficacy of skin barrier creams (IV). The repetitive irritation test (RIT) with a set of 4 standard irritants. Contact Dermatitis, 1994, 31, 161-168.	0.8	141
353	Efficacy of skin barrier creams. Contact Dermatitis, 1993, 29, 113-118.	0.8	88
354	Cutaneous sensitivity to ultraviolet light and chemical irritants. Archives of Dermatological Research, 1982, 272, 269-278.	1.1	65
355	Cutaneous biometrics I. The response of human skin to dimethyl sulphoxide. British Journal of Dermatology, 1980, 103, 263-274.	1.4	55
356	STEROID ADDICTION. International Journal of Dermatology, 1979, 18, 23-31.	0.5	77
357	The Duhring chamber. Contact Dermatitis, 1979, 5, 73-81.	0.8	64
358	Rapid blister formation in human skin with ammonium hydroxide. British Journal of Dermatology, 1977, 96, 461-473.	1.4	77
359	The chamber-scarification test for irritancy *. Contact Dermatitis, 1976, 2, 314-324.	0.8	102