

Heinfried H Radeke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4549625/publications.pdf>

Version: 2024-02-01

133
papers

6,203
citations

76294

40
h-index

74108

75
g-index

137
all docs

137
docs citations

137
times ranked

7656
citing authors

#	ARTICLE	IF	CITATIONS
1	Human fibroblasts release reactive oxygen species in response to interleukin-1 or tumour necrosis factor- α . <i>Biochemical Journal</i> , 1989, 263, 539-545.	1.7	645
2	Immune Modulatory Treatment of Trinitrobenzene Sulfonic Acid Colitis with Calcitriol Is Associated with a Change of a T Helper (Th) 1/Th17 to a Th2 and Regulatory T Cell Profile. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 324, 23-33.	1.3	416
3	Interleukin 1- α and tumor necrosis factor- α induce oxygen radical production in mesangial cells. <i>Kidney International</i> , 1990, 37, 767-775.	2.6	256
4	Novel Approach to Specific Growth Factor Inhibition in Vivo. <i>American Journal of Pathology</i> , 1999, 154, 169-179.	1.9	239
5	Protein Kinase C α -dependent Phosphorylation of the mRNA-stabilizing Factor HuR: Implications for Posttranscriptional Regulation of Cyclooxygenase-2. <i>Molecular Biology of the Cell</i> , 2007, 18, 2137-2148.	0.9	181
6	Serum miR-122 as a Biomarker of Necroinflammation in Patients With Chronic Hepatitis C Virus Infection. <i>American Journal of Gastroenterology</i> , 2011, 106, 1663-1669.	0.2	171
7	Posttranslational Modification of the AU-Rich Element Binding Protein HuR by Protein Kinase C α Elicits Angiotensin II-Induced Stabilization and Nuclear Export of Cyclooxygenase 2 mRNA. <i>Molecular and Cellular Biology</i> , 2008, 28, 2608-2625.	1.1	167
8	Sphingosine 1-Phosphate Cross-activates the Smad Signaling Cascade and Mimics Transforming Growth Factor- β -induced Cell Responses. <i>Journal of Biological Chemistry</i> , 2004, 279, 35255-35262.	1.6	166
9	FTY720 Ameliorates Th1-Mediated Colitis in Mice by Directly Affecting the Functional Activity of CD4+CD25+ Regulatory T Cells. <i>Journal of Immunology</i> , 2007, 178, 2458-2468.	0.4	159
10	Productive infection of primary human endothelial cells by pig endogenous retrovirus (PERV). <i>Xenotransplantation</i> , 2000, 7, 138-142.	1.6	137
11	Serum MicroRNA-21 as Marker for Necroinflammation in Hepatitis C Patients with and without Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2011, 6, e26971.	1.1	120
12	Mycophenolate mofetil inhibits rat and human mesangial cell proliferation by guanosine depletion. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 58-63.	0.4	112
13	Functional expression of NADPH oxidase components (alpha- and beta-subunits of cytochrome b558) Tj ETQq1 1 0.784314 rgBT /Ove <i>Chemistry</i> , 1991, 266, 21025-9.	1.6	107
14	Prediction of Acute Renal Allograft Rejection by Urinary Monokine Induced by IFN- γ (MIG). <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1849-1858.	3.0	97
15	Interferon- γ Mediates Gene Expression of IL-18 Binding Protein in Nonleukocytic Cells. <i>Biochemical and Biophysical Research Communications</i> , 2000, 267, 960-963.	1.0	95
16	High Serum Levels of the Interleukin-33 Receptor Soluble ST2 as a Negative Prognostic Factor in Hepatocellular Carcinoma. <i>Translational Oncology</i> , 2013, 6, 311-318.	1.7	89
17	Junctional Adhesion Molecules (JAM)-B and -C Contribute to Leukocyte Extravasation to the Skin and Mediate Cutaneous Inflammation. <i>Journal of Investigative Dermatology</i> , 2005, 125, 969-976.	0.3	87
18	Galectin-9 Is a Suppressor of T and B Cells and Predicts the Immune Modulatory Potential of Mesenchymal Stromal Cell Preparations. <i>Stem Cells and Development</i> , 2014, 23, 755-766.	1.1	87

#	ARTICLE	IF	CITATIONS
19	Systematic review with network meta-analysis: comparative efficacy and tolerability of different intravenous iron formulations for the treatment of iron deficiency anaemia in patients with inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 1303-1318.	1.9	87
20	Immunomodulator FTY720 Induces Myofibroblast Differentiation via the Lysophospholipid Receptor S1P3 and Smad3 Signaling. <i>American Journal of Pathology</i> , 2007, 170, 281-292.	1.9	85
21	Opposite Regulation of Type II and III Receptors for Immunoglobulin G in Mouse Glomerular Mesangial Cells and in the Induction of Anti-glomerular Basement Membrane (GBM) Nephritis. <i>Journal of Biological Chemistry</i> , 2002, 277, 27535-27544.	1.6	77
22	Prostaglandin E2 production is synergistically increased in cultured human glomerular mesangial cells by combinations of IL-1 and tumor necrosis factor-alpha 1. <i>Journal of Immunology</i> , 1989, 143, 1989-95.	0.4	73
23	The inflammatory function of renal glomerular mesangial cells and their interaction with the cellular immune system. <i>The Clinical Investigator</i> , 1992, 70, 825-42.	0.6	70
24	The New Low Calcemic Vitamin D Analog 22-Ene-25-Oxa-Vitamin D Prominently Ameliorates T Helper Cell Type 1-Mediated Colitis in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 622-631.	1.3	63
25	A Comprehensive Assessment of Apigenin as an Antiproliferative, Proapoptotic, Antiangiogenic and Immunomodulatory Phytocompound. <i>Nutrients</i> , 2019, 11, 858.	1.7	63
26	Overlapping Signaling Pathways of Sphingosine 1-Phosphate and TGF- β 2 in the Murine Langerhans Cell Line XS52. <i>Journal of Immunology</i> , 2005, 174, 2778-2786.	0.4	62
27	IFN- γ induces the high-affinity Fc receptor I for IgG (CD64) on human glomerular mesangial cells. <i>European Journal of Immunology</i> , 1998, 28, 2928-2935.	1.6	59
28	Imbalance in distribution of functional autologous regulatory T cells in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1151-1156.	0.5	58
29	Intrinsic human glomerular mesangial cells can express receptors for IgG complexes (hFc gamma RIII-A) and the associated Fc epsilon RI gamma-chain. <i>Journal of Immunology</i> , 1994, 153, 1281-92.	0.4	57
30	Monokines and platelet-derived growth factor modulate prostanoid production in growth arrested, human mesangial cells. <i>Kidney International</i> , 1990, 37, 859-869.	2.6	54
31	Lymphocyte-derived cytokines induce sequential expression of monocyte- and T cell-specific chemokines in human mesangial cells. <i>Kidney International</i> , 1997, 52, 1521-1531.	2.6	54
32	A characterization of four B16 murine melanoma cell sublines molecular fingerprint and proliferation behavior. <i>Cancer Cell International</i> , 2013, 13, 75.	1.8	53
33	Human Fibroblasts Release Low Amounts of Reactive Oxygen Species in Response to the Potent Phagocyte Stimulants, Serum-Treated Zymosan, N-Formyl-methionyl-leucyl-phenylalanine, Leukotriene B ₄ or 12-O-Tetradecanoylphorbol 13-Acetate. <i>Biological Chemistry Hoppe-Sevler</i> , 1990, 371, 1021-1026.	1.4	52
34	FTY720 ameliorates oxazolone colitis in mice by directly affecting T helper type 2 functions. <i>Molecular Immunology</i> , 2007, 44, 3305-3316.	1.0	52
35	Characterization of CXCL16 and ADAM10 in the normal and transplanted kidney. <i>Kidney International</i> , 2008, 74, 328-338.	2.6	51
36	MPGES-1-derived PGE2 suppresses CD80 expression on tumor-associated phagocytes to inhibit anti-tumor immune responses in breast cancer. <i>Oncotarget</i> , 2015, 6, 10284-10296.	0.8	48

#	ARTICLE	IF	CITATIONS
37	Nanoplastics affect the inflammatory cytokine release by primary human monocytes and dendritic cells. <i>Environment International</i> , 2022, 163, 107173.	4.8	46
38	Human Fibroblasts Release Reactive Oxygen Species in Response to Treatment with Synovial Fluids from Patients Suffering from Arthritis. <i>Free Radical Research Communications</i> , 1990, 8, 149-160.	1.8	45
39	Glomerular cells in vitro versus the glomerulus in vivo. <i>Kidney International</i> , 1994, 45, 360-368.	2.6	44
40	Sphingosine 1-Phosphate Modulates Antigen Capture by Murine Langerhans Cells via the S1P2 Receptor Subtype. <i>PLoS ONE</i> , 2012, 7, e49427.	1.1	44
41	Isolation of two immunosuppressive metabolites after in vitro metabolism of rapamycin. <i>Drug Metabolism and Disposition</i> , 1992, 20, 186-91.	1.7	44
42	Biglycan, a novel trigger of Th1 and Th17 cell recruitment into the kidney. <i>Matrix Biology</i> , 2018, 68-69, 293-317.	1.5	42
43	IFN γ induces functional chemokine receptor expression in human mesangial cells. <i>Clinical and Experimental Immunology</i> , 2002, 128, 285-294.	1.1	40
44	Junctional adhesion molecule (JAM) α supports lymphocyte rolling and adhesion through interaction with α 4 β 1 integrin. <i>Immunology</i> , 2009, 128, 196-205.	2.0	39
45	CYP2R1-, CYP27B1- and CYP24-mRNA expression in German type 1 diabetes patients. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007, 103, 807-810.	1.2	38
46	Selective Glucocorticoid Receptor Agonists for the Treatment of Inflammatory Bowel Disease: Studies in Mice with Acute Trinitrobenzene Sulfonic Acid Colitis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 341, 68-80.	1.3	38
47	Ceramide synthase 2 deficiency aggravates AOM-DSS-induced colitis in mice: role of colon barrier integrity. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 3039-3055.	2.4	36
48	Sphingosine-1-Phosphate Modulates Dendritic Cell Function: Focus on Non-Migratory Effects & in Vitro and in Vivo. <i>Cellular Physiology and Biochemistry</i> , 2014, 34, 27-44.	1.1	35
49	Current evaluation and management of anemia in patients with inflammatory bowel disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017, 11, 19-32.	1.4	35
50	A specific CD4 epitope bound by tregalizumab mediates activation of regulatory T cells by a unique signaling pathway. <i>Immunology and Cell Biology</i> , 2015, 93, 396-405.	1.0	34
51	Experimental approaches to lymphocyte migration in dermatology in vitro and in vivo. <i>Experimental Dermatology</i> , 2005, 14, 641-666.	1.4	31
52	A Rationally Engineered Anti-HIV Peptide Fusion Inhibitor with Greatly Reduced Immunogenicity. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 679-688.	1.4	31
53	The sphingosine kinase 1 and S1P1 axis specifically counteracts LPS-induced IL-12p70 production in immune cells of the spleen. <i>Molecular Immunology</i> , 2011, 48, 1139-1148.	1.0	30
54	Botanical Therapeutics: Phytochemical Screening and Biological Assessment of Chamomile, Parsley and Celery Extracts against A375 Human Melanoma and Dendritic Cells. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3624.	1.8	30

#	ARTICLE	IF	CITATIONS
55	PS3, A Semisynthetic Î ² -1,3-Glucan Sulfate, Diminishes Contact Hypersensitivity Responses Through Inhibition of L- and P-Selectin Functions. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1192-1202.	0.3	29
56	Multivariate analyses of immune reconstitution in children after allo-SCT: risk-estimation based on age-matched leukocyte sub-populations. <i>Bone Marrow Transplantation</i> , 2010, 45, 613-621.	1.3	28
57	Isolation of an immunosuppressive metabolite of FK506 generated by human microsome preparations. <i>Clinical Biochemistry</i> , 1991, 24, 271-275.	0.8	27
58	TLR-ligand stimulated interleukin-23 subunit expression and assembly is regulated differentially in murine plasmacytoid and myeloid dendritic cells. <i>Molecular Immunology</i> , 2007, 44, 1483-1489.	1.0	27
59	NoxO1 Controls Proliferation of Colon Epithelial Cells. <i>Frontiers in Immunology</i> , 2018, 9, 973.	2.2	27
60	Sphingosine kinase 2 is a negative regulator of inflammatory macrophage activation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1235-1246.	1.2	27
61	Cancer-induced inflammation and inflammation-induced cancer in colon: a role for S1P lyase. <i>Oncogene</i> , 2019, 38, 4788-4803.	2.6	27
62	Multiple Pre- and Postreceptor Defects in Pseudohypoparathyroidism (A Multicenter Study with) Tj ETQq0 0 0 rgBT/Overlock_10 Tf 50 4	1.8	26
63	Activation of autoreactive T-lymphocytes by cultured syngeneic glomerular mesangial cells. <i>Kidney International</i> , 1994, 45, 763-774.	2.6	26
64	A Multicentre, Double-Blind, Placebo-Controlled, Parallel-Group Study to Evaluate the Efficacy, Safety, and Tolerability of the S1P Receptor Agonist KRP203 in Patients with Moderately Active Refractory Ulcerative Colitis. <i>Inflammatory Intestinal Diseases</i> , 2020, 5, 180-190.	0.8	26
65	Increased Serum Levels of the <sc>IL</sc>â€³3 Neutralizing <sc>sST</sc>2 in Limited Cutaneous Systemic Sclerosis. <i>Scandinavian Journal of Immunology</i> , 2015, 82, 269-274.	1.3	25
66	Management of inflammatory bowel disease-related anemia and iron deficiency with specific reference to the role of intravenous iron in current practice. <i>Expert Opinion on Pharmacotherapy</i> , 2017, 18, 1721-1737.	0.9	25
67	Autocrine growth regulation of human glomerular mesangial cells is primarily mediated by basic fibroblast growth factor. <i>American Journal of Pathology</i> , 1995, 147, 1372-82.	1.9	25
68	Immunomodulatory effects of 25-hydroxyvitamin D3 on monocytic cell differentiation and influence of vitamin D3 polymorphisms in type 1 diabetes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 147, 17-23.	1.2	24
69	Simultaneous and Dose Dependent Melanoma Cytotoxic and Immune Stimulatory Activity of Betulin. <i>PLoS ONE</i> , 2015, 10, e0118802.	1.1	24
70	CD4+ T Cells Recognizing Specific Antigen Deposited in Glomeruli Cause Glomerulonephritis-like Kidney Injury. <i>Clinical Immunology</i> , 2002, 104, 161-173.	1.4	23
71	Tetrahydrobiopterin Attenuates DSS-evoked Colitis in Mice by Rebalancing Redox and Lipid Signalling. <i>Journal of Crohn's and Colitis</i> , 2016, 10, 965-978.	0.6	22
72	Immunopharmacological Activity of Betulin in Inflammation-associated Carcinogenesis. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 18, 645-651.	0.9	22

#	ARTICLE	IF	CITATIONS
73	Betulin silver nanoparticles qualify as efficient antimelanoma agents in in vitro and in vivo studies. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 134, 1-19.	2.0	22
74	Sensorineural hearing loss owing to deficient G proteins in patients with pseudohypoparathyroidism: results of a multicentre study. <i>European Journal of Clinical Investigation</i> , 1990, 20, 416-421.	1.7	21
75	CD40 ligand-triggered human dendritic cells mount interleukin-23 responses that are further enhanced by danger signals. <i>Molecular Immunology</i> , 2010, 47, 1255-1261.	1.0	21
76	Behaviour of four different B16 murine melanoma cell sublines: C57BL/6J skin. <i>International Journal of Experimental Pathology</i> , 2015, 96, 73-80.	0.6	21
77	Additive and synergistic effects of cyclosporine metabolites on glomerular mesangial cells. <i>Kidney International</i> , 1991, 39, 1255-1266.	2.6	20
78	High plasma sST2 levels in gastric cancer and their association with metastatic disease. <i>Cancer Biomarkers</i> , 2016, 16, 117-125.	0.8	20
79	Genetic deletion of Nox4 enhances cancerogen-induced formation of solid tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	20
80	Human glomerular mesangial cells inactivate leukotriene B4 by reduction into dihydro-leukotriene B4 metabolites. <i>Life Sciences</i> , 1990, 46, 1465-1470.	2.0	18
81	22-ene-25-oxa-vitamin D: a new vitamin D analogue with profound immunosuppressive capacities. <i>European Journal of Clinical Investigation</i> , 2005, 35, 343-349.	1.7	18
82	Upregulation of group IB secreted phospholipase A2 and its M-type receptor in rat ANTI-THY-1 glomerulonephritis. <i>Kidney International</i> , 2006, 70, 1251-1260.	2.6	18
83	Selective Inhibition of Monocyte Chemoattractant Protein-1 Gene Expression in Human Embryonal Kidney Cells by Specific Triple Helix-Forming Oligonucleotides. <i>Journal of Immunology</i> , 2000, 164, 2070-2076.	0.4	17
84	Ncf1 Provides a Reactive Oxygen Species-Independent Negative Feedback Regulation of TLR9-Induced IL-12p70 in Murine Dendritic Cells. <i>Journal of Immunology</i> , 2009, 182, 4183-4191.	0.4	17
85	Sphingosine-1-Phosphate Receptor 5 Modulates Early-Stage Processes during Fibrogenesis in a Mouse Model of Systemic Sclerosis: A Pilot Study. <i>Frontiers in Immunology</i> , 2017, 8, 1242.	2.2	17
86	Defective IL-23/IL-17 Axis Protects p47phox ^{-/-} Mice from Colon Cancer. <i>Frontiers in Immunology</i> , 2017, 8, 44.	2.2	16
87	A Homologous Biological Probe for Parathyroid Hormone in Human Serum. <i>Journal of Immunoassay</i> , 1983, 4, 21-47.	0.3	15
88	Effects of cyclosporin and FK-506 on glomerular mesangial cells. <i>European Journal of Clinical Pharmacology</i> , 1993, 44, S11-S16.	0.8	15
89	Transmission of pig endogenous retrovirus to primary human cells. <i>Transplantation Proceedings</i> , 2000, 32, 1157.	0.3	15
90	Production of Recombinant Proteins with <i>Pichia pastoris</i> in Integrated Processing. <i>Engineering in Life Sciences</i> , 2003, 3, 361-370.	2.0	15

#	ARTICLE	IF	CITATIONS
91	Platelet, Not Endothelial, P-Selectin Expression Contributes to Generation of Immunity in Cutaneous Contact Hypersensitivity. <i>American Journal of Pathology</i> , 2010, 176, 1339-1345.	1.9	15
92	LC-MS/MS determination of FTY720 and FTY720-phosphate in murine intracellular compartments and human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 887-888, 122-127.	1.2	15
93	Fingolimod targeting protein phosphatase 2A differently affects IL-33 induced IL-2 and IFN- γ production in CD8 ⁺ lymphocytes. <i>European Journal of Immunology</i> , 2016, 46, 941-951.	1.6	15
94	Analysis of immunoreactive and biologically active human parathyroid hormone-peptides by high-performance-liquid-chromatography. <i>European Journal of Endocrinology</i> , 1984, 107, 60-69.	1.9	14
95	Differential Expression of Mcp-1 and Its Receptor CCR2 in Glucose Primed Human Mesangial Cells. <i>Nephron</i> , 2002, 92, 797-806.	0.9	14
96	Activation-Induced Cell Death of Dendritic Cells Is Dependent on Sphingosine Kinase 1. <i>Frontiers in Pharmacology</i> , 2016, 7, 94.	1.6	14
97	Early identification of interferon-beta responders by ex vivo testing in patients with multiple sclerosis. <i>Clinical Immunology</i> , 2008, 128, 306-313.	1.4	13
98	Interferon-Beta Increases Plasma Ceramides of Specific Chain Length in Multiple Sclerosis Patients, Unlike Fingolimod or Natalizumab. <i>Frontiers in Pharmacology</i> , 2016, 7, 412.	1.6	13
99	Inflammation-Induced Mucosal KYNU Expression Identifies Human Ileal Crohn's Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 1360.	1.0	13
100	The synergistic immunosuppressive potential of cyclosporin metabolite combinations. <i>International Journal of Immunopharmacology</i> , 1992, 14, 595-604.	1.1	12
101	Eukaryotic expression of the broad-spectrum chemokine receptor antagonist vMIP-II and its effects on T-cell function in vitro and in vivo. <i>Experimental Dermatology</i> , 2006, 15, 634-642.	1.4	12
102	CXCL9 Causes Heterologous Desensitization of CXCL12-Mediated Memory T Lymphocyte Activation. <i>Journal of Immunology</i> , 2013, 190, 3696-3705.	0.4	12
103	Tissue Cytokine IL-33 Modulates the Cytotoxic CD8 T Lymphocyte Activity During Nutrient Deprivation by Regulation of Lineage-Specific Differentiation Programs. <i>Frontiers in Immunology</i> , 2019, 10, 1698.	2.2	11
104	Antimicrobial activity, in vitro anticancer effect (MCF-7 breast cancer cell line), antiangiogenic and immunomodulatory potentials of <i>Populus nigra</i> L. buds extract. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 74.	1.2	10
105	Nuclear Translocation of SGPP-1 and Decrease of SGPL-1 Activity Contribute to Sphingolipid Rheostat Regulation of Inflammatory Dendritic Cells. <i>Mediators of Inflammation</i> , 2017, 2017, 1-10.	1.4	9
106	Modulation of IL-33/ST2 and TIR and TLR Signalling Pathway by Fingolimod and Analogues in Immune Cells. <i>Scandinavian Journal of Immunology</i> , 2014, 80, 398-407.	1.3	8
107	Enhanced CXCR4 Expression of Human CD8 ^{Low} T Lymphocytes Is Driven by S1P4. <i>Frontiers in Immunology</i> , 2021, 12, 668884.	2.2	8
108	Subcellular distribution of FTY720 and FTY720-phosphate in immune cells – another aspect of Fingolimod action relevant for therapeutic application. <i>Biological Chemistry</i> , 2015, 396, 795-802.	1.2	6

#	ARTICLE	IF	CITATIONS
109	S1P Lyase siRNA Dampens Malignancy of DLD Colorectal Cancer Cells. <i>Lipids</i> , 2021, 56, 155-166.	0.7	6
110	Modulation of glomerular mesangial cell growth and prostaglandin release by T-lymphocyte products. <i>Agents and Actions</i> , 1991, 32, 109-111.	0.7	5
111	Activated T-lymphocytes induce growth inhibition and prostaglandin E2 release from syngeneic glomerular mesangial cells. <i>Clinical and Experimental Immunology</i> , 2008, 90, 483-490.	1.1	5
112	Computer-aided analysis of cell interactions under dynamic flow conditions. <i>Experimental Dermatology</i> , 2009, 18, 238-245.	1.4	5
113	Betulin - a plant-derived cytostatic drug - enhances antitumor immune response. , 2014, 2, .		5
114	High thioredoxin levels in rheumatoid arthritis patients diminish binding and signalling of the monoclonal antibody Tregalizumab. <i>Clinical and Translational Immunology</i> , 2016, 5, e121.	1.7	5
115	Herstellung rekombinanter Proteine mit <i>Pichia pastoris</i> in integrierter Prozessführung. <i>Chemie-Ingenieur-Technik</i> , 2003, 75, 281-290.	0.4	4
116	Letter: the importance of dosing and baseline haemoglobin when establishing the relative efficacy of intravenous iron therapies authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 705-706.	1.9	4
117	Differential biological activities of human interleukin-1 alpha and interleukin-1 beta. <i>European Cytokine Network</i> , 1991, 2, 51-9.	1.1	4
118	Interference with MCP-1 gene expression by vector generated triple helix-forming RNA oligonucleotides. <i>Cellular and Molecular Life Sciences</i> , 2005, 62, 362-376.	2.4	3
119	Editorial: which iron preparation for patients with IBD? Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 195-196.	1.9	3
120	S1P Lyase Regulates Intestinal Stem Cell Quiescence via Ki-67 and FOXO3. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5682.	1.8	3
121	Mesangial Cell DNA Synthesis Induced by Hydrogen Peroxide, Interleukin-6, and Platelet-Derived Growth Factor: Effects of Indomethacin and Dazmegrel. <i>Nephron</i> , 1996, 72, 263-268.	0.9	2
122	Introduction: Definition and Classification of Biologics. , 2007, , 1-2.		2
123	Influence of the intracellular free calcium level and calmodulin antagonists on prostaglandin and leukotriene synthesis in murine macrophages. <i>Agents and Actions</i> , 1991, 32, 82-84.	0.7	1
124	Integrated Bioprocess Development for Production of Recombinant Proteins in High Cell Density Cultivation with <i>Pichia Pastoris</i> . <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2001, 34, 177-182.	0.4	1
125	Biologics in General Medicine. , 2007, , .		1
126	Letter: the sphingosine 1 phosphate/sphingosine 1 phosphate receptor axis a unique therapeutic target in inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1359-1359.	1.9	1

#	ARTICLE	IF	CITATIONS
127	Monitoring and Control of Pharmaceutical Protein Production with Sequential Integrated Down Stream Processes. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2004, 37, 433-438.	0.4	0
128	Response to Comment on "CXCL9 Causes Heterologous Desensitization of CXCL12-Mediated Memory T Lymphocyte Activation": Journal of Immunology, 2013, 191, 525.2-526.	0.4	0
129	Mo1786 A Multi-Center, Double-Blind, Placebo Controlled, Parallel Group, Proof of Concept Study to Evaluate the Efficacy, Safety and Tolerability of the S1P Receptor Modulator Krp203 in Subjects With Moderately Active Refractory Ulcerative Colitis. Gastroenterology, 2016, 150, S775-S776.	0.6	0
130	Letter: inconsistency in reporting of hypophosphataemia after intravenous iron" authors' reply. Alimentary Pharmacology and Therapeutics, 2017, 46, 643-644.	1.9	0
131	P719 Update of a network meta-analysis of efficacy and safety of different intravenous iron compounds in patients with IBD and anaemia. Journal of Crohn's and Colitis, 2019, 13, S481-S481.	0.6	0
132	Mesenchymal Stromal Cells Suppress T-and B-Cells via Galectin-9 in a Donor Dependent Manner. Blood, 2012, 120, 1248-1248.	0.6	0
133	Molekulare Aspekte der chronischen Entzündung. , 1999, , 157-197.		0