

Chenglin Hong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4551508/publications.pdf>

Version: 2024-02-01

56
papers

1,014
citations

393982

19
h-index

500791

28
g-index

56
all docs

56
docs citations

56
times ranked

995
citing authors

#	ARTICLE	IF	CITATIONS
1	Smart activatable fluorescent probe provides high-quality signal-to-noise ratio and detection limits for electrochemiluminescence. <i>Sensors and Actuators B: Chemical</i> , 2022, 356, 131363.	4.0	12
2	An electrochemiluminescence immunosensor based on Ag-Ti ₃ C ₂ MXene and CNNVs with multiple signal amplification strategies. <i>Bioelectrochemistry</i> , 2022, 146, 108131.	2.4	4
3	Application of a CuS/Au heterostructure with peroxidase-like activity in immunosensors. <i>New Journal of Chemistry</i> , 2022, 46, 13963-13970.	1.4	6
4	Temperature Platform Constructed Using a Cu ₂ O@Cu ₃₁ S ₁₆ Photothermal Conversion System for the Simple Quantitative Analysis of Tumor Markers. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 8517-8525.	3.2	6
5	An immunosensor detects carcinoembryonic antigen by dual catalytic signal enhancer-hydrogen peroxide based on in-situ reduction of silver nanoparticles with dopamine and graphene high-load cobalt tetroxide. <i>Microchemical Journal</i> , 2021, 160, 105602.	2.3	10
6	The application of the inexpensive and synthetically simple electrocatalyst CuFe-MoC@NG in immunosensors. <i>Analyst</i> , 2021, 146, 5421-5428.	1.7	4
7	Ultrasensitive immunosensor for detecting CEA based on double amplified signal of graphene loaded CoFe ₂ O ₄ /Ag nanoparticles. <i>Micro and Nano Letters</i> , 2021, 16, 257-262.	0.6	3
8	Ultrasensitive electrochemical immunosensor based on the signal amplification strategy of the competitive reaction of Zn ²⁺ and ATP ions to construct a "signal on" mode GOx-HRP enzyme cascade reaction. <i>Mikrochimica Acta</i> , 2021, 188, 61.	2.5	16
9	Differences in Performance of Immunosenors Constructed Based on CeO ₂ -Simulating Auxiliary Enzymes. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 1058-1064.	2.6	11
10	Detection of AFP by Electrochemical Immunosensor Based on Ag/Fe ₃ O ₄ @CN ₄ . <i>ChemistrySelect</i> , 2021, 6, 3394-3398.	0.7	3
11	In-vitro and in-vivo monitoring of gold(III) ions from intermediate metabolite of sodium aurothiomalate through water-soluble ruthenium (II) complex-based luminescent probe. <i>Bioorganic Chemistry</i> , 2021, 110, 104749.	2.0	5
12	An immunosensor based on an electrochemical-chemical-chemical advanced redox cycle amplification strategy for the ultrasensitive determination of CEA. <i>Analytica Chimica Acta</i> , 2021, 1170, 338647.	2.6	8
13	An immunosensor using functionalized Cu ₂ O/Pt NPs as the signal probe for rapid and highly sensitive CEA detection with colorimetry and electrochemistry dual modes. <i>Sensors and Actuators B: Chemical</i> , 2021, 341, 130032.	4.0	39
14	The electrochemical immunosensor of the "signal on" strategy that activates M ₂ MoO ₄ (M = Co, Ni) peroxidase with Cu ²⁺ to achieve ultrasensitive detection of CEA. <i>Analytica Chimica Acta</i> , 2021, 1176, 338757.	2.6	8
15	Electrochemical immunosensor using artificial enzyme-induced metallization for the ultra-sensitive detection of alpha fetoprotein. <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130258.	4.0	19
16	Enzyme-free sandwich-type electrochemical immunosensor for CEA detection based on the cooperation of an Ag/g-C ₃ N ₄ -modified electrode and Au@SiO ₂ /Cu ₂ O with core-shell structure. <i>Bioelectrochemistry</i> , 2021, 142, 107931.	2.4	21
17	PSA detection electrochemical immunosensor based on MOF-235 nanomaterial adsorption aggregation signal amplification strategy. <i>Microchemical Journal</i> , 2021, 171, 106870.	2.3	23
18	Ti ₃ C ₂ MXene anchors CuAu-LDH multifunctional two-dimensional nanomaterials for dual-mode detection of CEA in electrochemical immunosensors. <i>Bioelectrochemistry</i> , 2021, 142, 107943.	2.4	18

#	ARTICLE	IF	CITATIONS
19	Construction of a "Signal On" Electrochemical Immunosensor Based on Light Induction. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 13788-13797.	3.2	9
20	An electrochemical immunosensor for the detection of carcinoembryonic antigen based on Au/g-C ₃ N ₄ NSs-modified electrode and CuCo/CNC as signal tag. <i>Mikrochimica Acta</i> , 2021, 188, 408.	2.5	8
21	A sandwich-type electrochemical immunosensor for detecting CEA based on CeO ₂ -MoS ₂ absorbed Pb ²⁺ . <i>Analytical Biochemistry</i> , 2020, 592, 113566.	1.1	24
22	An immunosensor detects carcinoembryonic antigen by a double reduction strategy based on polyphenylamine as a sacrifice reducing agent. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 5055-5066.	3.8	16
23	Microwave-assisted preparation of ZnFe ₂ O ₄ -Ag/rGO nanocomposites for amplification signal detection of alpha-fetoprotein. <i>Bioelectrochemistry</i> , 2020, 132, 107434.	2.4	20
24	Electrochemical sensor for a photoassisted heterogeneous Fenton self-oxidation signal amplification strategy. <i>Sensors and Actuators B: Chemical</i> , 2020, 324, 128772.	4.0	9
25	A sandwich-type electrochemical immunosensor for ultrasensitive detection of multiple tumor markers using an electrical signal difference strategy. <i>Talanta</i> , 2020, 219, 121322.	2.9	24
26	A sandwich-type electrochemical immunosensor using Ag@CeO ₂ -Au as a label for sensitive detection of carcinoembryonic antigen. <i>Microchemical Journal</i> , 2020, 159, 105415.	2.3	17
27	Bimetallic PtCu nanoparticles supported on molybdenum disulfide-functionalized graphitic carbon nitride for the detection of carcinoembryonic antigen. <i>Mikrochimica Acta</i> , 2020, 187, 538.	2.5	11
28	Ultrasensitive immunosensor for AFP detection based on Cu ₂ O to generate electrical signals. <i>Micro and Nano Letters</i> , 2020, 15, 125-129.	0.6	7
29	The Synergistic Effect of Ferrocene and Cu ₂ O to Construct a Sandwich-Type Multi-Signal Amplification Ultra-Sensitive Immunosensor for Carcinoembryonic Antigen Detection. <i>Journal of the Electrochemical Society</i> , 2020, 167, 027538.	1.3	7
30	A sandwich-type electrochemical immunosensor for ultrasensitive detection of CEA based on core-shell Cu ₂ O@Cu-MOF@Au NPs nanostructure attached with HRP for triple signal amplification. <i>Journal of Materials Science</i> , 2020, 55, 13980-13994.	1.7	16
31	Optimal film thickness of rGO/MoS ₂ @ polyaniline nanosheets of 3D arrays for carcinoembryonic antigen high sensitivity detection. <i>Microchemical Journal</i> , 2020, 155, 104694.	2.3	35
32	Functionalized polyaniline based on protonic acid doping as a direct electron mediator to amplify sensor signals. <i>Journal of Molecular Structure</i> , 2020, 1209, 127924.	1.8	11
33	Sensitive detection of carcinoembryonic antigen (CEA) by a sandwich-type electrochemical immunosensor using MOF-Ce@HA/Ag-HRP-Ab ₂ as a nanoprobe. <i>Nanotechnology</i> , 2020, 31, 185605.	1.3	18
34	A novel electrochemical immunosensor based on CoS ₂ for early screening of tumor marker carcinoembryonic antigen. <i>New Journal of Chemistry</i> , 2020, 44, 3524-3532.	1.4	10
35	First use of inorganic copper silicate-transduced enzyme-free electrochemical immunosensor for carcinoembryonic antigen detection. <i>Sensors and Actuators B: Chemical</i> , 2020, 319, 128311.	4.0	21
36	An electrochemical immunosensor for CEA detection based on Au-Ag/rGO@PDA nanocomposites as integrated double signal amplification strategy. <i>Microchemical Journal</i> , 2019, 151, 104223.	2.3	35

#	ARTICLE	IF	CITATIONS
37	Sandwich-type electrochemical immunosensor constructed using three-dimensional lamellar stacked CoS ₂ @C hollow nanotubes prepared by template-free method to detect carcinoembryonic antigen. <i>Analytica Chimica Acta</i> , 2019, 1088, 54-62.	2.6	34
38	3D graphene/MWNTs nano-frameworks embedded Ag-Au bimetallic NPs for carcinoembryonic antigen detection. <i>Microchemical Journal</i> , 2019, 148, 548-554.	2.3	18
39	A novel sensitive and selective electrochemical sensor based on integration of molecularly imprinted with hollow silver nanospheres for determination of carbamazepine. <i>Microchemical Journal</i> , 2019, 147, 191-197.	2.3	26
40	Electrochemical immunosensor for alpha-fetoprotein based on prussian blue-carbon nanotube@polydopamine. <i>Micro and Nano Letters</i> , 2018, 13, 58-62.	0.6	11
41	Seasonal variations of mercury levels and human health risk in vegetables from Arid Oasis (Shihezi) Tj ETQq1 1 0.784314 rgBT /Overlook	1.7	17
42	Adsorption and desorption of Hg(II) by three typical soils around the chlor-alkali industry. <i>Human and Ecological Risk Assessment (HERA)</i> , 2017, 23, 1601-1609.	1.7	2
43	A porous CuO nanowire-based signal amplification immunosensor for the detection of carcinoembryonic antigens. <i>RSC Advances</i> , 2016, 6, 16982-16987.	1.7	11
44	Heavy metal contamination of urban topsoil in a petrochemical industrial city in Xinjiang, China. <i>Journal of Arid Land</i> , 2016, 8, 871-880.	0.9	31
45	Cu ₂ O rhombic dodecahedra as a superexcellent electroactive substance for ultrasensitive electrochemical immunosensors. <i>Analytical Methods</i> , 2016, 8, 1307-1312.	1.3	2
46	Graphene oxide supported rhombic dodecahedral Cu ₂ O nanocrystals for the detection of carcinoembryonic antigen. <i>Analytical Biochemistry</i> , 2016, 494, 101-107.	1.1	24
47	An electrochemical immunosensor for simultaneous point-of-care cancer markers based on the host-guest inclusion of β -cyclodextrin-graphene oxide. <i>Journal of Materials Chemistry B</i> , 2016, 4, 990-996.	2.9	51
48	A sandwich-type electrochemical immunosensor for carcinoembryonic antigen based on signal amplification strategy of optimized ferrocene functionalized Fe ₃ O ₄ @SiO ₂ as labels. <i>Biosensors and Bioelectronics</i> , 2016, 79, 48-54.	5.3	94
49	Multi-walled carbon nanotubes-chitosan with a branched structure modified with ferrocenecarboxylic acid for carcinoembryonic antigen detection. <i>Analytical Methods</i> , 2015, 7, 10032-10039.	1.3	7
50	Graphene oxide stabilized Cu ₂ O for shape selective nanocatalysis. <i>Journal of Materials Chemistry A</i> , 2014, 2, 7147.	5.2	28
51	Ultrasensitive amperometric immunosensor for the determination of carcinoembryonic antigen based on a porous chitosan and gold nanoparticles functionalized interface. <i>Mikrochimica Acta</i> , 2009, 167, 217-224.	2.5	21
52	Ferrocenyl-doped silica nanoparticles as an immobilized affinity support for electrochemical immunoassay of cancer antigen 15-3. <i>Analytica Chimica Acta</i> , 2009, 633, 244-249.	2.6	27
53	Enhancement of carcinoembryonic antibody immobilization on gold electrode modified by gold nanoparticles and SiO ₂ /Thionine nanocomposite. <i>Journal of Electroanalytical Chemistry</i> , 2009, 628, 90-96.	1.9	53
54	Porous redox-active Cu ₂ O-SiO ₂ nanostructured film: Preparation, characterization and application for a label-free amperometric ferritin immunosensor. <i>Talanta</i> , 2009, 78, 596-601.	2.9	20

#	ARTICLE	IF	CITATIONS
55	Biomolecule-Doped Organic/Inorganic Hybrid Nanocomposite Film for Label-Free Electrochemical Immunoassay of α -fetoprotein. <i>Electroanalysis</i> , 2008, 20, 989-995.	1.5	11
56	Amperometric Immunosensor for the Determination of α -fetoprotein Based on Core-Shell Prussian Blue-BSA-Nanogold Functionalized Interface. <i>Electroanalysis</i> , 2008, 20, 2185-2191.	1.5	21