

I M Verdonck-De Leeuw

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4553487/i-m-verdonck-de-leeuw-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

2,687
citations

28
h-index

49
g-index

101
ext. papers

3,492
ext. citations

4.1
avg, IF

5.03
L-index

#	Paper	IF	Citations
96	Effectiveness, Cost-effectiveness, and Cost-Utility of a Digital Smoking Cessation Intervention for Cancer Survivors: Health Economic Evaluation and Outcomes of a Pragmatic Randomized Controlled Trial.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e27588	7.6	0
95	Prevalence of neurocognitive and perceived speech deficits in patients with head and neck cancer before treatment: Associations with demographic, behavioral, and disease-related factors. <i>Head and Neck</i> , 2021 , 44, 332	4.2	1
94	Adjustment disorder in cancer patients after treatment: prevalence and acceptance of psychological treatment. <i>Supportive Care in Cancer</i> , 2021 , 30, 1797	3.9	1
93	The eHealth self-management application <i>Onkocompas</i> that supports cancer survivors to improve health-related quality of life and reduce symptoms: which groups benefit most?. <i>Acta Oncologica</i> , 2021 , 60, 403-411	3.2	9
92	A structured expressive writing activity targeting body image-related distress among head and neck cancer survivors: who do we reach and what are the effects?. <i>Supportive Care in Cancer</i> , 2021 , 29, 5763-5776	3.9	3
91	Re-evaluating randomized clinical trials of psychological interventions: Impact of response shift on the interpretation of trial results. <i>PLoS ONE</i> , 2021 , 16, e0252035	3.7	0
90	Reliability of the 100 mL water swallow test in patients with head and neck cancer and healthy subjects. <i>Head and Neck</i> , 2021 , 43, 2468-2476	4.2	3
89	Mastication, swallowing, and salivary flow in patients with head and neck cancer: objective tests versus patient-reported outcomes. <i>Supportive Care in Cancer</i> , 2021 , 29, 7793-7803	3.9	2
88	Psychological problems among cancer patients in relation to healthcare and societal costs: A systematic review. <i>Psycho-Oncology</i> , 2021 , 30, 1801-1835	3.9	2
87	Management of Cancer and Health After the Clinic Visit: A Call to Action for Self-Management in Cancer Care. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 523-531	9.7	44
86	A randomized controlled trial on the efficacy of life review therapy targeting incurably ill cancer patients: do their informal caregivers benefit?. <i>Supportive Care in Cancer</i> , 2021 , 29, 1257-1264	3.9	3
85	Cost-utility of an eHealth application <i>Onkocompas</i> that supports cancer survivors in self-management: results of a randomised controlled trial. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 77-88	5.1	10
84	Health-related quality of life and overall survival: a prospective study in patients with head and neck cancer treated with radiotherapy. <i>Quality of Life Research</i> , 2021 , 30, 1145-1153	3.7	1
83	Body image distress in head and neck cancer patients: what are we looking at?. <i>Supportive Care in Cancer</i> , 2021 , 29, 2161-2169	3.9	10
82	The course of health-related quality of life from diagnosis to two years follow-up in patients with oropharyngeal cancer: does HPV status matter?. <i>Supportive Care in Cancer</i> , 2021 , 29, 4473-4483	3.9	7
81	Reasons for not reaching or using web-based self-management applications, and the use and evaluation of <i>Onkocompas</i> among cancer survivors, in the context of a randomised controlled trial. <i>Internet Interventions</i> , 2021 , 25, 100429	4.4	6
80	Reliability of the mixing ability test testing masticatory performance in patients with head and neck cancer and healthy controls. <i>Journal of Oral Rehabilitation</i> , 2020 , 47, 961-966	3.4	3

79	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020 , 80, 101882	10.8	2
78	The course of symptoms of anxiety and depression from time of diagnosis up to 2½years follow-up in head and neck cancer patients treated with primary (chemo)radiation. <i>Oral Oncology</i> , 2020 , 102, 104576	4.4	11
77	Transcending the Suffering in Cancer: Impact of a Spiritual Life Review Intervention on Spiritual Re-Evaluation, Spiritual Growth and Psycho-Spiritual Wellbeing. <i>Religions</i> , 2020 , 11, 142	0.6	4
76	Efficacy and cost-utility of the eHealth self-management application <i>ONcokompas</i> helping partners of patients with incurable cancer to identify their unmet supportive care needs and to take actions to meet their needs: a study protocol of a randomized controlled trial. <i>Trials</i> , 2020 , 21, 124	2.8	6
75	Onderzoek naar de kwaliteit van leven van kankerpatiënten 2020 , 681-691		
74	Long-term efficacy of meaning-centered group psychotherapy for cancer survivors: 2-Year follow-up results of a randomized controlled trial. <i>Psycho-Oncology</i> , 2020 , 29, 711-718	3.9	6
73	Role of eHealth application <i>ONcokompas</i> in supporting self-management of symptoms and health-related quality of life in cancer survivors: a randomised, controlled trial. <i>Lancet Oncology</i> , 2020 , 21, 80-94	21.7	54
72	Physical activity in patients with cancer: self-report versus accelerometer assessments. <i>Supportive Care in Cancer</i> , 2020 , 28, 3701-3709	3.9	6
71	Moderators of the effect of psychosocial interventions on fatigue in women with breast cancer and men with prostate cancer: Individual patient data meta-analyses. <i>Psycho-Oncology</i> , 2020 , 29, 1772-1785	3.9	5
70	Demographic, clinical and lifestyle-related correlates of accelerometer assessed physical activity and fitness in newly diagnosed patients with head and neck cancer. <i>Acta Oncologica</i> , 2020 , 59, 342-350	3.2	8
69	Health-related and cancer-related Internet use by patients treated with total laryngectomy. <i>Supportive Care in Cancer</i> , 2020 , 28, 131-140	3.9	6
68	Efficacy and cost-utility of the eHealth application <i>ONcokompas</i> supporting patients with incurable cancer in finding optimal palliative care, tailored to their quality of life and personal preferences: a study protocol of a randomized controlled trial. <i>BMC Palliative Care</i> , 2019 , 18, 85	3	8
67	Prevalence and clinical and psychological correlates of high fear of cancer recurrence in patients newly diagnosed with head and neck cancer. <i>Head and Neck</i> , 2019 , 41, 3187-3200	4.2	17
66	The International Index of Erectile Function (IIEF)-A Systematic Review of Measurement Properties. <i>Journal of Sexual Medicine</i> , 2019 , 16, 1078-1091	1.1	29
65	Ecological momentary assessments among patients with cancer: A scoping review. <i>European Journal of Cancer Care</i> , 2019 , 28, e13095	2.4	10
64	Body changes after cancer: female cancer patients'perceived social support and their perspective on care. <i>Supportive Care in Cancer</i> , 2019 , 27, 4299-4306	3.9	4
63	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: which groups specifically benefit? Secondary analyses of a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2019 , 27, 4543-4553	3.9	4
62	Factors associated with depression over time in head and neck cancer patients: A systematic review. <i>Psycho-Oncology</i> , 2019 , 28, 1159-1183	3.9	23

61	Measuring health-related quality of life in colorectal cancer patients: systematic review of measurement properties of the EORTC QLQ-CR29. <i>Supportive Care in Cancer</i> , 2019 , 27, 2395-2412	3.9	6
60	Positive mental health among cancer survivors: overlap in psychological well-being, personal meaning, and posttraumatic growth. <i>Supportive Care in Cancer</i> , 2019 , 27, 443-450	3.9	5
59	Advancing interdisciplinary research in head and neck cancer through a multicenter longitudinal prospective cohort study: the NETHERlands QUality of life and Biomedical Cohort (NET-QUBIC) data warehouse and biobank. <i>BMC Cancer</i> , 2019 , 19, 765	4.8	19
58	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. <i>Journal of Psychosomatic Research</i> , 2019 , 124, 109746	4.1	10
57	Prevalence of sleep disturbances among head and neck cancer patients: A systematic review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2019 , 47, 62-73	10.2	18
56	OS7.5 Healthcare utilization, medication use, and productivity loss in glioma patients with depressive symptoms and their family caregivers. <i>Neuro-Oncology</i> , 2019 , 21, iii15-iii15	1	78
55	Translation of the eHealth Impact Questionnaire for a Population of Dutch Electronic Health Users: Validation Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13408	7.6	8
54	Understanding Drivers of Resistance Toward Implementation of Web-Based Self-Management Tools in Routine Cancer Care Among Oncology Nurses: Cross-Sectional Survey Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e14985	7.6	2
53	Prevalence of adjustment disorder among cancer patients, and the reach, effectiveness, cost-utility and budget impact of tailored psychological treatment: study protocol of a randomized controlled trial. <i>BMC Psychology</i> , 2019 , 7, 89	2.8	3
52	Patients' Experiences of life review therapy combined with memory specificity training (LRT-MST) targeting cancer patients in palliative care. <i>Supportive Care in Cancer</i> , 2019 , 27, 3311-3319	3.9	4
51	Adoption and implementation of a web-based self-management application "Oncokompas" in routine cancer care: a national pilot study. <i>Supportive Care in Cancer</i> , 2019 , 27, 2911-2920	3.9	18
50	Cost-utility analysis of meaning-centered group psychotherapy for cancer survivors. <i>Psycho-Oncology</i> , 2018 , 27, 1772-1779	3.9	4
49	Oncokompas, a web-based self-management application to support patient activation and optimal supportive care: a feasibility study among breast cancer survivors. <i>Acta Oncologica</i> , 2018 , 57, 924-934	3.2	37
48	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data meta-analysis of 22 RCTs. <i>Psycho-Oncology</i> , 2018 , 27, 1150-1161	3.9	49
47	Physicians' Emotion regulation during communication with advanced cancer patients. <i>Psycho-Oncology</i> , 2018 , 27, 929-936	3.9	8
46	A systematic review of the measurement properties of the Body Image Scale (BIS) in cancer patients. <i>Supportive Care in Cancer</i> , 2018 , 26, 1715-1726	3.9	25
45	The efficacy of Life Review Therapy combined with Memory Specificity Training (LRT-MST) targeting cancer patients in palliative care: A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0197277	3.7	20
44	A systematic review of the measurement properties of the European Organisation for Research and Treatment of Cancer In-patient Satisfaction with Care Questionnaire, the EORTC IN-PATSAT32. <i>Supportive Care in Cancer</i> , 2018 , 26, 2551-2560	3.9	5

43	Unmet supportive care needs in patients treated with total laryngectomy and its associated factors. <i>Head and Neck</i> , 2018 , 40, 2633-2641	4.2	17
42	The course of sexual interest and enjoyment in head and neck cancer patients treated with primary (chemo)radiotherapy. <i>Oral Oncology</i> , 2018 , 83, 120-126	4.4	5
41	Posttraumatic growth among head and neck cancer survivors with psychological distress. <i>Psycho-Oncology</i> , 2017 , 26, 96-101	3.9	27
40	Efficacy of meaning-centered group psychotherapy for cancer survivors: a randomized controlled trial. <i>Psychological Medicine</i> , 2017 , 47, 1990-2001	6.9	52
39	Shared decision-making and providing information among newly diagnosed patients with hematological malignancies and their informal caregivers: Not "one-size-fits-all". <i>Psycho-Oncology</i> , 2017 , 26, 2040-2047	3.9	20
38	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. <i>Cancer Treatment Reviews</i> , 2017 , 52, 91-104	14.4	272
37	Patient satisfaction and alliance as a function of the physician's self-regulation, the physician's stress, and the content of consultation in cancer care. <i>Psycho-Oncology</i> , 2017 , 26, 927-934	3.9	7
36	Durable usage of patient-reported outcome measures in clinical practice to monitor health-related quality of life in head and neck cancer patients. <i>Supportive Care in Cancer</i> , 2017 , 25, 3775-3783	3.9	22
35	A guided self-help intervention targeting psychological distress among head and neck cancer and lung cancer patients: motivation to start, experiences and perceived outcomes. <i>Supportive Care in Cancer</i> , 2017 , 25, 127-135	3.9	7
34	Efficacy, cost-utility and reach of an eHealth self-management application <i>Onkocompas</i> that helps cancer survivors to obtain optimal supportive care: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 228	2.8	32
33	Prophylactic exercises among head and neck cancer patients during and after swallowing sparing intensity modulated radiation: adherence and exercise performance levels of a 12-week guided home-based program. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 1129-1138	3.5	32
32	An online self-care education program to support patients after total laryngectomy: feasibility and satisfaction. <i>Supportive Care in Cancer</i> , 2016 , 24, 1261-8	3.9	28
31	Effectiveness and cost-utility of a guided self-help exercise program for patients treated with total laryngectomy: protocol of a multi-center randomized controlled trial. <i>BMC Cancer</i> , 2016 , 16, 580	4.8	12
30	Attitudes and preferences toward monitoring symptoms, distress, and quality of life in glioma patients and their informal caregivers. <i>Supportive Care in Cancer</i> , 2016 , 24, 3011-22	3.9	17
29	Screening for psychological distress in follow-up care to identify head and neck cancer patients with untreated distress. <i>Supportive Care in Cancer</i> , 2016 , 24, 2541-8	3.9	39
28	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: a randomized, controlled trial. <i>Annals of Oncology</i> , 2016 , 27, 1754-60	10.3	37
27	Prevalence of swallowing and speech problems in daily life after chemoradiation for head and neck cancer based on cut-off scores of the patient-reported outcome measures SWAL-QOL and SHI. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 1849-55	3.5	42
26	Psychometric Characteristics of a Patient Reported Outcome Measure on Ego-Integrity and Despair among Cancer Patients. <i>PLoS ONE</i> , 2016 , 11, e0156003	3.7	8

25	Development of a patient decision aid for the treatment of localised prostate cancer: a participatory design approach. <i>Journal of Clinical Nursing</i> , 2016 , 25, 1131-44	3.2	19
24	Identifying cutoff scores for the EORTC QLQ-C30 and the head and neck cancer-specific module EORTC QLQ-H&N35 representing unmet supportive care needs in patients with head and neck cancer. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1493-500	4.2	19
23	Patients'Sperspective on the impact of sentinel node biopsy in oral cancer treatment. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2016 , 122, 279-86	2	6
22	Feasibility of an eHealth application "OncoKompas" to improve personalized survivorship cancer care. <i>Supportive Care in Cancer</i> , 2016 , 24, 2163-2171	3.9	63
21	The need for supportive care among head and neck cancer patients: psychometric assessment of the Dutch version of the Supportive Care Needs Survey Short-Form (SCNS-SF34) and the newly developed head and neck cancer module (SCNS-HNC). <i>Supportive Care in Cancer</i> , 2016 , 24, 4639-49	3.9	16
20	The use of EORTC measures in daily clinical practice-A synopsis of a newly developed manual. <i>European Journal of Cancer</i> , 2016 , 68, 73-81	7.5	55
19	A mixed-method study on the generic and ostomy-specific quality of life of cancer and non-cancer ostomy patients. <i>Supportive Care in Cancer</i> , 2015 , 23, 1689-97	3.9	28
18	Cancer survivors'Sperceived need for supportive care and their attitude towards self-management and eHealth. <i>Supportive Care in Cancer</i> , 2015 , 23, 1679-88	3.9	112
17	A web-based self-help intervention for partners of cancer patients based on Acceptance and Commitment Therapy: a protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2015 , 15, 303	4.1	25
16	Validity of patient-reported swallowing and speech outcomes in relation to objectively measured oral function among patients treated for oral or oropharyngeal cancer. <i>Dysphagia</i> , 2015 , 30, 196-204	3.7	18
15	Improving access to supportive cancer care through an eHealth application: a qualitative needs assessment among cancer survivors. <i>Journal of Clinical Nursing</i> , 2015 , 24, 1367-79	3.2	74
14	The association between health related quality of life and survival in patients with head and neck cancer: a systematic review. <i>Oral Oncology</i> , 2015 , 51, 1-11	4.4	49
13	Improving care after colon cancer treatment in The Netherlands, personalised care to enhance quality of life (I CARE study): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 284	2.8	13
12	Needs and Preferences of Partners of Cancer Patients Regarding a Web-Based Psychological Intervention: A Qualitative Study. <i>JMIR Cancer</i> , 2015 , 1, e13	3.2	10
11	An eHealth Application in Head and Neck Cancer Survivorship Care: Health Care Professionals'S Perspectives. <i>Journal of Medical Internet Research</i> , 2015 , 17, e235	7.6	35
10	Prevalence of depression in cancer patients: a meta-analysis of diagnostic interviews and self-report instruments. <i>Psycho-Oncology</i> , 2014 , 23, 121-30	3.9	449
9	Patient-reported symptom questionnaires in laryngeal cancer: voice, speech and swallowing. <i>Oral Oncology</i> , 2014 , 50, 759-64	4.4	32
8	Effectiveness and cost-effectiveness of meaning-centered group psychotherapy in cancer survivors: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 22	4.2	36

7	The course of health-related quality of life in head and neck cancer patients treated with chemoradiation: a prospective cohort study. <i>Radiotherapy and Oncology</i> , 2014 , 110, 422-8	5.3	60
6	A comprehensive assessment protocol including patient reported outcomes, physical tests, and biological sampling in newly diagnosed patients with head and neck cancer: is it feasible?. <i>Supportive Care in Cancer</i> , 2014 , 22, 3321-30	3.9	9
5	Item reduction of the voice handicap index based on the original version and on European translations. <i>Folia Phoniatica Et Logopaedica</i> , 2009 , 61, 37-48	1.5	51
4	Validation of the voice handicap index by assessing equivalence of European translations. <i>Folia Phoniatica Et Logopaedica</i> , 2008 , 60, 173-8	1.5	80
3	Touch screen computer-assisted health-related quality of life and distress data collection in head and neck cancer patients. <i>Clinical Otolaryngology</i> , 2008 , 33, 138-42	1.8	43
2	Voice in early glottic cancer compared to benign voice pathology. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007 , 264, 1033-8	3.5	38
1	Deviant vocal fold vibration as observed during videokymography: the effect on voice quality. <i>Journal of Voice</i> , 2001 , 15, 313-22	1.9	38