## Eun Sook Lee

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4553951/publications.pdf

Version: 2024-02-01

331670 254184 2,117 83 21 43 h-index citations g-index papers 85 85 85 4217 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Cancer Statistics in Korea: Incidence, Mortality, Survival, and Prevalence in 2015. Cancer Research and Treatment, 2018, 50, 303-316.	3.0	344
2	Cancer Statistics in Korea: Incidence, Mortality, Survival, and Prevalence in 2017. Cancer Research and Treatment, 2020, 52, 335-350.	3.0	343
3	A Web-based self-management exercise and diet intervention for breast cancer survivors: Pilot randomized controlled trial. International Journal of Nursing Studies, 2014, 51, 1557-1567.	5.6	128
4	Incidence of Diabetes After Cancer Development. JAMA Oncology, 2018, 4, 1099.	7.1	96
5	Ki-67 Expression Gives Additional Prognostic Information on St. Gallen 2007 and Adjuvant! Online Risk Categories in Early Breast Cancer. Annals of Surgical Oncology, 2009, 16, 1112-1121.	1.5	76
6	Health-Related Quality of Life in Survivors With Breast Cancer 1 Year After Diagnosis Compared With the General Population. Annals of Surgery, 2011, 253, 101-108.	4.2	68
7	Risk Factors for Malignancy in Benign Papillomas of the Breast on Core Needle Biopsy. World Journal of Surgery, 2010, 34, 261-265.	1.6	46
8	Identification of Prognostic Risk Factors for Transient and Persistent Lymphedema after Multimodal Treatment for Breast Cancer. Cancer Research and Treatment, 2016, 48, 1330-1337.	3.0	45
9	Prognostic Impact of [18F] FDG-PET in Operable Breast Cancer Treated with Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2010, 17, 247-253.	1.5	42
10	Locoregional Recurrence by Tumor Biology in Breast Cancer Patients after Preoperative Chemotherapy and Breast Conservation Treatment. Cancer Research and Treatment, 2016, 48, 1363-1372.	3.0	40
11	A randomized controlled trial of physical activity, dietary habit, and distress management with the Leadership and Coaching for Health (LEACH) program for disease-free cancer survivors. BMC Cancer, 2017, 17, 298.	2.6	38
12	Impact of Molecular Subtype Conversion of Breast Cancers after Neoadjuvant Chemotherapy on Clinical Outcome. Cancer Research and Treatment, 2016, 48, 133-141.	3.0	35
13	Outcome following sentinel lymph node biopsy-guided decisions in breast cancer patients with conversion from positive to negative axillary lymph nodes after neoadjuvant chemotherapy. Breast Cancer Research and Treatment, 2017, 166, 473-480.	2.5	32
14	Efficacy of neoadjuvant endocrine therapy compared with neoadjuvant chemotherapy in pre-menopausal patients with oestrogen receptor-positive and HER2-negative, lymph node-positive breast cancer. Breast Cancer Research, 2020, 22, 54.	5.0	32
15	Dietary Factors and Female Breast Cancer Risk: A Prospective Cohort Study. Nutrients, 2017, 9, 1331.	4.1	31
16	Prognostic impact of skeletal muscle volume derived from cross-sectional computed tomography images in breast cancer. Breast Cancer Research and Treatment, 2018, 172, 425-436.	2.5	30
17	Breast Cancer–Related Lymphedema after Neoadjuvant Chemotherapy. Cancer Research and Treatment, 2015, 47, 416-423.	3.0	29
18	Unmet needs and related factors of Korean breast cancer survivors: a multicenter, cross-sectional study. BMC Cancer, 2019, 19, 839.	2.6	28

#	Article	IF	CITATIONS
19	Effect of Antihypertensive Medications on Sepsis-Related Outcomes: A Population-Based Cohort Study*. Critical Care Medicine, 2019, 47, e386-e393.	0.9	28
20	Efficacy of health coaching and a webâ€based program on physical activity, weight, and distress management among cancer survivors: A multiâ€centered randomised controlled trial. Psycho-Oncology, 2020, 29, 1105-1114.	2.3	28
21	Uptake of risk-reducing salpingo-oophorectomy among female BRCA mutation carriers: experience at the National Cancer Center of Korea. Journal of Cancer Research and Clinical Oncology, 2016, 142, 333-340.	2.5	27
22	Automated Measurement of Multiple Cancer Biomarkers Using Quantum-Dot-Based Microfluidic Immunohistochemistry. Analytical Chemistry, 2015, 87, 4177-4183.	6.5	26
23	Dietary pattern and health-related quality of life among breast cancer survivors. BMC Women's Health, 2018, 18, 65.	2.0	25
24	Patientâ€reported assessment of selfâ€management strategies of health in cancer patients: development and validation of the Smart Management Strategy for Health Assessment Tool (SAT). Psycho-Oncology, 2015, 24, 1723-1730.	2.3	24
25	Dietary Inflammatory Index and Risk of Breast Cancer Based on Hormone Receptor Status: A Case-Control Study in Korea. Nutrients, 2019, 11, 1949.	4.1	23
26	Identification of Risk Factors for Locoregional Recurrence in Breast Cancer Patients with Nodal Stage NO and N1: Who Could Benefit from Post-Mastectomy Radiotherapy?. PLoS ONE, 2015, 10, e0145463.	2.5	20
27	The Value of Ki67 in Very Young Women with Hormone Receptor-Positive Breast Cancer: Retrospective Analysis of 9,321 Korean Women. Annals of Surgical Oncology, 2015, 22, 3481-3488.	1.5	20
28	Factors associated with physical activity of breast cancer patients participating in exercise intervention. Supportive Care in Cancer, 2019, 27, 1747-1754.	2.2	19
29	Genomic Characteristics of Triple-Negative Breast Cancer Nominate Molecular Subtypes That Predict Chemotherapy Response. Molecular Cancer Research, 2020, 18, 253-263.	3.4	19
30	Trends in the Aggressiveness of End-of-Life Care for Korean Pediatric Cancer Patients Who Died in 2007–2010. PLoS ONE, 2014, 9, e99888.	2.5	18
31	Survival of Breast-Conserving Surgery Plus Radiotherapy versus Total Mastectomy in Early Breast Cancer. Annals of Surgical Oncology, 2021, 28, 5039-5047.	1.5	18
32	The Significance of Serum HER2 Levels at Diagnosis on Intrinsic Subtype-Specific Outcome of Operable Breast Cancer Patients. PLoS ONE, 2016, 11, e0163370.	2.5	17
33	Guidelines for Cancer Care during the COVID-19 Pandemic in South Korea. Cancer Research and Treatment, 2021, 53, 323-329.	3.0	16
34	Factors associated with late recurrence after completion of 5-year adjuvant tamoxifen in estrogen receptor positive breast cancer. BMC Cancer, 2016, 16, 430.	2.6	15
35	Assessment of Breast Cancer Patients' Knowledge and Decisional Conflict Regarding Tamoxifen Use. Journal of Korean Medical Science, 2015, 30, 1604.	2.5	14
36	Tamoxifen therapy improves overall survival in luminal A subtype of ductal carcinoma in situ: a study based on nationwide Korean Breast Cancer Registry database. Breast Cancer Research and Treatment, 2018, 169, 311-322.	2.5	14

#	Article	IF	Citations
37	Retrospectively validating the results of the ACOSOG Z0011 trial in a large Asian Z0011-eligible cohort. Breast Cancer Research and Treatment, 2019, 175, 203-215.	2.5	13
38	Adherence to the American Cancer Society Guidelines for Cancer Survivors and Health-Related Quality of Life among Breast Cancer Survivors. Nutrients, 2019, 11, 2924.	4.1	13
39	Prognostic Value of Post-diagnosis Health-Related Quality of Life for Overall Survival in Breast Cancer: Findings from a 10-Year Prospective Cohort in Korea. Cancer Research and Treatment, 2019, 51, 1600-1611.	3.0	13
40	Use of Gadoxetic Acid–enhanced Liver MRI and Mortality in More than 30 000 Patients with Hepatocellular Carcinoma: A Nationwide Analysis. Radiology, 2020, 295, 114-124.	7.3	12
41	Effect of Time Interval between Breast-Conserving Surgery and Radiation Therapy on Outcomes of Node-Positive Breast Cancer Patients Treated with Adjuvant Doxorubicin/Cyclophosphamide Followed by Taxane. Cancer Research and Treatment, 2016, 48, 483-490.	3.0	12
42	Night-shift work and risk of breast cancer in Korean women. Clinical Epidemiology, 2019, Volume 11, 743-751.	3.0	11
43	Prediagnosis obesity and secondary primary cancer risk in female cancer survivors: A national cohort study. Cancer Medicine, 2019, 8, 824-838.	2.8	11
44	Postmastectomy Radiotherapy in Patients with pT1-2N1 Breast Cancer Treated with Taxane-Based Chemotherapy: A Retrospective Multicenter Analysis (KROG 1418). Cancer Research and Treatment, 2017, 49, 927-936.	3.0	11
45	The reality in the follow-up of breast cancer survivors: survey of Korean Breast Cancer Society. Annals of Surgical Treatment and Research, 2015, 88, 133.	1.0	10
46	Systematic evaluation of scoring methods for Ki67 as a surrogate for 21-gene recurrence score. Npj Breast Cancer, 2021, 7, 13.	5.2	10
47	Different Patterns of Risk Reducing Decisions in Affected or Unaffected BRCA Pathogenic Variant Carriers. Cancer Research and Treatment, 2019, 51, 280-288.	3.0	10
48	Infection-related and lifestyle-related cancer burden in Kampala, Uganda: projection of the future cancer incidence up to 2030. BMJ Open, 2022, 12, e056722.	1.9	10
49	Prognostic Impact of Elective Supraclavicular Nodal Irradiation for Patients with N1 Breast Cancer after Lumpectomy and Anthracycline Plus Taxane-Based Chemotherapy (KROG 1418): A Multicenter Case-Controlled Study. Cancer Research and Treatment, 2017, 49, 970-980.	3.0	9
50	Outcomes of Pregnancy after Breast Cancer in Korean Women: A Large Cohort Study. Cancer Research and Treatment, 2020, 52, 426-437.	3.0	9
51	Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivors. Quality of Life Research, 2018, 27, 347-354.	3.1	8
52	Survival in untreated hepatocellular carcinoma: A national cohort study. PLoS ONE, 2021, 16, e0246143.	2.5	8
53	Surgical outcomes of localization using indocyanine green fluorescence in breast conserving surgery: a prospective study. Scientific Reports, 2021, 11, 9997.	3.3	8
54	Metabolic syndrome in breast cancer survivors with high carbohydrate consumption: The first report in community setting. Clinical Nutrition, 2017, 36, 1372-1377.	5.0	7

#	Article	IF	CITATIONS
55	Clinical Significance of Lymph-Node Ratio in Determining Supraclavicular Lymph-Node Radiation Therapy in pN1 Breast Cancer Patients Who Received Breast-Conserving Treatment (KROG 14-18): A Multicenter Study. Cancers, 2019, 11, 680.	3.7	7
56	Unmet needs and quality of life of caregivers of Korean breast cancer survivors: a cross-sectional study. Annals of Surgical Treatment and Research, 2021, 101, 69.	1.0	7
57	Analysis of the tumor characteristics in young age breast cancer patients using collaborative stage data of the Korea Central Cancer Registry. Breast Cancer Research and Treatment, 2021, 187, 785-792.	2.5	6
58	Long-term trajectory of postoperative health-related quality of life in young breast cancer patients: a 15-year follow-up study. Journal of Cancer Survivorship, 2023, 17, 1416-1426.	2.9	6
59	Radiation Pneumonitis after Adjuvant Radiotherapy for Breast Cancer: A Volumetric Analysis Using CT Simulator. Journal of Breast Cancer, 2009, 12, 73.	1.9	4
60	Physicians' Awareness of the Breast Cancer Survivors' Unmet Needs in Korea. Journal of Breast Cancer, 2021, 24, 85.	1.9	4
61	Views on Precision Medicine among Health Professionals in Korea: A Mixed Methods Study. Yonsei Medical Journal, 2020, 61, 192.	2.2	4
62	Prevalence and survival prognosis of prostate cancer in patients with end-stage renal disease: a retrospective study based on the Korea national database (2003-2010). Oncotarget, 2017, 8, 64250-64262.	1.8	4
63	Sentinel Lymph Node Biopsy in Breast Cancer Patients With Pathological Complete Response in the Axillary Lymph Node After Neoadjuvant Chemotherapy. Journal of Breast Cancer, 2021, 24, 531.	1.9	4
64	Clinical implication of subcategorizing T2 category into T2a and T2b in <scp>TNM</scp> staging of breast cancer. Cancer Medicine, 2018, 7, 5514-5524.	2.8	3
65	Nutrient intakes from supplement and factors associated with supplement use among breast cancer survivors: A crossâ€sectional study. European Journal of Cancer Care, 2021, 30, e13447.	1.5	3
66	Clinical impact of followâ€up imaging on mortality in Korean breast cancer patients: A national cohort study. Cancer Medicine, 2021, 10, 6480-6491.	2.8	3
67	The Clinical Characteristics and Predictive Factors of Stage IV Breast Cancer at the Initial Presentation: A Review of a Single Institute's Data. Journal of Breast Cancer, 2007, 10, 101.	1.9	3
68	Use of adjuvant chemotherapy in hormone receptor-positive breast cancer patients with or without the 21-gene expression assay. Breast Cancer Research and Treatment, 2018, 170, 69-76.	2.5	2
69	A Qualitative Study on Discharge Planning Needs for Cancer Patients. Asian Oncology Nursing, 2021, 21, 110.	0.6	2
70	Second Primary Ovarian Epithelial, Fallopian Tube, and Primary Peritoneal Cancers after Breast Cancer Diagnosis: Korea Central Cancer Registry. Cancer Research and Treatment, 2021, 53, 541-548.	3.0	2
71	Axillary Lymph Node Dissection Rates and Prognosis From Phase III Neoadjuvant Systemic Trial Comparing Neoadjuvant Chemotherapy With Neoadjuvant Endocrine Therapy in Pre-Menopausal Patients With Estrogen Receptor-Positive and HER2-Negative, Lymph Node-Positive Breast Cancer. Frontiers in Oncology, 2021, 11, 741120.	2.8	2
72	Optimal radiation dose for patients with one to three lymph node positive breast cancer following breast-conserving surgery and anthracycline plus taxane-based chemotherapy: A retrospective multicenter analysis (KROG 1418). Oncotarget, 2017, 8, 1796-1804.	1.8	2

#	Article	IF	CITATIONS
73	Neoadjuvant Chemotherapy Decreases the Identification Rate of Sentinel Lymph Node Biopsy. Journal of Korean Breast Cancer Society, 2003, 6, 95.	0.1	2
74	Comparison of Energy and Macronutrients Between a Mobile Application and a Conventional Dietary Assessment Method in Korea. Journal of the Academy of Nutrition and Dietetics, 2022, 122, 2127-2133.e4.	0.8	2
75	Limitations of Conventional Contrast-enhanced MRI in Selecting Sentinel Node Biopsy Candidates among DCIS Patients. Journal of Breast Cancer, 2010, 13, 154.	1.9	1
76	Oncologic Safety of Gonadotropin-Releasing Hormone Agonist for Ovarian Function Protection During Breast Cancer Chemotherapy. Clinical Breast Cancer, 2018, 18, e1165-e1172.	2.4	1
77	Patient-Reported Outcomes From Phase III Neoadjuvant Systemic Trial Comparing Neoadjuvant Chemotherapy With Neoadjuvant Endocrine Therapy in Pre-Menopausal Patients With Estrogen Receptor-Positive and HER2-Negative, Lymph Node-Positive Breast Cancer. Frontiers in Oncology, 2021, 11. 608207.	2.8	1
78	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives., 2013, 21, 1437.		1
79	Accelerated whole breast irradiation in early breast cancer patients with adverse prognostic features. Oncotarget, 2016, 7, 81888-81898.	1.8	1
80	Low incidence of lymph node metastasis in patients with microinvasive breast cancer: a Korean nationwide study. Annals of Surgical Treatment and Research, 2022, 102, 306.	1.0	1
81	The Author's Response: Assessment of Breast Cancer Patients' Knowledge and Decisional Conflict Regarding Tamoxifen Use. Journal of Korean Medical Science, 2016, 31, 647.	2.5	0
82	Parity Differently Affects the Breast Cancer Specific Survival from Ductal Carcinoma In Situ to Invasive Cancer: A Registry-Based Retrospective Study from Korea. Breast Cancer: Basic and Clinical Research, 2019, 13, 117822341882513.	1,1	0
83	The Characterization of CpG Methylation of ER $\hat{l}_{\pm}$ and ER $\hat{l}_{\pm}^{2}$ Gene in the Breast Cancer. Journal of Korean Breast Cancer Society, 2004, 7, 8.	0.1	0