

# Eun Sook Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4553951/publications.pdf>

Version: 2024-02-01

83  
papers

2,117  
citations

331670

21  
h-index

254184

43  
g-index

85  
all docs

85  
docs citations

85  
times ranked

4217  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term trajectory of postoperative health-related quality of life in young breast cancer patients: a 15-year follow-up study. <i>Journal of Cancer Survivorship</i> , 2023, 17, 1416-1426.	2.9	6
2	Infection-related and lifestyle-related cancer burden in Kampala, Uganda: projection of the future cancer incidence up to 2030. <i>BMJ Open</i> , 2022, 12, e056722.	1.9	10
3	Comparison of Energy and Macronutrients Between a Mobile Application and a Conventional Dietary Assessment Method in Korea. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2022, 122, 2127-2133.e4.	0.8	2
4	Low incidence of lymph node metastasis in patients with microinvasive breast cancer: a Korean nationwide study. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 306.	1.0	1
5	Physicians' Awareness of the Breast Cancer Survivors' Unmet Needs in Korea. <i>Journal of Breast Cancer</i> , 2021, 24, 85.	1.9	4
6	A Qualitative Study on Discharge Planning Needs for Cancer Patients. <i>Asian Oncology Nursing</i> , 2021, 21, 110.	0.6	2
7	Unmet needs and quality of life of caregivers of Korean breast cancer survivors: a cross-sectional study. <i>Annals of Surgical Treatment and Research</i> , 2021, 101, 69.	1.0	7
8	Survival of Breast-Conserving Surgery Plus Radiotherapy versus Total Mastectomy in Early Breast Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 5039-5047.	1.5	18
9	Systematic evaluation of scoring methods for Ki67 as a surrogate for 21-gene recurrence score. <i>Npj Breast Cancer</i> , 2021, 7, 13.	5.2	10
10	Analysis of the tumor characteristics in young age breast cancer patients using collaborative stage data of the Korea Central Cancer Registry. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 785-792.	2.5	6
11	Survival in untreated hepatocellular carcinoma: A national cohort study. <i>PLoS ONE</i> , 2021, 16, e0246143.	2.5	8
12	Nutrient intakes from supplement and factors associated with supplement use among breast cancer survivors: A cross-sectional study. <i>European Journal of Cancer Care</i> , 2021, 30, e13447.	1.5	3
13	Second Primary Ovarian Epithelial, Fallopian Tube, and Primary Peritoneal Cancers after Breast Cancer Diagnosis: Korea Central Cancer Registry. <i>Cancer Research and Treatment</i> , 2021, 53, 541-548.	3.0	2
14	Guidelines for Cancer Care during the COVID-19 Pandemic in South Korea. <i>Cancer Research and Treatment</i> , 2021, 53, 323-329.	3.0	16
15	Surgical outcomes of localization using indocyanine green fluorescence in breast conserving surgery: a prospective study. <i>Scientific Reports</i> , 2021, 11, 9997.	3.3	8
16	Patient-Reported Outcomes From Phase III Neoadjuvant Systemic Trial Comparing Neoadjuvant Chemotherapy With Neoadjuvant Endocrine Therapy in Pre-Menopausal Patients With Estrogen Receptor-Positive and HER2-Negative, Lymph Node-Positive Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 608207.	2.8	1
17	Axillary Lymph Node Dissection Rates and Prognosis From Phase III Neoadjuvant Systemic Trial Comparing Neoadjuvant Chemotherapy With Neoadjuvant Endocrine Therapy in Pre-Menopausal Patients With Estrogen Receptor-Positive and HER2-Negative, Lymph Node-Positive Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 741120.	2.8	2
18	Clinical impact of follow-up imaging on mortality in Korean breast cancer patients: A national cohort study. <i>Cancer Medicine</i> , 2021, 10, 6480-6491.	2.8	3

#	ARTICLE	IF	CITATIONS
19	Sentinel Lymph Node Biopsy in Breast Cancer Patients With Pathological Complete Response in the Axillary Lymph Node After Neoadjuvant Chemotherapy. <i>Journal of Breast Cancer</i> , 2021, 24, 531.	1.9	4
20	Genomic Characteristics of Triple-Negative Breast Cancer Nominate Molecular Subtypes That Predict Chemotherapy Response. <i>Molecular Cancer Research</i> , 2020, 18, 253-263.	3.4	19
21	Efficacy of neoadjuvant endocrine therapy compared with neoadjuvant chemotherapy in pre-menopausal patients with oestrogen receptor-positive and HER2-negative, lymph node-positive breast cancer. <i>Breast Cancer Research</i> , 2020, 22, 54.	5.0	32
22	Use of Gadoxetic Acid-enhanced Liver MRI and Mortality in More than 30,000 Patients with Hepatocellular Carcinoma: A Nationwide Analysis. <i>Radiology</i> , 2020, 295, 114-124.	7.3	12
23	Efficacy of health coaching and a web-based program on physical activity, weight, and distress management among cancer survivors: A multi-centered randomised controlled trial. <i>Psycho-Oncology</i> , 2020, 29, 1105-1114.	2.3	28
24	Views on Precision Medicine among Health Professionals in Korea: A Mixed Methods Study. <i>Yonsei Medical Journal</i> , 2020, 61, 192.	2.2	4
25	Outcomes of Pregnancy after Breast Cancer in Korean Women: A Large Cohort Study. <i>Cancer Research and Treatment</i> , 2020, 52, 426-437.	3.0	9
26	Cancer Statistics in Korea: Incidence, Mortality, Survival, and Prevalence in 2017. <i>Cancer Research and Treatment</i> , 2020, 52, 335-350.	3.0	343
27	Factors associated with physical activity of breast cancer patients participating in exercise intervention. <i>Supportive Care in Cancer</i> , 2019, 27, 1747-1754.	2.2	19
28	Night-shift work and risk of breast cancer in Korean women. <i>Clinical Epidemiology</i> , 2019, Volume 11, 743-751.	3.0	11
29	Unmet needs and related factors of Korean breast cancer survivors: a multicenter, cross-sectional study. <i>BMC Cancer</i> , 2019, 19, 839.	2.6	28
30	Dietary Inflammatory Index and Risk of Breast Cancer Based on Hormone Receptor Status: A Case-Control Study in Korea. <i>Nutrients</i> , 2019, 11, 1949.	4.1	23
31	Prediagnosis obesity and secondary primary cancer risk in female cancer survivors: A national cohort study. <i>Cancer Medicine</i> , 2019, 8, 824-838.	2.8	11
32	Clinical Significance of Lymph-Node Ratio in Determining Supraclavicular Lymph-Node Radiation Therapy in pN1 Breast Cancer Patients Who Received Breast-Conserving Treatment (KROG 14-18): A Multicenter Study. <i>Cancers</i> , 2019, 11, 680.	3.7	7
33	Parity Differently Affects the Breast Cancer Specific Survival from Ductal Carcinoma In Situ to Invasive Cancer: A Registry-Based Retrospective Study from Korea. <i>Breast Cancer: Basic and Clinical Research</i> , 2019, 13, 117822341882513.	1.1	0
34	Retrospectively validating the results of the ACOSOG Z0011 trial in a large Asian Z0011-eligible cohort. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 203-215.	2.5	13
35	Effect of Antihypertensive Medications on Sepsis-Related Outcomes: A Population-Based Cohort Study*. <i>Critical Care Medicine</i> , 2019, 47, e386-e393.	0.9	28
36	Adherence to the American Cancer Society Guidelines for Cancer Survivors and Health-Related Quality of Life among Breast Cancer Survivors. <i>Nutrients</i> , 2019, 11, 2924.	4.1	13

#	ARTICLE	IF	CITATIONS
37	Different Patterns of Risk Reducing Decisions in Affected or Unaffected BRCA Pathogenic Variant Carriers. <i>Cancer Research and Treatment</i> , 2019, 51, 280-288.	3.0	10
38	Prognostic Value of Post-diagnosis Health-Related Quality of Life for Overall Survival in Breast Cancer: Findings from a 10-Year Prospective Cohort in Korea. <i>Cancer Research and Treatment</i> , 2019, 51, 1600-1611.	3.0	13
39	Use of adjuvant chemotherapy in hormone receptor-positive breast cancer patients with or without the 21-gene expression assay. <i>Breast Cancer Research and Treatment</i> , 2018, 170, 69-76.	2.5	2
40	Tamoxifen therapy improves overall survival in luminal A subtype of ductal carcinoma in situ: a study based on nationwide Korean Breast Cancer Registry database. <i>Breast Cancer Research and Treatment</i> , 2018, 169, 311-322.	2.5	14
41	Oncologic Safety of Gonadotropin-Releasing Hormone Agonist for Ovarian Function Protection During Breast Cancer Chemotherapy. <i>Clinical Breast Cancer</i> , 2018, 18, e1165-e1172.	2.4	1
42	Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivors. <i>Quality of Life Research</i> , 2018, 27, 347-354.	3.1	8
43	Clinical implication of subcategorizing T2 category into T2a and T2b in <scp>TNM</scp> staging of breast cancer. <i>Cancer Medicine</i> , 2018, 7, 5514-5524.	2.8	3
44	Cancer Statistics in Korea: Incidence, Mortality, Survival, and Prevalence in 2015. <i>Cancer Research and Treatment</i> , 2018, 50, 303-316.	3.0	344
45	Dietary pattern and health-related quality of life among breast cancer survivors. <i>BMC Women's Health</i> , 2018, 18, 65.	2.0	25
46	Prognostic impact of skeletal muscle volume derived from cross-sectional computed tomography images in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018, 172, 425-436.	2.5	30
47	Incidence of Diabetes After Cancer Development. <i>JAMA Oncology</i> , 2018, 4, 1099.	7.1	96
48	A randomized controlled trial of physical activity, dietary habit, and distress management with the Leadership and Coaching for Health (LEACH) program for disease-free cancer survivors. <i>BMC Cancer</i> , 2017, 17, 298.	2.6	38
49	Outcome following sentinel lymph node biopsy-guided decisions in breast cancer patients with conversion from positive to negative axillary lymph nodes after neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 473-480.	2.5	32
50	Metabolic syndrome in breast cancer survivors with high carbohydrate consumption: The first report in community setting. <i>Clinical Nutrition</i> , 2017, 36, 1372-1377.	5.0	7
51	Dietary Factors and Female Breast Cancer Risk: A Prospective Cohort Study. <i>Nutrients</i> , 2017, 9, 1331.	4.1	31
52	Optimal radiation dose for patients with one to three lymph node positive breast cancer following breast-conserving surgery and anthracycline plus taxane-based chemotherapy: A retrospective multicenter analysis (KROG 1418). <i>Oncotarget</i> , 2017, 8, 1796-1804.	1.8	2
53	Prognostic Impact of Elective Supraclavicular Nodal Irradiation for Patients with N1 Breast Cancer after Lumpectomy and Anthracycline Plus Taxane-Based Chemotherapy (KROG 1418): A Multicenter Case-Controlled Study. <i>Cancer Research and Treatment</i> , 2017, 49, 970-980.	3.0	9
54	Postmastectomy Radiotherapy in Patients with pT1-2N1 Breast Cancer Treated with Taxane-Based Chemotherapy: A Retrospective Multicenter Analysis (KROG 1418). <i>Cancer Research and Treatment</i> , 2017, 49, 927-936.	3.0	11

#	ARTICLE	IF	CITATIONS
55	Prevalence and survival prognosis of prostate cancer in patients with end-stage renal disease: a retrospective study based on the Korea national database (2003-2010). <i>Oncotarget</i> , 2017, 8, 64250-64262.	1.8	4
56	The Author's Response: Assessment of Breast Cancer Patients' Knowledge and Decisional Conflict Regarding Tamoxifen Use. <i>Journal of Korean Medical Science</i> , 2016, 31, 647.	2.5	0
57	Locoregional Recurrence by Tumor Biology in Breast Cancer Patients after Preoperative Chemotherapy and Breast Conservation Treatment. <i>Cancer Research and Treatment</i> , 2016, 48, 1363-1372.	3.0	40
58	Impact of Molecular Subtype Conversion of Breast Cancers after Neoadjuvant Chemotherapy on Clinical Outcome. <i>Cancer Research and Treatment</i> , 2016, 48, 133-141.	3.0	35
59	The Significance of Serum HER2 Levels at Diagnosis on Intrinsic Subtype-Specific Outcome of Operable Breast Cancer Patients. <i>PLoS ONE</i> , 2016, 11, e0163370.	2.5	17
60	Factors associated with late recurrence after completion of 5-year adjuvant tamoxifen in estrogen receptor positive breast cancer. <i>BMC Cancer</i> , 2016, 16, 430.	2.6	15
61	Uptake of risk-reducing salpingo-oophorectomy among female BRCA mutation carriers: experience at the National Cancer Center of Korea. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 333-340.	2.5	27
62	Effect of Time Interval between Breast-Conserving Surgery and Radiation Therapy on Outcomes of Node-Positive Breast Cancer Patients Treated with Adjuvant Doxorubicin/Cyclophosphamide Followed by Taxane. <i>Cancer Research and Treatment</i> , 2016, 48, 483-490.	3.0	12
63	Identification of Prognostic Risk Factors for Transient and Persistent Lymphedema after Multimodal Treatment for Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 1330-1337.	3.0	45
64	Accelerated whole breast irradiation in early breast cancer patients with adverse prognostic features. <i>Oncotarget</i> , 2016, 7, 81888-81898.	1.8	1
65	Patient-reported assessment of self-management strategies of health in cancer patients: development and validation of the Smart Management Strategy for Health Assessment Tool (SAT). <i>Psycho-Oncology</i> , 2015, 24, 1723-1730.	2.3	24
66	Assessment of Breast Cancer Patients' Knowledge and Decisional Conflict Regarding Tamoxifen Use. <i>Journal of Korean Medical Science</i> , 2015, 30, 1604.	2.5	14
67	The reality in the follow-up of breast cancer survivors: survey of Korean Breast Cancer Society. <i>Annals of Surgical Treatment and Research</i> , 2015, 88, 133.	1.0	10
68	Identification of Risk Factors for Locoregional Recurrence in Breast Cancer Patients with Nodal Stage NO and N1: Who Could Benefit from Post-Mastectomy Radiotherapy?. <i>PLoS ONE</i> , 2015, 10, e0145463.	2.5	20
69	Automated Measurement of Multiple Cancer Biomarkers Using Quantum-Dot-Based Microfluidic Immunohistochemistry. <i>Analytical Chemistry</i> , 2015, 87, 4177-4183.	6.5	26
70	The Value of Ki67 in Very Young Women with Hormone Receptor-Positive Breast Cancer: Retrospective Analysis of 9,321 Korean Women. <i>Annals of Surgical Oncology</i> , 2015, 22, 3481-3488.	1.5	20
71	Breast Cancer-Related Lymphedema after Neoadjuvant Chemotherapy. <i>Cancer Research and Treatment</i> , 2015, 47, 416-423.	3.0	29
72	Trends in the Aggressiveness of End-of-Life Care for Korean Pediatric Cancer Patients Who Died in 2007-2010. <i>PLoS ONE</i> , 2014, 9, e99888.	2.5	18

#	ARTICLE	IF	CITATIONS
73	A Web-based self-management exercise and diet intervention for breast cancer survivors: Pilot randomized controlled trial. <i>International Journal of Nursing Studies</i> , 2014, 51, 1557-1567.	5.6	128
74	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives. , 2013, 21, 1437.		1
75	Health-Related Quality of Life in Survivors With Breast Cancer 1 Year After Diagnosis Compared With the General Population. <i>Annals of Surgery</i> , 2011, 253, 101-108.	4.2	68
76	Prognostic Impact of [18F] FDG-PET in Operable Breast Cancer Treated with Neoadjuvant Chemotherapy. <i>Annals of Surgical Oncology</i> , 2010, 17, 247-253.	1.5	42
77	Risk Factors for Malignancy in Benign Papillomas of the Breast on Core Needle Biopsy. <i>World Journal of Surgery</i> , 2010, 34, 261-265.	1.6	46
78	Limitations of Conventional Contrast-enhanced MRI in Selecting Sentinel Node Biopsy Candidates among DCIS Patients. <i>Journal of Breast Cancer</i> , 2010, 13, 154.	1.9	1
79	Radiation Pneumonitis after Adjuvant Radiotherapy for Breast Cancer: A Volumetric Analysis Using CT Simulator. <i>Journal of Breast Cancer</i> , 2009, 12, 73.	1.9	4
80	Ki-67 Expression Gives Additional Prognostic Information on St. Gallen 2007 and Adjuvant! Online Risk Categories in Early Breast Cancer. <i>Annals of Surgical Oncology</i> , 2009, 16, 1112-1121.	1.5	76
81	The Clinical Characteristics and Predictive Factors of Stage IV Breast Cancer at the Initial Presentation: A Review of a Single Institute's Data. <i>Journal of Breast Cancer</i> , 2007, 10, 101.	1.9	3
82	The Characterization of CpG Methylation of ER $\alpha$ and ER $\beta$ Gene in the Breast Cancer. <i>Journal of Korean Breast Cancer Society</i> , 2004, 7, 8.	0.1	0
83	Neoadjuvant Chemotherapy Decreases the Identification Rate of Sentinel Lymph Node Biopsy. <i>Journal of Korean Breast Cancer Society</i> , 2003, 6, 95.	0.1	2