

Terry J Lewin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4554871/publications.pdf>

Version: 2024-02-01

199
papers

7,726
citations

61687

45
h-index

78623

77
g-index

204
all docs

204
docs citations

204
times ranked

8718
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of accredited person and medical officer discharge decisions under the Mental Health Act of NSW: A cohort study of deliberate self-poisoning patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 178-185.	1.3	0
2	Hospital-treated deliberate self-poisoning patients: Drug-induced delirium and clinical outcomes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 154-163.	1.3	1
3	Effectiveness of the Hunter Way Back Support Service: An historical controlled trial of a brief non-clinical after-care program for hospital-treated deliberate self-poisoning. <i>Suicide and Life-Threatening Behavior</i> , 2022, 52, 500-514.	0.9	2
4	Employment and retirement impacts on health and wellbeing among a sample of rural Australians. <i>BMC Public Health</i> , 2021, 21, 888.	1.2	11
5	Improvements in Hope, Engagement and Functioning Following a Recovery-Focused Sub-Acute Inpatient Intervention: a Six-Month Evaluation. <i>Psychiatric Quarterly</i> , 2021, 92, 1611-1634.	1.1	0
6	Factors Predicting Trial Engagement, Treatment Satisfaction, and Health-Related Quality of Life During a Web-Based Treatment and Social Networking Trial for Binge Drinking and Depression in Young Adults: Secondary Analysis of a Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2021, 8, e23986.	1.7	3
7	A randomised trial of dialectical behaviour therapy and the conversational model for the treatment of borderline personality disorder with recent suicidal and/or non-suicidal self-injury: An effectiveness study in an Australian public mental health service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1020-1034.	1.3	13
8	Hospital-treated deliberate self-poisoning in the older adult: Identifying specific clinical assessment needs. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 591-601.	1.3	8
9	Care pathways, engagement and outcomes associated with a recovery-oriented intermediate stay mental health program. <i>Psychiatry Research</i> , 2020, 286, 112889.	1.7	2
10	Differential treatment effects of an integrated motivational interviewing and exercise intervention on depressive symptom profiles and associated factors: A randomised controlled cross-over trial among youth with major depression. <i>Journal of Affective Disorders</i> , 2019, 259, 413-423.	2.0	13
11	Engaging youth with major depression in an exercise intervention with motivational interviewing. <i>Mental Health and Physical Activity</i> , 2019, 17, 100295.	0.9	2
12	The predictors of depression in a longitudinal cohort of community dwelling rural adults in Australia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 171-180.	1.6	21
13	Is the reported increase in young female hospital-treated intentional self-harm real or artefactual?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 663-672.	1.3	7
14	Evaluating the efficacy of an integrated motivational interviewing and multi-modal exercise intervention for youth with major depression: Healthy Body, Healthy Mind randomised controlled trial protocol. <i>Contemporary Clinical Trials Communications</i> , 2018, 9, 13-22.	0.5	4
15	Addiction Vulnerability: Exploring Relationships Among Cigarette Smoking, Substance Misuse, and Early Psychosis. <i>Journal of Dual Diagnosis</i> , 2018, 14, 78-88.	0.7	4
16	Self-recognition of mental health problems in a rural Australian sample. <i>Australian Journal of Rural Health</i> , 2018, 26, 173-180.	0.7	19
17	Federation Internationale de Football Association (FIFA) 2014 World Cup Impact on Hospital-Treated Suicide Attempt (Overdose) in Tehran. <i>Suicide and Life-Threatening Behavior</i> , 2018, 48, 367-375.	0.9	3
18	Randomised controlled trial of a healthy lifestyle intervention among smokers with psychotic disorders: Outcomes to 36 months. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 239-252.	1.3	27

#	ARTICLE	IF	CITATIONS
19	Impact of rurality and substance use on young people at ultra high risk for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 1173-1180.	0.9	7
20	Feasibility and acceptability of strategies to address mental health and mental ill-health in the Australian coal mining industry. <i>International Journal of Mental Health Systems</i> , 2018, 12, 66.	1.1	38
21	The Challenges of Predicting Suicidal Thoughts and Behaviours in a Sample of Rural Australians with Depression. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 928.	1.2	55
22	Drought-related stress among farmers: findings from the Australian Rural Mental Health Study. <i>Medical Journal of Australia</i> , 2018, 209, 159-165.	0.8	73
23	Self-Reported Reasons for Smoking: Predicting Abstinence and Implications for Smoking Cessation Treatments Among Those With a Psychotic Disorder. <i>Journal of Dual Diagnosis</i> , 2017, 13, 6-14.	0.7	9
24	An Integrated Recovery-oriented Model (IRM) for mental health services: evolution and challenges. <i>BMC Psychiatry</i> , 2017, 17, 22.	1.1	68
25	Alcohol consumption in the Australian coal mining industry. <i>Occupational and Environmental Medicine</i> , 2017, 74, 259-267.	1.3	25
26	Pilot Study of an Exercise Intervention for Depressive Symptoms and Associated Cognitive-Behavioral Factors in Young Adults With Major Depression. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 647-655.	0.5	8
27	Utility of risk-status for predicting psychosis and related outcomes: evaluation of a 10-year cohort of presenters to a specialised early psychosis community mental health service. <i>Psychiatry Research</i> , 2017, 247, 336-344.	1.7	20
28	Effectiveness of a 10-week group program based on Dialectical Behaviour Therapy skills among patients with personality and mood disorders: findings from a pilot study. <i>Australasian Psychiatry</i> , 2017, 25, 466-470.	0.4	8
29	Therapeutic Alliance, Client Need for Approval, and Perfectionism as Differential Moderators of Response to eHealth and Traditionally Delivered Treatments for Comorbid Depression and Substance Use Problems. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 728-739.	0.8	14
30	Implementation of a recovery-oriented model in a sub-acute Intermediate Stay Mental Health Unit (ISMHU). <i>BMC Health Services Research</i> , 2017, 17, 2.	0.9	21
31	Depression and Risk of Unintentional Injury in Rural Communities—A Longitudinal Analysis of the Australian Rural Mental Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1080.	1.2	9
32	Investigation of a Suicide Ideation Risk Profile in People With Co-occurring Depression and Substance Use Disorder. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 820-826.	0.5	12
33	Associations between personality disorder characteristics and treatment outcomes in people with co-occurring alcohol misuse and depression. <i>BMC Psychiatry</i> , 2016, 16, 210.	1.1	13
34	Reducing smoking reduces suicidality among individuals with psychosis: Complementary outcomes from a Healthy Lifestyles intervention study. <i>Psychiatry Research</i> , 2016, 243, 407-412.	1.7	8
35	A randomised controlled trial of cognitive behaviour therapy versus non-directive reflective listening for young people at ultra high risk of developing psychosis: The detection and evaluation of psychological therapy (DEPTH) trial. <i>Schizophrenia Research</i> , 2016, 176, 212-219.	1.1	52
36	Early Therapeutic Alliance, Treatment Retention, and 12-Month Outcomes in a Healthy Lifestyles Intervention for People with Psychotic Disorders. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 894-902.	0.5	13

#	ARTICLE	IF	CITATIONS
37	Help-seeking for mental health problems by employees in the Australian Mining Industry. BMC Health Services Research, 2016, 16, 498.	0.9	21
38	Long-term effects of lifetime trauma exposure in a rural community sample. BMC Public Health, 2015, 15, 1176.	1.2	16
39	Factors associated with personal hopefulness in older rural and urban residents of New South Wales. Advances in Mental Health, 2015, 13, 43-57.	0.3	1
40	General hospital-treated self-poisoning in England and Australia: Comparison of presentation rates, clinical characteristics and aftercare based on sentinel unit data. Journal of Psychosomatic Research, 2015, 78, 356-362.	1.2	16
41	Randomized Controlled Trial of a Healthy Lifestyle Intervention Among Smokers With Psychotic Disorders. Nicotine and Tobacco Research, 2015, 17, 946-954.	1.4	50
42	Familiarity with and intentions to use Internet-delivered mental health treatments among older rural adults. Aging and Mental Health, 2015, 19, 989-996.	1.5	26
43	Bipolar disorder subtypes in children and adolescents: Demographic and clinical characteristics from an Australian sample. Journal of Affective Disorders, 2015, 175, 98-107.	2.0	11
44	Measuring change in cannabis use. Addiction Research and Theory, 2015, 23, 43-49.	1.2	7
45	Self-reported contacts for mental health problems by rural residents: predicted service needs, facilitators and barriers. BMC Psychiatry, 2014, 14, 249.	1.1	40
46	Psychiatry trainees confidence as teachers, perceptions of supervisor support and opportunities for further training. Australasian Psychiatry, 2014, 22, 292-295.	0.4	5
47	Care zoning in a psychiatric intensive care unit: strengthening ongoing clinical risk assessment. Journal of Clinical Nursing, 2014, 23, 731-743.	1.4	9
48	Psychological distress in rural Australia: regional variation and the role of family functioning and social support. Zeitschrift Fur Gesundheitswissenschaften, 2014, 22, 481-488.	0.8	11
49	Determinants of suicidal ideation and suicide attempts: parallel cross-sectional analyses examining geographical location. BMC Psychiatry, 2014, 14, 208.	1.1	27
50	Ten-year audit of clients presenting to a specialised service for young people experiencing or at increased risk for psychosis. BMC Psychiatry, 2014, 14, 318.	1.1	18
51	Feasibility of internet-delivered mental health treatments for rural populations. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 275-282.	1.6	22
52	What difference a decade? The costs of psychosis in Australia in 2000 and 2010: Comparative results from the first and second Australian national surveys of psychosis. Australian and New Zealand Journal of Psychiatry, 2014, 48, 237-248.	1.3	21
53	Inpatient aggression by mentally ill offenders: a retrospective case-control study. Journal of Forensic Psychiatry and Psychology, 2014, 25, 464-479.	0.6	4
54	â€œBetter Health Choicesâ€™ by telephone: A feasibility trial of improving diet and physical activity in people diagnosed with psychotic disorders. Psychiatry Research, 2014, 220, 63-70.	1.7	38

#	ARTICLE	IF	CITATIONS
55	Randomized controlled trial of MICBT for co-existing alcohol misuse and depression: Outcomes to 36-months. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 281-290.	1.5	48
56	Gender differences in characteristics and outcomes of smokers diagnosed with psychosis participating in a smoking cessation intervention. <i>Psychiatry Research</i> , 2014, 215, 586-593.	1.7	17
57	Predictors of Suicidal Ideation in Older People: A Decision Tree Analysis. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1325-1335.	0.6	45
58	Construct validity of the Assessment of Quality of Life - 6D (AQoL-6D) in community samples. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 61.	1.0	54
59	Factors associated with reported service use for mental health problems by residents of rural and remote communities: cross-sectional findings from a baseline survey. <i>BMC Health Services Research</i> , 2013, 13, 157.	0.9	40
60	The Impact of Tobacco Smoking on Treatment for Comorbid Depression and Alcohol Misuse. <i>International Journal of Mental Health and Addiction</i> , 2013, 11, 619-633.	4.4	11
61	Integrating and extending cohort studies: lessons from the eXtending Treatments, Education and Networks in Depression (xTEND) study. <i>BMC Medical Research Methodology</i> , 2013, 13, 122.	1.4	15
62	Quality of life impact of cardiovascular and affective conditions among older residents from urban and rural communities. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 140.	1.0	12
63	The desirable qualities of future doctors – A study of medical student perceptions. <i>Medical Teacher</i> , 2013, 35, e1332-e1339.	1.0	32
64	Unintentional Injury, Psychological Distress and Depressive Symptoms: Is There an Association for Rural Australians?. <i>Journal of Rural Health</i> , 2013, 29, 12-19.	1.6	16
65	When does change begin following screening and brief intervention among depressed problem drinkers?. <i>Journal of Substance Abuse Treatment</i> , 2013, 44, 264-270.	1.5	9
66	Craving as a predictor of treatment outcomes in heavy drinkers with comorbid depressed mood. <i>Addictive Behaviors</i> , 2013, 38, 1585-1592.	1.7	19
67	Incidental treatment effects of CBT on suicidal ideation and hopelessness. <i>Journal of Affective Disorders</i> , 2013, 151, 275-283.	2.0	24
68	Perceived risk associated with tobacco, alcohol and cannabis use among people with and without psychotic disorders. <i>Addictive Behaviors</i> , 2013, 38, 2246-2251.	1.7	38
69	Prediction of Death in Less Than 60 Minutes Following Withdrawal of Cardiorespiratory Support in ICUs*. <i>Critical Care Medicine</i> , 2013, 41, 2677-2687.	0.4	25
70	Longitudinal course and predictors of suicidal ideation in a rural community sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 1032-1040.	1.3	16
71	Factors impacting on the well-being of older residents in rural communities. <i>Perspectives in Public Health</i> , 2012, 132, 182-191.	0.8	26
72	It's Worth a Try: The Treatment Experiences of Rural and Urban Participants in a Randomized Controlled Trial of Computerized Psychological Treatment for Comorbid Depression and Alcohol/Other Drug Use. <i>Journal of Dual Diagnosis</i> , 2012, 8, 262-276.	0.7	29

#	ARTICLE	IF	CITATIONS
73	Reasons for substance use among people with psychotic disorders: Method triangulation approach.. Psychology of Addictive Behaviors, 2012, 26, 279-288.	1.4	32
74	Shift climate profiles and correlates in acute psychiatric inpatient units. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1429-1440.	1.6	5
75	Reasons for substance use among people with mental disorders. Addictive Behaviors, 2012, 37, 427-434.	1.7	91
76	Individual and district-level predictors of alcohol use: cross sectional findings from a rural mental health survey in Australia. BMC Public Health, 2012, 12, 586.	1.2	18
77	Social support and age influence distress outcomes differentially across urban, regional and remote Australia: an exploratory study. BMC Public Health, 2012, 12, 928.	1.2	23
78	Contributors to suicidality in rural communities: beyond the effects of depression. BMC Psychiatry, 2012, 12, 105.	1.1	40
79	Youâ€™ve got to have friends: the predictive value of social integration and support in suicidal ideation among rural communities. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1281-1290.	1.6	50
80	Associations between substance use, neuropsychological functioning and treatment response in psychosis. Psychiatry Research, 2011, 186, 190-196.	1.7	3
81	Clinicianâ€assisted computerised versus therapistâ€delivered treatment for depressive and addictive disorders: a randomised controlled trial. Medical Journal of Australia, 2011, 195, S44-50.	0.8	114
82	The influence of depression on treatment for methamphetamine use. Medical Journal of Australia, 2011, 195, S38-43.	0.8	20
83	P2-496 An interaction of social support and remoteness in the prediction of psychological distress. Journal of Epidemiology and Community Health, 2011, 65, A358-A358.	2.0	0
84	The psychological impact of chronic environmental adversity: Responding to prolonged drought. Social Science and Medicine, 2011, 73, 1593-1599.	1.8	82
85	Caregiver satisfaction with out-patient oncology services: utility of the FAMCARE instrument and development of the FAMCARE-6. Supportive Care in Cancer, 2011, 19, 565-572.	1.0	19
86	Determinants of mental health and well-being within rural and remote communities. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1331-1342.	1.6	88
87	Study protocol: a randomised controlled trial investigating the effect of a healthy lifestyle intervention for people with severe mental disorders. BMC Public Health, 2011, 11, 10.	1.2	43
88	Clinical Indicators for Routine Use in the Evaluation of Early Psychosis Intervention: Development, Training Support and Inter-Rater Reliability. Australian and New Zealand Journal of Psychiatry, 2011, 45, 63-75.	1.3	2
89	Acceptability of a Clinician-Assisted Computerized Psychological Intervention for Comorbid Mental Health and Substance Use Problems: Treatment Adherence Data from a Randomized Controlled Trial. Journal of Medical Internet Research, 2011, 13, e11.	2.1	50
90	Psychosis and comorbid substance misuse: integrated motivational interviewing and cognitive behavioural therapy reduces alcohol intake. Evidence-Based Mental Health, 2011, 14, 51-51.	2.2	0

#	ARTICLE	IF	CITATIONS
91	Rural-Urban Differences in Suicide Rates for Current Patients of a Public Mental Health Service in Australia. <i>Suicide and Life-Threatening Behavior</i> , 2010, 40, 376-382.	0.9	12
92	Brief neuropsychological profiles in psychosis: a pilot study using the Audio Recorded Cognitive Screen (ARCS). <i>Acta Neuropsychiatrica</i> , 2010, 22, 243-252.	1.0	6
93	Randomized controlled trial of cognitive-behavioural therapy for coexisting depression and alcohol problems: short-term outcome. <i>Addiction</i> , 2010, 105, 87-99.	1.7	126
94	Is a national framework for implementing early psychosis services necessary? Results of a survey of Australian mental health service directors. <i>Microbial Biotechnology</i> , 2010, 4, 25-30.	0.9	22
95	Mental health and well-being within rural communities: The Australian Rural Mental Health Study. <i>Australian Journal of Rural Health</i> , 2010, 18, 16-24.	0.7	89
96	Distress among rural residents: Does employment and occupation make a difference?. <i>Australian Journal of Rural Health</i> , 2010, 18, 25-31.	0.7	40
97	Appraising Evidence for Intervention Effectiveness in Early Psychosis: Conceptual Framework and Review of Evaluation Approaches. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 195-219.	1.3	16
98	Cigarette Smoking And Psychosis: Naturalistic Follow up 4 Years After an Intervention Trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 342-350.	1.3	24
99	A Pilot Investigation of the Relationship Between Community Treatment Orders and Hospital Utilization Rates. <i>Australasian Psychiatry</i> , 2010, 18, 503-505.	0.4	9
100	Distinguishing Suicidal from Non-Suicidal Deliberate Self-Harm Events in Women with Borderline Personality Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 574-582.	1.3	10
101	Hunter DBT Project: Randomized Controlled Trial of Dialectical Behaviour Therapy in Women with Borderline Personality Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 162-173.	1.3	110
102	The Audio Recorded Cognitive Screen (ARCS): a flexible hybrid cognitive test instrument. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 602-607.	0.9	37
103	A BOTTOM-UP BIOFEEDBACK REMEDIATION IMPROVES EMOTION RECOGNITION IN SCHIZOPHRENIA: EVIDENCE FROM A VISUAL SCAN PATH PILOT STUDY. <i>Schizophrenia Research</i> , 2010, 117, 177-178.	1.1	0
104	An improved brief measure of cannabis misuse: The Cannabis Use Disorders Identification Test-Revised (CUDIT-R). <i>Drug and Alcohol Dependence</i> , 2010, 110, 137-143.	1.6	551
105	Pathways to care and community-based service contact patterns among clients with a dual diagnosis. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2010, 3, 10-24.	0.5	2
106	Coronary Heart Disease Risk Reduction Intervention Among Overweight Smokers with a Psychotic Disorder: Pilot Trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 129-135.	1.3	31
107	Court outcomes for clients referred to a community mental health court liaison service. <i>International Journal of Law and Psychiatry</i> , 2009, 32, 92-100.	0.5	9
108	Measuring observed mental state in acute psychiatric inpatients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 151-161.	1.6	9

#	ARTICLE	IF	CITATIONS
109	Aggression and trauma experiences among carer-relatives of people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1031-1040.	1.6	46
110	Computer-based psychological treatment for comorbid depression and problematic alcohol and/or cannabis use: a randomized controlled trial of clinical efficacy. <i>Addiction</i> , 2009, 104, 378-388.	1.7	246
111	The long and the short of treatments for alcohol or cannabis misuse among people with severe mental disorders. <i>Addictive Behaviors</i> , 2009, 34, 852-858.	1.7	34
112	Social networks and mental health among a farming population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 843-849.	1.6	59
113	Computerised assessment of quality of life in oncology patients and carers. <i>Psycho-Oncology</i> , 2008, 17, 26-33.	1.0	22
114	Referential delusions of communication and reality discrimination deficits in psychosis. <i>British Journal of Clinical Psychology</i> , 2008, 47, 323-334.	1.7	9
115	Creating a database to facilitate multilevel analyses of mental health determinants and outcomes in rural and remote areas. <i>Australian Journal of Rural Health</i> , 2008, 16, 207-212.	0.7	3
116	Referential delusions of communication and interpretations of gestures. <i>Psychiatry Research</i> , 2008, 158, 27-34.	1.7	44
117	Adverse Incidents in Acute Psychiatric Inpatient Units: Rates, Correlates and Pressures. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 267-282.	1.3	77
118	Group Intervention for Coexisting Psychosis and Substance use Disorders in Rural Australia: Outcomes over 3 Years. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 501-508.	1.3	17
119	Drs. Baker and Lewin Reply. <i>American Journal of Psychiatry</i> , 2007, 164, 828-828.	4.0	0
120	Characteristics of smokers with a psychotic disorder and implications for smoking interventions. <i>Psychiatry Research</i> , 2007, 150, 141-152.	1.7	72
121	RBANS neuropsychological profiles within schizophrenia samples recruited from non-clinical settings. <i>Schizophrenia Research</i> , 2007, 89, 232-242.	1.1	39
122	Psychiatric Hospitalization after Deliberate Self-Poisoning. <i>Suicide and Life-Threatening Behavior</i> , 2006, 36, 213-222.	0.9	24
123	A Randomized Controlled Trial of a Smoking Cessation Intervention Among People With a Psychotic Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1934-1942.	4.0	205
124	Long-term follow-up of people with co-existing psychiatric and substance use disorders: patterns of use and outcomes. <i>Drug and Alcohol Review</i> , 2006, 25, 249-258.	1.1	17
125	Cognitive-behavioural therapy for substance use disorders in people with psychotic disorders. <i>British Journal of Psychiatry</i> , 2006, 188, 439-448.	1.7	142
126	What is the Value of Treating Schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 963-971.	1.3	4

#	ARTICLE	IF	CITATIONS
127	Caring for depressed patients in rural communities: general practitioners' attitudes, needs and relationships with mental health services. <i>Australian Journal of Rural Health</i> , 2005, 13, 21-27.	0.7	18
128	Brief cognitive behavioural interventions for regular amphetamine users: a step in the right direction. <i>Addiction</i> , 2005, 100, 367-378.	1.7	198
129	Assessing personality disorders in a national mental health survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 87-98.	1.6	47
130	What is a Clinically Important Level of Improvement in Symptoms of Attention-Deficit/Hyperactivity Disorder?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 354-358.	1.3	7
131	Comparisons between psychosis samples with different patterns of substance use recruited for clinical and epidemiological studies. <i>Psychiatry Research</i> , 2005, 134, 241-250.	1.7	28
132	Clinical Management for Hospital-Treated Deliberate Self-Poisoning: Comparisons between Patients with Major Depression and Borderline Personality Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 266-273.	1.3	8
133	Premorbid, psychosocial and clinical predictors of the costs of schizophrenia and other psychoses. <i>British Journal of Psychiatry</i> , 2004, 184, 517-525.	1.7	42
134	Drug use patterns and mental health of regular amphetamine users during a reported "heroin drought". <i>Addiction</i> , 2004, 99, 875-884.	1.7	38
135	Pilot randomized controlled trial of a brief alcohol intervention group for adolescents. <i>Drug and Alcohol Review</i> , 2004, 23, 157-166.	1.1	62
136	Attitudes and roles of general practitioners in the treatment of schizophrenia compared with community mental health staff and patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 78-84.	1.6	39
137	The "co-morbidity roundabout": a framework to guide assessment and intervention strategies and engineer change among people with co-morbid problems. <i>Drug and Alcohol Review</i> , 2004, 23, 407-423.	1.1	54
138	Potential sampling and recruitment source impacts in schizophrenia research. <i>Psychiatry Research</i> , 2004, 125, 117-127.	1.7	23
139	Resource allocation for psychosis in Australia. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2004, 1, 5-6.	0.2	0
140	Resource allocation for psychosis in Australia. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2004, 1, 5-6.	0.2	0
141	Costs of Schizophrenia and Other Psychoses in Urban Australia: Findings from the Low Prevalence (Psychotic) Disorders Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 31-40.	1.3	71
142	Allocation of Resources and Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 15-23.	1.3	9
143	Manic Symptoms in Young Males With ADHD Predict Functioning But Not Diagnosis After 6 Years. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2003, 42, 552-560.	0.3	75
144	Modeling the potential cost impacts of interventions for early onset schizophrenia. <i>Schizophrenia Research</i> , 2003, 60, 333.	1.1	0

#	ARTICLE	IF	CITATIONS
145	Offending Behaviour and Mental Illness: Characteristics of a Mental Health Court Liaison Service. <i>Psychiatry, Psychology and Law</i> , 2003, 10, 300-315.	0.9	8
146	Patterns of Service Use Among Persons With Schizophrenia and Other Psychotic Disorders. <i>Psychiatric Services</i> , 2003, 54, 226-235.	1.1	69
147	Motivational interviewing among psychiatric in-patients with substance use disorders. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 233-240.	2.2	81
148	Comparisons between schizophrenia patients recruited from Australian general practices and public mental health services. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 346-355.	2.2	25
149	Evaluation of a motivational interview for substance use within psychiatric in-patient services. <i>Addiction</i> , 2002, 97, 1329-1337.	1.7	122
150	Randomized controlled trial of brief cognitive-behavioural interventions among regular users of amphetamine. <i>Addiction</i> , 2001, 96, 1279-1287.	1.7	88
151	Smoking among in-patients with drug-related problems in an Australian psychiatric hospital. <i>Drug and Alcohol Review</i> , 2001, 20, 231-237.	1.1	6
152	Heroin use and HIV risk-taking behaviour among women injecting drug users. <i>Drug and Alcohol Review</i> , 2001, 20, 205-211.	1.1	11
153	Smoking among in-patients with drug-related problems in an Australian psychiatric hospital. <i>Drug and Alcohol Review</i> , 2001, 20, 231-237.	1.1	31
154	The NISAD Schizophrenia Research Register: why do we need a database of schizophrenia volunteers?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 660-667.	1.3	29
155	Comparison of integrated and consultation-liaison models for providing mental health care in general practice in New South Wales, Australia. <i>Journal of Advanced Nursing</i> , 2000, 32, 1459-1466.	1.5	22
156	A Risk Factor Screening and Assessment Protocol for Schizophrenia and Related Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A170-A180.	1.3	18
157	A Risk Factor Screening and Assessment Protocol for Schizophrenia and Related Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S170-S180.	1.3	28
158	Characteristics of regular amphetamine users and implications for treatment. <i>Drug and Alcohol Review</i> , 2000, 20, 49-56.	1.1	11
159	Patterns of service utilization in relation to substance abuse and disability in schizophrenia and other psychoses. <i>Schizophrenia Research</i> , 2000, 41, 73-74.	1.1	0
160	Schizophrenia as a primary care disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A12-A12.	1.3	0
161	Factors associated with medium-term response to psychostimulant medication. <i>Journal of Paediatrics and Child Health</i> , 1999, 35, 264-268.	0.4	26
162	Effortful and Automatic Information Processing in Boys with ADHD and Specific Learning Disorders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1999, 40, 275-286.	3.1	42

#	ARTICLE	IF	CITATIONS
163	Long-Term Changes in Defense Style among Patients Recovering from Major Depression. <i>Journal of Nervous and Mental Disease</i> , 1999, 187, 80-87.	0.5	64
164	Preattentive visual search and perceptual grouping in schizophrenia. <i>Psychiatry Research</i> , 1998, 79, 151-162.	1.7	36
165	Illusory conjunctions and perceptual grouping in a visual search task in schizophrenia. <i>Psychiatry Research</i> , 1998, 80, 69-81.	1.7	16
166	Recovery from Post-Earthquake Psychological Morbidity: Who Suffers and who Recovers?. <i>Australian and New Zealand Journal of Psychiatry</i> , 1998, 32, 15-20.	1.3	66
167	Rates of treatment of schizophrenia by general practitioners: A pilot study. <i>Medical Journal of Australia</i> , 1998, 168, 166-169.	0.8	14
168	An Evaluation of the Effectiveness of a Consultation-liaison Psychiatry Service in General Practice. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997, 31, 714-725.	1.3	25
169	Consultation-Liaison Psychiatry in General Practice. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997, 31, 85-94.	1.3	31
170	Psychosocial sequelae of the 1989 Newcastle earthquake: II. Exposure and morbidity profiles during the first 2 years post-disaster. <i>Psychological Medicine</i> , 1997, 27, 167-178.	2.7	146
171	Psychosocial sequelae of the 1989 Newcastle earthquake: III. Role of vulnerability factors in post-disaster morbidity. <i>Psychological Medicine</i> , 1997, 27, 179-190.	2.7	105
172	Determining the Effect That Consultation-Liaison Psychiatry in Primary Care Has on Family Physicians' Psychiatric Knowledge and Practice. <i>Psychosomatics</i> , 1997, 38, 217-229.	2.5	25
173	Stress debriefing and patterns of recovery following a natural disaster. <i>Journal of Traumatic Stress</i> , 1996, 9, 37-49.	1.0	120
174	THE PSYCHOSOCIAL IMPACT OF AN EARTHQUAKE ON THE ELDERLY. <i>International Journal of Geriatric Psychiatry</i> , 1996, 11, 943-951.	1.3	85
175	Factor Structure of the 28-Item General Health Questionnaire in a Sample of Antenatal Women. <i>International Journal of Psychiatry in Medicine</i> , 1996, 26, 263-269.	0.8	22
176	Stress debriefing and patterns of recovery following a natural disaster. <i>Journal of Traumatic Stress</i> , 1996, 9, 37-49.	1.0	49
177	Effects of a Natural Disaster on Immigrants and Host Population. <i>Journal of Nervous and Mental Disease</i> , 1995, 183, 390-397.	0.5	39
178	Friends of Adolescent Suicide Attempters and Completers. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993, 32, 76-81.	0.3	52
179	Plasma corticotropin-releasing hormone, β -endorphin and cortisol inter-relationships during human pregnancy. <i>European Journal of Endocrinology</i> , 1993, 128, 339-344.	1.9	79
180	Changes in Ego Defenses with Recovery from Depression. <i>Journal of Nervous and Mental Disease</i> , 1992, 180, 634-638.	0.5	54

#	ARTICLE	IF	CITATIONS
181	Patterns of service utilisation following the 1989 Newcastle earthquake: findings from Phase 1 of the Quake Impact Study. Australian Journal of Public Health, 1992, 16, 360-369.	0.2	28
182	Antenatal prediction of mother-infant difficulties. Child Abuse and Neglect, 1991, 15, 351-361.	1.3	13
183	A COMMUNITY SCREENING TEST FOR HIGH ALCOHOL CONSUMPTION USING BIOCHEMICAL AND HAEMATOLOGICAL MEASURES. Alcohol and Alcoholism, 1991, 26, 337-346.	0.9	14
184	Firearms and Suicide in Australia. Australian and New Zealand Journal of Psychiatry, 1990, 24, 500-509.	1.3	37
185	Mood changes, obstetric experience and alterations in plasma cortisol, beta-endorphin and corticotrophin releasing hormone during pregnancy and the puerperium. Journal of Psychosomatic Research, 1990, 34, 53-69.	1.2	104
186	Australian Adolescents' Perceptions of their Parents. Australian and New Zealand Journal of Psychiatry, 1989, 23, 35-47.	1.3	93
187	Farewells by the Dying: A Sociological Study. Omega: Journal of Death and Dying, 1989, 19, 275-292.	0.7	15
188	General practitioners' recognition and management of psychiatric illness (for editorial comment, see) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.8	14
189	Minor Psychiatric Morbidity in a Casualty Population: Identification, Attempted Intervention and Six-Month Follow-Up. Australian and New Zealand Journal of Psychiatry, 1987, 21, 231-240.	1.3	17
190	Congenital developmental disability in the first 18 months: Parental perceptions and early intervention. Early Child Development and Care, 1987, 27, 507-523.	0.7	0
191	Postnatal disappearance of the pregnancy-associated reduced sensitivity of plasma cortisol to feedback inhibition. Life Sciences, 1987, 41, 1745-1750.	2.0	596
192	Post-partum psychoses and the dexamethasone suppression test. Journal of Affective Disorders, 1986, 11, 173-177.	2.0	21
193	Grief reactions of parental couples: congenital handicap and cot death. Medical Journal of Australia, 1986, 144, 292-298.	0.8	11
194	Peripartum Concentrations of Beta Endorphin and Cortisol and Maternal Mood States. Australian and New Zealand Journal of Obstetrics and Gynaecology, 1985, 25, 194-197.	0.4	47
195	Correlates of Pregnancy and Sexual Experience in Australian Adolescents. Journal of Psychosomatic Obstetrics and Gynaecology, 1985, 4, 237-254.	1.1	13
196	Predicting persistence at university from information obtained at intake. Higher Education, 1984, 13, 49-66.	2.8	12
197	Predictors of Initial and Final Work Capacity in a Chronic Obstructive Airways Disease Rehabilitation Program. Australian and New Zealand Journal of Psychiatry, 1983, 17, 321-327.	1.3	1
198	Recovery from Post-Earthquake Psychological Morbidity: Who Suffers and who Recovers?. , 0, .		2

#	ARTICLE	IF	CITATIONS
199	Offending Behaviour and Mental Illness: Characteristics of a Mental Health Court Liaison Service. , 0,		2