

Mika KÃ¤hÃ¶nen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4555029/publications.pdf>

Version: 2024-02-01

656
papers

64,603
citations

1299

109
h-index

1496

219
g-index

710
all docs

710
docs citations

710
times ranked

62820
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283.	9.4	2,641
2	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,634
3	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. <i>Nature</i> , 2011, 478, 103-109.	13.7	1,855
4	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	13.7	1,789
5	Integrative approaches for large-scale transcriptome-wide association studies. <i>Nature Genetics</i> , 2016, 48, 245-252.	9.4	1,618
6	Cardiovascular Risk Factors in Childhood and Carotid Artery Intima-Media Thickness in Adulthood. <i>JAMA - Journal of the American Medical Association</i> , 2003, 290, 2277.	3.8	1,483
7	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 25-33.	9.4	1,439
8	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	13.7	1,204
9	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. <i>Nature Genetics</i> , 2012, 44, 491-501.	9.4	1,100
10	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018, 50, 1412-1425.	9.4	924
11	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010, 42, 949-960.	9.4	836
12	Common variants associated with plasma triglycerides and risk for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 1345-1352.	9.4	754
13	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. <i>Science</i> , 2013, 340, 1467-1471.	6.0	750
14	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. <i>Nature Genetics</i> , 2013, 45, 145-154.	9.4	675
15	Cohort Profile: The Cardiovascular Risk in Young Finns Study. <i>International Journal of Epidemiology</i> , 2008, 37, 1220-1226.	0.9	634
16	Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic scores that regulate blood gene expression. <i>Nature Genetics</i> , 2021, 53, 1300-1310.	9.4	590
17	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	9.4	578
18	Genome-wide study for circulating metabolites identifies 62 loci and reveals novel systemic effects of LPA. <i>Nature Communications</i> , 2016, 7, 11122.	5.8	576

#	ARTICLE	IF	CITATIONS
19	Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018, 50, 1225-1233.	9.4	552
20	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019, 51, 957-972.	9.4	549
21	Metabolite Profiling and Cardiovascular Event Risk. <i>Circulation</i> , 2015, 131, 774-785.	1.6	547
22	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190.	13.7	544
23	Genome-wide association study identifies five loci associated with lung function. <i>Nature Genetics</i> , 2010, 42, 36-44.	9.4	518
24	Genome-wide association study identifies multiple loci influencing human serum metabolite levels. <i>Nature Genetics</i> , 2012, 44, 269-276.	9.4	516
25	High-throughput serum NMR metabolomics for cost-effective holistic studies on systemic metabolism. <i>Analyst</i> , 2009, 134, 1781.	1.7	491
26	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	5.8	484
27	Physical Activity Attenuates the Influence of FTO Variants on Obesity Risk: A Meta-Analysis of 218,166 Adults and 19,268 Children. <i>PLoS Medicine</i> , 2011, 8, e1001116.	3.9	446
28	Branched-Chain and Aromatic Amino Acids Are Predictors of Insulin Resistance in Young Adults. <i>Diabetes Care</i> , 2013, 36, 648-655.	4.3	441
29	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. <i>Science</i> , 2016, 351, 1166-1171.	6.0	438
30	Multiancestry association study identifies new asthma risk loci that colocalize with immune-cell enhancer marks. <i>Nature Genetics</i> , 2018, 50, 42-53.	9.4	426
31	Tracking of Serum Lipid Levels, Blood Pressure, and Body Mass Index from Childhood to Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Journal of Pediatrics</i> , 2011, 159, 584-590.	0.9	423
32	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. <i>PLoS Genetics</i> , 2012, 8, e1002607.	1.5	419
33	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016, 7, 10023.	5.8	412
34	Genome-wide associations for birth weight and correlations with adult disease. <i>Nature</i> , 2016, 538, 248-252.	13.7	406
35	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. <i>Nature Genetics</i> , 2011, 43, 1005-1011.	9.4	403
36	miR-21, miR-210, miR-34a, and miR-146a/b are up-regulated in human atherosclerotic plaques in the Tampere Vascular Study. <i>Atherosclerosis</i> , 2011, 219, 211-217.	0.4	402

#	ARTICLE	IF	CITATIONS
37	Maternal and fetal genetic effects on birth weight and their relevance to cardio-metabolic risk factors. <i>Nature Genetics</i> , 2019, 51, 804-814.	9.4	402
38	Genome-wide meta-analyses of multiancestry cohorts identify multiple new susceptibility loci for refractive error and myopia. <i>Nature Genetics</i> , 2013, 45, 314-318.	9.4	398
39	The Polygenic and Monogenic Basis of Blood Traits and Diseases. <i>Cell</i> , 2020, 182, 1214-1231.e11.	13.5	388
40	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. <i>Nature Genetics</i> , 2011, 43, 1082-1090.	9.4	367
41	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	9.4	362
42	Genome-wide Association Study Identifies 27 Loci Influencing Concentrations of Circulating Cytokines and Growth Factors. <i>American Journal of Human Genetics</i> , 2017, 100, 40-50.	2.6	360
43	Trans-ethnic and Ancestry-Specific Blood-Cell Genetics in 746,667 Individuals from 5 Global Populations. <i>Cell</i> , 2020, 182, 1198-1213.e14.	13.5	353
44	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	13.7	353
45	New genetic signals for lung function highlight pathways and chronic obstructive pulmonary disease associations across multiple ancestries. <i>Nature Genetics</i> , 2019, 51, 481-493.	9.4	350
46	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	1.5	331
47	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. <i>American Journal of Human Genetics</i> , 2018, 103, 691-706.	2.6	326
48	Seventy-five genetic loci influencing the human red blood cell. <i>Nature</i> , 2012, 492, 369-375.	13.7	320
49	Risk Factors Identified in Childhood and Decreased Carotid Artery Elasticity in Adulthood. <i>Circulation</i> , 2005, 112, 1486-1493.	1.6	315
50	Influence of Age on Associations Between Childhood Risk Factors and Carotid Intima-Media Thickness in Adulthood. <i>Circulation</i> , 2010, 122, 2514-2520.	1.6	295
51	Genome-wide association study in 79,366 European-ancestry individuals informs the genetic architecture of 25-hydroxyvitamin D levels. <i>Nature Communications</i> , 2018, 9, 260.	5.8	295
52	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , 2015, 47, 1282-1293.	9.4	294
53	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41.	9.4	286
54	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016, 48, 1462-1472.	9.4	284

#	ARTICLE	IF	CITATIONS
55	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013, 45, 621-631.	9.4	282
56	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014, 46, 826-836.	9.4	281
57	Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. <i>Nature Genetics</i> , 2017, 49, 946-952.	9.4	279
58	Genome-wide association analysis identifies three new susceptibility loci for childhood body mass index. <i>Human Molecular Genetics</i> , 2016, 25, 389-403.	1.4	275
59	Metabolic Signatures of Adiposity in Young Adults: Mendelian Randomization Analysis and Effects of Weight Change. <i>PLoS Medicine</i> , 2014, 11, e1001765.	3.9	271
60	Metabolic Signatures of Insulin Resistance in 7,098 Young Adults. <i>Diabetes</i> , 2012, 61, 1372-1380.	0.3	262
61	Genome-wide association analyses for lung function and chronic obstructive pulmonary disease identify new loci and potential druggable targets. <i>Nature Genetics</i> , 2017, 49, 416-425.	9.4	257
62	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019, 51, 1459-1474.	9.4	251
63	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016, 7, 10495.	5.8	245
64	Pediatric Metabolic Syndrome Predicts Adulthood Metabolic Syndrome, Subclinical Atherosclerosis, and Type 2 Diabetes Mellitus but Is No Better Than Body Mass Index Alone. <i>Circulation</i> , 2010, 122, 1604-1611.	1.6	241
65	WNT16 Influences Bone Mineral Density, Cortical Bone Thickness, Bone Strength, and Osteoporotic Fracture Risk. <i>PLoS Genetics</i> , 2012, 8, e1002745.	1.5	240
66	Ideal Cardiovascular Health in Childhood and Cardiometabolic Outcomes in Adulthood. <i>Circulation</i> , 2012, 125, 1971-1978.	1.6	236
67	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	4.1	235
68	Combined Effects of Child and Adult Elevated Blood Pressure on Subclinical Atherosclerosis. <i>Circulation</i> , 2013, 128, 217-224.	1.6	229
69	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	9.4	215
70	A meta-analysis of genome-wide association studies identifies multiple longevity genes. <i>Nature Communications</i> , 2019, 10, 3669.	5.8	214
71	Genome-wide meta-analysis of observational studies shows common genetic variants associated with macronutrient intake. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1395-1402.	2.2	210
72	A metabolic view on menopause and ageing. <i>Nature Communications</i> , 2014, 5, 4708.	5.8	196

#	ARTICLE	IF	CITATIONS
73	Long-term Leisure-time Physical Activity and Serum Metabolome. <i>Circulation</i> , 2013, 127, 340-348.	1.6	193
74	Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. <i>Nature Genetics</i> , 2011, 43, 940-947.	9.4	191
75	Genome-wide association and longitudinal analyses reveal genetic loci linking pubertal height growth, pubertal timing and childhood adiposity. <i>Human Molecular Genetics</i> , 2013, 22, 2735-2747.	1.4	188
76	Circulating Metabolite Predictors of Glycemia in Middle-Aged Men and Women. <i>Diabetes Care</i> , 2012, 35, 1749-1756.	4.3	184
77	Genome-Wide Screen for Metabolic Syndrome Susceptibility Loci Reveals Strong Lipid Gene Contribution But No Evidence for Common Genetic Basis for Clustering of Metabolic Syndrome Traits. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 242-249.	5.1	182
78	Association of branched-chain amino acids and other circulating metabolites with risk of incident dementia and Alzheimer's disease: A prospective study in eight cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 723-733.	0.4	182
79	The Biomarker GlycA Is Associated with Chronic Inflammation and Predicts Long-Term Risk of Severe Infection. <i>Cell Systems</i> , 2015, 1, 293-301.	2.9	179
80	Genetic Determinants of Serum Testosterone Concentrations in Men. <i>PLoS Genetics</i> , 2011, 7, e1002313.	1.5	178
81	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015, 523, 459-462.	13.7	173
82	Metabolomic Profiling of Statin Use and Genetic Inhibition of HMG-CoA Reductase. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1200-1210.	1.2	173
83	Life-time risk factors and progression of carotid atherosclerosis in young adults: the Cardiovascular Risk in Young Finns study. <i>European Heart Journal</i> , 2010, 31, 1745-1751.	1.0	171
84	Novel Loci for Metabolic Networks and Multi-Tissue Expression Studies Reveal Genes for Atherosclerosis. <i>PLoS Genetics</i> , 2012, 8, e1002907.	1.5	171
85	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017, 8, 14977.	5.8	169
86	Association of genetic variation with systolic and diastolic blood pressure among African Americans: the Candidate Gene Association Resource study. <i>Human Molecular Genetics</i> , 2011, 20, 2273-2284.	1.4	168
87	Genome-Wide Association and Functional Follow-Up Reveals New Loci for Kidney Function. <i>PLoS Genetics</i> , 2012, 8, e1002584.	1.5	166
88	MAINTENANCE OF GENETIC VARIATION IN HUMAN PERSONALITY: TESTING EVOLUTIONARY MODELS BY ESTIMATING HERITABILITY DUE TO COMMON CAUSAL VARIANTS AND INVESTIGATING THE EFFECT OF DISTANT INBREEDING. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 3238-3251.	1.1	166
89	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017, 13, e1006528.	1.5	158
90	Effect of age and sex on carotid intima-media thickness, elasticity and brachial endothelial function in healthy adults: The Cardiovascular Risk in Young Finns Study. <i>European Heart Journal</i> , 2008, 29, 1198-1206.	1.0	157

#	ARTICLE	IF	CITATIONS
91	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. <i>Nature Communications</i> , 2016, 7, 10494.	5.8	153
92	A Genome-Wide Association Meta-Analysis of Circulating Sex Hormone-Binding Globulin Reveals Multiple Loci Implicated in Sex Steroid Hormone Regulation. <i>PLoS Genetics</i> , 2012, 8, e1002805.	1.5	151
93	Metabolic profiling of pregnancy: cross-sectional and longitudinal evidence. <i>BMC Medicine</i> , 2016, 14, 205.	2.3	150
94	Conventional Cardiovascular Risk Factors and Metabolic Syndrome in Predicting Carotid Intima-Media Thickness Progression in Young Adults. <i>Circulation</i> , 2009, 120, 229-236.	1.6	149
95	High-throughput quantification of circulating metabolites improves prediction of subclinical atherosclerosis. <i>European Heart Journal</i> , 2012, 33, 2307-2316.	1.0	141
96	Circulating metabolites and the risk of type 2 diabetes: a prospective study of 11,896 young adults from four Finnish cohorts. <i>Diabetologia</i> , 2019, 62, 2298-2309.	2.9	141
97	Childhood Levels of Serum Apolipoproteins B and A-I Predict Carotid Intima-Media Thickness and Brachial Endothelial Function in Adulthood. <i>Journal of the American College of Cardiology</i> , 2008, 52, 293-299.	1.2	140
98	Nine Loci for Ocular Axial Length Identified through Genome-wide Association Studies, Including Shared Loci with Refractive Error. <i>American Journal of Human Genetics</i> , 2013, 93, 264-277.	2.6	139
99	Genome-wide analysis of 102,084 migraine cases identifies 123 risk loci and subtype-specific risk alleles. <i>Nature Genetics</i> , 2022, 54, 152-160.	9.4	135
100	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. <i>Nature Communications</i> , 2019, 10, 4130.	5.8	133
101	Genome-wide association analysis identifies six new loci associated with forced vital capacity. <i>Nature Genetics</i> , 2014, 46, 669-677.	9.4	131
102	Effect of Five Genetic Variants Associated with Lung Function on the Risk of Chronic Obstructive Lung Disease, and Their Joint Effects on Lung Function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 786-795.	2.5	128
103	Obesity accelerates epigenetic aging in middle-aged but not in elderly individuals. <i>Clinical Epigenetics</i> , 2017, 9, 20.	1.8	128
104	Longitudinal Genome-Wide Association of Cardiovascular Disease Risk Factors in the Bogalusa Heart Study. <i>PLoS Genetics</i> , 2010, 6, e1001094.	1.5	126
105	Brachial Artery Flow-Mediated Dilatation and Asymmetrical Dimethylarginine in the Cardiovascular Risk in Young Finns Study. <i>Circulation</i> , 2007, 116, 1367-1373.	1.6	125
106	Lifetime Risk Factors and Arterial Pulse Wave Velocity in Adulthood. <i>Hypertension</i> , 2010, 55, 806-811.	1.3	125
107	Adolescence Risk Factors Are Predictive of Coronary Artery Calcification at Middle Age. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1364-1370.	1.2	125
108	Childhood Physical, Environmental, and Genetic Predictors of Adult Hypertension. <i>Circulation</i> , 2012, 126, 402-409.	1.6	123

#	ARTICLE	IF	CITATIONS
109	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. <i>Hypertension</i> , 2017, 70, .	1.3	123
110	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. <i>American Journal of Human Genetics</i> , 2018, 102, 375-400.	2.6	123
111	Fetal Growth and Preterm Birth Influence Cardiovascular Risk Factors and Arterial Health in Young Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2975-2981.	1.1	121
112	T-wave alternans predicts mortality in a population undergoing a clinically indicated exercise test. <i>European Heart Journal</i> , 2007, 28, 2332-2337.	1.0	119
113	Mendelian Randomization Studies Do Not Support a Causal Role for Reduced Circulating Adiponectin Levels in Insulin Resistance and Type 2 Diabetes. <i>Diabetes</i> , 2013, 62, 3589-3598.	0.3	116
114	A genome-wide association meta-analysis on lipoprotein (a) concentrations adjusted for apolipoprotein (a) isoforms. <i>Journal of Lipid Research</i> , 2017, 58, 1834-1844.	2.0	114
115	52 Genetic Loci Influencing Myocardial Mass. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1435-1448.	1.2	113
116	Genome-wide analysis identifies novel susceptibility loci for myocardial infarction. <i>European Heart Journal</i> , 2021, 42, 919-933.	1.0	113
117	Genome-Wide Association Studies of Asthma in Population-Based Cohorts Confirm Known and Suggested Loci and Identify an Additional Association near HLA. <i>PLoS ONE</i> , 2012, 7, e44008.	1.1	111
118	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13366-13371.	3.3	110
119	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. <i>American Journal of Human Genetics</i> , 2014, 95, 24-38.	2.6	109
120	Sixteen new lung function signals identified through 1000 Genomes Project reference panel imputation. <i>Nature Communications</i> , 2015, 6, 8658.	5.8	108
121	Large-scale genome-wide analysis identifies genetic variants associated with cardiac structure and function. <i>Journal of Clinical Investigation</i> , 2017, 127, 1798-1812.	3.9	106
122	Prediction of Acute Mountain Sickness by Monitoring Arterial Oxygen Saturation During Ascent. <i>High Altitude Medicine and Biology</i> , 2010, 11, 325-332.	0.5	105
123	Meta-analysis of gene-environment-wide association scans accounting for education level identifies additional loci for refractive error. <i>Nature Communications</i> , 2016, 7, 11008.	5.8	104
124	Inherited myeloproliferative neoplasm risk affects haematopoietic stem cells. <i>Nature</i> , 2020, 586, 769-775.	13.7	101
125	A Diagnosis of the Metabolic Syndrome in Youth That Resolves by Adult Life Is Associated With a Normalization of High Carotid Intima-Media Thickness and Type 2 Diabetes Mellitus Risk. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1631-1639.	1.2	100
126	Genetic Determinants of Trabecular and Cortical Volumetric Bone Mineral Densities and Bone Microstructure. <i>PLoS Genetics</i> , 2013, 9, e1003247.	1.5	100

#	ARTICLE	IF	CITATIONS
127	Cardiovascular Risk Factors From Childhood and Midlife Cognitive Performance. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2279-2289.	1.2	100
128	Neighbourhood socioeconomic disadvantage, risk factors, and diabetes from childhood to middle age in the Young Finns Study: a cohort study. <i>Lancet Public Health</i> , The, 2018, 3, e365-e373.	4.7	100
129	1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , 2017, 7, 45040.	1.6	98
130	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017, 8, 15805.	5.8	95
131	NAFLD risk alleles in PNPLA3, TM6SF2, GCKR and LYPLAL1 show divergent metabolic effects. <i>Human Molecular Genetics</i> , 2018, 27, 2214-2223.	1.4	95
132	Novel loci for childhood body mass index and shared heritability with adult cardiometabolic traits. <i>PLoS Genetics</i> , 2020, 16, e1008718.	1.5	95
133	Lifetime Fruit and Vegetable Consumption and Arterial Pulse Wave Velocity in Adulthood. <i>Circulation</i> , 2010, 122, 2521-2528.	1.6	94
134	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018, 13, e0198166.	1.1	94
135	High Intestinal Cholesterol Absorption Is Associated With Cardiovascular Disease and Risk Alleles in ABCG8 and ABO. <i>Journal of the American College of Cardiology</i> , 2013, 62, 291-299.	1.2	93
136	Habitual sleep duration is associated with BMI and macronutrient intake and may be modified by CLOCK genetic variants. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 135-143.	2.2	93
137	Arterial pulse wave velocity in relation to carotid intima-media thickness, brachial flow-mediated dilation and carotid artery distensibility: The Cardiovascular Risk in Young Finns Study and the Health 2000 Survey. <i>Atherosclerosis</i> , 2012, 220, 387-393.	0.4	91
138	Pulse Wave Velocity Predicts the Progression of Blood Pressure and Development of Hypertension in Young Adults. <i>Hypertension</i> , 2018, 71, 451-456.	1.3	91
139	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. <i>Human Molecular Genetics</i> , 2014, 23, 3054-3068.	1.4	90
140	Metabolic profiling of alcohol consumption in 9778 young adults. <i>International Journal of Epidemiology</i> , 2016, 45, 1493-1506.	0.9	90
141	Genome-wide association studies identify 137 genetic loci for DNA methylation biomarkers of aging. <i>Genome Biology</i> , 2021, 22, 194.	3.8	90
142	Detailed metabolic and genetic characterization reveals new associations for 30 known lipid loci. <i>Human Molecular Genetics</i> , 2012, 21, 1444-1455.	1.4	89
143	High Birth Weight Is Associated With Obesity and Increased Carotid Wall Thickness in Young Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1064-1068.	1.1	89
144	Causal Effect of Plasminogen Activator Inhibitor Type 1 on Coronary Heart Disease. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	89

#	ARTICLE	IF	CITATIONS
145	Simultaneous non-invasive assessment of arterial stiffness and haemodynamics—A validation study. <i>Clinical Physiology and Functional Imaging</i> , 2003, 23, 31-36.	0.5	86
146	Association of Pathobiologic Determinants of Atherosclerosis in Youth Risk Score and 15-Year Change in Risk Score With Carotid Artery Intima-Media Thickness in Young Adults (from the Cardiovascular Risk in Young Finns Study). <i>Journal of the American Heart Association</i> , 2014, 3, e000532.	0.7	75
147	Gene-environment dietary pattern interactions in obesity: analysis of up to 68 317 adults of European ancestry. <i>Human Molecular Genetics</i> , 2015, 24, 4728-4738.	1.4	84
148	Sex hormone-binding globulin associations with circulating lipids and metabolites and the risk for type 2 diabetes: observational and causal effect estimates. <i>International Journal of Epidemiology</i> , 2015, 44, 623-637.	0.9	83
149	Metabolic profiling of fatty liver in young and middle-aged adults: Cross-sectional and prospective analyses of the Young Finns Study. <i>Hepatology</i> , 2017, 65, 491-500.	3.6	83
150	Sympathetic activity-associated periodic repolarization dynamics predict mortality following myocardial infarction. <i>Journal of Clinical Investigation</i> , 2014, 124, 1770-1780.	3.9	83
151	Prospective Relationship of Change in Ideal Cardiovascular Health Status and Arterial Stiffness: The Cardiovascular Risk in Young Finns Study. <i>Journal of the American Heart Association</i> , 2014, 3, e000532.	1.6	82
152	Genome-wide association study of sexual maturation in males and females highlights a role for body mass and menarche loci in male puberty. <i>Human Molecular Genetics</i> , 2014, 23, 4452-4464.	1.4	82
153	Platelet-Related Variants Identified by Exomechip Meta-analysis in 157,293 Individuals. <i>American Journal of Human Genetics</i> , 2016, 99, 40-55.	2.6	82
154	Distinct Variants at LIN28B Influence Growth in Height from Birth to Adulthood. <i>American Journal of Human Genetics</i> , 2010, 86, 773-782.	2.6	81
155	Coronary Artery Disease-Associated Locus on Chromosome 9p21 and Early Markers of Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1679-1683.	1.1	80
156	Evidence of Inbreeding Depression on Human Height. <i>PLoS Genetics</i> , 2012, 8, e1002655.	1.5	79
157	Cardiovascular risk factors in 2011 and secular trends since 2007: The Cardiovascular Risk in Young Finns Study. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 563-571.	1.2	79
158	Target organ damage and masked hypertension in the general population. <i>Journal of Hypertension</i> , 2013, 31, 1136-1143.	0.3	78
159	Exposure to Parental Smoking in Childhood Is Associated With Increased Risk of Carotid Atherosclerotic Plaque in Adulthood. <i>Circulation</i> , 2015, 131, 1239-1246.	1.6	78
160	Uncovering the complex genetics of human character. <i>Molecular Psychiatry</i> , 2020, 25, 2295-2312.	4.1	77
161	A trans-ancestral meta-analysis of genome-wide association studies reveals loci associated with childhood obesity. <i>Human Molecular Genetics</i> , 2019, 28, 3327-3338.	1.4	76
162	Activation of indoleamine 2,3-dioxygenase-induced tryptophan degradation in advanced atherosclerotic plaques: Tampere Vascular Study. <i>Annals of Medicine</i> , 2010, 42, 55-63.	1.5	75

#	ARTICLE	IF	CITATIONS
163	New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. <i>Nature Human Behaviour</i> , 2019, 3, 950-961.	6.2	75
164	Arterial Structure and Function After Recovery From the Metabolic Syndrome. <i>Circulation</i> , 2010, 121, 392-400.	1.6	74
165	Meta-Analysis Investigating Associations Between Healthy Diet and Fasting Glucose and Insulin Levels and Modification by Loci Associated With Glucose Homeostasis in Data From 15 Cohorts. <i>American Journal of Epidemiology</i> , 2013, 177, 103-115.	1.6	74
166	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	5.8	74
167	Cardiovascular Health Trajectories From Childhood Through Middle Age and Their Association With Subclinical Atherosclerosis. <i>JAMA Cardiology</i> , 2020, 5, 557.	3.0	73
168	ADAM-9, ADAM-15, and ADAM-17 are upregulated in macrophages in advanced human atherosclerotic plaques in aorta and carotid and femoral arteries—Tampere vascular study. <i>Annals of Medicine</i> , 2009, 41, 279-290.	1.5	72
169	Proprotein convertases in human atherosclerotic plaques: The overexpression of FURIN and its substrate cytokines BAFF and APRIL. <i>Atherosclerosis</i> , 2011, 219, 799-806.	0.4	72
170	Prolonged sleep restriction induces changes in pathways involved in cholesterol metabolism and inflammatory responses. <i>Scientific Reports</i> , 2016, 6, 24828.	1.6	72
171	Uncovering the complex genetics of human temperament. <i>Molecular Psychiatry</i> , 2020, 25, 2275-2294.	4.1	72
172	Increased Genetic Vulnerability to Smoking at CHRNA5 in Early-Onset Smokers. <i>Archives of General Psychiatry</i> , 2012, 69, 854.	13.8	71
173	PR interval genome-wide association meta-analysis identifies 50 loci associated with atrial and atrioventricular electrical activity. <i>Nature Communications</i> , 2018, 9, 2904.	5.8	71
174	Pharmacogenetics of apolipoprotein E gene during lipid-lowering therapy: lipid levels and prevention of coronary heart disease. <i>Pharmacogenomics</i> , 2008, 9, 1475-1486.	0.6	70
175	Parental Smoking in Childhood and Brachial Artery Flow-Mediated Dilatation in Young Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 1024-1031.	1.1	70
176	Exposure to parental smoking in childhood or adolescence is associated with increased carotid intima-media thickness in young adults: evidence from the Cardiovascular Risk in Young Finns study and the Childhood Determinants of Adult Health Study. <i>European Heart Journal</i> , 2014, 35, 2484-2491.	1.0	70
177	Associations between serum uric acid and markers of subclinical atherosclerosis in young adults. The cardiovascular risk in Young Finns study. <i>Atherosclerosis</i> , 2012, 223, 497-503.	0.4	69
178	Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: a meta-analysis of 50,345 Caucasians. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1266-1278.	2.2	69
179	Chronic obstructive pulmonary disease and related phenotypes: polygenic risk scores in population-based and case-control cohorts. <i>Lancet Respiratory Medicine</i> , 2020, 8, 696-708.	5.2	69
180	Association of Physical Activity in Childhood and Early Adulthood With Carotid Artery Elasticity 21 Years Later: The Cardiovascular Risk in Young Finns Study. <i>Journal of the American Heart Association</i> , 2014, 3, e000594.	1.6	68

#	ARTICLE	IF	CITATIONS
181	Analysis of cardiovascular responses to passive head-up tilt using continuous pulse wave analysis and impedance cardiography. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 128-137.	0.6	67
182	Large scale international replication and meta-analysis study confirms association of the 15q14 locus with myopia. The CREAM consortium. <i>Human Genetics</i> , 2012, 131, 1467-1480.	1.8	67
183	Gain-of-Function Lipoprotein Lipase Variant rs13702 Modulates Lipid Traits through Disruption of a MicroRNA-410 Seed Site. <i>American Journal of Human Genetics</i> , 2013, 92, 5-14.	2.6	67
184	Childhood Environmental and Genetic Predictors of Adulthood Obesity: The Cardiovascular Risk in Young Finns Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1542-E1549.	1.8	66
185	Molecular mechanisms underlying variations in lung function: a systems genetics analysis. <i>Lancet Respiratory Medicine</i> , 2015, 3, 782-795.	5.2	66
186	Blood microRNA profile associates with the levels of serum lipids and metabolites associated with glucose metabolism and insulin resistance and pinpoints pathways underlying metabolic syndrome. <i>Molecular and Cellular Endocrinology</i> , 2014, 391, 41-49.	1.6	65
187	Integration of genome-wide association studies with biological knowledge identifies six novel genes related to kidney function. <i>Human Molecular Genetics</i> , 2012, 21, 5329-5343.	1.4	64
188	CNV-association meta-analysis in 191,161 European adults reveals new loci associated with anthropometric traits. <i>Nature Communications</i> , 2017, 8, 744.	5.8	64
189	Effect of birth weight on life-course blood pressure levels among children born premature. <i>Journal of Hypertension</i> , 2015, 33, 1542-1548.	0.3	63
190	Coronary heart disease: from a disease of middle-aged men in the late 1970s to a disease of elderly women in the 2000s. <i>European Heart Journal</i> , 2006, 27, 296-301.	1.0	62
191	Childhood Nutrition in Predicting Metabolic Syndrome in Adults. <i>Diabetes Care</i> , 2012, 35, 1937-1943.	4.3	62
192	Blood hsa-miR-122-5p and hsa-miR-885-5p levels associate with fatty liver and related lipoprotein metabolism – The Young Finns Study. <i>Scientific Reports</i> , 2016, 6, 38262.	1.6	62
193	Effects of hormonal contraception on systemic metabolism: cross-sectional and longitudinal evidence. <i>International Journal of Epidemiology</i> , 2016, 45, 1445-1457.	0.9	62
194	Influence of Child and Adult Elevated Blood Pressure on Adult Arterial Stiffness. <i>Hypertension</i> , 2017, 70, 531-536.	1.3	62
195	Identification of 371 genetic variants for age at first sex and birth linked to externalising behaviour. <i>Nature Human Behaviour</i> , 2021, 5, 1717-1730.	6.2	62
196	Lifetime body mass index and later atherosclerosis risk in young adults: examining causal links using Mendelian randomization in the Cardiovascular Risk in Young Finns study. <i>European Heart Journal</i> , 2008, 29, 2552-2560.	1.0	61
197	Cross-sectional associations between physical activity and selected coronary heart disease risk factors in young adults. The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2012, 44, 733-744.	1.5	61
198	Association of circulating metabolites with healthy diet and risk of cardiovascular disease: analysis of two cohort studies. <i>Scientific Reports</i> , 2018, 8, 8620.	1.6	61

#	ARTICLE	IF	CITATIONS
199	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. American Journal of Human Genetics, 2013, 93, 236-248.	2.6	60
200	Genetic variation in the hTAS2R38 taste receptor and food consumption among Finnish adults. Genes and Nutrition, 2014, 9, 433.	1.2	60
201	Exome Genotyping Identifies Pleiotropic Variants Associated with Red Blood Cell Traits. American Journal of Human Genetics, 2016, 99, 8-21.	2.6	60
202	Alcohol consumption is directly associated with carotid intima-media thickness in Finnish young adults. Atherosclerosis, 2009, 204, e93-e98.	0.4	59
203	Metabolic syndrome in childhood and increased arterial stiffness in adulthood – The Cardiovascular Risk in Young Finns Study. Annals of Medicine, 2011, 43, 312-319.	1.5	59
204	Experimental and Human Evidence for Lipocalin-2 (Neutrophil Gelatinase-Associated Lipocalin [NGAL]) in the Development of Cardiac Hypertrophy and Heart Failure. Journal of the American Heart Association, 2017, 6, .	1.6	59
205	Plasma Concentrations of Afamin Are Associated With Prevalent and Incident Type 2 Diabetes: A Pooled Analysis in More Than 20,000 Individuals. Diabetes Care, 2017, 40, 1386-1393.	4.3	59
206	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. Nature Communications, 2020, 11, 2542.	5.8	59
207	Enhanced Predictive Power of Quantitative TWA during Routine Exercise Testing in the Finnish Cardiovascular Study. Journal of Cardiovascular Electrophysiology, 2009, 20, 408-415.	0.8	58
208	A meta-analysis of genome-wide association studies of the electrocardiographic early repolarization pattern. Heart Rhythm, 2012, 9, 1627-1634.	0.3	58
209	Youth Overweight and Metabolic Disturbances in Predicting Carotid Intima-Media Thickness, Type 2 Diabetes, and Metabolic Syndrome in Adulthood: The Cardiovascular Risk in Young Finns Study. Diabetes Care, 2014, 37, 1870-1877.	4.3	58
210	Lifetime measures of ideal cardiovascular health and their association with subclinical atherosclerosis: The Cardiovascular Risk in Young Finns Study. International Journal of Cardiology, 2015, 185, 186-191.	0.8	58
211	Three genetic-environmental networks for human personality. Molecular Psychiatry, 2021, 26, 3858-3875.	4.1	58
212	Influence of gender on control of arterial tone in experimental hypertension. American Journal of Physiology - Heart and Circulatory Physiology, 1998, 275, H15-H22.	1.5	56
213	Short-term heart rate variability in healthy young adults. Autonomic Neuroscience: Basic and Clinical, 2009, 145, 81-88.	1.4	56
214	Arterial structure and function in young adults with the metabolic syndrome: the Cardiovascular Risk in Young Finns Study. European Heart Journal, 2008, 29, 784-791.	1.0	55
215	Whole blood microRNA levels associate with glycemic status and correlate with target mRNAs in pathways important to type 2 diabetes. Scientific Reports, 2019, 9, 8887.	1.6	55
216	Genome-Wide Association Study Identifies 3 Genomic Loci Significantly Associated With Serum Levels of Homoarginine. Circulation: Cardiovascular Genetics, 2013, 6, 505-513.	5.1	54

#	ARTICLE	IF	CITATIONS
217	Multiethnic Exome-Wide Association Study of Subclinical Atherosclerosis. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 511-520.	5.1	54
218	Genetic Variants and Blood Pressure in a Population-Based Cohort. <i>Hypertension</i> , 2011, 58, 1079-1085.	1.3	53
219	Childhood 25-OH Vitamin D Levels and Carotid Intima-Media Thickness in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1469-1476.	1.8	53
220	Lipoprotein Subclass Profiling Reveals Pleiotropy in the Genetic Variants of Lipid Risk Factors for Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1906-1908.	1.2	52
221	Gene-Environment Interactions of Circadian-Related Genes for Cardiometabolic Traits. <i>Diabetes Care</i> , 2015, 38, 1456-1466.	4.3	52
222	Differentially expressed genes and canonical pathway expression in human atherosclerotic plaques – Tampere Vascular Study. <i>Scientific Reports</i> , 2017, 7, 41483.	1.6	52
223	Gender and effects of a common genetic variant in the NOS1 regulator NOS1AP on cardiac repolarization in 3761 individuals from two independent populations. <i>International Journal of Epidemiology</i> , 2008, 37, 1132-1141.	0.9	51
224	Post-Exercise Assessment of Cardiac Repolarization Alternans in Patients With Coronary Artery Disease Using the Modified Moving Average Method. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1130-1137.	1.2	51
225	Childhood predictors of adult fatty liver. The Cardiovascular Risk in Young Finns Study. <i>Journal of Hepatology</i> , 2016, 65, 784-790.	1.8	51
226	Prevalence and prognosis of ECG abnormalities in normotensive and hypertensive individuals. <i>Journal of Hypertension</i> , 2016, 34, 959-966.	0.3	51
227	Large-Scale Exome-wide Association Analysis Identifies Loci for White Blood Cell Traits and Pleiotropy with Immune-Mediated Diseases. <i>American Journal of Human Genetics</i> , 2016, 99, 22-39.	2.6	50
228	Vitamin D and cognitive function: A Mendelian randomisation study. <i>Scientific Reports</i> , 2017, 7, 13230.	1.6	50
229	Carbonic anhydrases II and XII are up-regulated in osteoclast-like cells in advanced human atherosclerotic plaques – Tampere Vascular Study. <i>Annals of Medicine</i> , 2010, 42, 360-370.	1.5	49
230	Soluble Vascular Adhesion Protein-1 Correlates With Cardiovascular Risk Factors and Early Atherosclerotic Manifestations. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 523-532.	1.1	49
231	Circulating cell-free DNA is associated with cardiometabolic risk factors: The Health 2000 Survey. <i>Atherosclerosis</i> , 2014, 233, 268-271.	0.4	49
232	Central wave reflection is associated with peripheral arterial resistance in addition to arterial stiffness in subjects without antihypertensive medication. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 131.	0.7	49
233	Continuous and Dichotomous Metabolic Syndrome Definitions in Youth Predict Adult Type 2 Diabetes and Carotid Artery Intima Media Thickness: The Cardiovascular Risk in Young Finns Study. <i>Journal of Pediatrics</i> , 2016, 171, 97-103.e3.	0.9	49
234	The Finnish Cardiovascular Study (FINCAVAS): characterising patients with high risk of cardiovascular morbidity and mortality. <i>BMC Cardiovascular Disorders</i> , 2006, 6, 9.	0.7	48

#	ARTICLE	IF	CITATIONS
235	Home-measured blood pressure is more strongly associated with atherosclerosis than clinic blood pressure: the Finnâ€‘HOME Study. <i>Journal of Hypertension</i> , 2007, 25, 1225-1231.	0.3	48
236	Metabolic syndrome and arterial stiffness: The Health 2000 Survey. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 320-326.	1.5	48
237	International Genome-Wide Association Study Consortium Identifies Novel Loci Associated With Blood Pressure in Children and Adolescents. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 266-278.	5.1	48
238	Endothelial function in spontaneously hypertensive rats: influence of quinapril treatment. <i>British Journal of Pharmacology</i> , 1995, 115, 859-867.	2.7	47
239	Efficacy and systemic side-effects of topical 0.5% timolol aqueous solution and 0.1% timolol hydrogel. <i>Acta Ophthalmologica</i> , 2005, 83, 723-728.	0.4	47
240	Higher Magnesium Intake Is Associated with Lower Fasting Glucose and Insulin, with No Evidence of Interaction with Select Genetic Loci, in a Meta-Analysis of 15 CHARGE Consortium Studies. <i>Journal of Nutrition</i> , 2013, 143, 345-353.	1.3	47
241	Exome-chip meta-analysis identifies novel loci associated with cardiac conduction, including ADAMTS6. <i>Genome Biology</i> , 2018, 19, 87.	3.8	47
242	Apolipoprotein A-I concentrations and risk of coronary artery disease: A Mendelian randomization study. <i>Atherosclerosis</i> , 2020, 299, 56-63.	0.4	47
243	Polymorphisms of genes CYP2D6, ADRB1 and GNAS1 in pharmacokinetics and systemic effects of ophthalmic timolol. A pilot study. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 811-819.	0.8	46
244	A longitudinal analysis on associations of adiponectin levels with metabolic syndrome and carotid artery intima-media thickness. The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2011, 217, 234-239.	0.4	46
245	A genome-wide association meta-analysis on apolipoprotein A-IV concentrations. <i>Human Molecular Genetics</i> , 2016, 25, 3635-3646.	1.4	46
246	An interaction map of circulating metabolites, immune gene networks, and their genetic regulation. <i>Genome Biology</i> , 2017, 18, 146.	3.8	46
247	Fetal growth, omega-3 (nâˆ’3) fatty acids, and progression of subclinical atherosclerosis: preventing fetal origins of disease? The Cardiovascular Risk in Young Finns Study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 58-65.	2.2	45
248	Whole-Exome Sequencing Identifies Loci Associated with Blood Cell Traits and Reveals a Role for Alternative GF11B Splice Variants in Human Hematopoiesis. <i>American Journal of Human Genetics</i> , 2016, 99, 481-488.	2.6	45
249	Association of Childhood Oral Infections With Cardiovascular Risk Factors and Subclinical Atherosclerosis in Adulthood. <i>JAMA Network Open</i> , 2019, 2, e192523.	2.8	45
250	Simplified Definitions of Elevated Pediatric Blood Pressure and High Adult Arterial Stiffness. <i>Pediatrics</i> , 2013, 132, e70-e76.	1.0	44
251	Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. <i>Molecular Psychiatry</i> , 2019, 24, 1920-1932.	4.1	44
252	Combined assessment of heart rate recovery and T-wave alternans during routine exercise testing improves prediction of total and cardiovascular mortality: The Finnish Cardiovascular Study. <i>Heart Rhythm</i> , 2009, 6, 1765-1771.	0.3	43

#	ARTICLE	IF	CITATIONS
253	Resistin Is an Indicator of the Metabolic Syndrome According to Five Different Definitions in the Finnish Health 2000 Survey. <i>Metabolic Syndrome and Related Disorders</i> , 2011, 9, 203-210.	0.5	43
254	Conventional and Mendelian randomization analyses suggest no association between lipoprotein(a) and early atherosclerosis: the Young Finns Study. <i>International Journal of Epidemiology</i> , 2011, 40, 470-478.	0.9	43
255	Association of maternal prenatal smoking GFI1-locus and cardio-metabolic phenotypes in 18,212 adults. <i>EBioMedicine</i> , 2018, 38, 206-216.	2.7	43
256	Insulin and BMI as Predictors of Adult Type 2 Diabetes Mellitus. <i>Pediatrics</i> , 2015, 135, e144-e151.	1.0	42
257	Genome-Wide Meta-Analysis of Cotinine Levels in Cigarette Smokers Identifies Locus at 4q13.2. <i>Scientific Reports</i> , 2016, 6, 20092.	1.6	42
258	Circulating metabolic biomarkers of renal function in diabetic and non-diabetic populations. <i>Scientific Reports</i> , 2018, 8, 15249.	1.6	42
259	Model selection for metabolomics: predicting diagnosis of coronary artery disease using automated machine learning. <i>Bioinformatics</i> , 2020, 36, 1772-1778.	1.8	42
260	Meta-analysis uncovers genome-wide significant variants for rapid kidney function decline. <i>Kidney International</i> , 2021, 99, 926-939.	2.6	42
261	Polymorphism in the IL10 promoter region and early markers of atherosclerosis: The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2010, 208, 190-196.	0.4	41
262	The Molecular Genetic Architecture of Self-Employment. <i>PLoS ONE</i> , 2013, 8, e60542.	1.1	41
263	Metabolic signatures of birthweight in 18,288 adolescents and adults. <i>International Journal of Epidemiology</i> , 2016, 45, 1539-1550.	0.9	41
264	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits. <i>JAMA Network Open</i> , 2019, 2, e1910915.	2.8	41
265	Association between low plasma levels of ophthalmic timolol and haemodynamics in glaucoma patients. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 369-374.	0.8	40
266	Geographic Origin as a Determinant of Carotid Artery Intima-Media Thickness and Brachial Artery Flow-Mediated Dilation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 392-398.	1.1	40
267	Improved systemic safety and risk-benefit ratio of topical 0.1% timolol hydrogel compared with 0.5% timolol aqueous solution in the treatment of glaucoma. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2006, 244, 1491-1496.	1.0	40
268	Serotonin receptor 1B genotype and hostility, anger and aggressive behavior through the lifespan: the Young Finns study. <i>Journal of Behavioral Medicine</i> , 2013, 36, 583-590.	1.1	40
269	Genetic Determinants of Circulating Interleukin-1 Receptor Antagonist Levels and Their Association With Glycemic Traits. <i>Diabetes</i> , 2014, 63, 4343-4359.	0.3	40
270	Childhood risk factors and carotid atherosclerotic plaque in adulthood: The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2020, 293, 18-25.	0.4	40

#	ARTICLE	IF	CITATIONS
271	Association of Known Loci With Lipid Levels Among Children and Prediction of Dyslipidemia in Adults. <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 673-680.	5.1	39
272	Genes Involved in Systemic and Arterial Bed Dependent Atherosclerosis - Tampere Vascular Study. <i>PLoS ONE</i> , 2012, 7, e33787.	1.1	39
273	SOS2 and ACP1 Loci Identified through Large-Scale Exome Chip Analysis Regulate Kidney Development and Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 981-994.	3.0	39
274	Genetic Variants and Their Interactions in the Prediction of Increased Pre-Clinical Carotid Atherosclerosis: The Cardiovascular Risk in Young Finns Study. <i>PLoS Genetics</i> , 2010, 6, e1001146.	1.5	38
275	Heart rate variability changes at 2400 m altitude predicts acute mountain sickness on further ascent at 3000-4300 m altitudes. <i>Frontiers in Physiology</i> , 2012, 3, 336.	1.3	38
276	Biomarker Glycoprotein Acetyls Is Associated With the Risk of a Wide Spectrum of Incident Diseases and Stratifies Mortality Risk in Angiography Patients. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002234.	1.6	38
277	Metabolic syndrome and carotid intima media thickness in the Health 2000 Survey. <i>Atherosclerosis</i> , 2009, 204, 276-281.	0.4	37
278	Socioeconomic Status, Cardiovascular Risk Factors, and Subclinical Atherosclerosis in Young Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 815-821.	1.1	37
279	Effects of polymorphisms in β_1 -adrenoceptor and β -subunit of G protein on heart rate and blood pressure during exercise test. The Finnish Cardiovascular Study. <i>Journal of Applied Physiology</i> , 2006, 100, 507-511.	1.2	36
280	Prevalence of ventricular conduction blocks in the resting electrocardiogram in a general population: The Health 2000 Survey. <i>International Journal of Cardiology</i> , 2013, 167, 1953-1960.	0.8	36
281	Haptoglobin 2 allele associates with unstable carotid plaque and major cardiovascular events. <i>Atherosclerosis</i> , 2013, 230, 228-234.	0.4	36
282	Evidence for large-scale gene-by-smoking interaction effects on pulmonary function. <i>International Journal of Epidemiology</i> , 2017, 46, dyw318.	0.9	36
283	Habitual coffee consumption and cognitive function: a Mendelian randomization meta-analysis in up to 415,530 participants. <i>Scientific Reports</i> , 2018, 8, 7526.	1.6	36
284	Interleukin-6 promoter polymorphism and cardiovascular risk factors: The Health 2000 Survey. <i>Atherosclerosis</i> , 2009, 207, 466-470.	0.4	35
285	Plasma IgA antibody levels to malondialdehyde acetaldehyde-adducts are associated with inflammatory mediators, obesity and type 2 diabetes. <i>Annals of Medicine</i> , 2013, 45, 501-510.	1.5	35
286	Prevalence and determinants of fatty liver in normal-weight and overweight young adults. The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2015, 47, 40-46.	1.5	35
287	Talin and vinculin are downregulated in atherosclerotic plaque; Tampere Vascular Study. <i>Atherosclerosis</i> , 2016, 255, 43-53.	0.4	35
288	Glycoprotein Acetyls: A Novel Inflammatory Biomarker of Early Cardiovascular Risk in the Young. <i>Journal of the American Heart Association</i> , 2022, 11, e024380.	1.6	35

#	ARTICLE	IF	CITATIONS
289	Influence of apolipoprotein E polymorphism on serum lipid and lipoprotein changes: a 21-year follow-up study from childhood to adulthood. The Cardiovascular Risk in Young Finns Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 592-8.	1.4	34
290	Pulse Pressure in Youth and Carotid Intima-Media Thickness in Adulthood. <i>Stroke</i> , 2009, 40, 1519-1521.	1.0	34
291	Ageing and cardiovascular responses to head-up tilt in healthy subjects. <i>Atherosclerosis</i> , 2009, 207, 445-451.	0.4	34
292	Subtle increases in heart size persist into adulthood in growth restricted babies: the Cardiovascular Risk in Young Finns Study. <i>Open Heart</i> , 2015, 2, e000265.	0.9	34
293	Meta-analysis of 49â€¦549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in <i>ANGPTL4</i> determining fasting TG levels. <i>Journal of Medical Genetics</i> , 2016, 53, 441-449.	1.5	34
294	Dairy Consumption and Body Mass Index Among Adults: Mendelian Randomization Analysis of 184802 Individuals from 25 Studies. <i>Clinical Chemistry</i> , 2018, 64, 183-191.	1.5	34
295	Genetic and environmental perturbations lead to regulatory decoherence. <i>ELife</i> , 2019, 8, .	2.8	34
296	Interleukin 18 gene promoter polymorphism: a link between hypertension and pre-hospital sudden cardiac death: the Helsinki Sudden Death Study. <i>European Heart Journal</i> , 2009, 30, 2939-2946.	1.0	33
297	Association of Variation in the Interleukin-1 Gene Family with Diabetes and Glucose Homeostasis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4575-4583.	1.8	33
298	Metabolic Syndrome and Carotid Intima-Media Thickness in Young Adults: Roles of Apolipoprotein B, Apolipoprotein A-I, C-Reactive Protein, and Secretory Phospholipase A2: The Cardiovascular Risk in Young Finns Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1861-1866.	1.1	33
299	Adiponectin is related with carotid artery intima-media thickness and brachial flow-mediated dilatation in young adultsâ€”The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2010, 42, 603-611.	1.5	33
300	Effect of age, gender and cardiovascular risk factors on carotid distensibility during 6-year follow-up. The cardiovascular risk in Young Finns study. <i>Atherosclerosis</i> , 2012, 224, 474-479.	0.4	33
301	Plasminogen activator inhibitor-1 associates with cardiovascular risk factors in healthy young adults in the Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2012, 224, 208-212.	0.4	33
302	Genome-wide meta-analysis of common variant differences between men and women. <i>Human Molecular Genetics</i> , 2012, 21, 4805-4815.	1.4	33
303	Common Variants in Mendelian Kidney Disease Genes and Their Association with Renal Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 2105-2117.	3.0	33
304	Association of Neuroimmune Guidance Cue Netrin-1 and Its Chemorepulsive Receptor UNC5B With Atherosclerotic Plaque Expression Signatures and Stability in Human(s). <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 579-587.	5.1	33
305	Genome-wide association study on dimethylarginines reveals novel AGXT2 variants associated with heart rate variability but not with overall mortality. <i>European Heart Journal</i> , 2014, 35, 524-531.	1.0	33
306	Early childhood hospitalisation with infection and subclinical atherosclerosis in adulthood: The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2015, 239, 496-502.	0.4	33

#	ARTICLE	IF	CITATIONS
307	Genetic Factors Explain a Major Fraction of the 50% Lower Lipoprotein(a) Concentrations in Finns. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 1230-1241.	1.1	33
308	Identification, Heritability, and Relation With Gene Expression of Novel DNA Methylation Loci for Blood Pressure. <i>Hypertension</i> , 2020, 76, 195-205.	1.3	33
309	Metabolic profiling of angiotensin-like protein 3 and 4 inhibition: a drug-target Mendelian randomization analysis. <i>European Heart Journal</i> , 2021, 42, 1160-1169.	1.0	33
310	AT 1 Receptor Blockade Improves Vasorelaxation in Experimental Renal Failure. <i>Hypertension</i> , 2003, 41, 1364-1371.	1.3	32
311	Relation of Positive T Wave in Lead aVR to Risk of Cardiovascular Mortality. <i>American Journal of Cardiology</i> , 2011, 108, 1735-1740.	0.7	32
312	Distinct Loci in the <i>CHRNA5</i> / <i>CHRNA3</i> / <i>CHRNA4</i> Gene Cluster Are Associated With Onset of Regular Smoking. <i>Genetic Epidemiology</i> , 2013, 37, 846-859.	0.6	32
313	Sugar-sweetened beverage intake associations with fasting glucose and insulin concentrations are not modified by selected genetic variants in a ChREBP-FGF21 pathway: a meta-analysis. <i>Diabetologia</i> , 2018, 61, 317-330.	2.9	32
314	The effect of apolipoprotein E polymorphism on serum metabolome – a population-based 10-year follow-up study. <i>Scientific Reports</i> , 2019, 9, 458.	1.6	32
315	Childbearing, Child-Rearing, Cardiovascular Risk Factors, and Progression of Carotid Intima-Media Thickness. <i>Stroke</i> , 2010, 41, 1332-1337.	1.0	31
316	Childhood Psychosocial Factors and Coronary Artery Calcification in Adulthood. <i>JAMA Pediatrics</i> , 2016, 170, 466.	3.3	31
317	Multivariate Genome-wide Association Analysis of a Cytokine Network Reveals Variants with Widespread Immune, Haematological, and Cardiometabolic Pleiotropy. <i>American Journal of Human Genetics</i> , 2019, 105, 1076-1090.	2.6	31
318	Importance of regional specificity of T-wave alternans in assessing risk for cardiovascular mortality and sudden cardiac death during routine exercise testing. <i>Heart Rhythm</i> , 2011, 8, 385-390.	0.3	30
319	The Combined Effect of Common Genetic Risk Variants on Circulating Lipoproteins Is Evident in Childhood: A Longitudinal Analysis of the Cardiovascular Risk in Young Finns Study. <i>PLoS ONE</i> , 2016, 11, e0146081.	1.1	30
320	Childhood Infections, Socioeconomic Status, and Adult Cardiometabolic Risk. <i>Pediatrics</i> , 2016, 137, .	1.0	30
321	FDG-PET in possible cardiac sarcoidosis: Right ventricular uptake and high total cardiac metabolic activity predict cardiovascular events. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 199-205.	1.4	30
322	Neuregulin-1 genotype moderates the association between job strain and early atherosclerosis in young men. <i>Annals of Behavioral Medicine</i> , 2007, 33, 148-155.	1.7	29
323	Polymorphism in the IL6 promoter region is associated with the risk factors and markers of subclinical atherosclerosis in men: The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2009, 203, 454-458.	0.4	29
324	Coronary Artery Disease-Related Genetic Variant on Chromosome 10q11 Is Associated With Carotid Intima-Media Thickness and Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2678-2683.	1.1	29

#	ARTICLE	IF	CITATIONS
325	Characterization of systemic metabolic phenotypes associated with subclinical atherosclerosis. <i>Molecular BioSystems</i> , 2011, 7, 385-393.	2.9	29
326	A Genome-Wide Screen for Interactions Reveals a New Locus on 4p15 Modifying the Effect of Waist-to-Hip Ratio on Total Cholesterol. <i>PLoS Genetics</i> , 2011, 7, e1002333.	1.5	29
327	Kindlin 3 (FERMT3) is associated with unstable atherosclerotic plaques, anti-inflammatory type II macrophages and upregulation of beta-2 integrins in all major arterial beds. <i>Atherosclerosis</i> , 2015, 242, 145-154.	0.4	29
328	A genome-wide expression quantitative trait loci analysis of proprotein convertase subtilisin/kexin enzymes identifies a novel regulatory gene variant for FURIN expression and blood pressure. <i>Human Genetics</i> , 2015, 134, 627-636.	1.8	29
329	Discovery of novel heart rate-associated loci using the Exome Chip. <i>Human Molecular Genetics</i> , 2017, 26, 2346-2363.	1.4	29
330	Atherogenic index of plasma is related to arterial stiffness but not to blood pressure in normotensive and never-treated hypertensive subjects. <i>Blood Pressure</i> , 2019, 28, 157-167.	0.7	29
331	Lipoprotein signatures of cholesteryl ester transfer protein and HMG-CoA reductase inhibition. <i>PLoS Biology</i> , 2019, 17, e3000572.	2.6	29
332	Cardiovascular Risk Factor Trajectories Since Childhood and Cognitive Performance in Midlife: The Cardiovascular Risk in Young Finns Study. <i>Circulation</i> , 2021, 143, 1949-1961.	1.6	29
333	Cognitive performance in young adulthood and midlife: Relations with age, sex, and educationâ€”The Cardiovascular Risk in Young Finns Study.. <i>Neuropsychology</i> , 2016, 30, 532-542.	1.0	29
334	Heart rate variability is dependent on the level of heart rate. <i>American Heart Journal</i> , 2007, 154, e13.	1.2	28
335	Testosterone and temperament traits in men: Longitudinal analysis. <i>Psychoneuroendocrinology</i> , 2013, 38, 2243-2248.	1.3	28
336	Assessing multivariate gene-metabolome associations with rare variants using Bayesian reduced rank regression. <i>Bioinformatics</i> , 2014, 30, 2026-2034.	1.8	28
337	Effect of heart rate correction on pre- and post-exercise heart rate variability to predict risk of mortalityâ€”an experimental study on the FINCAVAS cohort. <i>Frontiers in Physiology</i> , 2014, 5, 208.	1.3	28
338	Integrative pathway genomics of lung function and airflow obstruction. <i>Human Molecular Genetics</i> , 2015, 24, 6836-6848.	1.4	28
339	Interrelationships between indices of longitudinal movement of the common carotid artery wall and the conventional measures of subclinical arteriosclerosis. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 305-313.	0.5	28
340	Arterial contractions induced by cumulative addition of calcium in hypertensive and normotensive rats: influence of endothelium. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994, 349, 627-636.	1.4	27
341	Toll-like receptor 4 gene (Asp299Gly) polymorphism associates with carotid artery elasticity. <i>Atherosclerosis</i> , 2008, 198, 152-159.	0.4	27
342	Common variation in NOS1AP and KCNH2 genes and QT interval duration in young adults. The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2009, 41, 144-151.	1.5	27

#	ARTICLE	IF	CITATIONS
343	Levels of asymmetrical dimethylarginine are predictive of brachial artery flow-mediated dilation 6 years later. The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2010, 212, 512-515.	0.4	27
344	Metabolic syndrome may be associated with increased arterial stiffness even in the absence of hypertension: A study in 84 cases and 82 controls. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1114-1122.	1.5	27
345	Prognostic implications of intraventricular conduction delays in a general population: The Health 2000 Survey. <i>Annals of Medicine</i> , 2015, 47, 74-80.	1.5	27
346	Childhood Psychosocial Cumulative Risks and Carotid Intima-Media Thickness in Adulthood. <i>Psychosomatic Medicine</i> , 2016, 78, 171-181.	1.3	27
347	ExomeChip-Wide Analysis of 95 626 Individuals Identifies 10 Novel Loci Associated With QT and JT Intervals. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e001758.	1.6	27
348	New evidence from plasma ceramides links apoE polymorphism to greater risk of coronary artery disease in Finnish adults. <i>Journal of Lipid Research</i> , 2019, 60, 1622-1629.	2.0	27
349	Effects of Calcium, Magnesium, and Potassium Concentrations on Ventricular Repolarization in Unselected Individuals. <i>Journal of the American College of Cardiology</i> , 2019, 73, 3118-3131.	1.2	27
350	HDL cholesterol efflux capacity is inversely associated with subclinical cardiovascular risk markers in young adults: The cardiovascular risk in Young Finns study. <i>Scientific Reports</i> , 2020, 10, 19223.	1.6	27
351	The Role of Inflammatory Cytokines as Intermediates in the Pathway from Increased Adiposity to Disease. <i>Obesity</i> , 2021, 29, 428-437.	1.5	27
352	Exploring Causality between TV Viewing and Weight Change in Young and Middle-Aged Adults. The Cardiovascular Risk in Young Finns Study. <i>PLoS ONE</i> , 2014, 9, e101860.	1.1	27
353	Psychological Stress Tasks in the Prediction of Blood Pressure Level and Need for Antihypertensive Medication: 9-12 Years of Follow-Up.. <i>Health Psychology</i> , 2005, 24, 77-87.	1.3	26
354	The Effects of Adult-Type Hypolactasia on Body Height Growth and Dietary Calcium Intake From Childhood Into Young Adulthood: A 21-Year Follow-up Study--The Cardiovascular Risk in Young Finns Study. <i>Pediatrics</i> , 2006, 118, 1553-1559.	1.0	26
355	Polymorphism in the C-reactive protein (CRP) gene affects CRP levels in plasma and one early marker of atherosclerosis in men: The Health 2000 Survey. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 353-361.	0.6	26
356	Heart rate variability is independently associated with C-reactive protein but not with Serum amyloid A. The Cardiovascular Risk in Young Finns Study. <i>European Journal of Clinical Investigation</i> , 2011, 41, 951-957.	1.7	26
357	Genetic Profiling Using Genome-Wide Significant Coronary Artery Disease Risk Variants Does Not Improve the Prediction of Subclinical Atherosclerosis: The Cardiovascular Risk in Young Finns Study, the Bogalusa Heart Study and the Health 2000 Survey – A Meta-Analysis of Three Independent Studies. <i>PLoS ONE</i> , 2012, 7, e28931.	1.1	26
358	The associations of oxidized high-density lipoprotein lipids with risk factors for atherosclerosis: The Cardiovascular Risk in Young Finns Study. <i>Free Radical Biology and Medicine</i> , 2013, 65, 1284-1290.	1.3	26
359	Predicting sudden cardiac death using common genetic risk variants for coronary artery disease. <i>European Heart Journal</i> , 2015, 36, 1669-1675.	1.0	26
360	Genome-Wide Association Study Implicates Atrial Natriuretic Peptide Rather Than B-Type Natriuretic Peptide in the Regulation of Blood Pressure in the General Population. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	26

#	ARTICLE	IF	CITATIONS
361	Genetic Studies of Leptin Concentrations Implicate Leptin in the Regulation of Early Adiposity. <i>Diabetes</i> , 2020, 69, 2806-2818.	0.3	26
362	DNA methylation signature of chronic low-grade inflammation and its role in cardio-respiratory diseases. <i>Nature Communications</i> , 2022, 13, 2408.	5.8	26
363	Infection-Related Hospitalization in Childhood and Adult Metabolic Outcomes. <i>Pediatrics</i> , 2015, 136, e554-e562.	1.0	25
364	No Association of Coronary Artery Disease with X-Chromosomal Variants in Comprehensive International Meta-Analysis. <i>Scientific Reports</i> , 2016, 6, 35278.	1.6	25
365	The p22phox C242T gene polymorphism is associated with a reduced risk of angiographically verified coronary artery disease in a high-risk Finnish Caucasian population. <i>The Finnish Cardiovascular Study. American Heart Journal</i> , 2006, 152, 538-542.	1.2	24
366	Association of liver enzymes with metabolic syndrome and carotid atherosclerosis in young adults. The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2012, 44, 187-195.	1.5	24
367	Does Bone Resorption Stimulate Periosteal Expansion? A Cross-Sectional Analysis of $\hat{\text{I}}^2\text{-C}$ -telopeptides of Type I Collagen (CTX), Genetic Markers of the RANKL Pathway, and Periosteal Circumference as Measured by pQCT. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 1015-1024.	3.1	24
368	Genome-wide association study for refractive astigmatism reveals genetic co-determination with spherical equivalent refractive error: the CREAM consortium. <i>Human Genetics</i> , 2015, 134, 131-146.	1.8	24
369	Twenty-eight genetic loci associated with ST-T-wave amplitudes of the electrocardiogram. <i>Human Molecular Genetics</i> , 2016, 25, 2093-2103.	1.4	24
370	NFAT5 and SLC4A10 Loci Associate with Plasma Osmolality. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2311-2321.	3.0	24
371	Childhood Socioeconomic Status and Arterial Stiffness in Adulthood. <i>Hypertension</i> , 2017, 70, 729-735.	1.3	24
372	The Duke treadmill score with bicycle ergometer: Exercise capacity is the most important predictor of cardiovascular mortality. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 199-207.	0.8	24
373	Dietary calcium and magnesium supplements in spontaneously hypertensive rats and isolated arterial reactivity. <i>British Journal of Pharmacology</i> , 1995, 115, 1455-1462.	2.7	23
374	Control of vascular tone in isolated mesenteric arterial segments from hypertensive patients. <i>British Journal of Pharmacology</i> , 1999, 127, 1735-1743.	2.7	23
375	Apolipoprotein B is related to arterial pulse wave velocity in young adults: The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2011, 214, 220-224.	0.4	23
376	Common variation in the ADAM8 gene affects serum sADAM8 concentrations and the risk of myocardial infarction in two independent cohorts. <i>Atherosclerosis</i> , 2011, 218, 127-133.	0.4	23
377	Computationally estimated apolipoproteins B and A1 in predicting cardiovascular risk. <i>Atherosclerosis</i> , 2013, 226, 245-251.	0.4	23
378	Increased Cardiac Workload in the Upright Posture in Men: Noninvasive Hemodynamics in Men Versus Women. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	23

#	ARTICLE	IF	CITATIONS
379	Incidence rates, correlates, and prognosis of electrocardiographic P-wave abnormalities â€” a nationwide population-based study. <i>Journal of Electrocardiology</i> , 2017, 50, 925-932.	0.4	23
380	Genome-Wide Meta-Analysis of Sciatica in Finnish Population. <i>PLoS ONE</i> , 2016, 11, e0163877.	1.1	23
381	Vascular Influences of Calcium Supplementation and Vitamin D???Induced Hypercalcemia in NaCl-Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2003, 42, 319-328.	0.8	22
382	Polymorphism of the angiotensin-converting enzyme (ACE) and angiotensinogen (AGT) genes and their associations with blood pressure and carotid artery intima media thickness among healthy Finnish young adultsâ€”the Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2006, 188, 316-322.	0.4	22
383	Reproductive history and carotid intimaâ€”media thickness. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2007, 86, 995-1002.	1.3	22
384	ADAM8 and its single nucleotide polymorphism 2662 T/G are associated with advanced atherosclerosis and fatal myocardial infarction: Tampere vascular study. <i>Annals of Medicine</i> , 2009, 41, 497-507.	1.5	22
385	QRS-T morphology measured from exercise electrocardiogram as a predictor of cardiac mortality. <i>Europace</i> , 2011, 13, 701-707.	0.7	22
386	Genome-Wide Association Study Pinpoints a New Functional Apolipoprotein B Variant Influencing Oxidized Low-Density Lipoprotein Levels But Not Cardiovascular Events. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 73-81.	5.1	22
387	Factors associated with six-year weight change in young and middle-aged adults in the Young Finns Study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 133-144.	0.6	22
388	Pro-opiomelanocortin and its Processing Enzymes Associate with Plaque Stability in Human Atherosclerosis â€” Tampere Vascular Study. <i>Scientific Reports</i> , 2018, 8, 15078.	1.6	22
389	Abdominal adiposity and cardiometabolic risk factors in children and adolescents: a Mendelian randomization analysis. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1079-1087.	2.2	22
390	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002471.	1.6	22
391	Association of Nonâ€”High-Density Lipoprotein Cholesterol Measured in Adolescence, Young Adulthood, and Mid-Adulthood With Coronary Artery Calcification Measured in Mid-Adulthood. <i>JAMA Cardiology</i> , 2021, 6, 661.	3.0	22
392	Evaluation of Shared Genetic Susceptibility to High and Low Myopia and Hyperopia. <i>JAMA Ophthalmology</i> , 2021, 139, 601.	1.4	22
393	Autoimmunity and atherosclerosis: the presence of antinuclear antibodies is associated with decreased carotid elasticity in young women. <i>The Cardiovascular Risk in Young Finns Study. Rheumatology</i> , 2009, 48, 1553-1556.	0.9	21
394	Vibration-induced white finger syndrome and carpal tunnel syndrome among Finnish metal workers. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 445-453.	1.1	21
395	Coronary heart disease risk factors, coronary artery calcification and epicardial fat volume in the Young Finns Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1256-1263.	0.5	21
396	Exome-Derived Adiponectin-Associated Variants Implicate Obesity and Lipid Biology. <i>American Journal of Human Genetics</i> , 2019, 105, 15-28.	2.6	21

#	ARTICLE	IF	CITATIONS
397	Associations between connexin37 gene polymorphism and markers of subclinical atherosclerosis: The Cardiovascular Risk in Young Finns study. <i>Atherosclerosis</i> , 2007, 195, 379-384.	0.4	20
398	Carotid artery intima-media thickness and elasticity in relation to glucose tolerance. <i>Acta Diabetologica</i> , 2012, 49, 215-223.	1.2	20
399	Effect of immobilization, off-loading and zoledronic acid on bone mineral density in patients with acute Charcot neuroarthropathy: A prospective randomized trial. <i>Foot and Ankle Surgery</i> , 2013, 19, 121-124.	0.8	20
400	Daily Liquorice Consumption for Two Weeks Increases Augmentation Index and Central Systolic and Diastolic Blood Pressure. <i>PLoS ONE</i> , 2014, 9, e105607.	1.1	20
401	Upstream Transcription Factor 1 (USF1) allelic variants regulate lipoprotein metabolism in women and USF1 expression in atherosclerotic plaque. <i>Scientific Reports</i> , 2014, 4, 4650.	1.6	20
402	ECG left ventricular hypertrophy is a stronger risk factor for incident cardiovascular events in women than in men in the general population. <i>Journal of Hypertension</i> , 2015, 33, 1284-1290.	0.3	20
403	Television viewing and fatty liver in early midlife. The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2015, 47, 519-526.	1.5	20
404	Deficiency in Melanocortin 1 Receptor Signaling Predisposes to Vascular Endothelial Dysfunction and Increased Arterial Stiffness in Mice and Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 1678-1686.	1.1	20
405	Associations of functional alanine-glyoxylate aminotransferase 2 gene variants with atrial fibrillation and ischemic stroke. <i>Scientific Reports</i> , 2016, 6, 23207.	1.6	20
406	Cardiorespiratory Fitness and Risk of Fatty Liver. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1834-1841.	0.2	20
407	Differentially expressed genes and canonical pathways in the ascending thoracic aortic aneurysm " The Tampere Vascular Study. <i>Scientific Reports</i> , 2017, 7, 12127.	1.6	20
408	Dairy Intake and Body Composition and Cardiometabolic Traits among Adults: Mendelian Randomization Analysis of 182041 Individuals from 18 Studies. <i>Clinical Chemistry</i> , 2019, 65, 751-760.	1.5	20
409	Lipidomic architecture shared by subclinical markers of osteoporosis and atherosclerosis: The Cardiovascular Risk in Young Finns Study. <i>Bone</i> , 2020, 131, 115160.	1.4	20
410	High-calcium diet enhances vasorelaxation in nitric oxide-deficient hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H1036-H1043.	1.5	19
411	Impact of Blood Pressure on Retinal Microvasculature Architecture Across the Lifespan: The Young Finns Study. <i>Microcirculation</i> , 2015, 22, 146-155.	1.0	19
412	Activated immune-inflammatory pathways are associated with long-standing depressive symptoms: Evidence from gene-set enrichment analyses in the Young Finns Study. <i>Journal of Psychiatric Research</i> , 2015, 71, 120-125.	1.5	19
413	Both youth and long-term vitamin D status is associated with risk of type 2 diabetes mellitus in adulthood: a cohort study. <i>Annals of Medicine</i> , 2018, 50, 74-82.	1.5	19
414	Common and Rare Coding Genetic Variation Underlying the Electrocardiographic PR Interval. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002037.	1.6	19

#	ARTICLE	IF	CITATIONS
415	CVD risk factors and surrogate markers - Urban-rural differences. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 752-761.	1.2	19
416	An expanded analysis framework for multivariate GWAS connects inflammatory biomarkers to functional variants and disease. <i>European Journal of Human Genetics</i> , 2021, 29, 309-324.	1.4	19
417	Systematic evaluation of the association between hemoglobin levels and metabolic profile implicates beneficial effects of hypoxia. <i>Science Advances</i> , 2021, 7, .	4.7	19
418	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018, 3, 4.	0.9	19
419	The Effects of Tamsulosin and Sildenafil in Separate and Combined Regimens on Detailed Hemodynamics in Patients With Benign Prostatic Enlargement. <i>Journal of Urology</i> , 2006, 176, 2551-2556.	0.2	18
420	Relations of APOE promoter polymorphisms to LDL cholesterol and markers of subclinical atherosclerosis in young adults. <i>Journal of Lipid Research</i> , 2006, 47, 1298-1306.	2.0	18
421	IL-18 gene polymorphism, cardiovascular mortality and coronary artery disease. <i>European Journal of Clinical Investigation</i> , 2010, 40, 994-1001.	1.7	18
422	Cardiovascular risk scores in the prediction of subclinical atherosclerosis in young adults: evidence from the cardiovascular risk in a young Finns study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 549-555.	3.1	18
423	Reduced systemic vascular resistance in healthy volunteers with presyncopal symptoms during a nitrate-stimulated tilt-table test. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 41-51.	1.1	18
424	A disintegrin and metalloprotease -8 and -15 and susceptibility for ascending aortic dissection. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 515-522.	0.6	18
425	Apolipoprotein B, oxidized low-density lipoprotein, and LDL particle size in predicting the incidence of metabolic syndrome: the Cardiovascular Risk in Young Finns study. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1296-1303.	0.8	18
426	Childhood serum cholesterol ester fatty acids are associated with blood pressure 27 y later in the Cardiovascular Risk in Young Finns Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1422-1431.	2.2	18
427	Determinants of exercise peak arterial blood pressure, circulatory power, and exercise cardiac power in a population based sample of Finnish male and female aged 30 to 47 years: the Cardiovascular Risk in Young Finns Study. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 35.	0.7	18
428	Carotid artery elasticity decreases during pregnancy - the Cardiovascular Risk in Young Finns study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 98.	0.9	18
429	Paraoxonase-1 and oxidized lipoprotein lipids. The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2015, 241, 502-506.	0.4	18
430	The biomarker and causal roles of homoarginine in the development of cardiometabolic diseases: an observational and Mendelian randomization analysis. <i>Scientific Reports</i> , 2017, 7, 1130.	1.6	18
431	Genome-wide association meta-analysis of fish and EPA+DHA consumption in 17 US and European cohorts. <i>PLoS ONE</i> , 2017, 12, e0186456.	1.1	18
432	The prognostic significance of T-wave inversion according to ECG lead group during long-term follow-up in the general population. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12799.	0.5	18

#	ARTICLE	IF	CITATIONS
433	Genetic loci and prioritization of genes for kidney function decline derived from a meta-analysis of 62 longitudinal genome-wide association studies. <i>Kidney International</i> , 2022, 102, 624-639.	2.6	18
434	Apolipoprotein A-I/C-III/A-IV SstI and apolipoprotein B XbaI polymorphisms and their association with carotid artery intima-media thickness in the Finnish population. <i>Atherosclerosis</i> , 2005, 180, 79-86.	0.4	17
435	Asymmetric Dimethylarginine (ADMA) Has a Role in Regulating Systemic Vascular Tone in Young Healthy Subjects: The Cardiovascular Risk in Young Finns Study. <i>American Journal of Hypertension</i> , 2008, 21, 873-878.	1.0	17
436	Allelic Variants of Upstream Transcription Factor 1 Associate With Carotid Artery Intima-Media Thickness The Cardiovascular Risk in Young Finns Study. <i>Circulation Journal</i> , 2008, 72, 1158-1164.	0.7	17
437	Determinants of bone strength and fracture incidence in adult Finns: Cardiovascular Risk in Young Finns Study (the GENDI pQCT study). <i>Archives of Osteoporosis</i> , 2010, 5, 119-130.	1.0	17
438	Supine and upright haemodynamic effects of sublingual nitroglycerin and inhaled salbutamol. <i>Journal of Hypertension</i> , 2012, 30, 297-306.	0.3	17
439	A comparison of the accuracy of Illumina HumanHT-12 v3 Expression BeadChip and TaqMan qRT-PCR gene expression results in patient samples from the Tampere Vascular Study. <i>Atherosclerosis</i> , 2013, 226, 149-152.	0.4	17
440	Reference Values for Echocardiography in Middle-aged Population: The Cardiovascular Risk in Young Finns Study. <i>Echocardiography</i> , 2016, 33, 193-206.	0.3	17
441	Life-course risk factor levels and coronary artery calcification. The Cardiovascular Risk in Young Finns Study. <i>International Journal of Cardiology</i> , 2016, 225, 23-29.	0.8	17
442	Role of Conventional Childhood Risk Factors Versus Genetic Risk in the Development of Type 2 Diabetes and Impaired Fasting Glucose in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Diabetes Care</i> , 2016, 39, 1393-1399.	4.3	17
443	Voluntary liquorice ingestion increases blood pressure via increased volume load, elevated peripheral arterial resistance, and decreased aortic compliance. <i>Scientific Reports</i> , 2017, 7, 10947.	1.6	17
444	Electrocardiographic predictors of atrial fibrillation in nonhypertensive and hypertensive individuals. <i>Journal of Hypertension</i> , 2018, 36, 1874-1881.	0.3	17
445	Impact of Ideal Cardiovascular Health in Childhood on the Retinal Microvasculature in Midadulthood: Cardiovascular Risk in Young Finns Study. <i>Journal of the American Heart Association</i> , 2018, 7, e009487.	1.6	17
446	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002470.	1.6	17
447	The validity of heart failure diagnoses in the Finnish Hospital Discharge Register. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 20-28.	1.2	17
448	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2020, 26, 2111-2125.	4.1	17
449	Childhood Exposure to Parental Smoking and Midlife Cognitive Function. <i>American Journal of Epidemiology</i> , 2020, 189, 1280-1291.	1.6	17
450	Genome-wide meta-analysis of phytosterols reveals five novel loci and a detrimental effect on coronary atherosclerosis. <i>Nature Communications</i> , 2022, 13, 143.	5.8	17

#	ARTICLE	IF	CITATIONS
451	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022, 5, .	2.0	17
452	Heart rate variability derived from exercise ECG in the detection of coronary artery disease. <i>Physiological Measurement</i> , 2007, 28, 1189-1200.	1.2	16
453	CYBA C242T gene polymorphism and flow-mediated vasodilation in a population of young adults: the Cardiovascular Risk in Young Finns Study. <i>Journal of Hypertension</i> , 2007, 25, 1381-1387.	0.3	16
454	Relation of Apolipoprotein E Polymorphism to Markers of Early Atherosclerotic Changes in Young Adults The Cardiovascular Risk in Young Finns Study. <i>Circulation Journal</i> , 2008, 72, 29-34.	0.7	16
455	Prevalence and prognostic value of poor R-wave progression in standard resting electrocardiogram in a general adult population. The Health 2000 Survey. <i>Annals of Medicine</i> , 2010, 42, 135-142.	1.5	16
456	ADMA concentration changes across the menstrual cycle and during oral contraceptive use: the Cardiovascular Risk in Young Finns Study. <i>European Journal of Endocrinology</i> , 2010, 162, 259-265.	1.9	16
457	Niemannâ€Pick type C fibroblasts have a distinct microRNA profile related to lipid metabolism and certain cellular components. <i>Biochemical and Biophysical Research Communications</i> , 2010, 403, 316-321.	1.0	16
458	Novel associations for coronary artery disease derived from genome wide association studies are not associated with increased carotid intima-media thickness, suggesting they do not act via early atherosclerosis or vessel remodeling. <i>Atherosclerosis</i> , 2011, 219, 684-689.	0.4	16
459	Higher Maternal Body Mass Index Is Associated with an Increased Risk for Later Type 2 Diabetes in Offspring. <i>Journal of Pediatrics</i> , 2013, 162, 918-923.e1.	0.9	16
460	Prognostic capacity of a clinically indicated exercise test for cardiovascular mortality is enhanced by combined analysis of exercise capacity, heart rate recovery and T-wave alternans. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1162-1170.	0.8	16
461	Influence of cardiovascular risk factors on longitudinal motion of the common carotid artery wall. <i>Atherosclerosis</i> , 2018, 272, 54-59.	0.4	16
462	Cardiovascular Risk Factors in Childhood and Left Ventricular Diastolic Function in Adulthood. <i>Pediatrics</i> , 2021, 147, .	1.0	16
463	Losartan and enalapril therapies enhance vasodilatation in the mesenteric artery of spontaneously hypertensive rats. <i>European Journal of Pharmacology</i> , 1999, 368, 213-222.	1.7	15
464	Differential regulation of cardiac adrenomedullin and natriuretic peptide gene expression by AT1 receptor antagonism and ACE inhibition in normotensive and hypertensive rats. <i>Journal of Hypertension</i> , 1999, 17, 1543-1552.	0.3	15
465	High-calcium vs high-phosphate intake and small artery tone in advanced experimental renal insufficiency. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2754-2761.	0.4	15
466	Val/Met Polymorphism of the COMT Gene Moderates the Association Between Job Strain and Early Atherosclerosis in Young Men. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 649-657.	0.9	15
467	Genetic Interactions with Age, Sex, Body Mass Index, and Hypertension in Relation to Atrial Fibrillation: The AFGen Consortium. <i>Scientific Reports</i> , 2017, 7, 11303.	1.6	15
468	Metabolic profiles of socio-economic position: a multi-cohort analysis. <i>International Journal of Epidemiology</i> , 2021, 50, 768-782.	0.9	15

#	ARTICLE	IF	CITATIONS
469	Childhood exposure to parental smoking and life-course overweight and central obesity. <i>Annals of Medicine</i> , 2021, 53, 208-216.	1.5	15
470	Gene regulation contributes to explain the impact of early life socioeconomic disadvantage on adult inflammatory levels in two cohort studies. <i>Scientific Reports</i> , 2021, 11, 3100.	1.6	15
471	BMI is positively associated with accelerated epigenetic aging in twin pairs discordant for body mass index. <i>Journal of Internal Medicine</i> , 2022, 292, 627-640.	2.7	15
472	Effect of celiprolol therapy on arterial dilatation in experimental hypertension. <i>British Journal of Pharmacology</i> , 1996, 119, 1137-1144.	2.7	14
473	Influences of nonselective, β_1 -selective and vasodilatory β_1 -selective β_2 -blockers on arterial pulse wave velocity in normotensive subjects. <i>General Pharmacology</i> , 2000, 35, 219-224.	0.7	14
474	Adult-type hypolactasia is not a predisposing factor for the early functional and structural changes of atherosclerosis: the Cardiovascular Risk in Young Finns Study. <i>Clinical Science</i> , 2008, 115, 265-271.	1.8	14
475	Postexercise recovery of the spatial QRS/T angle as a predictor of sudden cardiac death. <i>Heart Rhythm</i> , 2012, 9, 1083-1089.	0.3	14
476	Determinants of serum 25(OH)D concentration in young and middle-aged adults. The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2015, 47, 253-261.	1.5	14
477	Vigorous physical activity and carotid distensibility in young and mid-aged adults. <i>Hypertension Research</i> , 2015, 38, 355-360.	1.5	14
478	Childhood Exposure to Passive Smoking and Bone Health in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2403-2411.	1.8	14
479	The Vasodilatory Effect of Alfuzosin and Tamsulosin in Passive Orthostasis: A Randomised, Double-Blind, Placebo-Controlled Study. <i>European Urology</i> , 2005, 47, 340-345.	0.9	13
480	Asymmetric dimethylarginine and hemodynamic regulation in middle-aged men. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 771-777.	1.5	13
481	Determination of retinal blood vessel diameters and arteriovenous ratios in systemic hypertension: comparison of different calculation formulae. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2006, 245, 8-17.	1.0	13
482	Apolipoprotein A-I/C-III/A-IV SstI and Apolipoprotein B XbaI Polymorphisms Do not Affect Early Functional and Structural Changes in Atherosclerosis The Cardiovascular Risk in Young Finns Study. <i>Circulation Journal</i> , 2007, 71, 741-745.	0.7	13
483	Association of high sensitive C-reactive protein with apolipoprotein E polymorphism in children and young adults: The Cardiovascular Risk in Young Finns Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 179-86.	1.4	13
484	Noninvasive measurement of the haemodynamic effects of inhaled salbutamol, intravenous L-arginine and sublingual nitroglycerin. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 23-33.	1.1	13
485	Home blood pressure has a stronger association with arterial stiffness than clinic blood pressure: the Finn-Home Study. <i>Blood Pressure Monitoring</i> , 2009, 14, 196-201.	0.4	13
486	Atrioventricular conduction and cardiovascular mortality: Assessment of recovery PR interval is superior to pre-exercise measurement. <i>Heart Rhythm</i> , 2010, 7, 796-801.	0.3	13

#	ARTICLE	IF	CITATIONS
487	A Genome-Wide Association Study Identifies UGT1A1 as a Regulator of Serum Cell-Free DNA in Young Adults: The Cardiovascular Risk in Young Finns Study. <i>PLoS ONE</i> , 2012, 7, e35426.	1.1	13
488	Analysis of apoptosis-related genes in patients with clinically isolated syndrome and their association with conversion to multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 280, 43-48.	1.1	13
489	Longitudinal study of circulating oxidized LDL and HDL and fatty liver: the Cardiovascular Risk in Young Finns Study. <i>Free Radical Research</i> , 2016, 50, 396-404.	1.5	13
490	Associations of Serum Fatty Acid Proportions with Obesity, Insulin Resistance, Blood Pressure, and Fatty Liver: The Cardiovascular Risk in Young Finns Study. <i>Journal of Nutrition</i> , 2021, 151, 970-978.	1.3	13
491	Multi-ancestry genome-wide gene×sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021, 26, 6293-6304.	4.1	13
492	Methylation status of nc886 epiallele reflects periconceptual conditions and is associated with glucose metabolism through nc886 RNAs. <i>Clinical Epigenetics</i> , 2021, 13, 143.	1.8	13
493	Uncovering the shared lipidomic markers of subclinical osteoporosis-atherosclerosis comorbidity: The Young Finns Study. <i>Bone</i> , 2021, 151, 116030.	1.4	13
494	Prognostic implications of quantitative ST-segment characteristics and T-wave amplitude for cardiovascular mortality in a general population from the Health 2000 Survey. <i>Annals of Medicine</i> , 2010, 42, 502-511.	1.5	12
495	Lactase Gene C/T ^{rs13910} Polymorphism, Calcium Intake, and pQCT Bone Traits in Finnish Adults. <i>Calcified Tissue International</i> , 2011, 88, 153-161.	1.5	12
496	Lower Glomerular Filtration Rate Is Associated With Higher Systemic Vascular Resistance in Patients Without Prevalent Kidney Disease. <i>Journal of Clinical Hypertension</i> , 2014, 16, 722-728.	1.0	12
497	Association of the novel single-nucleotide polymorphism which increases oxidized low-density lipoprotein levels with cerebrovascular disease events. <i>Atherosclerosis</i> , 2014, 234, 214-217.	0.4	12
498	Impact of Fetal Growth and Preterm Birth on the Retinal Microvasculature in Midlife. <i>Microcirculation</i> , 2015, 22, 285-293.	1.0	12
499	Potential Interplay between Dietary Saturated Fats and Genetic Variants of the NLRP3 Inflammasome to Modulate Insulin Resistance and Diabetes Risk: Insights from a Meta-Analysis of 19,005 Individuals. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900226.	1.5	12
500	Combination of low blood pressure response, low exercise capacity and slow heart rate recovery during an exercise test significantly increases mortality risk. <i>Annals of Medicine</i> , 2019, 51, 390-396.	1.5	12
501	Changes in hemodynamics associated with metabolic syndrome are more pronounced in women than in men. <i>Scientific Reports</i> , 2019, 9, 18377.	1.6	12
502	LDL cholesterol is associated with systemic vascular resistance and wave reflection in subjects naive to cardiovascular drugs. <i>Blood Pressure</i> , 2019, 28, 4-14.	0.7	12
503	The Contribution of Neighborhood Socioeconomic Disadvantage to Depressive Symptoms Over the Course of Adult Life: A 32-Year Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2020, 189, 679-689.	1.6	12
504	Influential Periods in Longitudinal Clinical Cardiovascular Health Scores. <i>American Journal of Epidemiology</i> , 2021, 190, 2384-2394.	1.6	12

#	ARTICLE	IF	CITATIONS
505	Longitudinal profiling of metabolic ageing trends in two population cohorts of young adults. <i>International Journal of Epidemiology</i> , 2022, 51, 1970-1983.	0.9	12
506	Arterial Smooth Muscle Responses in Adult and Moderately Aged Spontaneously Hypertensive Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1994, 74, 167-173.	0.0	11
507	Enhancement of arterial relaxation by long-term atenolol treatment in spontaneously hypertensive rats. <i>British Journal of Pharmacology</i> , 1994, 112, 925-933.	2.7	11
508	Vasovagal susceptibility to nitrate or isoproterenol head-up tilt. <i>American Journal of Cardiology</i> , 2001, 88, 1326-1330.	0.7	11
509	The influence of smoking and homocysteine on subclinical atherosclerosis is modified by the connexin37 C1019T polymorphism – The Cardiovascular Risk in Young Finns Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1102-8.	1.4	11
510	The APOE ϵ 219G/T and +113G/C polymorphisms affect insulin resistance among Turks. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 655-663.	1.5	11
511	Plasma osteopontin is not associated with vascular markers of subclinical atherosclerosis in a population of young adults without symptoms of cardiovascular disease. The Cardiovascular Risk in Young Finns Study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 683-689.	0.6	11
512	Effect of fermented milk product containing lactotripeptides and plant sterol esters on haemodynamics in subjects with the metabolic syndrome – a randomised, double-blind, placebo-controlled study. <i>British Journal of Nutrition</i> , 2015, 114, 376-386.	1.2	11
513	Association of Socioeconomic Status in Childhood With Left Ventricular Structure and Diastolic Function in Adulthood. <i>JAMA Pediatrics</i> , 2017, 171, 781.	3.3	11
514	Association of air humidity with incidence of exercise-induced bronchoconstriction in children. <i>Pediatric Pulmonology</i> , 2019, 54, 1830-1836.	1.0	11
515	Socioeconomic position and intergenerational associations of ideal health behaviors. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1605-1612.	0.8	11
516	Association of Factor V Leiden With Subsequent Atherothrombotic Events. <i>Circulation</i> , 2020, 142, 546-555.	1.6	11
517	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 0, 3, 4.	0.9	11
518	Potassium channel-mediated vasorelaxation is impaired in experimental renal failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 277, H1622-H1629.	1.5	10
519	Preserved Endothelium-Dependent but Impaired β -Adrenergic Relaxation of the Resistance Vessels in Experimental Renal Failure. <i>Nephron Experimental Nephrology</i> , 2002, 10, 348-354.	2.4	10
520	The relationship of sterol regulatory element-binding protein cleavage-activation protein and apolipoprotein E gene polymorphisms with metabolic changes during weight reduction. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 876-880.	1.5	10
521	Effect of common KCNE1 and SCN5A ion channel gene variants on T-wave alternans, a marker of cardiac repolarization, during clinical exercise stress test: the Finnish Cardiovascular Study. <i>Translational Research</i> , 2008, 152, 49-58.	2.2	10
522	Tracking of Noninvasive Ultrasound Measurements of Subclinical Atherosclerosis in Adulthood: Findings from the Cardiovascular Risk in Young Finns Study. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1237-1244.	0.7	10

#	ARTICLE	IF	CITATIONS
523	Interleukin-18 gene polymorphism and markers of subclinical atherosclerosis. The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2010, 42, 223-230.	1.5	10
524	Association of apolipoprotein E promoter polymorphisms with bone structural traits is modified by dietary saturated fat intake – The Cardiovascular Risk in Young Finns Study. <i>Bone</i> , 2011, 48, 1058-1065.	1.4	10
525	Childhood Serum Fatty Acid Quality Is Associated with Adult Carotid Artery Intima Media Thickness in Women but Not in Men. <i>Journal of Nutrition</i> , 2013, 143, 682-689.	1.3	10
526	Fatty liver is associated with blood pathways of inflammatory response, immune system activation and prothrombotic state in Young Finns Study. <i>Scientific Reports</i> , 2018, 8, 10358.	1.6	10
527	Determinants of left ventricular diastolic function – The Cardiovascular Risk in Young Finns Study. <i>Echocardiography</i> , 2019, 36, 854-861.	0.3	10
528	The prevalence and prognostic significance of interatrial block in the general population. <i>Annals of Medicine</i> , 2020, 52, 63-73.	1.5	10
529	Adulthood blood levels of hsa-miR-29b-3p associate with preterm birth and adult metabolic and cognitive health. <i>Scientific Reports</i> , 2021, 11, 9203.	1.6	10
530	Meta-analysis of epigenome-wide association studies of carotid intima-media thickness. <i>European Journal of Epidemiology</i> , 2021, 36, 1143-1155.	2.5	10
531	Arterial Responses to Bradykinin after Ramipril Therapy in Experimental Hypertension. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1997, 81, 190-196.	0.0	9
532	Increased Wall Tension in Response to Vasoconstrictors in Isolated Mesenteric Arterial Rings from Patients with High Blood Pressure. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 99, 440-449.	1.2	9
533	Plasma asymmetric dimethylarginine and retinal vessel diameters in middle-aged men. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 1305-1310.	1.5	9
534	Exercise electrocardiography detection of coronary artery disease by ST-segment depression/heart rate hysteresis in women: The Finnish Cardiovascular Study. <i>International Journal of Cardiology</i> , 2010, 140, 182-188.	0.8	9
535	Relations between carotid artery distensibility and heart rate variability. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2011, 161, 75-80.	1.4	9
536	Tissue inhibitor of matrix metalloproteinases 4 (TIMP4) in a population of young adults: Relations to cardiovascular risk markers and carotid artery intima-media thickness. The Cardiovascular Risk in Young Finns Study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 540-546.	0.6	9
537	Haemodynamic Influences of Bisoprolol in Hypertensive Middle-Aged Men: A Double-Blind, Randomized, Placebo-Controlled Cross-Over Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 130-137.	1.2	9
538	Genome-Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. <i>Molecular Nutrition and Food Research</i> , 2018, 62, 1700347.	1.5	9
539	18F-FDG-PET in Finnish patients with clinical suspicion of cardiac sarcoidosis: Female sex and history of atrioventricular block increase the prevalence of positive PET findings. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 394-400.	1.4	9
540	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. <i>European Journal of Epidemiology</i> , 2020, 35, 685-697.	2.5	9

#	ARTICLE	IF	CITATIONS
541	Long-term outcome of intraventricular conduction delays in the general population. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12788.	0.5	9
542	Comparison of Cumulative and Non-cumulative Administration of Vasoactive Agents in Arterial Smooth Muscle Responses <i>in Vitro</i> . <i>Basic and Clinical Pharmacology and Toxicology</i> , 1993, 73, 142-145.	0.0	8
543	High Calcium Diet, Different Antihypertensive Agents, and Cytosolic Free Ca ²⁺ in Spontaneously Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1993, 22, 702-705.	0.8	8
544	Gender differences in the treatment and secondary prevention of CHD at population level. <i>Scandinavian Cardiovascular Journal</i> , 2005, 39, 327-333.	0.4	8
545	Hypotensive Potential of Sildenafil and Tamsulosin during Orthostasis. <i>Clinical Drug Investigation</i> , 2006, 26, 667-671.	1.1	8
546	Letter by Nieminen et al Regarding Article, "Differential Impact of Blood Pressure-Lowering Drugs on Central Aortic Pressure and Clinical Outcomes: Principal Results of the Conduit Artery Function Evaluation (CAFE) Study". <i>Circulation</i> , 2006, 114, e536; author reply e540-1.	1.6	8
547	Coronary reactivity, homocysteine and methylenetetrahydrofolate reductase gene variation in young men during pravastatin therapy. <i>Vascular Pharmacology</i> , 2007, 47, 113-117.	1.0	8
548	Systemic hemodynamics in young adults with the metabolic syndrome: The Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2010, 42, 612-621.	1.5	8
549	Development of a Research Dedicated Archival System (TARAS) in a University Hospital. <i>Journal of Digital Imaging</i> , 2011, 24, 864-873.	1.6	8
550	Complementary prediction of cardiovascular events by estimated apo- and lipoprotein concentrations in the working age population. The Health 2000 Study. <i>Annals of Medicine</i> , 2013, 45, 141-148.	1.5	8
551	Fine mapping the CETP region reveals a common intronic insertion associated to HDL-C. <i>Npj Aging and Mechanisms of Disease</i> , 2015, 1, 15011.	4.5	8
552	Coronary heart disease risk factor levels in eastern and western Finland from 1980 to 2011 in the cardiovascular risk in Young Finns study. <i>Atherosclerosis</i> , 2019, 280, 92-98.	0.4	8
553	18-FDG-PET in a patient cohort suspected for cardiac sarcoidosis: Right ventricular uptake is associated with pathological uptake in mediastinal lymph nodes. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 109-117.	1.4	8
554	Influence of early-life body mass index and systolic blood pressure on left ventricle in adulthood "the Cardiovascular Risk in Young Finns Study. <i>Annals of Medicine</i> , 2021, 53, 160-168.	1.5	8
555	Sugar-Sweetened Beverage Consumption May Modify Associations Between Genetic Variants in the CHREBP (Carbohydrate Responsive Element Binding Protein) Locus and HDL-C (High-Density Lipoprotein) Tj ETQq1_1_0.784314 rgBT (O) e003288.		
556	Epigenome-450K-wide methylation signatures of active cigarette smoking: The Young Finns Study. <i>Bioscience Reports</i> , 2020, 40, .	1.1	8
557	Control of mesenteric arterial tone in vitro in humans and rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1999, 359, 322-330.	1.4	7
558	Exercise-test-related heart rate variability and mortality. <i>International Journal of Cardiology</i> , 2010, 144, 154-155.	0.8	7

#	ARTICLE	IF	CITATIONS
559	Arterial tension time reflects subclinical atherosclerosis, arterial stiffness and stroke volume. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 464-471.	0.5	7
560	Systemic hemodynamics in relation to glucose tolerance: the Health 2000 Survey. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 557-563.	1.5	7
561	Vascular ultrasound measures before pregnancy and pregnancy complications: A prospective cohort study. <i>Hypertension in Pregnancy</i> , 2017, 36, 53-58.	0.5	7
562	Effect of present versus previous smoking on non-invasive haemodynamics. <i>Scientific Reports</i> , 2018, 8, 13643.	1.6	7
563	Youth and Long-Term Dietary Calcium Intake With Risk of Impaired Glucose Metabolism and Type 2 Diabetes in Adulthood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2067-2074.	1.8	7
564	Systemic vascular resistance predicts the development of hypertension: the cardiovascular risk in young Finns study. <i>Blood Pressure</i> , 2020, 29, 362-369.	0.7	7
565	Pulse wave velocity is related to exercise blood pressure response in young adults. The Cardiovascular Risk in Young Finns Study. <i>Blood Pressure</i> , 2020, 29, 256-263.	0.7	7
566	Childhood and long-term dietary calcium intake and adult cardiovascular risk in a population with high calcium intake. <i>Clinical Nutrition</i> , 2021, 40, 1926-1931.	2.3	7
567	Examining the effect of mitochondrial DNA variants on blood pressure in two Finnish cohorts. <i>Scientific Reports</i> , 2021, 11, 611.	1.6	7
568	Impedance plethysmography-based method in the assessment of subclinical atherosclerosis. <i>Atherosclerosis</i> , 2021, 319, 101-107.	0.4	7
569	Modular genome-wide gene expression architecture shared by early traits of osteoporosis and atherosclerosis in the Young Finns Study. <i>Scientific Reports</i> , 2021, 11, 7111.	1.6	7
570	The Timing and Sequence of Cardiovascular Health Decline. <i>American Journal of Preventive Medicine</i> , 2021, 61, 545-553.	1.6	7
571	Prevalence Implications of the 2017 American Academy of Pediatrics Hypertension Guideline and Associations with Adult Hypertension. <i>Journal of Pediatrics</i> , 2022, 241, 22-28.e4.	0.9	7
572	Antihypertensive therapy and arterial function in experimental hypertension. <i>General Pharmacology</i> , 1996, 27, 221-238.	0.7	6
573	The effects of apoA-I/C-III/A-IV, apoE and apoB polymorphisms on carotid artery intima-media thickness. <i>Future Cardiology</i> , 2006, 2, 179-186.	0.5	6
574	Impaired exercise capacity predicts sudden cardiac death in a low-risk population: Enhanced specificity with heightened T-wave alternans. <i>Annals of Medicine</i> , 2009, 41, 380-389.	1.5	6
575	Value of leads V4R and CM5 in the detection of coronary artery disease during exercise electrocardiographic test. <i>Clinical Physiology and Functional Imaging</i> , 2010, 30, 308-312.	0.5	6
576	Novel ECG parameters are strongly associated with inflammatory 18 F-FDG PET findings in patients with suspected cardiac sarcoidosis. <i>International Journal of Cardiology</i> , 2017, 249, 454-460.	0.8	6

#	ARTICLE	IF	CITATIONS
577	Cardiometabolic Health Among Adult Offspring of Hypertensive Pregnancies: The Cardiovascular Risk in Young Finns Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	6
578	Exposure to heavy physical work from early to later adulthood and primary healthcare visits due to musculoskeletal diseases in midlife: a register linked study. <i>BMJ Open</i> , 2019, 9, e031564.	0.8	6
579	Adverse influence of bisoprolol on central blood pressure in the upright position: a double-blind placebo-controlled cross-over study. <i>Journal of Human Hypertension</i> , 2020, 34, 301-310.	1.0	6
580	Cardiorespiratory fitness and heart rate recovery predict sudden cardiac death independent of ejection fraction. <i>Heart</i> , 2020, 106, 434-440.	1.2	6
581	Dietary Pattern Trajectories from Youth to Adulthood and Adult Risk of Impaired Fasting Glucose: A 31-year Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2078-e2086.	1.8	6
582	Multi-Omics Integration in a Twin Cohort and Predictive Modeling of Blood Pressure Values. <i>OMICS A Journal of Integrative Biology</i> , 2022, 26, 130-141.	1.0	6
583	Genetic and observational evidence: No independent role for cholesterol efflux over static high-density lipoprotein concentration measures in coronary heart disease risk assessment. <i>Journal of Internal Medicine</i> , 2022, 292, 146-153.	2.7	6
584	Magical thinking in individuals with high polygenic risk for schizophrenia but no non-affective psychoses—a general population study. <i>Molecular Psychiatry</i> , 2022, 27, 3286-3293.	4.1	6
585	Effect of Angiotensin II Type 1 Receptor Blockade on Conduit Artery Tone in Subtotally Nephrectomized Rats. <i>Nephron Physiology</i> , 2004, 96, p91-p98.	1.5	5
586	Estrogen Receptor 2 Polymorphism and Carotid Intima-Media Thickness. <i>Genetic Testing and Molecular Biomarkers</i> , 2008, 12, 537-540.	1.7	5
587	Statin Pharmacogenomics: Lipid Response and Cardiovascular Outcomes. <i>Current Cardiovascular Risk Reports</i> , 2010, 4, 150-158.	0.8	5
588	Psychosocial Correlates of Atrial Natriuretic Peptide: A Marker of Vascular Health. <i>Annals of Behavioral Medicine</i> , 2013, 45, 99-109.	1.7	5
589	Interactions between genetic variants and dietary lipid composition: effects on circulating LDL cholesterol in children. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1569-1577.	2.2	5
590	Increased Body Mass Index in Parent-Child Dyads Predicts the Offspring Risk of Meeting Bariatric Surgery Criteria. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4257-4263.	1.8	5
591	Higher step count is associated with greater bone mass and strength in women but not in men. <i>Archives of Osteoporosis</i> , 2018, 13, 20.	1.0	5
592	Genetic predisposition to higher body fat yet lower cardiometabolic risk in children and adolescents. <i>International Journal of Obesity</i> , 2019, 43, 2007-2016.	1.6	5
593	Parathyroid hormone may play a role in the pathophysiology of primary hypertension. <i>Endocrine Connections</i> , 2021, 10, 54-65.	0.8	5
594	Leukocyte telomere length is inversely associated with arterial wave reflection in 566 normotensive and never-treated hypertensive subjects. <i>Aging</i> , 2020, 12, 12376-12392.	1.4	5

#	ARTICLE	IF	CITATIONS
595	Long-term cumulative light exposure from the natural environment and sleep: A cohort study. <i>Journal of Sleep Research</i> , 2022, 31, e13511.	1.7	5
596	No Association of nineteen COX-2 gene variants to preclinical markers of atherosclerosis The Cardiovascular Risk in Young Finns Study. <i>BMC Medical Genetics</i> , 2012, 13, 32.	2.1	4
597	Plasma total calcium concentration is associated with blood pressure and systemic vascular resistance in normotensive and never-treated hypertensive subjects. <i>Blood Pressure</i> , 2020, 29, 137-148.	0.7	4
598	Influence of Genetic Variation in <i>PDE3A</i> on Endothelial Function and Stroke. <i>Hypertension</i> , 2020, 75, 365-371.	1.3	4
599	Association of Body Mass Index in Youth With Adult Cardiometabolic Risk. <i>Journal of the American Heart Association</i> , 2020, 9, e015288.	1.6	4
600	IDO activity forecasts obesity in males and premenopausal females in a 10-year follow-up study: The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2021, 336, 32-38.	0.4	4
601	Variants associated with HHIP expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020, 5, 111.	0.9	4
602	Afamin predicts the prevalence and incidence of nonalcoholic fatty liver disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, .	1.4	4
603	Resting heart rate predicts cardiac autonomic modulation during passive head-up tilt in subjects without cardiovascular diseases. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 138-147.	0.4	4
604	Associations of long-term solar insolation with specific depressive symptoms: Evidence from a prospective cohort study. <i>Journal of Psychiatric Research</i> , 2022, 151, 606-610.	1.5	4
605	Long-term tracking and population characteristics of lipoprotein (a) in the Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2022, 356, 18-27.	0.4	4
606	Allelic variant of <i>NOS1AP</i> effects on cardiac alternans of repolarization during exercise testing. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 100-107.	0.6	3
607	Association of thyrotropin with arterial pulse wave velocity in young adults: The Cardiovascular Risk in Young Finns Study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014, 74, 716-721.	0.6	3
608	East-west differences and migration in Finland: Association with cardiometabolic risk markers and IMT. The Cardiovascular Risk in Young Finns Study. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 402-410.	1.2	3
609	Blood pathway analyses reveal differences between prediabetic subjects with or without dyslipidaemia. The Cardiovascular Risk in Young Finns Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2914.	1.7	3
610	Discovery of mitochondrial DNA variants associated with genome-wide blood cell gene expression: a population-based mtDNA sequencing study. <i>Human Molecular Genetics</i> , 2019, 28, 1381-1391.	1.4	3
611	Youth to adult body mass index trajectories as a predictor of metabolically healthy obesity in adulthood. <i>European Journal of Public Health</i> , 2020, 30, 195-199.	0.1	3
612	Childhood Psychosocial Environment and Adult Cardiac Health: A Causal Mediation Approach. <i>American Journal of Preventive Medicine</i> , 2019, 57, e195-e202.	1.6	3

#	ARTICLE	IF	CITATIONS
613	Long-term prognostic significance of the ST level and ST slope in the 12-lead ECG in the general population. <i>Journal of Electrocardiology</i> , 2020, 58, 176-183.	0.4	3
614	Relation of intraventricular conduction delay to risk of new-onset heart failure and structural heart disease in the general population. <i>IJC Heart and Vasculature</i> , 2020, 31, 100639.	0.6	3
615	Personality, occupational sorting and routine work. <i>Employee Relations</i> , 2020, 42, 1423-1440.	1.5	3
616	EpiMetal: an open-source graphical web browser tool for easy statistical analyses in epidemiology and metabolomics. <i>International Journal of Epidemiology</i> , 2020, 49, 1075-1081.	0.9	3
617	Variants associated with HHIP expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020, 5, 111.	0.9	3
618	Carotid artery longitudinal wall motion alterations associated with metabolic syndrome and insulin resistance. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 199-207.	0.5	3
619	Assessment of plasma ceramides as predictor for subclinical atherosclerosis. <i>Atherosclerosis Plus</i> , 2021, 45, 25-31.	0.3	3
620	Influence of early life risk factors and lifestyle on systemic vascular resistance in later adulthood: the cardiovascular risk in young Finns study. <i>Blood Pressure</i> , 2021, 30, 367-375.	0.7	3
621	The relationship between temperament, polygenic score for intelligence and cognition: A population-based study of middle-aged adults. <i>Genes, Brain and Behavior</i> , 2022, 21, e12798.	1.1	3
622	Repeatedly Measured Serum Creatinine and Cognitive Performance in Midlife. <i>Neurology</i> , 2022, 98, .	1.5	3
623	Relative Contribution of Blood Pressure in Childhood, Young and Mid Adulthood to Large Artery Stiffness in Mid Adulthood. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	3
624	Arterial Function in Mineralocorticoid-NaCl Hypertension: Influence of Angiotensin-Converting Enzyme Inhibition. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1997, 81, 180-189.	0.0	2
625	Variations of Arterial Responses <i>in vitro</i> in Different Sections of Rat Main Superior Mesenteric Artery. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1998, 83, 75-82.	0.0	2
626	Long-Term Physical Exercise and Atrial Natriuretic Peptide in Obese Zucker Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 91, 8-12.	0.0	2
627	Age and Gender Biases in Secondary Prevention of Coronary Heart Disease in a Finnish University Hospital Setting. <i>Clinical Drug Investigation</i> , 2007, 27, 673-681.	1.1	2
628	Predicting arterial stiffness with ambulatory blood pressure: an 11-year follow-up. <i>Clinical Physiology and Functional Imaging</i> , 2008, 28, 378-383.	0.5	2
629	Pregnancy complications and later vascular ultrasound measures: A cohort study. <i>Pregnancy Hypertension</i> , 2017, 10, 171-176.	0.6	2
630	Liquorice ingestion attenuates vasodilatation via exogenous nitric oxide donor but not via β_2 -adrenoceptor stimulation. <i>PLoS ONE</i> , 2019, 14, e0223654.	1.1	2

#	ARTICLE	IF	CITATIONS
631	Common Genetic Variation in Relation to Brachial Vascular Dimensions and Flow-Mediated Vasodilation. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002409.	1.6	2
632	Within-visit SBP variability from childhood to adulthood and markers of cardiovascular end-organ damage in mid-life. <i>Journal of Hypertension</i> , 2021, 39, 1865-1875.	0.3	2
633	Reproductive history and blood cell DNA methylation later in life: the Young Finns Study. <i>Clinical Epigenetics</i> , 2021, 13, 227.	1.8	2
634	Outdoor pollen concentration is not associated with exercise-induced bronchoconstriction in children. <i>Pediatric Pulmonology</i> , 2022, 57, 695-701.	1.0	2
635	Impact of within-visit Systolic Blood Pressure Change Patterns on Blood Pressure Classification: The Cardiovascular Risk in Young Finns Study. <i>European Journal of Preventive Cardiology</i> , 0, , .	0.8	2
636	Validity of fatty liver disease indices in the presence of alcohol consumption. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 1349-1360.	0.6	2
637	Arterial Responses <i>in vitro</i> and Plasma Digoxin Immunoreactivity after Losartan and Enalapril Treatments in Experimental Hypertension. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2000, 86, 36-43.	0.0	1
638	Pattern of crescendo TWA may disclose the underlying cardiac pathology. <i>Journal of Electrocardiology</i> , 2010, 43, 449-451.	0.4	1
639	Ankle blood pressure and dementia. <i>Blood Pressure Monitoring</i> , 2013, 18, 16-20.	0.4	1
640	Stress-induced cardiac autonomic reactivity and preclinical atherosclerosis: does arterial elasticity modify the association?. <i>Stress</i> , 2015, 18, 622-630.	0.8	1
641	Aortic sinus diameter in middle age is associated with body size in young adulthood. <i>Heart</i> , 2018, 104, 773-778.	1.2	1
642	Association of lifetime blood pressure with adulthood exercise blood pressure response: the cardiovascular risk in young Finns study. <i>Blood Pressure</i> , 2021, 30, 126-132.	0.7	1
643	Rewards of Compassion: Dispositional Compassion Predicts Lower Job Strain and Effort-Reward Imbalance Over a 11-Year Follow-Up. <i>Frontiers in Psychology</i> , 2021, 12, 730188.	1.1	1
644	Association between Number of Siblings and Cardiovascular Risk Factors in Childhood and in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Journal of Pediatrics</i> , 2021, 237, 87-95.e1.	0.9	1
645	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 0, 3, 4.	0.9	1
646	Sex-specific associations of TCF7L2 variants with fasting glucose, type 2 diabetes and coronary heart disease among Turkish adults. <i>Anatolian Journal of Cardiology</i> , 2020, 24, 326-333.	0.5	1
647	Mitochondrial genome-wide analysis of nuclear DNA methylation quantitative trait loci. <i>Human Molecular Genetics</i> , 2021, , .	1.4	1
648	Interatrial block and P terminal force in the general population – Longitudinal changes, risk factors and prognosis. <i>Journal of Electrocardiology</i> , 2022, 73, 12-20.	0.4	1

#	ARTICLE	IF	CITATIONS
649	Associations of Polymorphisms in the Peroxisome Proliferator-Activated Receptor Gamma Coactivator-1 Alpha Gene With Subsequent Coronary Heart Disease: An Individual-Level Meta-Analysis. <i>Frontiers in Physiology</i> , 0, 13, .	1.3	1
650	Reply to "The retinal arteriole to venule ratio: informative or deceptive?" by N. Cheung and T. Y. Wong. <i>Graefes's Archive for Clinical and Experimental Ophthalmology</i> , 2007, 245, 1247-1248.	1.0	0
651	Reply. <i>Journal of the American College of Cardiology</i> , 2014, 63, 696-697.	1.2	0
652	The associations of oxidized lipoprotein lipids with lipoprotein subclass particle concentrations and their lipid compositions. The Cardiovascular Risk in Young Finns Study. <i>Free Radical Biology and Medicine</i> , 2021, 162, 225-232.	1.3	0
653	Sympathetic activity-associated periodic repolarization dynamics predict mortality following myocardial infarction. <i>Journal of Clinical Investigation</i> , 2014, 124, 2808-2808.	3.9	0
654	High Resolution Manometry and pH stepup method on the localisation of the lower esophageal sphincter. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 26, 425-429.	0.5	0
655	Prevalence and long-term prognostic implications of prolonged QRS duration in left ventricular hypertrophy: a population-based observational cohort study. <i>BMJ Open</i> , 2022, 12, e053477.	0.8	0
656	The S1S2S3 electrocardiographic pattern " Prevalence and relation to cardiovascular and pulmonary diseases in the general population. <i>Journal of Electrocardiology</i> , 2022, 73, 113-119.	0.4	0