

# Wojciech Rzeski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4555246/publications.pdf>

Version: 2024-02-01

101  
papers

3,323  
citations

136740

32  
h-index

168136

53  
g-index

102  
all docs

102  
docs citations

102  
times ranked

4877  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Immunomodulatory Properties of Polysaccharide-Rich Young Green Barley ( <i>Hordeum vulgare</i> ) Extract and Its Structural Characterization. <i>Molecules</i> , 2022, 27, 1742.   | 1.7 | 3         |
| 2  | Promising Potential of Crude Polysaccharides from <i>Sparassis crispa</i> against Colon Cancer: An In Vitro Study. <i>Nutrients</i> , 2021, 13, 161.   | 1.7 | 17        |
| 3  | Lenoside A <sup>2</sup> as an Adjuvant to the Anti-Glioma Potential of Sorafenib. <i>Cancers</i> , 2021, 13, 2637.   | 1.7 | 2         |
| 4  | Involvement of PI3K Pathway in Glioma Cell Resistance to Temozolomide Treatment. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5155.  | 1.8 | 20        |
| 5  | Impact of phytochemicals and plant extracts on viability and proliferation of NK cell line NK-92 – a closer look at immunomodulatory properties of goji berries extract in human colon cancer cells. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 28, 291-299. | 0.5 | 9         |
| 6  | Anticancer effects of sodium and potassium quercetin-5-sulfonates through inhibition of proliferation, induction of apoptosis, and cell cycle arrest in the HT-29 human adenocarcinoma cell line. <i>Bioorganic Chemistry</i> , 2020, 94, 103426.                                  | 2.0 | 17        |
| 7  | Antiglioma Potential of Coumarins Combined with Sorafenib. <i>Molecules</i> , 2020, 25, 5192.  | 1.7 | 19        |
| 8  | <i>Pantoea agglomerans</i> chronic exposure induces epithelial-mesenchymal transition in human lung epithelial cells and mice lungs. <i>Ecotoxicology and Environmental Safety</i> , 2020, 194, 110416.  | 2.9 | 5         |
| 9  | Pro-apoptotic action of protein-carbohydrate fraction isolated from coelomic fluid of the earthworm <i>Dendrobaena veneta</i> against human colon adenocarcinoma cells. <i>Biomedicine and Pharmacotherapy</i> , 2020, 126, 110035.  | 2.5 | 16        |
| 10 | Prostate and breast cancer cells death induced by xanthohumol investigated with Fourier transform infrared spectroscopy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 231, 118112.   | 2.0 | 15        |
| 11 | Coumarins modulate the anti-glioma properties of temozolomide. <i>European Journal of Pharmacology</i> , 2020, 881, 173207.  | 1.7 | 15        |
| 12 | Enhancement of chemopreventive properties of young green barley and chlorella extracts used together against colon cancer cells. <i>Annals of Agricultural and Environmental Medicine</i> , 2020, 27, 591-598.   | 0.5 | 3         |
| 13 | Possibilities of using NK cells in cancer immunotherapy. <i>Medycyna Ogólna i Nauki o Zdrowiu</i> , 2020, 26, 8-16.  | 0.1 | 1         |
| 14 | Betulin Promotes Differentiation of Human Osteoblasts In Vitro and Exerts an Osteoinductive Effect on the hFOB 1.19 Cell Line Through Activation of JNK, ERK1/2, and mTOR Kinases. <i>Molecules</i> , 2019, 24, 2637.  | 1.7 | 23        |
| 15 | Branched mannans from the mushroom <i>Cantharellus cibarius</i> enhance the anticancer activity of natural killer cells against human cancers of lung and colon. <i>Food and Function</i> , 2019, 10, 5816-5826.   | 2.1 | 16        |
| 16 | Antitumour effect of glucooligosaccharides obtained via hydrolysis of (1→3)-glucan from <i>Fomitopsis betulina</i> . <i>Molecular Biology Reports</i> , 2019, 46, 5977-5982.   | 1.0 | 7         |
| 17 | <i>Cantharellus cibarius</i> branched mannans inhibits colon cancer cells growth by interfering with signals transduction in NF- $\kappa$ B pathway. <i>International Journal of Biological Macromolecules</i> , 2019, 134, 770-780.   | 3.6 | 16        |
| 18 | Mushroom small RNAs as potential anticancer agents: a closer look at <i>Cantharellus cibarius</i> proapoptotic and antiproliferative effects in colon cancer cells. <i>Food and Function</i> , 2019, 10, 2739-2751.  | 2.1 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Chemopreventive properties of young green barley extracts in in vitro model of colon cancer. <i>Annals of Agricultural and Environmental Medicine</i> , 2019, 26, 174-181.   | 0.5 | 5         |
| 20 | Design, synthesis and antiproliferative activity against human cancer cell lines of novel benzo-, benzofuro-, azolo- and thieno-1,3-thiazinone resorcinol hybrids. <i>Arabian Journal of Chemistry</i> , 2019, 12, 2655-2667.                      | 2.3 | 6         |
| 21 | Quinaldic acid in synovial fluid of patients with rheumatoid arthritis and osteoarthritis and its effect on synoviocytes in vitro. <i>Pharmacological Reports</i> , 2018, 70, 277-283.   | 1.5 | 7         |
| 22 | Anticancer effect of the water extract of a commercial <i>Spirulina</i> ( <i>Arthrospira platensis</i> ) product on the human lung cancer A549 cell line. <i>Biomedicine and Pharmacotherapy</i> , 2018, 106, 292-302.                             | 2.5 | 61        |
| 23 | Neuroprotective properties of <i>Cantharellus cibarius</i> polysaccharide fractions in different in vitro models of neurodegeneration. <i>Carbohydrate Polymers</i> , 2018, 197, 598-607.  | 5.1 | 29        |
| 24 | New biological activity of the polysaccharide fraction from <i>Cantharellus cibarius</i> and its structural characterization. <i>Food Chemistry</i> , 2018, 268, 355-361.  | 4.2 | 47        |
| 25 | Evaluation of the effect of 2-(2,4-dihydroxyphenyl)-4H-benzofuro[3,2-d][1,3]thiazin-4-one on colon cells and its anticancer potential. <i>Medicinal Chemistry Research</i> , 2018, 27, 2150-2159.  | 1.1 | 2         |
| 26 | Synthesis, Structure and Antiproliferative Activity of New pyrazolo[4,3- <i>e</i> ]triazolo[4,5- <i>b</i> ][1,2,4]triazine Derivatives. <i>Medicinal Chemistry</i> , 2018, 14, 53-59.  | 0.7 | 11        |
| 27 | AMPA Receptor Antagonist CFM-2 Decreases Survivin Expression in Cancer Cells. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 18, 591-596.  | 0.9 | 6         |
| 28 | Riluzole Inhibits Proliferation, Migration and Cell Cycle Progression and Induces Apoptosis in Tumor Cells of Various Origins. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 18, 565-572.   | 0.9 | 21        |
| 29 | <i>Fomitopsis betulina</i> (formerly <i>Piptoporus betulinus</i> ): the Iceman's polypore fungus with modern biotechnological potential. <i>World Journal of Microbiology and Biotechnology</i> , 2017, 33, 83.                                    | 1.7 | 23        |
| 30 | New insights into the molecular mechanism of <i>Boletus edulis</i> ribonucleic acid fraction (BE3) concerning antiproliferative activity on human colon cancer cells. <i>Food and Function</i> , 2017, 8, 1830-1839.                               | 2.1 | 13        |
| 31 | Temozolomide and sorafenib as programmed cell death inducers of human glioma cells. <i>Pharmacological Reports</i> , 2017, 69, 779-787.  | 1.5 | 31        |
| 32 | The protective effects of silybin on the cytotoxicity of thiram in human, rat and chicken cell cultures. <i>Pesticide Biochemistry and Physiology</i> , 2017, 143, 154-160.  | 1.6 | 13        |
| 33 | Kynurenic Acid Induces Impairment of Oligodendrocyte Viability: On the Role of Glutamatergic Mechanisms. <i>Neurochemical Research</i> , 2017, 42, 838-845.  | 1.6 | 7         |
| 34 | Evaluation of anticancer activity of water and juice extracts of young <i>Hordeum vulgare</i> in human cancer cell lines HT-29 and A549. <i>Annals of Agricultural and Environmental Medicine</i> , 2017, 24, 345-349.                             | 0.5 | 16        |
| 35 | LC-ESI-MS/MS Identification of Biologically Active Phenolic Compounds in Mistletoe Berry Extracts from Different Host Trees. <i>Molecules</i> , 2017, 22, 624.   | 1.7 | 36        |
| 36 | A King Bolete, <i>Boletus edulis</i> (Agaricomycetes), RNA Fraction Stimulates Proliferation and Cytotoxicity of Natural Killer Cells Against Myelogenous Leukemia Cells. <i>International Journal of Medicinal Mushrooms</i> , 2017, 19, 347-353. | 0.9 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A New Method for the Isolation of Ergosterol and Peroxyergosterol as Active Compounds of <i>Hygrophoropsis aurantiaca</i> and in Vitro Antiproliferative Activity of Isolated Ergosterol Peroxide. <i>Molecules</i> , 2016, 21, 946. | 1.7 | 44        |
| 38 | Cultivation and utility of <i>Piptoporus betulinus</i> fruiting bodies as a source of anticancer agents. <i>World Journal of Microbiology and Biotechnology</i> , 2016, 32, 151.   | 1.7 | 16        |
| 39 | <i>Boletus edulis</i> ribonucleic acid is a potent apoptosis inducer in human colon adenocarcinoma cells. <i>Food and Function</i> , 2016, 7, 3163-3175.   | 2.1 | 13        |
| 40 | Anticancer effect of ethanol <i>Lycium barbarum</i> (Goji berry) extract on human breast cancer T47D cell line. <i>Natural Product Research</i> , 2016, 30, 1993-1996.   | 1.0 | 43        |
| 41 | New derivative of 2-(2,4-dihydroxyphenyl)thieno-1,3-thiazin-4-one (BChTT) elicits antiproliferative effect via p38-mediated cell cycle arrest in cancer cells. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 1356-1361.      | 1.4 | 7         |
| 42 | Inhibition of mitochondrial 2-oxoglutarate dehydrogenase impairs viability of cancer cells in a cell-specific metabolism-dependent manner. <i>Oncotarget</i> , 2016, 7, 26400-26421.   | 0.8 | 35        |
| 43 | Synthesis of 2-(2,4-dihydroxyphenyl)thieno-1,3-thiazin-4-ones, their lipophilicity and anticancer activity in vitro. <i>Molecular Diversity</i> , 2015, 19, 725-736.   | 2.1 | 12        |
| 44 | Synthesis, characterization, and pharmacological evaluation of novel azolo- and azinotiazinones containing 2,4-dihydroxyphenyl substituent as anticancer agents. <i>Monatshefte für Chemie</i> , 2015, 146, 1315-1327.               | 0.9 | 6         |
| 45 | Chlorpyrifos and Cypermethrin Induce Apoptosis in Human Neuroblastoma Cell Line SH-SY5Y. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 158-167.   | 1.2 | 56        |
| 46 | Cytotoxicity of monensin, narasin and salinomycin and their interaction with silybin in HepG2, LMH and L6 cell cultures. <i>Toxicology in Vitro</i> , 2015, 29, 337-344.   | 1.1 | 19        |
| 47 | Kynurenic acid inhibits proliferation and migration of human glioblastoma T98G cells. <i>Pharmacological Reports</i> , 2014, 66, 130-136.  | 1.5 | 43        |
| 48 | Quercetin and Sorafenib as a Novel and Effective Couple in Programmed Cell Death Induction in Human Gliomas. <i>Neurotoxicity Research</i> , 2014, 26, 64-77.  | 1.3 | 44        |
| 49 | Biological Properties of Melanoidins: A Review. <i>International Journal of Food Properties</i> , 2014, 17, 344-353.   | 1.3 | 90        |
| 50 | The effect of quercetin and imperatorin on programmed cell death induction in T98G cells in vitro. <i>Pharmacological Reports</i> , 2014, 66, 292-300.   | 1.5 | 30        |
| 51 | A simple HPLC method for determining 2-(3-chlorophenylamino)-5-(2,4-dihydroxyphenyl)-1,3,4-thiadiazole in brain and plasma of animals: Application to a pharmacokinetic study. <i>Acta Chromatographica</i> , 2014, 26, 255-266.     | 0.7 | 2         |
| 52 | Apoptosis induction in human glioblastoma multiforme T98G cells upon temozolomide and quercetin treatment. <i>Tumor Biology</i> , 2013, 34, 2367-2378.   | 0.8 | 84        |
| 53 | <i>Boletus edulis</i> biologically active biopolymers induce cell cycle arrest in human colon adenocarcinoma cells. <i>Food and Function</i> , 2013, 4, 575.   | 2.1 | 33        |
| 54 | Silencing of Hsp27 and Hsp72 in glioma cells as a tool for programmed cell death induction upon temozolomide and quercetin treatment. <i>Toxicology and Applied Pharmacology</i> , 2013, 273, 580-589.                               | 1.3 | 48        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Melanoidins isolated from heated potato fiber (Potex) affect human colon cancer cells growth via modulation of cell cycle and proliferation regulatory proteins. <i>Food and Chemical Toxicology</i> , 2013, 57, 246-255.   | 1.8 | 21        |
| 56 | The Protective Effect of Silybin against Lasalocid Cytotoxic Exposure on Chicken and Rat Cell Lines. <i>BioMed Research International</i> , 2013, 2013, 1-8.  | 0.9 | 9         |
| 57 | Cytoprotective effect of silybin against lasalocid-induced toxicity in HepG2 cells. <i>Polish Journal of Veterinary Sciences</i> , 2013, 16, 275-282.   | 0.2 | 8         |
| 58 | Anticancer properties of polysaccharides isolated from fungi of the Basidiomycetes class. <i>Wspolczesna Onkologia</i> , 2012, 4, 285-289.  | 0.7 | 63        |
| 59 | Kynurenic acid enhances expression of p21 Waf1/Cip1 in colon cancer HT-29 cells. <i>Pharmacological Reports</i> , 2012, 64, 745-750.  | 1.5 | 30        |
| 60 | 2-Amino-1,3,4-thiadiazole derivative (FABT) inhibits the extracellular signal-regulated kinase pathway and induces cell cycle arrest in human non-small lung carcinoma cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 5466-5469.                                    | 1.0 | 42        |
| 61 | Kynurenic acid in human renal cell carcinoma: its antiproliferative and antimigrative action on Caki-2 cells. <i>Amino Acids</i> , 2012, 43, 1663-1670.   | 1.2 | 41        |
| 62 | Dietary derived compounds in cancer chemoprevention. <i>Wspolczesna Onkologia</i> , 2012, 5, 394-400.   | 0.7 | 18        |
| 63 | Alpha-ketoglutarate (AKG) inhibits proliferation of colon adenocarcinoma cells in normoxic conditions. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 565-571.   | 0.6 | 32        |
| 64 | Expression of matricellular proteins in human uterine leiomyomas and normal myometrium. <i>Histology and Histopathology</i> , 2012, 27, 1495-502.   | 0.5 | 4         |
| 65 | Kynurenic acid synthesis and kynurenine aminotransferases expression in colon derived normal and cancer cells. <i>Scandinavian Journal of Gastroenterology</i> , 2011, 46, 903-912.   | 0.6 | 68        |
| 66 | Antiproliferative Activity of Melanoidins Isolated from Heated Potato Fiber (Potex) in Glioma Cell Culture Model. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2708-2716.  | 2.4 | 16        |
| 67 | Kinetic studies of the effects of Temodal and quercetin on astrocytoma cells. <i>Pharmacological Reports</i> , 2011, 63, 403-416.   | 1.5 | 21        |
| 68 | Biological activity of new flavonoid from <i>Hieracium pilosella</i> L.. <i>Open Life Sciences</i> , 2011, 6, 397-404.  | 0.6 | 4         |
| 69 | Anticancer Effects of Fraction Isolated from Fruiting Bodies of Chaga Medicinal Mushroom, <i>Inonotus obliquus</i> (Pers.:Fr.) P. Karst. (Aphyllphoromycetidae): In Vitro Studies. <i>International Journal of Medicinal Mushrooms</i> , 2011, 13, 131-143.                               | 0.9 | 37        |
| 70 | Investigation of Antiproliferative Effect of Ether and Ethanol Extracts of Birch Polypore Medicinal Mushroom, <i>Piptoporus betulinus</i> (Bull.:Fr.) P. Karst. (Higher Basidiomycetes) In Vitro Grown Mycelium. <i>International Journal of Medicinal Mushrooms</i> , 2011, 13, 525-533. | 0.9 | 10        |
| 71 | The activity of a new 2-amino-1,3,4-thiadiazole derivative 4ClABT in cancer and normal cells. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 49, 436-444.   | 0.6 | 12        |
| 72 | Temozolomide, quercetin and cell death in the MOGGCCM astrocytoma cell line. <i>Chemico-Biological Interactions</i> , 2010, 188, 190-203.   | 1.7 | 63        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Covalent coating of hydroxyapatite by keratin stabilizes gentamicin release. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009, 89B, 102-113.   | 1.6 | 24        |
| 74 | Expression of glutamate receptor subunits in human cancers. <i>Histochemistry and Cell Biology</i> , 2009, 132, 435-445.   | 0.8 | 165       |
| 75 | Betulin Elicits Anti-Cancer Effects in Tumour Primary Cultures and Cell Lines <i>In Vitro</i> . <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009, 105, 425-432.  | 1.2 | 61        |
| 76 | Kynurenic acid protects against the homo-cysteine-induced impairment of endothelial cells. <i>Pharmacological Reports</i> , 2009, 61, 751-756.   | 1.5 | 32        |
| 77 | Anticancer Effect of Fraction Isolated from Medicinal Birch Polypore Mushroom, <i>Piptoporus betulinus</i> (Bull.: Fr.) P. Karst. (Aphyllphoromycetideae): <i>In Vitro</i> Studies. <i>International Journal of Medicinal Mushrooms</i> , 2009, 11, 351-364. | 0.9 | 25        |
| 78 | The effect of cisplatin on human larynx carcinoma cell motility.. <i>Folia Histochemica Et Cytobiologica</i> , 2009, 47, 75-9.   | 0.6 | 3         |
| 79 | Parthenolide Inhibits Proliferation of Fibroblast-Like Synoviocytes <i>In Vitro</i> . <i>Inflammation</i> , 2008, 31, 281-285.   | 1.7 | 14        |
| 80 | Fluoxetine inhibits the extracellular signal regulated kinase pathway and suppresses growth of cancer cells. <i>Cancer Biology and Therapy</i> , 2008, 7, 1685-1693.   | 1.5 | 61        |
| 81 | Evaluation of the Antiproliferative Activity of 2-(Monohalogenophenylamino)-5-(2,4-dihydroxyphenyl)-1,3,4-thiadiazoles. <i>Arzneimittelforschung</i> , 2008, 58, 353-357.  | 0.5 | 9         |
| 82 | AMPA antagonists inhibit the extracellular signal regulated kinase pathway and suppress lung cancer growth. <i>Cancer Biology and Therapy</i> , 2007, 6, 1908-1915.  | 1.5 | 34        |
| 83 | Anticancer, neuroprotective activities and computational studies of 2-amino-1,3,4-thiadiazole based compound. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 3201-3207.   | 1.4 | 151       |
| 84 | Antiproliferative activity of parthenolide against three human cancer cell lines and human umbilical vein endothelial cells. <i>Pharmacological Reports</i> , 2007, 59, 233-7.   | 1.5 | 27        |
| 85 | Ammonia at pathophysiologically relevant concentrations activates kynurenic acid synthesis in cultured astrocytes and neurons. <i>NeuroToxicology</i> , 2006, 27, 619-622.   | 1.4 | 5         |
| 86 | Kynurenic acid, an endogenous constituent of rheumatoid arthritis synovial fluid, inhibits proliferation of synoviocytes <i>in vitro</i> . <i>Rheumatology International</i> , 2006, 26, 422-426.  | 1.5 | 39        |
| 87 | Betulinic acid decreases expression of bcl-2 and cyclin D1, inhibits proliferation, migration and induces apoptosis in cancer cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 374, 11-20.   | 1.4 | 108       |
| 88 | Effect of glutamate receptor antagonists and antirheumatic drugs on proliferation of synoviocytes <i>in vitro</i> . <i>European Journal of Pharmacology</i> , 2006, 535, 95-97.  | 1.7 | 16        |
| 89 | Kynurenic acid in human saliva--does it influence oral microflora?. <i>Pharmacological Reports</i> , 2006, 58, 393-8.  | 1.5 | 26        |
| 90 | Anticancer Effects of Glutamate Antagonists. , 2005, , 77-85.  |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Antibacterial Activity of Gentamicin-bonded Gelatin-sealed Polyethylene Terephthalate Vascular Prostheses. <i>European Journal of Vascular and Endovascular Surgery</i> , 2005, 29, 419-424.                              | 0.8 | 31        |
| 92  | Demonstration of kynurenine aminotransferases I and II and characterization of kynurenic acid synthesis in cultured cerebral cortical neurons. <i>Journal of Neuroscience Research</i> , 2005, 80, 677-682.               | 1.3 | 26        |
| 93  | Demonstration of Kynurenine Aminotransferases I and II and Characterization of Kynurenic Acid Synthesis in Oligodendrocyte Cell Line (OLN-93). <i>Neurochemical Research</i> , 2005, 30, 963-968.                         | 1.6 | 31        |
| 94  | NMDA antagonist inhibits the extracellular signal-regulated kinase pathway and suppresses cancer growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 15605-15610. | 3.3 | 129       |
| 95  | Kynurenic acid production in cultured bovine aortic endothelial cells. Homocysteine is a potent inhibitor. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2004, 369, 300-304.                                    | 1.4 | 21        |
| 96  | Anticancer agents are potent neurotoxins in vitro and in vivo. <i>Annals of Neurology</i> , 2004, 56, 351-360.  | 2.8 | 111       |
| 97  | Mechanisms leading to disseminated apoptosis following NMDA receptor blockade in the developing rat brain. <i>Neurobiology of Disease</i> , 2004, 16, 440-453.  | 2.1 | 149       |
| 98  | The subcellular distribution of the human ribosomal "stalk" components: P1, P2 and P0 proteins. <i>International Journal of Biochemistry and Cell Biology</i> , 2003, 35, 203-211.  | 1.2 | 28        |
| 99  | Glutamate antagonists limit tumor growth. <i>Biochemical Pharmacology</i> , 2002, 64, 1195-1200.  | 2.0 | 74        |
| 100 | Glutamate antagonists limit tumor growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 6372-6377.   | 3.3 | 243       |
| 101 | The application of a new type of sintered glass carriers for the cultivation of anchorage-dependent mammalian cells. <i>Acta Biotechnologica</i> , 1993, 13, 275-281.   | 1.0 | 1         |