

# Pierre Frere

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4556119/pierre-frere-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139  
papers

5,190  
citations

36  
h-index

67  
g-index

150  
ext. papers

5,393  
ext. citations

5.6  
avg. IF

5.17  
L-index

#	Paper	IF	Citations
139	Exploring the Electronic Properties of Extended Benzofuran-Cyanovinyl Derivatives Obtained from Lignocellulosic and Carbohydrate Platforms Raw Materials. <i>ChemPlusChem</i> , <b>2021</b> , 86, 475-482	2.8	1
138	Preponderant role of pentafluorophenyl moieties for tuning the electronic properties of extended benzodifuran-azomethine derivatives. <i>New Journal of Chemistry</i> , <b>2021</b> , 45, 8647-8653	3.6	
137	Revealing the flexoelectric-like response of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) thin films. <i>Polymers for Advanced Technologies</i> , <b>2020</b> , 31, 2632-2639	3.2	2
136	Refined RGB Strategy for the Synthesis of Polymer-Based Full Organic Luminescent Nanotubes with Broad Emission Bands. <i>ChemPhotoChem</i> , <b>2020</b> , 4, 5376-5382	3.3	
135	Synthesis via direct (hetero)arylation polymerization, electrochemical and optical properties of poly(3,4-disubstituted)thiophenes. <i>Polymer</i> , <b>2019</b> , 182, 121811	3.9	2
134	Syntheses and NMR and XRD studies of carbohydrate-ferrocene conjugates. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 9706-9710	3.6	1
133	Mass spectrometry evidence for self-rigidification of $\pi$ -conjugated oligomers containing 3,4-ethylenedioxythiophene groups using RRKM theory and internal energy calibration. <i>European Journal of Mass Spectrometry</i> , <b>2019</b> , 25, 239-250	1.1	
132	Potentialities of flexoelectric effect in soft polymer films for electromechanical applications. <i>Journal of Physics: Conference Series</i> , <b>2019</b> , 1322, 012041	0.3	1
131	96X Screen-Printed Gold Electrode Platform to Evaluate Electroactive Polymers as Marine Antifouling Coatings. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 4978-4981	7.8	13
130	Facile synthesis and optical properties of extended TPA-Benzodifuran derivatives connected by cyano-vinylene junctions. <i>Dyes and Pigments</i> , <b>2018</b> , 154, 38-43	4.6	9
129	Preparation and study of a carbohydrate-functionalized carbon surface by electrochemical oxidation of 4-aminophenyl- $\beta$ -D-glucopyranoside. <i>Electrochemistry Communications</i> , <b>2018</b> , 93, 175-179	5.1	2
128	Solid-State Emission Enhancement via Molecular Engineering of Benzofuran Derivatives. <i>ACS Omega</i> , <b>2018</b> , 3, 18542-18552	3.9	11
127	Toward Sustainable Organic Semiconductors from a Broad Palette of Green Reactions. <i>European Journal of Organic Chemistry</i> , <b>2017</b> , 2017, 2707-2714	3.2	15
126	Electroactive polyacrylates bearing linear conjugated systems based on EDOT moieties. <i>Polymer</i> , <b>2017</b> , 117, 17-24	3.9	4
125	Low Band Gap Donor-Acceptor Conjugated Systems Based on 3-Alkoxy or 3-Pyrrolidino-4-cyanothiophene and Benzothiadiazole Units. <i>Chemistry - an Asian Journal</i> , <b>2017</b> , 12, 1935-1943	4.5	1
124	Rapid and green synthesis of complementary D-A small molecules for organic photovoltaics. <i>Organic Electronics</i> , <b>2017</b> , 42, 322-328	3.5	15
123	Syntheses via a direct arylation method of push-pull molecules based on triphenylamine and 3-cyano-4-hexyloxythiophene moieties. <i>Organic and Biomolecular Chemistry</i> , <b>2016</b> , 14, 10516-10522	3.9	6

122	Topological and packing mode modification for solid-state emission enhancement of bis(perfluorostyryl)furan derivatives. <i>New Journal of Chemistry</i> , <b>2016</b> , 40, 6728-6734	3.6	4
121	Optimization and diagnostic of nonlinear optical features of $\pi$ -conjugated benzodifuran-based derivatives. <i>RSC Advances</i> , <b>2016</b> , 6, 14439-14447	3.7	68
120	Unprecedented Demonstration of Regioselective SE Ar Reaction giving Unsymmetrical Regioregular Oligothiophenes. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 6510-4	4.8	3
119	Fluorine-fluorine type II versus $\pi$ - $\pi$ stacking interactions in the supramolecular organizations of extended thiophene derivatives end capped by imino-perfluorophenyl units. <i>Journal of Fluorine Chemistry</i> , <b>2015</b> , 178, 34-39	2.1	9
118	Extended benzodifuran-thiophene systems connected with azomethine junctions: synthesis and electronic properties. <i>Tetrahedron Letters</i> , <b>2015</b> , 56, 5116-5119	2	16
117	Synthesis, spectroscopic and electrochemical properties of new covalent assemblies between TTF and various acceptors. <i>Synthetic Metals</i> , <b>2015</b> , 204, 84-89	3.6	4
116	Dithieno[3,2-b:2',3'-d]furan as a new building block for fused conjugated systems. <i>Tetrahedron Letters</i> , <b>2015</b> , 56, 6251-6253	2	7
115	Bis-EDOT end capped by n-hexyl or n-hexylsulfanyl groups: the effect of the substituents on the stability of the oxidized states. <i>New Journal of Chemistry</i> , <b>2015</b> , 39, 1678-1684	3.6	4
114	Rational Topological Design for Fluorescence Enhancement upon Aggregation of Distyrylfuran Derivatives. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 7944-53	4.8	19
113	Clean and Efficient Iodination of Thiophene Derivatives. <i>Synthesis</i> , <b>2015</b> , 47, 3901-3906	2.9	9
112	Facile Access via Green Procedures to a Material with the Benzodifuran Moiety for Organic Photovoltaics. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2014</b> , 2, 1043-1048	8.3	34
111	On Dimensionality of Halogen-Bonded Thiophene Solid-State Assemblies. <i>Israel Journal of Chemistry</i> , <b>2014</b> , 54, 689-698	3.4	8
110	Spin transport in benzofurane bithiophene based organic spin valves. <i>AIP Advances</i> , <b>2014</b> , 4, 017117	1.5	5
109	Synthesis, electronic properties and packing modes of conjugated systems based on 2,5-di(cyanovinyl)furan or thiophene and imino-perfluorophenyl moieties. <i>New Journal of Chemistry</i> , <b>2013</b> , 37, 409-415	3.6	8
108	Electronic Properties and Field-Effect Transistors of Oligomers End-Capped with Benzofuran Moieties. <i>ChemPlusChem</i> , <b>2013</b> , 78, 459-466	2.8	14
107	3-Fluoro-4-hexylthiophene as a building block for tuning the electronic properties of conjugated polythiophenes. <i>Journal of Organic Chemistry</i> , <b>2013</b> , 78, 1497-503	4.2	33
106	Synthesis and electronic properties of D-A-D triads based on 3-alkoxy-4-cyanothiophene and benzothienothiophene blocks. <i>Journal of Organic Chemistry</i> , <b>2012</b> , 77, 2041-6	4.2	17
105	A donor-acceptor-donor (DAD) molecule based on 3-alkoxy-4-cyanothiophene and dithienopyrrole units as active material for organic solar cells. <i>New Journal of Chemistry</i> , <b>2012</b> , 36, 2412	3.6	17

104	Extended benzodifuran-furan derivatives as example of $\pi$ -conjugated materials obtained from sustainable approach. <i>Tetrahedron</i> , <b>2012</b> , 68, 8617-8621	2.4	29
103	Facile synthesis of 3-alkoxy-4-cyanothiophenes as new building blocks for donor-acceptor conjugated systems. <i>Organic Letters</i> , <b>2011</b> , 13, 1762-5	6.2	42
102	Competition between $\pi$ - $\pi$ furan-perfluorophenyl stacking interactions in conjugated compounds prepared from azomethine connections. <i>CrystEngComm</i> , <b>2011</b> , 13, 5833	3.3	13
101	Extended triphenylamine conjugated systems derivatized by perfluorophenyl groups. <i>Tetrahedron Letters</i> , <b>2011</b> , 52, 6573-6577	2	4
100	Efficient synthesis of 3,6-dialkoxythieno[3,2-b]thiophenes as precursors of electrogenerated conjugated polymers. <i>Organic and Biomolecular Chemistry</i> , <b>2011</b> , 9, 588-95	3.9	15
99	Trithienylphenylamine-extended dithiafulvene hybrids as bifunctional electroactive species. <i>Organic and Biomolecular Chemistry</i> , <b>2011</b> , 9, 1034-40	3.9	10
98	3-Alkoxy-4-bromothiophenes: general synthesis of monomers and regio-selective preparation of two dimers. <i>Tetrahedron Letters</i> , <b>2011</b> , 52, 1288-1291	2	5
97	Star-shaped triazine-thiophene conjugated systems. <i>Tetrahedron Letters</i> , <b>2009</b> , 50, 5673-5676	2	43
96	Rigid oligomers based on the combination of 3,6-dimethoxythieno[3,2-b]thiophene and 3,4-ethylenedioxythiophene. <i>Tetrahedron Letters</i> , <b>2009</b> , 50, 7148-7151	2	24
95	Electrogenerated Low Band Gap Polymers Based on the 3-Cyano-4-methoxythiophene Building Block. <i>Macromolecules</i> , <b>2009</b> , 42, 5593-5599	5.5	24
94	Electropolymerization of triphenylamine-dithiafulvene hybrid extended $\pi$ -conjugated systems. <i>New Journal of Chemistry</i> , <b>2009</b> , 33, 801	3.6	26
93	Effects of aromatic spacers on the properties of organic field effect transistors based on $\pi$ -extended tetrathiafulvalene derivatives. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 3648		20
92	3D-conjugated systems based on oligothiophenes and phosphorus nodes. <i>Organic and Biomolecular Chemistry</i> , <b>2008</b> , 6, 3202-7	3.9	12
91	Evidence for the contribution of sulfur-bromine intramolecular interactions to the self-rigidification of thiophene-based $\pi$ -conjugated systems. <i>New Journal of Chemistry</i> , <b>2008</b> , 32, 932	3.6	29
90	Stability and 2,4-dinitrotoluene response of organic field effect transistors based on $\pi$ -conjugated thiophene oligomers. <i>Materials Science and Engineering C</i> , <b>2008</b> , 28, 965-970	8.3	8
89	Star-shaped conjugated systems derived from dithiafulvenyl-derivatized triphenylamines as active materials for organic solar cells. <i>Solar Energy Materials and Solar Cells</i> , <b>2008</b> , 92, 1170-1174	6.4	42
88	Facile synthesis of 3-substituted thieno[3,2-b]furan derivatives. <i>Tetrahedron Letters</i> , <b>2008</b> , 49, 2425-2428		9
87	An extended tetrathiafulvalene redox-ligand incorporating a thiophene spacer. <i>Tetrahedron Letters</i> , <b>2008</b> , 49, 5452-5454	2	12

86	Molecular engineering of the internal charge transfer in thiophene-triphenylamine hybrid pi-conjugated systems. <i>Journal of Organic Chemistry</i> , <b>2007</b> , 72, 8332-6	4.2	143
85	Synthesis of 3,4-alkoxythieno[2,3-b]thiophene derivatives. The first block copolymer associating the 3,4-ethylenedioxythieno[2,3-b]thiophene (EDOT) unit with 3,4-ethylenedioxythiophene (EDOT) moieties. <i>Organic and Biomolecular Chemistry</i> , <b>2007</b> , 5, 3442-9	3.9	21
84	3D $\pi$ -Conjugated Oligothiophenes Based on Sterically Twisted Bithiophene Nodes. <i>Advanced Functional Materials</i> , <b>2007</b> , 17, 1163-1171	15.6	65
83	Molecular engineering of hybrid $\pi$ -conjugated oligomers combining 3,4-ethylenedioxythiophene (EDOT) and thiophene-S,S-dioxide units. <i>Tetrahedron</i> , <b>2007</b> , 63, 9774-9783	2.4	23
82	Fine tuning of the electronic properties of linear pi-conjugated oligomers by covalent bridging. <i>Chemistry - A European Journal</i> , <b>2006</b> , 12, 1244-55	4.8	32
81	Electronic properties and reactivity of short-chain oligomers of 3,4-phenylenedioxythiophene (PheDOT). <i>Chemistry - A European Journal</i> , <b>2006</b> , 12, 2960-6	4.8	42
80	Triphenylamine $\pi$ -Oligothiophene Conjugated Systems as Organic Semiconductors for Opto-Electronics. <i>Chemistry of Materials</i> , <b>2006</b> , 18, 2584-2590	9.6	169
79	3,4-Vinylenedioxythiophene (VDOT): a new building block for thiophene-based pi-conjugated systems. <i>Chemical Communications</i> , <b>2006</b> , 275-7	5.8	20
78	Triphenylamine-thienylenevinylene hybrid systems with internal charge transfer as donor materials for heterojunction solar cells. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 3459-66	16.4	714
77	A star-shaped triphenylamine pi-conjugated system with internal charge-transfer as donor material for hetero-junction solar cells. <i>Chemical Communications</i> , <b>2006</b> , 1416-8	5.8	56
76	Molecular and supramolecular engineering of $\pi$ -conjugated systems for photovoltaic conversion. <i>Thin Solid Films</i> , <b>2006</b> , 511-512, 567-575	2.2	73
75	Structure-reactivity relationships in bithiophenic precursors based on the 3-phenoxythiophene building block. <i>Journal of Materials Chemistry</i> , <b>2005</b> , 15, 3473		7
74	Poly(3,6-dimethoxy-thieno[3,2-b]thiophene): a possible alternative to poly(3,4-ethylenedioxythiophene)(PEDOT). <i>Chemical Communications</i> , <b>2005</b> , 1161-3	5.8	28
73	Effect of Structural Factor on the Electropolymerization of Bithiophenic Precursors Containing a 3,4-Ethylenedisulfanylthiophene Unit. <i>Macromolecules</i> , <b>2005</b> , 38, 6806-6812	5.5	81
72	Salts of extended tetrathiafulvalene analogues: relationships between molecular structure, electrochemical properties and solid state organisation. <i>Chemical Society Reviews</i> , <b>2005</b> , 34, 69-98	58.5	159
71	3,4-Ethylenedioxythiophene (EDOT) as a versatile building block for advanced functional $\pi$ -conjugated systems. <i>Journal of Materials Chemistry</i> , <b>2005</b> , 15, 1589-1610		367
70	Design of organic semiconductors: tuning the electronic properties of pi-conjugated oligothiophenes with the 3,4-ethylenedioxythiophene (EDOT) building block. <i>Chemistry - A European Journal</i> , <b>2005</b> , 11, 3742-52	4.8	194
69	Oligothiophylenevinylenes incorporating 3,4-ethylenedioxythiophene (EDOT) units. <i>Tetrahedron</i> , <b>2005</b> , 61, 3045-3053	2.4	31

68	Crystal structure of $(\text{NH}_3\text{BH}_3)(\text{NH}_3\text{BH}_2)\text{PbI}_5$ (R=5,5'-bis(ethylsulfanyl)-2,2'-bithiophene): $\text{NH}_3+\text{NH}_2$ interaction as a tool to reach densely packed organic layers in organic-inorganic perovskites. <i>Journal of Solid State Chemistry</i> , <b>2004</b> , 177, 1067-1071	3.3	29
67	Exceptional electron donating ability of an extended tetrathiafulvalene derivative. <i>Tetrahedron Letters</i> , <b>2004</b> , 45, 2535-2539	2	7
66	3,4-Phenylenedioxythiophene (PheDOT): a novel platform for the synthesis of planar substituted donor conjugated systems. <i>Journal of Materials Chemistry</i> , <b>2004</b> , 14, 1396-1400		44
65	Stimulated Emission from a Needle-like Single Crystal of an End-Capped Fluorene/Phenylene Co-oligomer. <i>Advanced Materials</i> , <b>2003</b> , 15, 906-909	24	46
64	Field-Effect Transistors Based on Oligothiénylenevinylens: From Solution Dimers to High-Mobility Organic Semiconductors. <i>Advanced Materials</i> , <b>2003</b> , 15, 306-310	24	90
63	Strong electron donors based on a self-rigidified 2,2'-bi(3,4-ethylenedioxy)thiophene-tetrathiafulvalene hybrid conjugated system. <i>Tetrahedron Letters</i> , <b>2003</b> , 44, 649-652	2	38
62	New extended analogues of TTF via triethylphosphite-mediated reaction. <i>Tetrahedron Letters</i> , <b>2003</b> , 44, 1623-1626	2	16
61	Stable and soluble oligo(3,4-ethylenedioxythiophene)s end-capped with alkyl chains. <i>Journal of Organic Chemistry</i> , <b>2003</b> , 68, 5357-60	4.2	115
60	Effect of mono- versus di-ammonium cation of 2,2'-bithiophene derivatives on the structure of organic-inorganic hybrid materials based on iodo metallates. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 5330-9	5.1	146
59	Linearly extended tetrathiafulvalene analogues with fused thiophene units as conjugated spacers. <i>Journal of Materials Chemistry</i> , <b>2003</b> , 13, 1324-1332		59
58	Effect of local molecular structure on the chain-length dependence of the electronic properties of thiophene-based pi-conjugated systems. <i>Journal of Organic Chemistry</i> , <b>2003</b> , 68, 7254-65	4.2	69
57	A combined substituent and supramolecular approach for improving the electron donor properties of 1,3-dithiole-2-thione derivatives. <i>Journal of Materials Chemistry</i> , <b>2003</b> , 13, 2490-2498		14
56	Effects of structural factors on the pi-dimerization and/or disproportionation of the cation radical of extended TTF containing thiophene-based pi-conjugated spacers. <i>Chemistry - A European Journal</i> , <b>2002</b> , 8, 784-92	4.8	30
55	Access to 3,4-furan dithiolate: towards 3,4-dialkylsulfanylfurans and their Diels-Alder adducts with acrylonitrile. <i>Tetrahedron Letters</i> , <b>2002</b> , 43, 1825-1828	2	4
54	Third-order nonlinear optical properties and two-photon absorption in branched oligothiénylenevinylens. <i>Optics Communications</i> , <b>2002</b> , 209, 461-466	2	59
53	Thieno[3,4-b]-1,4-oxathiane: an unsymmetrical sulfur analogue of 3,4-ethylenedioxythiophene (EDOT) as a building block for linear pi-conjugated systems. <i>Organic Letters</i> , <b>2002</b> , 4, 607-9	6.2	43
52	$(\text{C}_4\text{H}_3\text{SCH}_2\text{NH}_3)_2(\text{CH}_3\text{NH}_3)\text{Pb}_2\text{I}_7$ : non-centrosymmetrical crystal structure of a bilayer hybrid perovskite. <i>Chemical Communications</i> , <b>2002</b> , 2160-1	5.8	71
51	3- and 3,4-bis(2-cyanoethylsulfanyl)thiophenes as building blocks for functionalized thiophene-based pi-conjugated systems. <i>Journal of Organic Chemistry</i> , <b>2002</b> , 67, 3961-4	4.2	46

50	Pushpull chromophores based on 2,2'-bi(3,4-ethylenedioxythiophene) (BEDOT) $\pi$ -conjugating spacer. <i>Tetrahedron Letters</i> , <b>2001</b> , 42, 1507-1510	2	120
49	Synthesis and Electrochemical Properties of Highly Extended and Sulfur-Rich Vinylogs of Tetrathiafulvalene. <i>European Journal of Organic Chemistry</i> , <b>2001</b> , 2001, 3741	3.2	11
48	Novel nonlinear optical organic materials: Dithienylethylenes. <i>Journal of Chemical Physics</i> , <b>2001</b> , 115, 6179-6184	3.9	14
47	Effect of alkyl substituents on the adsorption of thienylenevinylene oligomers on the Si(100) surface. <i>Surface Science</i> , <b>2001</b> , 473, 1-7	1.8	4
46	. <i>Chemistry - A European Journal</i> , <b>2000</b> , 6, 1698-1707	4.8	8
45	Mixed $\pi$ -conjugated oligomers of thiophene and 3,4-ethylenedioxythiophene (EDOT). <i>Tetrahedron Letters</i> , <b>2000</b> , 41, 5521-5525	2	55
44	Enhancement of the $\pi$ -electron delocalization and fluorescence efficiency of 1,6-diphenyl-1,3,5-hexatriene by covalent rigidification. <i>Tetrahedron Letters</i> , <b>2000</b> , 41, 5057-5061	2	18
43	Third-order nonlinear optical properties of new dithienylethylenes. <i>Synthetic Metals</i> , <b>2000</b> , 109, 315-319	3.6	3
42	Degenerate-wave mixing in new dithienylethylenes. <i>Synthetic Metals</i> , <b>2000</b> , 110, 229-232	3.6	2
41	Redox states and associated interchain processes of thienylenevinylene oligomers. <i>Chemistry - A European Journal</i> , <b>2000</b> , 6, 1698-707	4.8	25
40	Theoretical characterization of the electronic properties of extended thienylenevinylene oligomers. <i>Journal of Chemical Physics</i> , <b>1999</b> , 111, 6643-6649	3.9	25
39	Extended Oligothienylenevinylenes End-Capped with 1,4-Dithiafulvenyl $\pi$ -Donor Groups: Toward a Supramolecular Control of Effective Conjugation Length. <i>Advanced Materials</i> , <b>1999</b> , 11, 134-138	24	21
38	Thienylenevinylene oligomers as multianometer molecular wires. <i>Synthetic Metals</i> , <b>1999</b> , 101, 667-670	3.6	3
37	Low Oxidation Potential Tetrathiafulvalene Analogues Based on 3,4-Dialkoxythiophene $\pi$ -Conjugating Spacers. <i>Journal of Organic Chemistry</i> , <b>1999</b> , 64, 4267-4272	4.2	50
36	Langkettige Thienlenvinylen-Oligomere als effiziente molekulare Drähte. <i>Angewandte Chemie</i> , <b>1998</b> , 110, 990-993	3.6	18
35	Extended Thienylenevinylene Oligomers as Highly Efficient Molecular Wires. <i>Angewandte Chemie - International Edition</i> , <b>1998</b> , 37, 942-945	16.4	75
34	A cation radical salt of an extended tetrathiafulvalene analogue with a difurylene spacer. <i>New Journal of Chemistry</i> , <b>1998</b> , 22, 1051-1054	3.6	7
33	Effect of heteroaromatic spacers on the structure and electrical properties of cation radical salts of tetrathiafulvalene analogs. <i>Journal of Materials Chemistry</i> , <b>1998</b> , 8, 363-366		23

32	Synthesis and Characterization of the Electronic and Electrochemical Properties of Thienylenevinylene Oligomers with Multinanometer Dimensions. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 8150-8158	16.4	125
31	Extensively $\pi$ -conjugated soluble oligothiénylenevinylenes. <i>Chemical Communications</i> , <b>1997</b> , 301-302	5.8	18
30	Effect of Chain Extension on the Electrochemical and Electronic Properties of $\pi$ -Conjugated Soluble Thienylenevinylene Oligomers. <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 10774-10784	16.4	122
29	Synthesis and electrochemical properties of fused [3,4]furano-tetrathiafulvalenes. <i>Tetrahedron Letters</i> , <b>1997</b> , 38, 1919-1922	2	22
28	Oligo(furan-2,5-diylvinylene)s as $\pi$ -conjugating spacers in linearly extended hybrid tetrathiafulvalene analogues. <i>Journal of Materials Chemistry</i> , <b>1996</b> , 6, 1859-1863		16
27	Linearly Extended Tetrathiafulvalene Analogues with Dithienyl and Difuryl Polyenes $\pi$ -Conjugated Spacers. <i>Chemistry of Materials</i> , <b>1996</b> , 8, 2291-2297	9.6	15
26	Thiophene-based conjugated oligomers and polymers with high electron affinity. <i>Advanced Materials</i> , <b>1996</b> , 8, 990-994	24	43
25	Soluble thienylenevinylene oligomers end-capped with 1,3-dithiole-2-ylidene groups. <i>Tetrahedron Letters</i> , <b>1996</b> , 37, 6121-6124	2	11
24	Difuryl polyenes as precursors of highly conducting electrogenerated conjugated polymers. <i>Journal of Electroanalytical Chemistry</i> , <b>1996</b> , 406, 231-234	4.1	11
23	Polyacetyl-substituted tetrathiafulvalenes and 1,3-dithiolic derivatives from hex-3-yn-2,5-dione. <i>Tetrahedron Letters</i> , <b>1996</b> , 37, 8861-8864	2	13
22	The effect of the central linkage on the mass spectrometric behaviour of extended tetrathiafulvalenes. <i>Rapid Communications in Mass Spectrometry</i> , <b>1995</b> , 9, 856-861	2.2	4
21	Oxidative dimerization of 2-(1,4-dithiafulven-6-yl)thiophenes: an alternative route towards extensively $\pi$ -conjugated tetrathiafulvalene analogs. <i>Tetrahedron Letters</i> , <b>1995</b> , 36, 2983-2986	2	32
20	Structural optimization of giant analogues of TTF: towards improvement of the solid-state properties in the related materials. <i>Synthetic Metals</i> , <b>1995</b> , 70, 1155-1156	3.6	2
19	Electrogenerated small bandgap $\pi$ -conjugated polymers derived from substituted dithienylethylenes. <i>Journal of the Chemical Society Chemical Communications</i> , <b>1995</b> , 2309-2310		30
18	Extended hybrid tetrathiafulvalene $\pi$ -donors with oligothiénylenevinylene conjugated spacer groups. <i>Advanced Materials</i> , <b>1995</b> , 7, 390-394	24	20
17	New Derivatives of Tetrathiafulvalenes (TTF): Towards Organic Metals of Enhanced Dimensionality. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>1994</b> , 95, 235-248	1	6
16	Electrochemically induced intramolecular cyclization of 1,2-bis(1,4-dithiafulven-6-yl)benzenes. <i>Tetrahedron Letters</i> , <b>1994</b> , 35, 1991-1994	2	22
15	Proximity effects in mass spectrometry. Electron impact ionization-induced cyclization of 1,2-bis(1,4-dithiafulven-6-yl)benzenes. <i>Organic Mass Spectrometry</i> , <b>1994</b> , 29, 571-574		6



14	Effects of structure on the optical and redox properties of the oligothiophene-tetrathiafulvalene hybrid system. <i>Advanced Materials</i> , <b>1994</b> , 6, 841-845	24	33
13	Control of the bandgap of conducting polymers by rigidification of the $\pi$ -conjugated system. <i>Journal of the Chemical Society Chemical Communications</i> , <b>1994</b> , 2249-2250		36
12	Electrochemical preparation and crystal structure of (BEDT-TTF)PF <sub>6</sub> : towards a rational control of the stoichiometry of cation radical salts. <i>Journal of the Chemical Society Chemical Communications</i> , <b>1994</b> , 2071-2072		6
11	Extensively conjugated tetrathiafulvalene (TTF)-electron donors with oligothiophenes spacer groups. <i>Journal of the Chemical Society Chemical Communications</i> , <b>1993</b> , 689-691		29
10	Aldehyde Functionalization in the Tetrathiafulvalene Series: Towards New Highly Dimensional Organic Materials Derived from Sulfur-Rich Extended $\pi$ -Donors. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>1993</b> , 74, 473-474	1	7
9	Protonated tetrathiafulvalene: preparation, isolation and crystal structure of 2-(1,3-dithiol-2-yl)-1,3-dithiol-1-ium tetrafluoroborate. <i>Journal of the Chemical Society Chemical Communications</i> , <b>1993</b> , 944-945		32
8	Cation radical salts of the tetrathiafulvalene series : fast mixed valence detection by thin layer cyclic voltammetry. <i>Synthetic Metals</i> , <b>1993</b> , 56, 2359-2363	3.6	3
7	2,5-bis(1,4-dithiafulven-6-yl) substituted furans, thiophenes and N-methyl pyrroles as precursors for organic metals. <i>Synthetic Metals</i> , <b>1993</b> , 56, 1751-1755	3.6	29
6	Synthesis and electrochemical study of new giant $\pi$ -donors: Ethylenic analogues of tetrathiafulvalene (TTF) bearing two vicinal 1,4-dithiafulven-6-yl substituents. <i>Synthetic Metals</i> , <b>1993</b> , 56, 1803-1808	3.6	4
5	Prediction of the stoichiometry of cation radical salts of organic metals by thin layer cyclic voltammetry. <i>Advanced Materials</i> , <b>1993</b> , 5, 445-447	24	12
4	Cycloaddition of 3-thioxo-1,2-dithioles onto acetylenedicarbonyl and its mono-diethylacetal : Ready access to intermediates in the tetrathiafulvalene (TTF) series. <i>Tetrahedron Letters</i> , <b>1993</b> , 34, 4519-4522	15	15
3	Acid mediated intramolecular cyclization of $\pi$ -donors bearing two vicinal disubstituted, 1,4-dithiafulven-6-yl substituents on a C-C bond. <i>Tetrahedron Letters</i> , <b>1993</b> , 34, 2131-2134	2	23
2	Vinylogs of tetrathiafulvalene (TTF) bearing four 1,4-dithiafulven-6-yl substituents : Novel highly extended and sulfur-rich $\pi$ -donors. <i>Tetrahedron Letters</i> , <b>1993</b> , 34, 4005-4008	2	21
1	2,5-Bis(1,4-dithiafulven-6-yl) furans, thiophenes and N-methyl pyrroles as extended analogues of tetrathiafulvalene. <i>Tetrahedron Letters</i> , <b>1992</b> , 33, 6457-6460	2	60