Ganesh Chandra Jagetia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4556763/publications.pdf

Version: 2024-02-01

67 papers

2,782 citations

147786 31 h-index 51 g-index

67 all docs

67
docs citations

67 times ranked

2685 citing authors

#	Article	IF	CITATIONS
1	The Evaluation of Nitric Oxide Scavenging Activity of Certain Indian Medicinal Plants In Vitro: A Preliminary Study. Journal of Medicinal Food, 2004, 7, 343-348.	1.5	156
2	Modulation of radiation-induced alteration in the antioxidant status of mice by naringin. Life Sciences, 2005, 77, 780-794.	4.3	142
3	The grapefruit flavanone naringin protects against the radiation-induced genomic instability in the mice bone marrow: a micronucleus study. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2002, 519, 37-48.	1.7	121
4	Evaluation of the Antineoplastic Activity of Guduchi (Tinospora cordifolia) in Ehrlich Ascites Carcinoma Bearing Mice. Biological and Pharmaceutical Bulletin, 2006, 29, 460-466.	1.4	120
5	Influence of Ginger Rhizome (Zingiber officinale Rosc) on Survival, Glutathione and Lipid Peroxidation in Mice after Whole-Body Exposure to Gamma Radiation. Radiation Research, 2003, 160, 584-592.	1.5	115
6	Naringin, a citrus flavonone, protects against radiation-induced chromosome damage in mouse bone marrow. Mutagenesis, 2003, 18, 337-343.	2.6	102
7	Alteration in the glutathione, glutathione peroxidase, superoxide dismutase and lipid peroxidation by ascorbic acid in the skin of mice exposed to fractionated \hat{I}^3 radiation. Clinica Chimica Acta, 2003, 332, 111-121.	1.1	97
8	Role of curcumin, a naturally occurring phenolic compound of turmeric in accelerating the repair of excision wound, in mice whole-body exposed to various doses of \hat{I}^3 -radiation. Journal of Surgical Research, 2004, 120, 127-138.	1.6	96
9	The evaluation of nitric oxide scavenging activity of certain herbal formulationsin vitro: a preliminary study. Phytotherapy Research, 2004, 18, 561-565.	5.8	87
10	Acceleration of wound repair by curcumin in the excision wound of mice exposed to different doses of fractionated $\langle i \rangle \hat{I}^3 \langle i \rangle$ radiation. International Wound Journal, 2012, 9, 76-92.	2.9	78
11	Curcumin Treatment Enhances the Repair and Regeneration of Wounds in Mice Exposed to Hemibody ??-Irradiation. Plastic and Reconstructive Surgery, 2005, 115, 515-528.	1.4	77
12	Aegle marmelos (L.) CORREA Inhibits the Proliferation of Transplanted Ehrlich Ascites Carcinoma in Mice. Biological and Pharmaceutical Bulletin, 2005, 28, 58-64.	1.4	76
13	Evaluation of anticancer activity of the alkaloid fraction of Alstonia scholaris (Sapthaparna) in vitro and in vivo. Phytotherapy Research, 2006, 20, 103-109.	5.8	76
14	Syzygium cumini (Jamun) reduces the radiation-induced DNA damage in the cultured human peripheral blood lymphocytes: a preliminary study. Toxicology Letters, 2002, 132, 19-25.	0.8	66
15	Evaluation of the free-radical scavenging and antioxidant activities of Chilauni, <i>Schima wallichii </i> Korth <i>in vitro </i> Future Science OA, 2018, 4, FSO272.	1.9	65
16	Fruit Extract of Aegle marmelos Protects Mice Against Radiation-Induced Lethality. Integrative Cancer Therapies, 2004, 3, 323-332.	2.0	62
17	Evaluation of the radioprotective effect of Aegle marmelos (L.) Correa in cultured human peripheral blood lymphocytes exposed to different doses of Â-radiation: a micronucleus study. Mutagenesis, 2003, 18, 387-393.	2.6	61
18	Influence of naringin on ferric iron induced oxidative damage in vitro. Clinica Chimica Acta, 2004, 347, 189-197.	1.1	60

#	Article	IF	Citations
19	Effect of mangiferin on radiation-induced micronucleus formation in cultured human peripheral blood lymphocytes. Environmental and Molecular Mutagenesis, 2005, 46, 12-21.	2.2	57
20	Influence of the Leaf Extract of Mentha arvensis Linn. (Mint) on the Survival of Mice Exposed to Different Doses of Gamma Radiation. Strahlentherapie Und Onkologie, 2002, 178, 91-98.	2.0	54
21	Impact of radiofrequency radiation on DNA damage and antioxidants in peripheral blood lymphocytes of humans residing in the vicinity of mobile phone base stations. Electromagnetic Biology and Medicine, 2017, 36, 295-305.	1.4	53
22	Influence of Seed Extract of Syzygium Cumini (Jamun) on Mice Exposed to Different Doses of \hat{I}^3 -radiation. Journal of Radiation Research, 2005, 46, 59-65.	1.6	48
23	Naringin, a grapefruit flavanone, protects V79 cells against the bleomycin-induced genotoxicity and decline in survival. Journal of Applied Toxicology, 2007, 27, 122-132.	2.8	46
24	Curcumin Stimulates the Antioxidant Mechanisms in Mouse Skin Exposed to Fractionated \hat{l}^3 -Irradiation. Antioxidants, 2015, 4, 25-41.	5.1	46
25	Triphala, an Ayurvedic Rasayana Drug, Protects Mice Against Radiation-Induced Lethality by Free-Radical Scavenging. Journal of Alternative and Complementary Medicine, 2004, 10, 971-978.	2.1	43
26	Alleviation of iron induced oxidative stress by the grape fruit flavanone naringin in vitro. Chemico-Biological Interactions, 2011, 190, 121-128.	4.0	39
27	Effect of Alstonia scholaris in Enhancing the Anticancer Activity of Berberine in the Ehrlich Ascites Carcinoma-Bearing Mice. Journal of Medicinal Food, 2004, 7, 235-244.	1.5	38
28	Investigation of the Anti-Inflammatory and Analgesic Activities of Ethanol Extract of Stem Bark of Sonapatha <i>Oroxylum indicum In Vivo</i> International Journal of Inflammation, 2016, 2016, 1-8.	1.5	38
29	Ascorbic acid increases healing of excision wounds of mice whole body exposed to different doses of \hat{I}^3 -radiation. Burns, 2007, 33, 484-494.	1.9	37
30	Evaluation of the radioprotective effect of Ageratum conyzoides Linn. extract in mice exposed to different doses of gamma radiation. Journal of Pharmacy and Pharmacology, 2010, 55, 1151-1158.	2.4	37
31	Evaluation of the radioprotective effect of the leaf extract of Syzygium cumini (Jamun) in mice exposed to a lethal dose of -irradiation. Molecular Nutrition and Food Research, 2003, 47, 181-185.	0.0	35
32	Evaluation of the Effect of Ascorbic Acid Treatment on Wound Healing in Mice Exposed to Different Doses of Fractionated Gamma Radiation. Radiation Research, 2003, 159, 371-380.	1.5	33
33	Effect of Sapthaparna (Alstonia scholaris Linn) in modulating the benzo(a)pyrene-induced forestomach carcinogenesis in mice. Toxicology Letters, 2003, 144, 183-193.	0.8	32
34	Chronic low dose exposure of hospital workers to ionizing radiation leads to increased micronuclei frequency and reduced antioxidants in their peripheral blood lymphocytes. International Journal of Radiation Biology, 2019, 95, 697-709.	1.8	32
35	Effect of abana (a herbal preparation) on the radiation-induced mortality in mice. Journal of Ethnopharmacology, 2003, 86, 159-165.	4.1	30
36	Evaluation of the cytotoxic effect of the monoterpene indole alkaloid echitamine in-vitro and in tumour-bearing mice. Journal of Pharmacy and Pharmacology, 2010, 57, 1213-1219.	2.4	29

#	Article	IF	Citations
37	Radioprotection by Oral Administration of Aegle marmelos (L.) Correa In Vivo. Journal of Environmental Pathology, Toxicology and Oncology, 2005, 24, 315-332.	1.2	28
38	The effect of seasonal variation on the antineoplastic activity of Alstonia scholaris R. Br. in HeLa cells. Journal of Ethnopharmacology, 2005, 96, 37-42.	4.1	27
39	Treatment of mice with stem bark extract of Aphanamixis polystachyareduces radiation-induced chromosome damage. International Journal of Radiation Biology, 2006, 82, 197-209.	1.8	23
40	Treatment of mice with a herbal preparation (Mentat) protects against radiation-induced mortality. Phytotherapy Research, 2003, 17, 876-881.	5.8	21
41	Cystone, an ayurvedic herbal drug imparts protection to the mice against the lethal effects of gamma-radiation: a preliminary study. Molecular Nutrition and Food Research, 2002, 46, 332-336.	0.0	19
42	Inhibition of Radiation-Induced DNA Damage by Jamun, <i>Syzygium cumini</i> , in the Cultured Splenocytes of Mice Exposed to Different Doses of Î ³ -Radiation. Integrative Cancer Therapies, 2012, 11, 141-153.	2.0	18
43	Topical application of stem bark ethanol extract of Sonapatha, Oroxylum indicum (L.) Kurz accelerates healing of deep dermal excision wound in Swiss albino mice. Journal of Ethnopharmacology, 2018, 227, 290-299.	4.1	18
44	Modulation of antineoplastic activity of cyclophosphamide by Alstonia scholaris in the Ehrlich ascites carcinoma-bearing mice. Journal of Experimental Therapeutics and Oncology, 2003, 3, 272-282.	0.5	17
45	The evaluation of the radioprotective effect of chyavanaprasha(an ayurvedic rasayana drug) in mice exposed to lethal dose of ³ -radiation: a preliminary study. Phytotherapy Research, 2004, 18, 14-18.	5.8	16
46	Polyherbal extract of septilin protects mice against whole body lethal dose of gamma radiation. Phytotherapy Research, 2004, 18, 619-623.	5 . 8	15
47	A Review on the Medicinal and Pharmacological Properties of Traditional Ethnomedicinal Plant Sonapatha, Oroxylum indicum. Sinusitis, 2021, 5, 71-89.	0.8	15
48	Correlation of micronuclei-induction with the cell survival in HeLa cells treated with a base analogue, azidothymidine (AZT) before exposure to different doses of Î ³ -radiation. Toxicology Letters, 2003, 139, 33-43.	0.8	14
49	Treatment with Alstonia scholaris Enhances Radiosensitivity In vitro and In vivo. Cancer Biotherapy and Radiopharmaceuticals, 2003, 18, 917-929.	1.0	14
50	Enhancement of Radiation Effect by <i>Aphanamixis polystachya</i> in Mice Transplanted with Ehrlich Ascites Carcinoma. Biological and Pharmaceutical Bulletin, 2005, 28, 69-77.	1.4	14
51	Antarth, a polyherbal preparation protects against the doxorubicin-induced toxicity without compromising its Antineoplastic activity. Phytotherapy Research, 2005, 19, 772-778.	5.8	14
52	Induction of developmental toxicity in mice treated withAlstonia scholaris (Sapthaparna) In utero. Birth Defects Research Part B: Developmental and Reproductive Toxicology, 2003, 68, 472-478.	1.4	13
53	Chemopreventive effect of hesperidin, a citrus bioflavonoid in two stage skin carcinogenesis in Swiss albino mice. Heliyon, 2019, 5, e02521.	3.2	13
54	Genotoxic effects of electromagnetic field radiations from mobile phones. Environmental Research, 2022, 212, 113321.	7.5	13

#	Article	IF	CITATIONS
55	NF-κB and COX-2 repression with topical application of hesperidin and naringin hydrogels augments repair and regeneration of deep dermal wounds. Burns, 2022, 48, 132-145.	1.9	12
56	Effects of Aegle marmelos (L.) Correa on the Peripheral Blood and Small Intestine of Mice Exposed to Gamma Radiation. Journal of Environmental Pathology, Toxicology and Oncology, 2006, 25, 611-624.	1.2	12
57	Effect of Coccinia indica on Blood Glucose, Insulin and Key Hepatic Enzymes in Experimental Diabetes. Pharmaceutical Biology, 2002, 40, 179-188.	2.9	10
58	Topical Application of Hesperidin, a Citrus Bioflavanone Accelerates Healing of Full Thickness Dermal Excision Wounds in Mice Exposed to 6 Gy of Whole Body Γ-Radiation. Journal of Clinical Research in Dermatology, 2017, 4, 1-8.	0.1	10
59	The Influence of Vinblastine Treatment on the Formation of Radiation-Induced Micronuclei in Mouse Bone Marrow. Hereditas, 2004, 120, 51-59.	1.4	9
60	Evaluation of the Radioprotective Action of Geriforte in Mice Exposed to Different Doses of \hat{I}^3 -Radiation. The American Journal of Chinese Medicine, 2004, 32, 551-567.	3.8	8
61	Anticancer activity of an ehnomedicinal plant Croton caudatus Geiseler, Kam sabut in cultured HeLa cells. Biocatalysis and Agricultural Biotechnology, 2020, 23, 101500.	3.1	8
62	Vincristine increases the genomic instability in irradiated cultured human peripheral blood lymphocytes. Toxicology Letters, 2002, 126, 179-186.	0.8	6
63	Antioxidant activity of curcumin protects against the radiation-induced micronuclei formation in cultured human peripheral blood lymphocytes exposed to various doses of Î ³ -Radiation. International Journal of Radiation Biology, 2021, 97, 485-493.	1.8	5
64	The Grape Fruit Bioflavonoid Naringin Protects Against the Doxorubicin-Induced Micronuclei Formation in Mouse Bone Marrow. International Journal of Molecular Biology Open Access, 2016, 1, .	0.2	4
65	Effect of chlorpromazine hydrochloride on the formation of micronuclei in the bone marrow of mice exposed to gamma radiation. Hereditas, 2008, 115, 195-199.	1.4	2
66	Sequestration of Stigmasterol and β-Sitosterol from Ethanolic Extract of Kam Sabut (Croton caudatus) Tj ETQq(0 0 ggBT	/Oyerlock 10
67	HPLC Fingerprinting of Chloroform Extracts of Seven Ethnomedicinal Plants of Mizoram, India. Asian Journal of Chemistry, 2021, 33, 3099-3102.	0.3	0