

Christof Taxis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/455839/christof-taxis-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

2,932
citations

17
h-index

35
g-index

35
ext. papers

3,382
ext. citations

5.6
avg, IF

4.59
L-index

#	Paper	IF	Citations
33	Light-induced fermenter production of derivatives of the sweet protein monellin is maximized in prestationary <i>Saccharomyces cerevisiae</i> cultures.. <i>Biotechnology Journal</i> , 2022 , e2100676	5.6	
32	An Optogenetic Toolbox for Synergistic Regulation of Protein Abundance. <i>ACS Synthetic Biology</i> , 2021 ,	5.7	1
31	An Optogenetic Tool for Induced Protein Stabilization Based on the <i>Phaeodactylum tricornutum</i> Aureochrome 1a Light-Oxygen-Voltage Domain. <i>Journal of Molecular Biology</i> , 2020 , 432, 1880-1900	6.5	11
30	Strategies to investigate protein turnover with fluorescent protein reporters in eukaryotic organisms. <i>AIMS Biophysics</i> , 2020 , 7, 90-118	0.8	7
29	Optogenetic Downregulation of Protein Levels with an Ultrasensitive Switch. <i>ACS Synthetic Biology</i> , 2019 , 8, 1026-1036	5.7	15
28	Synthetic Control of Protein Degradation during Cell Proliferation and Developmental Processes. <i>ACS Omega</i> , 2019 , 4, 2766-2778	3.9	13
27	Degradation of integral membrane proteins modified with the photosensitive degron module requires the cytosolic endoplasmic reticulum-associated degradation pathway. <i>Molecular Biology of the Cell</i> , 2019 , 30, 2558-2570	3.5	4
26	Lichtsignale fñdie Hefe. <i>BioSpektrum</i> , 2019 , 25, 628-630	0.1	
25	Proteasome Activity Is Influenced by the HECT_2 Protein Ipa1 in Budding Yeast. <i>Genetics</i> , 2018 , 209, 157-171	4	9
24	The Mitotic Exit Network Regulates Spindle Pole Body Selection During Sporulation of. <i>Genetics</i> , 2017 , 206, 919-937	4	13
23	Development of a Synthetic Switch to Control Protein Stability in Eukaryotic Cells with Light. <i>Methods in Molecular Biology</i> , 2017 , 1596, 241-255	1.4	5
22	Biophotography: concepts, applications and perspectives. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 3415-20	5.7	3
21	Controlling Protein Activity and Degradation Using Blue Light. <i>Methods in Molecular Biology</i> , 2016 , 1408, 67-78	1.4	10
20	Synthetische Biologie lñst Mikroorganismen BehenñBioSpektrum, 2015 , 21, 380-381	0.1	
19	The deca-GX3 proteins Yae1-Lto1 function as adaptors recruiting the ABC protein Rli1 for iron-sulfur cluster insertion. <i>ELife</i> , 2015 , 4, e08231	8.9	42
18	Photo-sensitive degron variants for tuning protein stability by light. <i>BMC Systems Biology</i> , 2014 , 8, 128	3.5	44
17	A LOV2 domain-based optogenetic tool to control protein degradation and cellular function. <i>Chemistry and Biology</i> , 2013 , 20, 619-26		181

16	A tobacco etch virus protease with increased substrate tolerance at the P1a position. <i>PLoS ONE</i> , 2013 , 8, e67915	3.7	23
15	TIPI: TEV protease-mediated induction of protein instability. <i>Methods in Molecular Biology</i> , 2012 , 832, 611-26	1.4	23
14	Acetate regulation of spore formation is under the control of the Ras/cyclic AMP/protein kinase A pathway and carbon dioxide in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2012 , 11, 1021-32		18
13	Targeted protein depletion in <i>Saccharomyces cerevisiae</i> by activation of a bidirectional degenon. <i>BMC Systems Biology</i> , 2010 , 4, 176	3.5	46
12	Efficient protein depletion by genetically controlled deprotection of a dormant N-degenon. <i>Molecular Systems Biology</i> , 2009 , 5, 267	12.2	78
11	Cytokinesis in yeast meiosis depends on the regulated removal of Ssp1p from the prospore membrane. <i>EMBO Journal</i> , 2007 , 26, 1843-52	13	25
10	System of centromeric, episomal, and integrative vectors based on drug resistance markers for <i>Saccharomyces cerevisiae</i> . <i>BioTechniques</i> , 2006 , 40, 73-8	2.5	136
9	Dynamic organization of the actin cytoskeleton during meiosis and spore formation in budding yeast. <i>Traffic</i> , 2006 , 7, 1628-42	5.7	33
8	Nud1p, the yeast homolog of Centriolin, regulates spindle pole body inheritance in meiosis. <i>EMBO Journal</i> , 2006 , 25, 3856-68	13	23
7	Spore number control and breeding in <i>Saccharomyces cerevisiae</i> : a key role for a self-organizing system. <i>Journal of Cell Biology</i> , 2005 , 171, 627-40	7.3	60
6	Regulation of exocytotic events by centrosome-analogous structures. <i>Topics in Current Genetics</i> , 2004 , 193-207		4
5	A versatile toolbox for PCR-based tagging of yeast genes: new fluorescent proteins, more markers and promoter substitution cassettes. <i>Yeast</i> , 2004 , 21, 947-62	3.4	1404
4	Use of modular substrates demonstrates mechanistic diversity and reveals differences in chaperone requirement of ERAD. <i>Journal of Biological Chemistry</i> , 2003 , 278, 35903-13	5.4	155
3	Protein dislocation from the ER requires polyubiquitination and the AAA-ATPase Cdc48. <i>Nature Cell Biology</i> , 2002 , 4, 134-9	23.4	447
2	ER-golgi traffic is a prerequisite for efficient ER degradation. <i>Molecular Biology of the Cell</i> , 2002 , 13, 1806-18	9.18	97
1	Development of an Optogenetic Tool to Regulate Protein Stability In Vivo	18-131	