

Marilena Mister

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4558845/publications.pdf>

Version: 2024-02-01

30
papers

942
citations

393982

19
h-index

454577

30
g-index

30
all docs

30
docs citations

30
times ranked

1287
citing authors

#	ARTICLE	IF	CITATIONS
1	Third-party bone marrow-derived mesenchymal stromal cell infusion before liver transplantation: A randomized controlled trial. <i>American Journal of Transplantation</i> , 2021, 21, 2795-2809.	2.6	20
2	Autotaxin Inhibitor Protects from Chronic Allograft Injury in Rat Kidney Allotransplantation. <i>Nephron</i> , 2020, 144, 38-48.	0.9	6
3	Kidney transplant tolerance associated with remote autologous mesenchymal stromal cell administration. <i>Stem Cells Translational Medicine</i> , 2020, 9, 427-432.	1.6	20
4	Vein Suturing Results in Worse Lung Graft Outcomes Compared to the Cuff Method. <i>European Surgical Research</i> , 2019, 60, 106-116.	0.6	2
5	Long-Term Clinical and Immunological Profile of Kidney Transplant Patients Given Mesenchymal Stromal Cell Immunotherapy. <i>Frontiers in Immunology</i> , 2018, 9, 1359.	2.2	58
6	Complement Alternative Pathway Deficiency in Recipients Protects Kidney Allograft From Ischemia/Reperfusion Injury and Alloreactive T Cell Response. <i>American Journal of Transplantation</i> , 2017, 17, 2312-2325.	2.6	32
7	Extracellular vesicles derived from T regulatory cells suppress T cell proliferation and prolong allograft survival. <i>Scientific Reports</i> , 2017, 7, 11518.	1.6	89
8	An Unanticipated Role for Survivin in Organ Transplant Damage. <i>American Journal of Transplantation</i> , 2014, 14, 1046-1060.	2.6	9
9	Erythropoietin, but not the correction of anemia alone, protects from chronic kidney allograft injury. <i>Kidney International</i> , 2012, 81, 903-918.	2.6	36
10	Prolonged cold ischemia accelerates cellular and humoral chronic rejection in a rat model of kidney allotransplantation. <i>Transplant International</i> , 2012, 25, 347-356.	0.8	19
11	Both Darbepoetin Alfa and Carbamylated Erythropoietin Prevent Kidney Graft Dysfunction Due to Ischemia/Reperfusion in Rats. <i>Transplantation</i> , 2011, 92, 271-279.	0.5	25
12	Rabbit anti-rat thymocyte immunoglobulin preserves renal function during ischemia/reperfusion injury in rat kidney transplantation. <i>Transplant International</i> , 2011, 24, 829-838.	0.8	21
13	Erythropoietin enhances immunostimulatory properties of immature dendritic cells. <i>Clinical and Experimental Immunology</i> , 2011, 165, 202-210.	1.1	25
14	The Toll-IL-1R Member Tir8/SIGIRR Negatively Regulates Adaptive Immunity against Kidney Grafts. <i>Journal of Immunology</i> , 2009, 183, 4249-4260.	0.4	46
15	Effect of Seliciclib (CYC202, R-Roscovitine) on Lymphocyte Alloreactivity and Acute Kidney Allograft Rejection in Rat. <i>Transplantation</i> , 2008, 85, 1476-1482.	0.5	5
16	Role of thymic- and graft-dependent mechanisms in tolerance induction to rat kidney transplant by donor PBMC infusion. <i>Kidney International</i> , 2007, 71, 1132-1141.	2.6	3
17	DnIKK2-Transfected Dendritic Cells Induce a Novel Population of Inducible Nitric Oxide Synthase-Expressing CD4+CD25+ Cells with Tolerogenic Properties. <i>Transplantation</i> , 2007, 83, 474-484.	0.5	21
18	Permeable Dysfunction of Podocyte-Podocyte Contact upon Angiotensin II Unravels the Molecular Target for Renoprotective Intervention. <i>American Journal of Pathology</i> , 2006, 168, 1073-1085.	1.9	82

#	ARTICLE	IF	CITATIONS
19	Adeno-Associated Virus-Mediated CTLA4Ig Gene Transfer Protects MHC-Mismatched Renal Allografts from Chronic Rejection. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1665-1672.	3.0	31
20	Effect of a Novel Immunosuppressant, ST1959, on the Immune System and Renal Allograft Survival in Rats. <i>Transplantation</i> , 2005, 80, 231-236.	0.5	2
21	Pretransplant Donor Peripheral Blood Mononuclear Cells Infusion Induces Transplantation Tolerance by Generating Regulatory T Cells. <i>Transplantation</i> , 2005, 79, 1034-1039.	0.5	27
22	Favorable Effect of Cotransfection with TGF- β 2 and CTLA4Ig of the Donor Kidney on Allograft Survival. <i>American Journal of Nephrology</i> , 2004, 24, 275-283.	1.4	12
23	ACE inhibition limits chronic injury of kidney transplant even with treatment started when lesions are established. <i>Kidney International</i> , 2003, 64, 2253-2261.	2.6	30
24	Propionyl-L-carnitine prevents renal function deterioration due to ischemia/reperfusion. <i>Kidney International</i> , 2002, 61, 1064-1078.	2.6	61
25	Thymic Microchimerism Correlates with the Outcome of Tolerance-Inducing Protocols for Solid Organ Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2815-2826.	3.0	25
26	Combined Treatment with Mycophenolate Mofetil and an Angiotensin II Receptor Antagonist Fully Protects from Chronic Rejection in a Rat Model of Renal Allograft. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 1937-1946.	3.0	32
27	Thymic Dendritic Cells Express Inducible Nitric Oxide Synthase and Generate Nitric Oxide in Response to Self- and Alloantigens. <i>Journal of Immunology</i> , 2000, 164, 4649-4658.	0.4	63
28	Nature and mediators of renal lesions in kidney transplant patients given cyclosporine for more than one year. <i>Kidney International</i> , 1999, 55, 674-685.	2.6	93
29	Peripheral donor leukocytes prolong survival of rat renal allografts. <i>Kidney International</i> , 1999, 56, 1101-1112.	2.6	33
30	Peripheral donor leukocytes prolong survival of rat renal allografts. <i>Kidney International</i> , 1999, 56, 1101.	2.6	14