

Erin H Norris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4560642/publications.pdf>

Version: 2024-02-01

29
papers

1,795
citations

448610

19
h-index

536525

29
g-index

29
all docs

29
docs citations

29
times ranked

2725
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-HK antibody reveals critical roles of a 20-residue HK region for A β -induced plasma contact system activation. <i>Blood Advances</i> , 2022, 6, 3090-3101.	2.5	6
2	The protective effect of early dietary fat consumption on Alzheimer's disease-related pathology and cognitive function in mice. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12173.	1.8	5
3	The contact activation system and vascular factors as alternative targets for Alzheimer's disease therapy. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021, 5, e12504.	1.0	10
4	Vascular endothelial growth factor associated dissimilar cerebrovascular phenotypes in two different mouse models of Alzheimer's Disease. <i>Neurobiology of Aging</i> , 2021, 107, 96-108.	1.5	8
5	Increased Contact System Activation in Mild Cognitive Impairment Patients with Impaired Short-Term Memory. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 59-65.	1.2	9
6	Cerebral amyloid angiopathy-linked β -amyloid mutations promote cerebral fibrin deposits via increased binding affinity for fibrinogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 14482-14492.	3.3	24
7	Increased plasma bradykinin level is associated with cognitive impairment in Alzheimer's patients. <i>Neurobiology of Disease</i> , 2020, 139, 104833.	2.1	28
8	Plasminogen mediates communication between the peripheral and central immune systems during systemic immune challenge with lipopolysaccharide. <i>Journal of Neuroinflammation</i> , 2019, 16, 172.	3.1	10
9	Long-Term Dabigatran Treatment Delays Alzheimer's Disease Pathogenesis in the TgCRND8 Mouse Model. <i>Journal of the American College of Cardiology</i> , 2019, 74, 1910-1923.	1.2	61
10	Knockdown of circulating C1 inhibitor induces neurovascular impairment, glial cell activation, neuroinflammation, and behavioral deficits. <i>Glia</i> , 2019, 67, 1359-1373.	2.5	20
11	Inflaming the Brain. <i>Neuron</i> , 2019, 101, 991-993.	3.8	4
12	An antibody against HK blocks Alzheimer's disease peptide β -amyloid-induced bradykinin release in human plasma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22921-22923.	3.3	15
13	Aminopyrimidine Class Aggregation Inhibitor Effectively Blocks A β -Fibrinogen Interaction and A β -Induced Contact System Activation. <i>Biochemistry</i> , 2018, 57, 1399-1409.	1.2	12
14	Blood-derived plasminogen drives brain inflammation and plaque deposition in a mouse model of Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9687-E9696.	3.3	51
15	Abnormal clotting of the intrinsic/contact pathway in Alzheimer disease patients is related to cognitive ability. <i>Blood Advances</i> , 2018, 2, 954-963.	2.5	33
16	A novel detection method of cleaved plasma high-molecular-weight kininogen reveals its correlation with Alzheimer's pathology and cognitive impairment. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 480-489.	1.2	27
17	Depletion of coagulation factor XII ameliorates brain pathology and cognitive impairment in Alzheimer disease mice. <i>Blood</i> , 2017, 129, 2547-2556.	0.6	69
18	Fibrinogen in the Nervous System: Glia Beware. <i>Neuron</i> , 2017, 96, 951-953.	3.8	11

#	ARTICLE	IF	CITATIONS
19	Interactions of β^2 -amyloid peptide with fibrinogen and coagulation factor XII may contribute to Alzheimer's disease. <i>Current Opinion in Hematology</i> , 2017, 24, 427-431.	1.2	36
20	Laminin regulates PDGFR β^2 + cell stemness and muscle development. <i>Nature Communications</i> , 2016, 7, 11415.	5.8	32
21	Chronic Hypertension Leads to Neurodegeneration in the TgSwDI Mouse Model of Alzheimer's Disease. <i>Hypertension</i> , 2015, 66, 175-182.	1.3	82
22	Fibrin deposited in the Alzheimer's disease brain promotes neuronal degeneration. <i>Neurobiology of Aging</i> , 2015, 36, 608-617.	1.5	146
23	Astrocytic laminin regulates pericyte differentiation and maintains blood brain barrier integrity. <i>Nature Communications</i> , 2014, 5, 3413.	5.8	265
24	A novel A β^2 -fibrinogen interaction inhibitor rescues altered thrombosis and cognitive decline in Alzheimer's disease mice. <i>Journal of Experimental Medicine</i> , 2014, 211, 1049-1062.	4.2	94
25	Ablation of astrocytic laminin impairs vascular smooth muscle cell function and leads to hemorrhagic stroke. <i>Journal of Cell Biology</i> , 2013, 202, 381-395.	2.3	99
26	Fibrinogen and Altered Hemostasis in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 32, 599-608.	1.2	136
27	Alzheimer's disease peptide β^2 -amyloid interacts with fibrinogen and induces its oligomerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21812-21817.	3.3	179
28	Fibrinogen and β^2 -Amyloid Association Alters Thrombosis and Fibrinolysis: A Possible Contributing Factor to Alzheimer's Disease. <i>Neuron</i> , 2010, 66, 695-709.	3.8	283
29	Modulation of NR2B-regulated contextual fear in the hippocampus by the tissue plasminogen activator system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13473-13478.	3.3	40