

Rikke Beck Jensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4560804/rikke-beck-jensen-publications-by-year.pdf>
Version: 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33 papers	614 citations	12 h-index	24 g-index
39 ext. papers	754 ext. citations	4.9 avg, IF	3.29 L-index

#	Paper	IF	Citations
33	Prepubertal and pubertal gonadal morphology, expression of cell lineage markers and hormonal evaluation in two 46,XY siblings with 17 β hydroxysteroid dehydrogenase 3 deficiency.. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2022 ,	1.6	0
32	School performance in Danish children exposed to maternal type 1 diabetes in utero: A nationwide retrospective cohort study.. <i>PLoS Medicine</i> , 2022 , 19, e1003977	11.6	0
31	Impact of Lean Body Mass and Insulin Sensitivity on the IGF-1-Bone Mass Axis in Adolescence: the EPICOM Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e772-e781	5.6	2
30	GAD65 autoantibodies and glucose tolerance in offspring born to women with and without type 1 diabetes (The EPICOM study). <i>Endocrinology, Diabetes and Metabolism</i> , 2021 , 5, e00310	2.7	1
29	Adverse obstetric and perinatal outcomes in 1,136 singleton pregnancies conceived after programmed frozen embryo transfer (FET) compared with natural cycle FET. <i>Fertility and Sterility</i> , 2021 , 115, 947-956	4.8	15
28	Academic Performance in Adolescents Born to Mothers With Gestational Diabetes-A National Danish Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4554-e4564	5.6	1
27	National, clinical cohort study of late effects among survivors of acute lymphoblastic leukaemia: the ALL-STAR study protocol. <i>BMJ Open</i> , 2021 , 11, e045543	3	2
26	Minipuberty of human infancy - A window of opportunity to evaluate hypogonadism and differences of sex development?. <i>Annals of Pediatric Endocrinology and Metabolism</i> , 2020 , 25, 84-91	2.9	7
25	Increases in Bioactive IGF do not Parallel Increases in Total IGF-I During Growth Hormone Treatment of Children Born SGA. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	3
24	A common deletion in the growth hormone receptor gene (d3-GHR) in the offspring is related to maternal placental GH levels during pregnancy. <i>Growth Hormone and IGF Research</i> , 2020 , 55, 101360	2	1
23	Genetic influence on the associations between IGF-I and glucose metabolism in a cohort of elderly twins. <i>European Journal of Endocrinology</i> , 2018 , 178, 153-161	6.5	2
22	Cushing's syndrome in children and adolescents: a Danish nationwide population-based cohort study. <i>European Journal of Endocrinology</i> , 2017 , 176, 567-574	6.5	7
21	Abnormal levels of adipokines in adolescent offspring of women with type 1 diabetes - Results from the EPICOM study. <i>Metabolism: Clinical and Experimental</i> , 2017 , 72, 47-56	12.7	6
20	The exon3-deleted growth hormone receptor gene polymorphism (d3-GHR) is associated with insulin and spontaneous growth in short SGA children (NESGAS). <i>Growth Hormone and IGF Research</i> , 2017 , 35, 45-51	2	5
19	Prevalence of SHOX haploinsufficiency among short statured children. <i>Pediatric Research</i> , 2017 , 81, 335-341	3.4	8
18	Adiposity in Children Born Small for Gestational Age Is Associated With β Cell Function, Genetic Variants for Insulin Resistance, and Response to Growth Hormone Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 131-42	5.6	8
17	Genetic markers of insulin sensitivity and insulin secretion are associated with spontaneous postnatal growth and response to growth hormone treatment in short SGA children: the North European SGA Study (NESGAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E503-7	5.6	8

16	Increased metabolic risk in adolescent offspring of mothers with type 1 diabetes: the EPICOM study. <i>Diabetologia</i> , 2015 , 58, 1454-63	10.3	30
15	Multisystem Morbidity and Mortality in Offspring of Women With Type 1 Diabetes (the EPICOM Study): A Register-Based Prospective Cohort Study. <i>Diabetes Care</i> , 2015 , 38, 821-6	14.6	12
14	Cognitive ability in adolescents born small for gestational age: Associations with fetal growth velocity, head circumference and postnatal growth. <i>Early Human Development</i> , 2015 , 91, 755-60	2.2	15
13	A randomised controlled trial evaluating IGF1 titration in contrast to current GH dosing strategies in children born small for gestational age: the North European Small-for-Gestational-Age Study. <i>European Journal of Endocrinology</i> , 2014 , 171, 509-18	6.5	14
12	Ovarian morphology and function during growth hormone therapy of short girls born small for gestational age. <i>Fertility and Sterility</i> , 2014 , 102, 1733-41	4.8	6
11	Association between GH receptor polymorphism (exon 3 deletion), serum IGF1, semen quality, and reproductive hormone levels in 838 healthy young men. <i>European Journal of Endocrinology</i> , 2014 , 170, 555-63	6.5	7
10	Increased sex hormone-binding globulin levels in children and adolescents with thyrotoxicosis. <i>Hormone Research in Paediatrics</i> , 2013 , 79, 157-61	3.3	8
9	Baseline IGF-I levels determine insulin secretion and insulin sensitivity during the first year on growth hormone therapy in children born small for gestational age. Results from a North European Multicentre Study (NESGAS). <i>Hormone Research in Paediatrics</i> , 2013 , 80, 38-46	3.3	18
8	Influence of fetal growth velocity and smallness at birth on adrenal function in adolescence. <i>Hormone Research in Paediatrics</i> , 2011 , 75, 2-7	3.3	10
7	Impact of birth weight and early infant weight gain on insulin resistance and associated cardiovascular risk factors in adolescence. <i>PLoS ONE</i> , 2011 , 6, e20595	3.7	108
6	Changes in anti-Müllerian hormone (AMH) throughout the life span: a population-based study of 1027 healthy males from birth (cord blood) to the age of 69 years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 5357-64	5.6	175
5	Increased basal and pulsatile secretion of FSH and LH in young men with 47,XXY or 46,XX karyotypes. <i>European Journal of Endocrinology</i> , 2008 , 158, 803-10	6.5	13
4	Fetal growth velocity, size in early life and adolescence, and prediction of bone mass: association to the GH-IGF axis. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 439-46	6.3	23
3	The presence of the d3-growth hormone receptor polymorphism is negatively associated with fetal growth but positively associated with postnatal growth in healthy subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2758-63	5.6	41
2	Pituitary-gonadal function in adolescent males born appropriate or small for gestational age with or without intrauterine growth restriction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1353-7	5.6	38
1	Insulin-like growth factor I (IGF-I) and IGF-binding protein 3 as diagnostic markers of growth hormone deficiency in infancy. <i>Hormone Research in Paediatrics</i> , 2005 , 63, 15-21	3.3	18