

Tomohiro Yoshimoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4560994/publications.pdf>

Version: 2024-02-01

36
papers

4,211
citations

279487

23
h-index

360668

35
g-index

42
all docs

42
docs citations

42
times ranked

5157
citing authors

#	ARTICLE	IF	CITATIONS
1	INTERLEUKIN-18 REGULATES BOTH TH1 AND TH2 RESPONSES. Annual Review of Immunology, 2001, 19, 423-474.	9.5	1,180
2	Basophils contribute to TH2-IgE responses in vivo via IL-4 production and presentation of peptide-MHC class II complexes to CD4+ T cells. Nature Immunology, 2009, 10, 706-712.	7.0	473
3	Administration of IL-33 induces airway hyperresponsiveness and goblet cell hyperplasia in the lungs in the absence of adaptive immune system. International Immunology, 2008, 20, 791-800.	1.8	451
4	Skin-specific expression of IL-33 activates group 2 innate lymphoid cells and elicits atopic dermatitis-like inflammation in mice. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 13921-13926.	3.3	360
5	IL-18 induction of IgE: dependence on CD4+ T cells, IL-4 and STAT6. Nature Immunology, 2000, 1, 132-137.	7.0	307
6	A critical role of IL-33 in experimental allergic rhinitis. Journal of Allergy and Clinical Immunology, 2012, 130, 184-194.e11.	1.5	193
7	IL-27 Suppresses Th2 Cell Development and Th2 Cytokines Production from Polarized Th2 Cells: A Novel Therapeutic Way for Th2-Mediated Allergic Inflammation. Journal of Immunology, 2007, 179, 4415-4423.	0.4	180
8	Mast Cells Are Crucial for Induction of Group 2 Innate Lymphoid Cells and Clearance of Helminth Infections. Immunity, 2017, 46, 863-874.e4.	6.6	143
9	The role of basophils and proallergic cytokines, TSLP and IL-33, in cutaneously sensitized food allergy. International Immunology, 2014, 26, 539-549.	1.8	103
10	Contribution of IL-33 to induction and augmentation of experimental allergic conjunctivitis. International Immunology, 2010, 22, 479-489.	1.8	99
11	Nonredundant Roles for CD1d-restricted Natural Killer T Cells and Conventional CD4+ T Cells in the Induction of Immunoglobulin E Antibodies in Response to Interleukin 18 Treatment of Mice. Journal of Experimental Medicine, 2003, 197, 997-1005.	4.2	86
12	Roles of IL-18 in Basophils and Mast Cells. Allergy International, 2006, 55, 105-113.	1.4	68
13	Ablation of IL-33 gene exacerbate myocardial remodeling in mice with heart failure induced by mechanical stress. Biochemical Pharmacology, 2017, 138, 73-80.	2.0	50
14	The Hunt for the Source of Primary Interleukin-4: How We Discovered That Natural Killer T Cells and Basophils Determine T Helper Type 2 Cell Differentiation In Vivo. Frontiers in Immunology, 2018, 9, 716.	2.2	48
15	A primary lung carcinoma producing alpha-fetoprotein, carcinoembryonic antigen, and human chorionic gonadotropin. Immunohistochemical and biochemical studies. Cancer, 1987, 60, 2744-2750.	2.0	46
16	Barrier dysfunction in the nasal allergy. Allergy International, 2018, 67, 18-23.	1.4	46
17	Murine allergic rhinitis and nasal Th2 activation are mediated via TSLP- and IL-33-signaling pathways. International Immunology, 2016, 28, 65-76.	1.8	45
18	Nasal Sensitization with Ragweed Pollen Induces Local-Allergic-Rhinitis-Like Symptoms in Mice. PLoS ONE, 2014, 9, e103540.	1.1	37

#	ARTICLE	IF	CITATIONS
19	Human cystatin SN is an endogenous protease inhibitor that prevents allergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1153-1162.e12.	1.5	35
20	Interleukin-1/33 Signaling Pathways as Therapeutic Targets for Endometriosis. <i>Frontiers in Immunology</i> , 2019, 10, 2021.	2.2	32
21	Expression of IL-33 in ocular surface epithelium induces atopic keratoconjunctivitis with activation of group 2 innate lymphoid cells in mice. <i>Scientific Reports</i> , 2017, 7, 10053.	1.6	29
22	Prostaglandin E2 (PGE2)â€“EP2 signaling negatively regulates murine atopic dermatitisâ€“like skin inflammation by suppressing thymic stromal lymphopoietin expression. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1265-1273.e9.	1.5	28
23	Allergen endotoxins induce T-cellâ€“dependent and nonâ€“IgE-mediated nasal hypersensitivity in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 258-268.e10.	1.5	27
24	Basophils as Th2-inducing antigen-presenting cells. <i>International Immunology</i> , 2010, 22, 543-550.	1.8	26
25	B Cellâ€“Intrinsic MyD88 Signaling Is Essential for IgE Responses in Lungs Exposed to Pollen Allergens. <i>Journal of Immunology</i> , 2014, 193, 5791-5800.	0.4	23
26	B cells with aberrant activation of Notch1 signaling promote Treg and Th2 cellâ€“dominant T-cell responses via IL-33. <i>Blood Advances</i> , 2018, 2, 2282-2295.	2.5	19
27	Innate-Type and Acquired-Type Allergy Regulated by IL-33. <i>Allergology International</i> , 2014, 63, 3-11.	1.4	17
28	Immediate-type contact hypersensitivity is reduced in interleukin-33 knockout mice. <i>Journal of Dermatological Science</i> , 2014, 74, 159-161.	1.0	17
29	Activation of group 2 innate lymphoid cells exacerbates and confers corticosteroid resistance to mouse nasal type 2 inflammation. <i>International Immunology</i> , 2017, 29, 221-233.	1.8	11
30	Proallergic cytokines and group 2 innate lymphoid cells in allergic nasal diseases. <i>Allergology International</i> , 2015, 64, 235-240.	1.4	10
31	Generation and Characterization of Mouse Basophils from Bone Marrow and Purification of Basophils from Spleen. <i>Current Protocols in Immunology</i> , 2012, 98, Unit 3.24.	3.6	9
32	Hypertrophy of lymphoid organs is a possible phenotypic characteristic of R420W mutation of the cardiac ryanodine receptor gene: A study using a knock-in mouse model. <i>Legal Medicine</i> , 2014, 16, 326-332.	0.6	6
33	Lung fibroblasts produce IL-33 in response to stimulation with retinoblastoma-binding protein 9 via production of prostaglandin E2. <i>International Immunology</i> , 2020, 32, 637-652.	1.8	5
34	Recurrent Pneumocystis Carinii Pneumonia with Long Interval Showing Disparate Radiographic Findings.. <i>Japanese Journal of Medicine</i> , 1991, 30, 346-350.	0.1	1
35	Measurement of Human and Mouse Interleukin 18. <i>Current Protocols in Immunology</i> , 2001, 44, Unit 6.26.	3.6	1
36	The roles of basophils, TSLP and ILâ€“33 in food allergy following epicutaneous sensitisation. <i>Clinical and Translational Allergy</i> , 2015, 5, O17.	1.4	0