
Joel M Dulhunty

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4561447/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Continuous Infusion of Beta-Lactam Antibiotics in Severe Sepsis: A Multicenter Double-Blind, Randomized Controlled Trial. Clinical Infectious Diseases, 2013, 56, 236-244.	5.8	317
2	Continuous versus Intermittent β-Lactam Infusion in Severe Sepsis. A Meta-analysis of Individual Patient Data from Randomized Trials. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 681-691.	5.6	308
3	A Multicenter Randomized Trial of Continuous versus Intermittent β-Lactam Infusion in Severe Sepsis. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1298-1305.	5.6	206
4	Impact of Blood Product Transfusion on Short and Long-Term Survival After Cardiac Surgery: More Evidence. Annals of Thoracic Surgery, 2012, 94, 460-467.	1.3	145
5	Is prolonged infusion of piperacillin/tazobactam and meropenem in critically ill patients associated with improved pharmacokinetic/pharmacodynamic and patient outcomes? An observation from the Defining Antibiotic Levels in Intensive care unit patients (DALI) cohort. Journal of Antimicrobial Chemotherapy, 2016, 71, 196-207.	3.0	129
6	Increased fluid resuscitation can lead to adverse outcomes in major-burn injured patients, but low mortality is achievable. Burns, 2008, 34, 1090-1097.	1.9	96
7	Vancomycin-Associated Nephrotoxicity in the Critically Ill. Critical Care Medicine, 2014, 42, 2527-2536.	0.9	94
8	Continuous beta-lactam infusion in critically ill patients: the clinical evidence. Annals of Intensive Care, 2012, 2, 37.	4.6	85
9	Prolonged Infusion Piperacillin-Tazobactam Decreases Mortality and Improves Outcomes in Severely Ill Patients: Results of a Systematic Review and Meta-Analysis*. Critical Care Medicine, 2018, 46, 236-243.	0.9	85
10	Cuff Pressure of Endotracheal Tubes After Changes in Body Position in Critically III Patients Treated With Mechanical Ventilation. American Journal of Critical Care, 2014, 23, e1-e8.	1.6	80
11	Association between augmented renal clearance and clinical outcomes in patients receiving Î ² -lactam antibiotic therapy by continuous or intermittent infusion: a nested cohort study of the BLINC-II randomised, placebo-controlled, clinical trial. International Journal of Antimicrobial Agents, 2017, 49, 624-630.	2.5	80
12	Does severe non-infectious SIRS differ from severe sepsis?. Intensive Care Medicine, 2008, 34, 1654-1661.	8.2	66
13	Time to wait: a systematic review of strategies that affect out-patient waiting times. Australian Health Review, 2018, 42, 286.	1.1	56
14	Temporal trends, risk factors and outcomes in albicans and non-albicans candidaemia: an international epidemiological study in four multidisciplinary intensive care units. International Journal of Antimicrobial Agents, 2009, 33, 554.e1-554.e7.	2.5	55
15	Do Burn Patients Cost More? The Intensive Care Unit Costs of Burn Patients Compared With Controls Matched for Length of Stay and Acuity. Journal of Burn Care and Research, 2010, 31, 598-602.	0.4	26
16	Impact of clinical pharmacists in the emergency department of an <scp>A</scp> ustralian public hospital: A before and after study. EMA - Emergency Medicine Australasia, 2015, 27, 232-238.	1.1	23
17	Open cholecystectomy: Exposure and confidence of surgical trainees and new fellows. International Journal of Surgery, 2018, 51, 218-222.	2.7	21
18	Is inhaled prophylactic heparin useful for prevention and Management of Pneumonia in ventilated ICU patients?. Journal of Critical Care, 2016, 34, 95-102.	2.2	19

#	Article	IF	CITATIONS
19	Should Î ² -lactam antibiotics be administered by continuous infusion in critically ill patients? A survey of Australia and New Zealand intensive care unit doctors and pharmacists. International Journal of Antimicrobial Agents, 2016, 47, 436-438.	2.5	18
20	Respiratory Complications in Burns. Clinical Pulmonary Medicine, 2009, 16, 132-138.	0.3	14
21	A systematic review of measurements of physical function in critically ill adults. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2012, 14, 302-11.	0.1	14
22	Effect of intravenous GLutamine supplementation IN Trauma patients receiving enteral nutrition study protocol (GLINT Study): a prospective, blinded, randomised, placebo-controlled clinical trial. BMJ Open, 2011, 1, e000334-e000334.	1.9	11
23	Early Sequential Microcirculation Assessment in Shocked Patients as a Predictor of Outcome. Shock, 2020, Publish Ahead of Print, 581-586.	2.1	10
24	A protocol for a phase 3 multicentre randomised controlled trial of continuous versus intermittent β-lactam antibiotic infusion in critically ill patients with sepsis: BLING III. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2019, 21, 63-68.	0.1	10
25	A snapshot of guideline compliance reveals room for improvement: A survey of peripheral arterial catheter practices in Australian operating theatres. Journal of Advanced Nursing, 2013, 69, 1584-1594.	3.3	9
26	A survey of antibiotic prescribing practices in Australian and New Zealand intensive care units. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2010, 12, 162-70.	0.1	8
27	Bacterial Profile, Multi-Drug Resistance and Seasonality Following Lower Limb Orthopaedic Surgery in Tropical and Subtropical Australian Hospitals: An Epidemiological Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 657.	2.6	6
28	Guideâ€wire fragment embolisation in paediatric peripherally inserted central catheters. Medical Journal of Australia, 2012, 196, 250-255.	1.7	4
29	Changes in B.type Natriuretic Peptide and Related Hemodynamic Parameters Following a Fluid Challenge in Critically Ill Patients with Severe Sepsis or Septic Shock. Indian Journal of Critical Care Medicine, 2017, 21, 117-121.	0.9	4
30	Association between higher ambient temperature and orthopaedic infection rates: a systematic review and metaâ€analysis. ANZ Journal of Surgery, 2019, 89, 1028-1034.	0.7	3
31	A protocol for a multicentre randomised controlled trial of continuous beta-lactam infusion compared with intermittent beta-lactam dosing in critically ill patients with severe sepsis: the BLING II study. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2013. 15. 179-85.	0.1	3
32	Don't be a flamin' fool. Journal of Trauma and Acute Care Surgery, 2013, 74, 652-657.	2.1	2
33	The authors reply. Critical Care Medicine, 2015, 43, e154-e155.	0.9	1
34	What the forks? A longitudinal quality improvement study tracking cutlery numbers in a public teaching and research hospital staff tearoom. Medical Journal of Australia, 2020, 213, 521-523.	1.7	1
35	Factors affecting the performance of public out-patient services. Australian Health Review, 2019, 43, 294.	1.1	1
36	Critical care statistical analysis plans. In reply. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 76-7.	0.1	1

JOEL M DULHUNTY

#	Article	IF	CITATIONS
37	Respiratory Burns: A Clinical Review. Current Respiratory Medicine Reviews, 2010, 6, 285-291.	0.2	0
38	Reply to Soman et al. Clinical Infectious Diseases, 2013, 57, 323-324.	5.8	0
39	A Multicenter Observational Study Evaluating Outcomes Associated With Antibiotic Combination Versus Monotherapy in Patients With Septic Shock. , 2021, 3, e0383.		0
40	Randomised controlled trials: the long hard climb to the summit-is there another way in the 21st century?. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 87-9.	0.1	0