

# Massimo Olmi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/456240/publications.pdf>

Version: 2024-02-01

41

papers

632

citations

759233

12

h-index

642732

23

g-index

41

all docs

41

docs citations

41

times ranked

132

citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery of a new species of Dryinus (Hymenoptera: Dryinidae) from mid-Cretaceous Burmese amber. Zootaxa, 2022, 5128, 444-450.	0.5	2
2	DNA barcoding of Sclerogibbidae and confirmation of the opposite sexes of Sclerogibba berlandi Benoit (Hymenoptera: Sclerogibbidae). Zootaxa, 2022, 5138, 75-82.	0.5	1
3	Revision of Embolemidae (Hymenoptera: Chrysidoidea) from the Middle East. Zootaxa, 2022, 5138, 305-323.	0.5	3
4	First record of gynandromorphism in the subfamily Dryininae (Hymenoptera: Dryinidae). , 2022, 8, 257-264.		1
5	Discovery of the first apterous pincer wasp from amber, with description of a new tribe, genus and species of Apodryininae (Hymenoptera, Dryinidae). Zootaxa, 2022, 5162, 54-66.	0.5	14
6	A review of the fossil Embolemidae (Hymenoptera: Chrysidoidea), with description of seven new species and history of the family. Cretaceous Research, 2021, 121, 104708.	1.4	10
7	<p><strong>Descriptions of the first females of <em>Embolemus</em> (Hymenoptera: Chrysidoidea) from Kachin (Myanmar) amber</strong></p>. Palaeoentomology, 2021, 4, 044-049.	1.0	1
8	A new species of Lonchodryinus (Hymenoptera, Dryinidae) from Upper Eocene Baltic amber. Zootaxa, 2021, 5020, 328-336.	0.5	3
9	Discovery of a new genus and species of Dryinidae (Hymenoptera: Chrysidoidea) from Kachin (Myanmar) amber: Rasnitsynum burmense gen. et sp. nov.. Palaeoentomology, 2021, 4, .	1.0	3
10	New species of Hybristodryinus from mid-Cretaceous Myanmar amber (Hymenoptera, Dryinidae). Cretaceous Research, 2021, 125, 104861.	1.4	2
11	A new species of Anteon from Zimbabwe (Hymenoptera, Dryinidae). Zootaxa, 2021, 5068, 443-447.	0.5	0
12	Revision of the genus Dryinus Latreille (Hymenoptera: Dryinidae) from mid-Cretaceous Kachin (Myanmar) amber. Cretaceous Research, 2020, 106, 104217.	1.4	9
13	A golden age for ectoparasitoids of Embioidea: Cretaceous Sclerogibbidae (Hymenoptera, Chrysidoidea) from Kachin (Myanmar), Charentes (France) and Choshi (Japan) ambers. Gondwana Research, 2020, 87, 1-22.	6.0	17
14	A review of the Palaeoanteoninae (Hymenoptera: Dryinidae), with description of the first species from mid-Cretaceous Kachin (Myanmar) amber and comments on its phylogenetic significance. Cretaceous Research, 2020, 116, 104582.	1.4	5
15	First Bocchus Ashmead (Hymenoptera: Dryinidae) from Upper Eocene Rovno amber: B. schmalhauseni sp. nov.. Zootaxa, 2020, 4819, zootaxa.4819.3.6.	0.5	24
16	Hybristodryinus moutesoe (Hymenoptera, Dryinidae), a new species from mid-Cretaceous Kachin (Burmese) amber. Cretaceous Research, 2020, 114, 104528.	1.4	4
17	An important intermediate step in the evolution of pincer wasps: an extraordinary new type of chela from mid-Cretaceous Burmese amber (Hymenoptera, Dryinidae). Cretaceous Research, 2020, 111, 104420.	1.4	14
18	&lt;p&gt;&lt;strong&gt;First scolebythid wasp (Hymenoptera: Chrysidoidea, Scolebythidae) in the mid-Cretaceous Burmese amber&lt;/strong&gt;&lt;/p&gt;. Palaeoentomology, 2020, 3, 041-045.	1.0	5

#	ARTICLE	IF	CITATIONS
19	&lt;p&gt;&lt;strong&gt;Discovery of the first species of Embolemidae (Hymenoptera: Chrysidoidea) from Hkamti (Myanmar) amber&lt;/strong&gt;&lt;/p&gt;. <i>Palaeoentomology</i> , 2020, 3, 556-560.	1.0	5
20	First record of an indigenous South African parasitoid wasp on an imported biological control agent, the water hyacinth hopper. <i>Biocontrol Science and Technology</i> , 2019, 29, 1234-1241.	1.3	8
21	Dryinidae of the Afrotropical region (Hymenoptera, Chrysidoidea). <i>Zootaxa</i> , 2019, 4630, zootaxa.4630.1.1.	0.5	53
22	Description of the first sclerogibpid wasp (Hymenoptera: Sclerogibbidae) from Burmese (Myanmar) amber and its phylogenetic significance. <i>Journal of Systematic Palaeontology</i> , 2019, 17, 1791-1803.	1.5	11
23	A review of the genus <i>Hybristodryinus</i> Engel, 2005 (Hymenoptera, Dryinidae) from mid-Cretaceous Burmese amber, with a discussion on its phylogenetic significance. <i>Cretaceous Research</i> , 2019, 99, 169-189.	1.4	18
24	A new species of the genus <i>Dryinus</i> Latreille (Hymenoptera, Dryinidae) from the USA. <i>ZooKeys</i> , 2019, 871, 41-47.	1.1	3
25	An updated checklist of the extant Western Palaearctic Dryininae (Hymenoptera, Dryinidae). <i>ZooKeys</i> , 2019, 874, 83-99.	1.1	6
26	Taxonomic additions of Embolemidae and Sclerogibbidae (Hymenoptera: Chrysidoidea) from Japan, with description of a new species of <i>Troglobolemus</i> . <i>Zootaxa</i> , 2018, 4497, 586-592.	0.5	10
27	Discovery of the first species of <i>Dryinus</i> Latreille (Hymenoptera: Dryinidae) from Burmese amber. <i>Zootaxa</i> , 2018, 4394, 443.	0.5	12
28	Discovery of the first pincer wasp (Hymenoptera, Dryinidae) from Rovno amber. <i>Zootaxa</i> , 2018, 4457, 296-304.	0.5	27
29	Contribution to the knowledge of Afrotropical Dryinidae, Embolemidae and Sclerogibbidae (Hymenoptera), with description of new species from Central African Republic and Uganda. <i>ZooKeys</i> , 2016, 578, 45-95.	1.1	5
30	Protosclerogibba australis gen. et sp. nov., new genus and species of sclerogibpid wasps (Hymenoptera: Sclerogibbidae) from South Africa. <i>Zootaxa</i> , 2016, 4085, 127-34.	0.5	5
31	&lt;strong&gt;Dryinidae of the Eastern Palaearctic region (Hymenoptera: Chrysidoidea)&lt;/strong&gt;. <i>Zootaxa</i> , 2015, 3996, 1.	0.5	54
32	&lt;p&gt;&lt;strong&gt;Revision of the Embolemidae of Japan (Hymenoptera: Chrysidoidea), with description of a new genus and two new species&lt;/strong&gt;&lt;/p&gt;. <i>Zootaxa</i> , 2014, 3793, 423.	0.5	13
33	&lt;strong&gt;Dryinidae of the Neotropical region (Hymenoptera: Chrysidoidea)&lt;/strong&gt;. <i>Zootaxa</i> , 2014, 3792, 1.	0.5	62
34	Revision of the Family Embolemidae of Russia and Ukraine (Hymenoptera: Chrysidoidea), with Description of a New Species. <i>Annales Zoologici</i> , 2014, 64, 97-108.	0.8	9
35	The first fossil Embolemidae (Hymenoptera: Chrysidoidea) from Burmese amber (Myanmar) and Orapa Kimberlitic deposits (Botswana) and their phylogenetic significance. <i>Journal of Systematic Palaeontology</i> , 2014, 12, 623-635.	1.5	13
36	&lt;strong&gt;An updated host-parasite catalogue of world Dryinidae (Hymenoptera:) Tj ETQq0 0 0 rgBT /Overlock 0.5 Tf 50 62 Td (Chrysidoidea)	0.5	83

#	ARTICLE	IF	CITATIONS
37	Dryinidae of the Oriental region (Hymenoptera: Chrysidoidea). Zootaxa, 2013, 3614, 1-460.	0.5	68
38	Revision of fossil species of Dryinus belonging to lamellatus group, with description of a new species (Hymenoptera, Dryinidae). ZooKeys, 2011, 130, 505-514.	1.1	10
39	Revision of rock fossils of Dryinidae and Embolemidae (Hymenoptera: Chrysidoidea). Zootaxa, 2010, 2499, .	0.5	30
40	New species of Hybristodryinus Engel (Hymenoptera, Dryinidae) from mid-Cretaceous amber of northern Myanmar, with notes on their possible hosts. Journal of Hymenoptera Research, 0, 81, 43-55.	0.8	7
41	Contribution to the knowledge of the Neotropical Anteoninae (Hymenoptera, Dryinidae), with the descriptions of two new species and new records. Papéis Avulsos De Zoologia, 0, 61, e20216171.	0.4	2