Carlos Cepeda

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/456320/carlos-cepeda-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

9,986
citations

h-index

99
g-index

144
ext. papers

6.5
avg, IF

L-index

#	Paper	IF	Citations
137	Delayed Maturation of Oligodendrocyte Progenitors by Microgravity: Implications for Multiple Sclerosis and Space Flight. <i>Life</i> , 2022 , 12, 797	3	Ο
136	Synaptic pathology in Huntington's disease: Beyond the corticostriatal pathway. <i>Neurobiology of Disease</i> , 2021 , 162, 105574	7.5	2
135	The mouse cortico-basal ganglia-thalamic network. <i>Nature</i> , 2021 , 598, 188-194	50.4	10
134	Adult glut3 homozygous null mice survive to demonstrate neural excitability and altered neurobehavioral responses reminiscent of neurodevelopmental disorders. <i>Experimental Neurology</i> , 2021 , 338, 113603	5.7	O
133	Converging evidence in support of omega-3 polyunsaturated fatty acids as a potential therapy for Huntington's disease symptoms. <i>Reviews in the Neurosciences</i> , 2021 , 32, 871-886	4.7	1
132	A bidirectional corticoamygdala circuit for the encoding and retrieval of detailed reward memories. <i>ELife</i> , 2021 , 10,	8.9	6
131	Early impairment of thalamocortical circuit activity and coherence in a mouse model of Huntington's disease. <i>Neurobiology of Disease</i> , 2021 , 157, 105447	7.5	1
130	Calcium dysregulation and compensation in cortical pyramidal neurons of the R6/2 mouse model of Huntington's disease. <i>Journal of Neurophysiology</i> , 2021 , 126, 1159-1171	3.2	О
129	Paroxysmal Discharges in Tissue Slices From Pediatric Epilepsy Surgery Patients: Critical Role of GABA Receptors in the Generation of Ictal Activity. <i>Frontiers in Cellular Neuroscience</i> , 2020 , 14, 54	6.1	2
128	Trophic factors are essential for the survival of grafted oligodendrocyte progenitors and for neuroprotection after perinatal excitotoxicity. <i>Neural Regeneration Research</i> , 2020 , 15, 557-568	4.5	3
127	Pathological high frequency oscillations associate with increased GABA synaptic activity in pediatric epilepsy surgery patients. <i>Neurobiology of Disease</i> , 2020 , 134, 104618	7.5	13
126	Cortical Network Dynamics Is Altered in Mouse Models of Huntington's Disease. <i>Cerebral Cortex</i> , 2020 , 30, 2372-2388	5.1	5
125	Synaptic Dysfunction in Huntington's Disease: Lessons from Genetic Animal Models. <i>Neuroscientist</i> , 2020 , 1073858420972662	7.6	10
124	Mechanisms underlying the enhancement of Elaminobutyric acid responses in the external globus pallidus of R6/2 Huntington's disease model mice. <i>Journal of Neuroscience Research</i> , 2020 , 98, 2349-235	64.4	4
123	Major Contribution of Somatostatin-Expressing Interneurons and Cannabinoid Receptors to Increased GABA Synaptic Activity in the Striatum of Huntington's Disease Mice. <i>Frontiers in Synaptic Neuroscience</i> , 2019 , 11, 14	3.5	14
122	Developmental origins of cortical hyperexcitability in Huntington's disease: Review and new observations. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1624-1635	4.4	4
121	Human Neural Stem Cells Flown into Space Proliferate and Generate Young Neurons. <i>Applied Sciences (Switzerland)</i> , 2019 , 9,	2.6	4

120	Michael S. Levine: Research pioneer of basal ganglia function and dysfunction. A small tribute on the occasion of his 75th birthday anniversary. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1487-1490	4.4	1
119	Gain Modulation by Corticostriatal and Thalamostriatal Input Signals during Reward-Conditioned Behavior. <i>Cell Reports</i> , 2019 , 29, 2438-2449.e4	10.6	6
118	Striatal GABAergic interneuron dysfunction in the Q175 mouse model of Huntington's disease. <i>European Journal of Neuroscience</i> , 2019 , 49, 79-93	3.5	14
117	Peptide-modified, hyaluronic acid-based hydrogels as a 3D culture platform for neural stem/progenitor cell engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2019 , 107, 704-718	5.4	40
116	Complete but not partial inhibition of glutamate transporters exacerbates cortical excitability in the R6/2 mouse model of Huntington's disease. <i>CNS Neuroscience and Therapeutics</i> , 2019 , 25, 509-518	6.8	4
115	Mutant huntingtin reduction in astrocytes slows disease progression in the BACHD conditional Huntington's disease mouse model. <i>Human Molecular Genetics</i> , 2019 , 28, 487-500	5.6	35
114	Therapeutic effects of stem cells in rodent models of Huntington's disease: Review and electrophysiological findings. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 329-342	6.8	11
113	Striatal Direct and Indirect Pathway Output Structures Are Differentially Altered in Mouse Models of Huntington's Disease. <i>Journal of Neuroscience</i> , 2018 , 38, 4678-4694	6.6	19
112	Human Neural Stem Cell Transplantation Rescues Functional Deficits in R6/2 and Q140 Huntington's Disease Mice. <i>Stem Cell Reports</i> , 2018 , 10, 58-72	8	57
111	Altered lactate metabolism in Huntington's disease is dependent on GLUT3 expression. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 343-352	6.8	9
110	Kir4.1 channels in NG2-glia play a role in development, potassium signaling, and ischemia-related myelin loss. <i>Communications Biology</i> , 2018 , 1, 80	6.7	11
109	A Basic Phase Diagram of Neuronal Dynamics. <i>Neural Computation</i> , 2018 , 30, 2418-2438	2.9	1
108	Neurophysiological Assessment of Huntington's Disease Model Mice. <i>Methods in Molecular Biology</i> , 2018 , 1780, 163-177	1.4	1
107	Cellular antiseizure mechanisms of everolimus in pediatric tuberous sclerosis complex, cortical dysplasia, and non-mTOR-mediated etiologies. <i>Epilepsia Open</i> , 2018 , 3, 180-190	4	6
106	Neural Deletion of Glucose Transporter Isoform 3 Creates Distinct Postnatal and Adult Neurobehavioral Phenotypes. <i>Journal of Neuroscience</i> , 2018 , 38, 9579-9599	6.6	12
105	WONOEP appraisal: Development of epilepsy biomarkers-What we can learn from our patients?. <i>Epilepsia</i> , 2017 , 58, 951-961	6.4	12
104	Parvalbumin Interneurons Modulate Striatal Output and Enhance Performance during Associative Learning. <i>Neuron</i> , 2017 , 93, 1451-1463.e4	13.9	70
103	Differential electrophysiological and morphological alterations of thalamostriatal and corticostriatal projections in the R6/2 mouse model of Huntington's disease. <i>Neurobiology of Disease</i> , 2017 , 108, 29-44	7.5	30

102	Sex-Specific Life Course Changes in the Neuro-Metabolic Phenotype of Glut3 Null Heterozygous Mice: Ketogenic Diet Ameliorates Electroencephalographic Seizures and Improves Sociability. <i>Endocrinology</i> , 2017 , 158, 936-949	4.8	12
101	Epilepsy in Other Neurodegenerative Disorders: Huntington and Parkinson Diseases 2017, 1043-1058		1
100	Quantitative Electroencephalographic Biomarkers in Preclinical and Human Studies of Huntington's Disease: Are They Fit-for-Purpose for Treatment Development?. <i>Frontiers in Neurology</i> , 2017 , 8, 91	4.1	9
99	Basolateral Amygdala to Orbitofrontal Cortex Projections Enable Cue-Triggered Reward Expectations. <i>Journal of Neuroscience</i> , 2017 , 37, 8374-8384	6.6	99
98	Altered membrane properties and firing patterns of external globus pallidus neurons in the R6/2 mouse model of Huntington's disease. <i>Journal of Neuroscience Research</i> , 2016 , 94, 1400-1410	4.4	15
97	Rasmussen encephalitis tissue transfer program. <i>Epilepsia</i> , 2016 , 57, 1005-7	6.4	3
96	Partial Amelioration of Peripheral and Central Symptoms of Huntington's Disease via Modulation of Lipid Metabolism. <i>Journal of Huntingtons Disease</i> , 2016 , 5, 65-81	1.9	14
95	Altered excitatory and inhibitory inputs to striatal medium-sized spiny neurons and cortical pyramidal neurons in the Q175 mouse model of Huntington's disease. <i>Journal of Neurophysiology</i> , 2015 , 113, 2953-66	3.2	46
94	Beyond the redox imbalance: Oxidative stress contributes to an impaired GLUT3 modulation in Huntington's disease. <i>Free Radical Biology and Medicine</i> , 2015 , 89, 1085-96	7.8	30
93	JAKMIP1, a Novel Regulator of Neuronal Translation, Modulates Synaptic Function and Autistic-like Behaviors in Mouse. <i>Neuron</i> , 2015 , 88, 1173-1191	13.9	28
92	Basic mechanisms of epileptogenesis in pediatric cortical dysplasia. <i>CNS Neuroscience and Therapeutics</i> , 2015 , 21, 92-103	6.8	52
91	In Rasmussen encephalitis, hemichannels associated with microglial activation are linked to cortical pyramidal neuron coupling: a possible mechanism for cellular hyperexcitability. <i>CNS Neuroscience and Therapeutics</i> , 2015 , 21, 152-63	6.8	20
90	Cholesterol-loaded nanoparticles ameliorate synaptic and cognitive function in Huntington's disease mice. <i>EMBO Molecular Medicine</i> , 2015 , 7, 1547-64	12	62
89	Diagnostic methods and treatment options for focal cortical dysplasia. <i>Epilepsia</i> , 2015 , 56, 1669-86	6.4	126
88	Enhanced GABAergic Inputs Contribute to Functional Alterations of Cholinergic Interneurons in the R6/2 Mouse Model of Huntington's Disease. <i>ENeuro</i> , 2015 , 2,	3.9	35
87	Forebrain deletion of the dystonia protein torsinA causes dystonic-like movements and loss of striatal cholinergic neurons. <i>ELife</i> , 2015 , 4, e08352	8.9	72
86	Targeted expression of Eppioid receptors in a subset of striatal direct-pathway neurons restores opiate reward. <i>Nature Neuroscience</i> , 2014 , 17, 254-61	25.5	91
85	The role of dopamine in Huntington's disease. <i>Progress in Brain Research</i> , 2014 , 211, 235-54	2.9	88

(2012-2014)

84	Pacemaker GABA synaptic activity may contribute to network synchronization in pediatric cortical dysplasia. <i>Neurobiology of Disease</i> , 2014 , 62, 208-17	7.5	31
83	Neuronal targets for reducing mutant huntingtin expression to ameliorate disease in a mouse model of Huntington's disease. <i>Nature Medicine</i> , 2014 , 20, 536-41	50.5	144
82	Differential Synaptic and Extrasynaptic Glutamate-Receptor Alterations in Striatal Medium-Sized Spiny Neurons of Aged YAC128 Huntington's Disease Mice. <i>PLOS Currents</i> , 2014 , 6,		9
81	A failure in energy metabolism and antioxidant uptake precede symptoms of Huntington's disease in mice. <i>Nature Communications</i> , 2013 , 4, 2917	17.4	70
80	Opioid self-administration results in cell-type specific adaptations of striatal medium spiny neurons. <i>Behavioural Brain Research</i> , 2013 , 256, 279-83	3.4	17
79	Frontal cortical synaptic communication is abnormal in Disc1 genetic mouse models of schizophrenia. <i>Schizophrenia Research</i> , 2013 , 146, 264-72	3.6	21
78	Multiple sources of striatal inhibition are differentially affected in Huntington's disease mouse models. <i>Journal of Neuroscience</i> , 2013 , 33, 7393-406	6.6	84
77	Dopamine imbalance in Huntington's disease: a mechanism for the lack of behavioral flexibility. <i>Frontiers in Neuroscience</i> , 2013 , 7, 114	5.1	98
76	White matter loss in a mouse model of periventricular leukomalacia is rescued by trophic factors. <i>Brain Sciences</i> , 2013 , 3, 1461-82	3.4	10
75	Drug-primed reinstatement of cocaine seeking in mice: increased excitability of medium-sized spiny neurons in the nucleus accumbens. <i>ASN Neuro</i> , 2013 , 5, 257-71	5.3	16
74	Effects of the Pimelic Diphenylamide Histone Deacetylase Inhibitor HDACi 4b on the R6/2 and N171-82Q Mouse Models of Huntington's Disease. <i>PLOS Currents</i> , 2013 , 5,		5
73	Finding a better drug for epilepsy: the mTOR pathway as an antiepileptogenic target. <i>Epilepsia</i> , 2012 , 53, 1119-30	6.4	114
72	Enhanced GABAergic network and receptor function in pediatric cortical dysplasia Type IIB compared with Tuberous Sclerosis Complex. <i>Neurobiology of Disease</i> , 2012 , 45, 310-21	7·5	40
71	2B or not 2B: a tail of two NMDA receptor subunits. <i>Neuron</i> , 2012 , 74, 426-8	13.9	3
70	Functional Differences Between Direct and Indirect Striatal Output Pathways in Huntington's Disease. <i>Journal of Huntingtons</i> Disease, 2012 , 1, 17-25	1.9	40
69	Cognitive Deficits in Huntington Disease: Insights from Animal Models. <i>Current Translational Geriatrics and Experimental Gerontology Reports</i> , 2012 , 1, 29-38		1
68	A critical window of CAG repeat-length correlates with phenotype severity in the R6/2 mouse model of Huntington's disease. <i>Journal of Neurophysiology</i> , 2012 , 107, 677-91	3.2	49
67	Evidence from the R6/2 Mouse Model of Huntington's Disease for Using Abnormal Brain Metabolism as a Biomarker for Evaluating Therapeutic Approaches for Treatment. <i>Future Neurology</i> , 2012 , 7, 527-530	1.5	6

66	Dopamine-NMDA receptor interactions: twenty years later. <i>Developmental Neuroscience</i> , 2012 , 34, 2-4	2.2	11
65	Regional and cell-type-specific effects of DAMGO on striatal D1 and D2 dopamine receptor-expressing medium-sized spiny neurons. <i>ASN Neuro</i> , 2012 , 4,	5.3	43
64	Dissecting the contribution of individual receptor subunits to the enhancement of N-methyl-d-aspartate currents by dopamine D1 receptor activation in striatum. <i>Frontiers in Systems Neuroscience</i> , 2011 , 5, 28	3.5	42
63	The clinicopathologic spectrum of focal cortical dysplasias: a consensus classification proposed by an ad hoc Task Force of the ILAE Diagnostic Methods Commission. <i>Epilepsia</i> , 2011 , 52, 158-74	6.4	1156
62	Elevated tonic extracellular dopamine concentration and altered dopamine modulation of synaptic activity precede dopamine loss in the striatum of mice overexpressing human Bynuclein. <i>Journal of Neuroscience Research</i> , 2011 , 89, 1091-102	4.4	107
61	Forebrain striatal-specific expression of mutant huntingtin protein in vivo induces cell-autonomous age-dependent alterations in sensitivity to excitotoxicity and mitochondrial function. <i>ASN Neuro</i> , 2011 , 3, e00060	5.3	19
60	Differential electrophysiological changes in striatal output neurons in Huntington's disease. <i>Journal of Neuroscience</i> , 2011 , 31, 1170-82	6.6	106
59	Electrophysiological Analysis of Movement Disorders in Mice. <i>Neuromethods</i> , 2011 , 221-239	0.4	
58	Dopamine modulation of excitatory currents in the striatum is dictated by the expression of D1 or D2 receptors and modified by endocannabinoids. <i>European Journal of Neuroscience</i> , 2010 , 31, 14-28	3.5	77
57	Location, location, location: contrasting roles of synaptic and extrasynaptic NMDA receptors in Huntington's disease. <i>Neuron</i> , 2010 , 65, 145-7	13.9	25
56	Dopamine and glutamate in Huntington's disease: A balancing act. <i>CNS Neuroscience and Therapeutics</i> , 2010 , 16, 163-78	6.8	113
55	Alpha-synuclein overexpression in mice alters synaptic communication in the corticostriatal pathway. <i>Journal of Neuroscience Research</i> , 2010 , 88, 1764-76	4.4	45
54	Genetic mouse models of Huntington's disease: focus on electrophysiological mechanisms. <i>ASN Neuro</i> , 2010 , 2, e00033	5.3	68
53	Alterations in striatal synaptic transmission are consistent across genetic mouse models of Huntington's disease. <i>ASN Neuro</i> , 2010 , 2, e00036	5.3	65
52	Comparative study of cellular and synaptic abnormalities in brain tissue samples from pediatric tuberous sclerosis complex and cortical dysplasia type II. <i>Epilepsia</i> , 2010 , 51 Suppl 3, 160-5	6.4	27
51	Interneurons, GABAA currents, and subunit composition of the GABAA receptor in type I and type II cortical dysplasia. <i>Epilepsia</i> , 2010 , 51 Suppl 3, 166-70	6.4	28
50	Rescuing the Corticostriatal Synaptic Disconnection in the R6/2 Mouse Model of Huntington's Disease: Exercise, Adenosine Receptors and Ampakines. <i>PLOS Currents</i> , 2010 , 2,		31
49	Epileptogenesis and Cortical Dysplasias 2010 , 353-357		2

What Have We Learned from Resective Surgery in Pediatric Patients with Cortical Dysplasia? **2010**, 301-318

47	Alterations in cortical excitation and inhibition in genetic mouse models of Huntington's disease. Journal of Neuroscience, 2009 , 29, 10371-86	6.6	133
46	Age-dependent alterations of corticostriatal activity in the YAC128 mouse model of Huntington disease. <i>Journal of Neuroscience</i> , 2009 , 29, 2414-27	6.6	139
45	Assessment and surgical outcomes for mild type I and severe type II cortical dysplasia: a critical review and the UCLA experience. <i>Epilepsia</i> , 2009 , 50, 1310-35	6.4	293
44	The role of striatal NMDA receptors in drug addiction. <i>International Review of Neurobiology</i> , 2009 , 89, 131-46	4.4	22
43	Robert Naquet (1923-2005):The Scientific Odyssey of a French Gentleman. <i>Epilepsy and Seizure</i> , 2009 , 2, 1-16	0.3	
42	Differential electrophysiological properties of dopamine D1 and D2 receptor-containing striatal medium-sized spiny neurons. <i>European Journal of Neuroscience</i> , 2008 , 27, 671-82	3.5	149
41	Repeated exposure to methamphetamine causes long-lasting presynaptic corticostriatal depression that is renormalized with drug readministration. <i>Neuron</i> , 2008 , 58, 89-103	13.9	77
40	Full-length human mutant huntingtin with a stable polyglutamine repeat can elicit progressive and selective neuropathogenesis in BACHD mice. <i>Journal of Neuroscience</i> , 2008 , 28, 6182-95	6.6	467
39	Neuronal coupling via connexin36 contributes to spontaneous synaptic currents of striatal medium-sized spiny neurons. <i>Journal of Neuroscience Research</i> , 2008 , 86, 2147-58	4.4	26
38	Pyramidal cell responses to gamma-aminobutyric acid differ in type I and type II cortical dysplasia. <i>Journal of Neuroscience Research</i> , 2008 , 86, 3151-62	4.4	22
37	Altered corticostriatal neurotransmission and modulation in dopamine transporter knock-down mice. <i>Journal of Neurophysiology</i> , 2007 , 98, 423-32	3.2	38
36	Pathological cell-cell interactions are necessary for striatal pathogenesis in a conditional mouse model of Huntington's disease. <i>Molecular Neurodegeneration</i> , 2007 , 2, 8	19	99
35	A hypothesis regarding the pathogenesis and epileptogenesis of pediatric cortical dysplasia and hemimegalencephaly based on MRI cerebral volumes and NeuN cortical cell densities. <i>Epilepsia</i> , 2007 , 48 Suppl 5, 74-8	6.4	19
34	Immature neurons and GABA networks may contribute to epileptogenesis in pediatric cortical dysplasia. <i>Epilepsia</i> , 2007 , 48 Suppl 5, 79-85	6.4	65
33	Dopamine reduction of GABA currents in striatal medium-sized spiny neurons is mediated principally by the D(1) receptor subtype. <i>Neurochemical Research</i> , 2007 , 32, 229-40	4.6	12
32	Cytomegalic interneurons: a new abnormal cell type in severe pediatric cortical dysplasia. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007 , 66, 491-504	3.1	58
31	The corticostriatal pathway in Huntington's disease. <i>Progress in Neurobiology</i> , 2007 , 81, 253-71	10.9	245

30	Activation, proliferation and commitment of endogenous stem/progenitor cells to the oligodendrocyte lineage by TS1 in a rat model of dysmyelination. <i>Developmental Neuroscience</i> , 2006 , 28, 488-98	2.2	13
29	Contralateral hemimicrencephaly and clinical-pathological correlations in children with hemimegalencephaly. <i>Brain</i> , 2006 , 129, 352-65	11.2	91
28	Where do you think you are going? The NMDA-D1 receptor trap. Science Signaling, 2006, 2006, pe20	8.8	97
27	Dysfunctional channels are making noise in CAG triplet repeat disorders. <i>Experimental Neurology</i> , 2006 , 202, 267-70	5.7	1
26	Epileptogenesis in pediatric cortical dysplasia: the dysmature cerebral developmental hypothesis. <i>Epilepsy and Behavior</i> , 2006 , 9, 219-35	3.2	146
25	Altered cortical glutamate receptor function in the R6/2 model of Huntington's disease. <i>Journal of Neurophysiology</i> , 2006 , 95, 2108-19	3.2	64
24	Human cortical dysplasia and epilepsy: an ontogenetic hypothesis based on volumetric MRI and NeuN neuronal density and size measurements. <i>Cerebral Cortex</i> , 2005 , 15, 194-210	5.1	54
23	Status epilepticus and frequent seizures: incidence and clinical characteristics in pediatric epilepsy surgery patients. <i>Epilepsia</i> , 2005 , 46, 1950-4	6.4	23
22	Are cytomegalic neurons and balloon cells generators of epileptic activity in pediatric cortical dysplasia?. <i>Epilepsia</i> , 2005 , 46 Suppl 5, 82-8	6.4	70
21	Alterations in N-methyl-D-aspartate receptor sensitivity and magnesium blockade occur early in development in the R6/2 mouse model of Huntington's disease. <i>Journal of Neuroscience Research</i> , 2005 , 82, 377-86	4.4	77
20	Striatal potassium channel dysfunction in Huntington's disease transgenic mice. <i>Journal of Neurophysiology</i> , 2005 , 93, 2565-74	3.2	91
19	NMDA receptor alterations in neurons from pediatric cortical dysplasia tissue. <i>Cerebral Cortex</i> , 2004 , 14, 634-46	5.1	73
18	Increased GABAergic function in mouse models of Huntington's disease: reversal by BDNF. <i>Journal of Neuroscience Research</i> , 2004 , 78, 855-67	4.4	107
17	Genetic mouse models of Huntington's and Parkinson's diseases: illuminating but imperfect. <i>Trends in Neurosciences</i> , 2004 , 27, 691-7	13.3	151
16	Transient and progressive electrophysiological alterations in the corticostriatal pathway in a mouse model of Huntington's disease. <i>Journal of Neuroscience</i> , 2003 , 23, 961-9	6.6	298
15	Morphological and electrophysiological characterization of abnormal cell types in pediatric cortical dysplasia. <i>Journal of Neuroscience Research</i> , 2003 , 72, 472-86	4.4	140
14	Parkin-deficient mice exhibit nigrostriatal deficits but not loss of dopaminergic neurons. <i>Journal of Biological Chemistry</i> , 2003 , 278, 43628-35	5.4	674
13	Dopamine enhancement of NMDA currents in dissociated medium-sized striatal neurons: role of D1 receptors and DARPP-32. <i>Journal of Neurophysiology</i> , 2002 , 88, 3010-20	3.2	225

LIST OF PUBLICATIONS

12	Differential sensitivity of medium- and large-sized striatal neurons to NMDA but not kainate receptor activation in the rat. <i>European Journal of Neuroscience</i> , 2001 , 14, 1577-89	3.5	33
11	NMDA receptor function in mouse models of Huntington disease. <i>Journal of Neuroscience Research</i> , 2001 , 66, 525-39	4.4	218
10	Changes in cortical and striatal neurons predict behavioral and electrophysiological abnormalities in a transgenic murine model of Huntington's disease. <i>Journal of Neuroscience</i> , 2001 , 21, 9112-23	6.6	243
9	Electrophysiological and morphological changes in striatal spiny neurons in R6/2 Huntington's disease transgenic mice. <i>Journal of Neurophysiology</i> , 2001 , 86, 2667-77	3.2	262
8	Neurons recorded from pediatric epilepsy surgery patients with cortical dysplasia. <i>Epilepsia</i> , 2000 , 41 Suppl 6, S162-7	6.4	55
7	Enhanced sensitivity to N-methyl-D-aspartate receptor activation in transgenic and knockin mouse models of Huntington's disease. <i>Journal of Neuroscience Research</i> , 1999 , 58, 515-532	4.4	249
6	Dopamine and N-methyl-D-aspartate receptor interactions in the neostriatum. <i>Developmental Neuroscience</i> , 1998 , 20, 1-18	2.2	317
5	Dopaminergic modulation of NMDA-induced whole cell currents in neostriatal neurons in slices: contribution of calcium conductances. <i>Journal of Neurophysiology</i> , 1998 , 79, 82-94	3.2	261
4	Dye-coupling in human neocortical tissue resected from children with intractable epilepsy. <i>Cerebral Cortex</i> , 1993 , 3, 95-107	5.1	26
3	Synaptic transmission in human neocortex removed for treatment of intractable epilepsy in children. <i>Annals of Neurology</i> , 1990 , 28, 503-11	9.4	47
2	Dye-coupling in the neostriatum of the rat: II. Decreased coupling between neurons during development. <i>Synapse</i> , 1989 , 4, 238-47	2.4	57
1	Mutations in CalDAG-GEFI Lead to Striatal Signaling Deficits and Psychomotor Symptoms in Multiple Species Including Human		2