## Puja Ohri

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4563449/publications.pdf

Version: 2024-02-01

59 1,702 21 38 papers citations h-index g-index

64 64 64 1865
all docs docs citations times ranked citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Metal resistant PGPR lowered Cd uptake and expression of metal transporter genes with improved growth and photosynthetic pigments in Lycopersicon esculentum under metal toxicity. Scientific Reports, 2019, 9, 5855.                                  | 1.6 | 163       |
| 2  | Herbal immune-boosters: Substantial warriors of pandemic Covid-19 battle. Phytomedicine, 2021, 85, 153361.   | 2.3 | 106       |
| 3  | Supplementation with plant growth promoting rhizobacteria (PGPR) alleviates cadmium toxicity in Solanum lycopersicum by modulating the expression of secondary metabolites. Chemosphere, 2019, 230, 628-639.   | 4.2 | 101       |
| 4  | Jasmonic acid application triggers detoxification of lead (Pb) toxicity in tomato through the modifications of secondary metabolites and gene expression. Chemosphere, 2019, 235, 734-748.   | 4.2 | 96        |
| 5  | A lysosome targetable fluorescent probe for endogenous imaging of hydrogen peroxide in living cells. Chemical Communications, 2017, 53, 3701-3704.   | 2.2 | 84        |
| 6  | Plant growth promoting rhizobacteria induced Cd tolerance in Lycopersicon esculentum through altered antioxidative defense expression. Chemosphere, 2019, 217, 463-474.  | 4.2 | 81        |
| 7  | Brassinosteroid Signaling, Crosstalk and, Physiological Functions in Plants Under Heavy Metal Stress. Frontiers in Plant Science, 2021, 12, 608061.  | 1.7 | 70        |
| 8  | Jasmonic acid induced changes in physio-biochemical attributes and ascorbate-glutathione pathway in Lycopersicon esculentum under lead stress at different growth stages. Science of the Total Environment, 2018, 645, 1344-1360.                      | 3.9 | 67        |
| 9  | Role of plant growth promoting Bacteria (PGPRs) as biocontrol agents of Meloidogyne incognita through improved plant defense of Lycopersicon esculentum. Plant and Soil, 2019, 436, 325-345.   | 1.8 | 60        |
| 10 | Role of P-type ATPase metal transporters and plant immunity induced by jasmonic acid against Lead (Pb) toxicity in tomato. Ecotoxicology and Environmental Safety, 2019, 174, 283-294.   | 2.9 | 49        |
| 11 | Jasmonic acid-induced tolerance to root-knot nematodes in tomato plants through altered photosynthetic and antioxidative defense mechanisms. Protoplasma, 2018, 255, 471-484.  | 1.0 | 47        |
| 12 | Impact of Plant Growth Promoting Rhizobacteria in the Orchestration of Lycopersicon esculentum Mill. Resistance to Plant Parasitic Nematodes: A Metabolomic Approach to Evaluate Defense Responses Under Field Conditions. Biomolecules, 2019, 9, 676. | 1.8 | 47        |
| 13 | Enthralling the impact of engineered nanoparticles on soil microbiome: A concentric approach towards environmental risks and cogitation. Ecotoxicology and Environmental Safety, 2021, 222, 112459.  | 2.9 | 42        |
| 14 | The Common Molecular Players in Plant Hormone Crosstalk and Signaling. Current Protein and Peptide Science, 2015, 16, 369-388.   | 0.7 | 42        |
| 15 | Evaluation of in vitro and in vivo nematicidal potential of a multifunctional streptomycete, Streptomyces hydrogenans strain DH16 against Meloidogyne incognita. Microbiological Research, 2016, 192, 247-252.   | 2.5 | 40        |
| 16 | Biocontrol potential of chitinases produced by newly isolated Chitinophaga sp. S167. World Journal of Microbiology and Biotechnology, 2020, 36, 90.  | 1.7 | 37        |
| 17 | A naphthalimide-based solid state luminescent probe for ratiometric detection of aluminum ions: <i>in vitro</i> and <i>in vivo</i> applications. Chemical Communications, 2017, 53, 12646-12649.   | 2.2 | 35        |
| 18 | Responses of Phytochelatins and Metallothioneins in Alleviation of Heavy MetalÂStress in Plants. , 2016, , 263-283.  |     | 29        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 19 | A Highly Selective Fluorescent Probe for Detection of Hydrogen Sulfide in Living Systems: In Vitro and in Vivo Applications. Chemistry - A European Journal, 2017, 23, 9872-9878.   | 1.7 | 29        |
| 20 | ROS Signaling in Plants Under Heavy Metal Stress. , 2017, , 185-214.  |     | 28        |
| 21 | Microbial Fortification Improved Photosynthetic Efficiency and Secondary Metabolism in Lycopersicon esculentum Plants Under Cd Stress. Biomolecules, 2019, 9, 581.  | 1.8 | 28        |
| 22 | Insights into the Role of Streptomyces hydrogenans as the Plant Growth Promoter, Photosynthetic Pigment Enhancer and Biocontrol Agent against Meloidogyne incognita in Solanum lycopersicum Seedlings. Plants, 2020, 9, 1109. | 1.6 | 28        |
| 23 | Seed Priming with Jasmonic Acid Counteracts Root Knot Nematode Infection in Tomato by Modulating the Activity and Expression of Antioxidative Enzymes. Biomolecules, 2020, 10, 98.  | 1.8 | 26        |
| 24 | Nematicidal potential of Streptomyces antibioticus strain M7 against Meloidogyne incognita. AMB Express, 2019, 9, 168.  | 1.4 | 24        |
| 25 | Agroecotoxicological Aspect of Cd in Soil–Plant System: Uptake, Translocation and Amelioration Strategies. Environmental Science and Pollution Research, 2022, 29, 30908-30934.   | 2.7 | 24        |
| 26 | Plants-nematodes-microbes crosstalk within soil: A trade-off among friends or foes. Microbiological Research, 2021, 248, 126755.  | 2.5 | 21        |
| 27 | Exogenously applied putrescine improves the physiological responses of tomato plant during nematode pathogenesis. Scientia Horticulturae, 2018, 230, 35-42.   | 1.7 | 19        |
| 28 | Organic cultivation of Ashwagandha with improved biomass and high content of active Withanolides: Use of Vermicompost. PLoS ONE, 2018, 13, e0194314.  | 1.1 | 19        |
| 29 | Evaluation of the role of Rhizobacteria in controlling root knot nematode (RKN) infection in Lycopersicon esculentum plants by modulation in the secondary metabolite profiles. AoB PLANTS, 2019,                             | 1.2 | 19        |
| 30 | Benzothiazole based Schiff-base-A mechanistically discrete sensor for HSO4â^ and Iâ^: Application to bioimaging and vapour phase sensing of ethyl acetate. Sensors and Actuators B: Chemical, 2018, 268, 29-38.               | 4.0 | 18        |
| 31 | Arsenic as hazardous pollutant: Perspectives on engineering remediation tools. Science of the Total Environment, 2022, 838, 155870.   | 3.9 | 17        |
| 32 | Aggregation tailored emission of a benzothiazole based derivative: photostable turn on bioimaging. RSC Advances, 2019, 9, 39970-39975.  | 1.7 | 16        |
| 33 | Effect of 28-homobrassinolide on susceptible and resistant cultivars of tomato after nematode inoculation. Plant Growth Regulation, 2013, 71, 199-205.  | 1.8 | 15        |
| 34 | Imaging of lysosomal activity using naphthalimide-benzimidazole based fluorescent probe in living cells. Sensors and Actuators B: Chemical, 2019, 286, 451-459.   | 4.0 | 13        |
| 35 | Hydrogen Sulfide: A Robust Combatant against Abiotic Stresses in Plants. Hydrogen, 2021, 2, 319-342.  | 1.7 | 13        |
| 36 | Unsnarling Plausible Role of Plant Growth-Promoting Rhizobacteria for Mitigating Cd-Toxicity from Plants: An Environmental Safety Aspect. Journal of Plant Growth Regulation, 2022, 41, 2514-2542.                            | 2.8 | 13        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Role of Various Hormones in Photosynthetic Responses of Green Plants Under Environmental Stresses. Current Protein and Peptide Science, 2015, 16, 435-449.  | 0.7 | 13        |
| 38 | Potential of vermicompost extract in enhancing the biomass and bioactive components along with mitigation of Meloidogyne incognita-induced stress in tomato. Environmental Science and Pollution Research, 2022, 29, 56023-56036. | 2.7 | 13        |
| 39 | Emerging Role of Polyamines in Plant Stress Tolerance. Current Protein and Peptide Science, 2018, 19, 1114-1123.  | 0.7 | 11        |
| 40 | Modulation of Various Phytoconstituents in Tomato Seedling Growth and Meloidogyne<br>incognita–Induced Stress Alleviation By Vermicompost Application. Frontiers in Environmental<br>Science, 0, 10, .                            | 1.5 | 10        |
| 41 | Phytoremediation in Waste Management: Hyperaccumulation Diversity and Techniques., 2018,, 277-302.  |     | 9         |
| 42 | 24-Epibrassinolide reduces stress in nematode-infected tomato (Solanum lycopersicum L.) plants cultured in vitro. In Vitro Cellular and Developmental Biology - Plant, 2017, 53, 538-545.   | 0.9 | 8         |
| 43 | Histochemical and physicochemical studies reveal improved defense in tomato under Cd stress with rhizobacterial supplementation. Plant and Soil, 2020, 446, 393-411.  | 1.8 | 8         |
| 44 | Interaction of Salicylic Acid with Plant Hormones in Plants Under Abiotic Stress., 2017,, 201-219.  |     | 7         |
| 45 | Effects of Vermicompost and Vermicompost Leachate on the Biochemical and Physiological Response of Withania somnifera (L.) Dunal. Journal of Soil Science and Plant Nutrition, 2022, 22, 3228-3242.                               | 1.7 | 5         |
| 46 | Role of Micro-organisms in Modulating Antioxidant Defence in Plants Exposed to Metal Toxicity. , 2018, , 303-335.   |     | 4         |
| 47 | A Current Scenario on Role of Brassinosteroids in Plant Defense Triggered in Response to Biotic Challenges. , 2019, , 367-388.  |     | 4         |
| 48 | Antioxidant Potential of Plant Growth-Promoting Rhizobacteria (PGPR) in Agricultural Crops Infected with Root-Knot Nematodes., 2021,, 339-379.  |     | 4         |
| 49 | Harnessing the role of selenium in soil–plant-microbe ecosystem: ecophysiological mechanisms and future prospects. Plant Growth Regulation, 2023, 100, 197-217.   | 1.8 | 4         |
| 50 | Bioefficacy of Bio-metabolites Produced by Streptomyces sp. Strain MR-14 in Ameliorating Meloidogyne incognita Stress in Solanum lycopersicum Seedlings. Journal of Plant Growth Regulation, 2022, 41, 3359-3371.                 | 2.8 | 3         |
| 51 | Combined effects of vermicompost and vermicompost leachate on the early growth of Meloidogyne incognitaÂstressed Withania somnifera (L.) Dunal. Environmental Science and Pollution Research, 2022, 29, 51686-51702.              | 2.7 | 3         |
| 52 | Genetic toolbox and regulatory circuits of plant-nematode associations. Plant Physiology and Biochemistry, 2021, 165, 137-146.  | 2.8 | 2         |
| 53 | Gene Silencing. , 2014, , 209-228.  |     | 1         |
| 54 | Emerging Trends in Physiological and Biochemical Responses of Salicylic Acid., 2017,, 47-75.  |     | 1         |

## Puja Ohri

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Emerging Trends on Crosstalk of BRS with Other Phytohormones. , 2019, , 425-441.   |     | 1         |
| 56 | Role of Beneficial Microbes in the Molecular Phytotoxicity of Heavy Metals. Nanotechnology in the Life Sciences, 2020, , 227-262.  | 0.4 | 1         |
| 57 | Plant-Microbe Interactions under Adverse Environment. , 2020, , 717-751.   |     | 1         |
| 58 | Regulation of plant defense against biotic stressors by brassinosteroids. , 2022, , 255-272.   |     | 1         |
| 59 | Multiple Facets of Plant-Microbiome Associations in Unlocking the Communication Paradigm through Extracellular Vesicles. s. Current Protein and Peptide Science, 2021, 22, . | 0.7 | O         |