

Stephen High

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4565690/stephen-high-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

4,985
citations

37
h-index

68
g-index

123
ext. papers

5,677
ext. citations

7
avg, IF

5.52
L-index

#	Paper	IF	Citations
115	Starvation and ULK1-dependent cycling of mammalian Atg9 between the TGN and endosomes. <i>Journal of Cell Science</i> , 2006 , 119, 3888-900	5.3	606
114	Interaction of the thiol-dependent reductase ERp57 with nascent glycoproteins. <i>Science</i> , 1997 , 275, 86-89	33.3	344
113	ERp57 functions as a subunit of specific ER complexes formed with the ER lectins calreticulin and calnexin. <i>Molecular Biology of the Cell</i> , 1999 , 10, 2573-82	3.5	274
112	Signal-sequence recognition by an Escherichia coli ribonucleoprotein complex. <i>Nature</i> , 1992 , 359, 741-3	50.4	175
111	Delivering proteins for export from the cytosol. <i>Nature Reviews Molecular Cell Biology</i> , 2009 , 10, 255-64	48.7	155
110	Deubiquitinases regulate the activity of caspase-1 and interleukin-1 β secretion via assembly of the inflammasome. <i>Journal of Biological Chemistry</i> , 2013 , 288, 2721-33	5.4	134
109	Glycoprotein folding in the endoplasmic reticulum: a tale of three chaperones?. <i>FEBS Letters</i> , 2000 , 476, 38-41	3.8	120
108	Signal recognition particle mediates post-translational targeting in eukaryotes. <i>EMBO Journal</i> , 2004 , 23, 2755-64	13	104
107	Bat3 promotes the membrane integration of tail-anchored proteins. <i>Journal of Cell Science</i> , 2010 , 123, 2170-8	5.3	101
106	The thiol-dependent reductase ERp57 interacts specifically with N-glycosylated integral membrane proteins. <i>Journal of Biological Chemistry</i> , 1997 , 272, 13849-55	5.4	101
105	The pathogenic mechanism of the Mycobacterium ulcerans virulence factor, mycolactone, depends on blockade of protein translocation into the ER. <i>PLoS Pathogens</i> , 2014 , 10, e1004061	7.6	97
104	Biogenesis of tail-anchored proteins: the beginning for the end?. <i>Journal of Cell Science</i> , 2009 , 122, 3605-13	5.3	90
103	Role of calnexin in the glycan-independent quality control of proteolipid protein. <i>EMBO Journal</i> , 2003 , 22, 2948-58	13	89
102	A precursor-specific role for Hsp40/Hsc70 during tail-anchored protein integration at the endoplasmic reticulum. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27504-27513	5.4	87
101	Post-translational translocation into the endoplasmic reticulum. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 2403-9	4.9	81
100	Post-translational integration of tail-anchored proteins is facilitated by defined molecular chaperones. <i>Journal of Cell Science</i> , 2007 , 120, 1743-51	5.3	79
99	The primary substrate binding site in the bSdomain of ERp57 is adapted for endoplasmic reticulum lectin association. <i>Journal of Biological Chemistry</i> , 2004 , 279, 18861-9	5.4	79

98	Eeyarestatin I inhibits Sec61-mediated protein translocation at the endoplasmic reticulum. <i>Journal of Cell Science</i> , 2009 , 122, 4393-400	5.3	74
97	Mechanisms that determine the transmembrane disposition of proteins. <i>Current Opinion in Cell Biology</i> , 1992 , 4, 581-6	9	71
96	Different transmembrane domains associate with distinct endoplasmic reticulum components during membrane integration of a polytopic protein. <i>Molecular Biology of the Cell</i> , 2002 , 13, 4114-29	3.5	70
95	Discrete cross-linking products identified during membrane protein biosynthesis. <i>Journal of Biological Chemistry</i> , 1997 , 272, 1983-9	5.4	65
94	SGTA antagonizes BAG6-mediated protein triage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 19214-9	11.5	61
93	Mixed-disulfide folding intermediates between thyroglobulin and endoplasmic reticulum resident oxidoreductases ERp57 and protein disulfide isomerase. <i>Molecular and Cellular Biology</i> , 2005 , 25, 9793-805	4.8	59
92	Mechanistic insights into the inhibition of Sec61-dependent co- and post-translational translocation by mycolactone. <i>Journal of Cell Science</i> , 2016 , 129, 1404-15	5.3	58
91	Ribophorin I acts as a substrate-specific facilitator of N-glycosylation. <i>Journal of Cell Science</i> , 2007 , 120, 648-57	5.3	56
90	Ribophorin I regulates substrate delivery to the oligosaccharyltransferase core. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9534-9	11.5	54
89	The oligosaccharyltransferase subunits OST48, DAD1 and KCP2 function as ubiquitous and selective modulators of mammalian N-glycosylation. <i>Journal of Cell Science</i> , 2012 , 125, 3474-84	5.3	53
88	Chloroplast SRP54 interacts with a specific subset of thylakoid precursor proteins. <i>Journal of Biological Chemistry</i> , 1997 , 272, 11622-8	5.4	50
87	TRC40 can deliver short secretory proteins to the Sec61 translocon. <i>Journal of Cell Science</i> , 2012 , 125, 3612-20	5.3	48
86	The Sec61 complex is essential for the insertion of proteins into the membrane of the endoplasmic reticulum. <i>FEBS Letters</i> , 1995 , 362, 126-30	3.8	46
85	Membrane protein topology of oleosin is constrained by its long hydrophobic domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 8602-10	5.4	45
84	Multiple pathways facilitate the biogenesis of mammalian tail-anchored proteins. <i>Journal of Cell Science</i> , 2017 , 130, 3851-3861	5.3	43
83	Biosynthesis of the dystonia-associated AAA+ ATPase torsinA at the endoplasmic reticulum. <i>Biochemical Journal</i> , 2007 , 401, 607-12	3.8	43
82	Human autoantibodies against the 54 kDa protein of the signal recognition particle block function at multiple stages. <i>Arthritis Research and Therapy</i> , 2006 , 8, R39	5.7	39
81	Tail-anchored and signal-anchored proteins utilize overlapping pathways during membrane insertion. <i>Journal of Biological Chemistry</i> , 2003 , 278, 5669-78	5.4	39

80	Disease-associated mutations cause premature oligomerization of myelin proteolipid protein in the endoplasmic reticulum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 4342-7	11.5	38
79	Sec61 blockade by mycolactone: A central mechanism in Buruli ulcer disease. <i>Biology of the Cell</i> , 2018 , 110, 237-248	3.5	37
78	Mycolactone reveals the substrate-driven complexity of Sec61-dependent transmembrane protein biogenesis. <i>Journal of Cell Science</i> , 2017 , 130, 1307-1320	5.3	37
77	Membrane association, localization and topology of rat inositol 1,4,5-trisphosphate 3-kinase B: implications for membrane traffic and Ca ²⁺ homeostasis. <i>Biochemical Journal</i> , 1997 , 324 (Pt 2), 579-89	3.8	36
76	Ribophorin I associates with a subset of membrane proteins after their integration at the sec61 translocon. <i>Journal of Biological Chemistry</i> , 2005 , 280, 4195-206	5.4	36
75	Get3 is a holdase chaperone and moves to deposition sites for aggregated proteins when membrane targeting is blocked. <i>Journal of Cell Science</i> , 2013 , 126, 473-83	5.3	35
74	Chaperone-Mediated Sec61 Channel Gating during ER Import of Small Precursor Proteins Overcomes Sec61 Inhibitor-Reinforced Energy Barrier. <i>Cell Reports</i> , 2018 , 23, 1373-1386	10.6	34
73	SGTA regulates the cytosolic quality control of hydrophobic substrates. <i>Journal of Cell Science</i> , 2014 , 127, 4728-39	5.3	34
72	The association of BAG6 with SGTA and tail-anchored proteins. <i>PLoS ONE</i> , 2013 , 8, e59590	3.7	34
71	The glut 1 glucose transporter interacts with calnexin and calreticulin. <i>Journal of Biological Chemistry</i> , 1996 , 271, 13691-6	5.4	34
70	The signal sequence influences post-translational ER translocation at distinct stages. <i>PLoS ONE</i> , 2013 , 8, e75394	3.7	33
69	EBV protein BNLF2a exploits host tail-anchored protein integration machinery to inhibit TAP. <i>Journal of Immunology</i> , 2011 , 186, 3594-605	5.3	32
68	Specific transmembrane segments are selectively delayed at the ER translocon during opsin biogenesis. <i>Biochemical Journal</i> , 2008 , 411, 495-506	3.8	32
67	Mammalian SRP receptor switches the Sec61 translocase from Sec62 to SRP-dependent translocation. <i>Nature Communications</i> , 2015 , 6, 10133	17.4	31
66	Early events in glycosylphosphatidylinositol anchor addition. substrate proteins associate with the transamidase subunit gpi8p. <i>Journal of Biological Chemistry</i> , 2001 , 276, 15975-82	5.4	31
65	Ipomoeassin F Binds Sec61 to Inhibit Protein Translocation. <i>Journal of the American Chemical Society</i> , 2019 , 141, 8450-8461	16.4	30
64	Differences in endoplasmic-reticulum quality control determine the cellular response to disease-associated mutants of proteolipid protein. <i>Journal of Cell Science</i> , 2009 , 122, 3942-53	5.3	30
63	The transient association of ERp57 with N-glycosylated proteins is regulated by glucose trimming. <i>FEBS Journal</i> , 1998 , 256, 51-9		29

62	Active and passive displacement of transmembrane domains both occur during opsin biogenesis at the Sec61 translocon. <i>Journal of Cell Science</i> , 2006 , 119, 2826-36	5.3	29
61	A misassembled transmembrane domain of a polytopic protein associates with signal peptide peptidase. <i>Biochemical Journal</i> , 2004 , 384, 9-17	3.8	29
60	Inhibition of protein translocation at the endoplasmic reticulum promotes activation of the unfolded protein response. <i>Biochemical Journal</i> , 2012 , 442, 639-48	3.8	27
59	Eeyarestatin 1 interferes with both retrograde and anterograde intracellular trafficking pathways. <i>PLoS ONE</i> , 2011 , 6, e22713	3.7	26
58	A biochemical analysis of the constraints of tail-anchored protein biogenesis. <i>Biochemical Journal</i> , 2011 , 436, 719-27	3.8	26
57	Structure of the Sgt2/Get5 complex provides insights into GET-mediated targeting of tail-anchored membrane proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1327-32	11.5	25
56	Protein translocation across membranes: common themes in divergent organisms. <i>Trends in Cell Biology</i> , 1993 , 3, 335-9	18.3	25
55	Dissecting the physiological role of selective transmembrane-segment retention at the ER translocon. <i>Journal of Cell Science</i> , 2009 , 122, 1768-77	5.3	24
54	Protein translocation at the membrane of the endoplasmic reticulum. <i>Progress in Biophysics and Molecular Biology</i> , 1995 , 63, 233-50	4.7	24
53	Eeyarestatin Compounds Selectively Enhance Sec61-Mediated Ca Leakage from the Endoplasmic Reticulum. <i>Cell Chemical Biology</i> , 2019 , 26, 571-583.e6	8.2	22
52	On the road to nowhere: cross-talk between post-translational protein targeting and cytosolic quality control. <i>Biochemical Society Transactions</i> , 2016 , 44, 796-801	5.1	22
51	Keratinocyte-associated protein 2 is a bona fide subunit of the mammalian oligosaccharyltransferase. <i>Journal of Cell Science</i> , 2012 , 125, 220-32	5.3	22
50	Protein targeting and translocation at the endoplasmic reticulum membrane--through the eye of a needle?. <i>Essays in Biochemistry</i> , 2000 , 36, 1-13	7.6	21
49	Binding of SGTA to Rpn13 selectively modulates protein quality control. <i>Journal of Cell Science</i> , 2015 , 128, 3187-96	5.3	20
48	BAG6 regulates the quality control of a polytopic ERAD substrate. <i>Journal of Cell Science</i> , 2014 , 127, 2898-909	5.3	20
47	Polytopic membrane protein folding and assembly in vitro and in vivo. <i>Molecular Membrane Biology</i> , 2004 , 21, 163-70	3.4	20
46	Membrane integration of Sec61alpha: a core component of the endoplasmic reticulum translocation complex. <i>Biochemical Journal</i> , 1998 , 331 (Pt 1), 161-7	3.8	19
45	Membrane protein insertion into the endoplasmic reticulum--another channel tunnel?. <i>BioEssays</i> , 1992 , 14, 535-40	4.1	18

44	OST4 is a subunit of the mammalian oligosaccharyltransferase required for efficient N-glycosylation. <i>Journal of Cell Science</i> , 2013 , 126, 2595-606	5.3	17
43	Ca ²⁺ -calmodulin inhibits tail-anchored protein insertion into the mammalian endoplasmic reticulum membrane. <i>FEBS Letters</i> , 2011 , 585, 3485-90	3.8	17
42	Formation and turnover of NSF- and SNAP-containing "fusion" complexes occur on undocked, clathrin-coated vesicle-derived membranes. <i>Molecular Biology of the Cell</i> , 1998 , 9, 1633-47	3.5	17
41	Structural and functional insights into the E3 ligase, RNF126. <i>Scientific Reports</i> , 2016 , 6, 26433	4.9	17
40	Solution structure of the SGTA dimerisation domain and investigation of its interactions with the ubiquitin-like domains of BAG6 and UBL4A. <i>PLoS ONE</i> , 2014 , 9, e113281	3.7	15
39	Membrane protein chaperones: a new twist in the tail?. <i>Current Biology</i> , 2007 , 17, R472-4	6.3	15
38	The Charcot Marie Tooth disease protein LITAF is a zinc-binding monotopic membrane protein. <i>Biochemical Journal</i> , 2016 , 473, 3965-3978	3.8	12
37	Characterizing the selectivity of ER β -glucosidase inhibitors. <i>Glycobiology</i> , 2019 , 29, 530-542	5.8	10
36	Reorientation of the first signal-anchor sequence during potassium channel biogenesis at the Sec61 complex. <i>Biochemical Journal</i> , 2013 , 456, 297-309	3.8	10
35	Endoplasmic reticulum-associated degradation of a degron-containing polytopic membrane protein. <i>Molecular Membrane Biology</i> , 2009 , 26, 448-64	3.4	10
34	In vitro characterisation of the interaction between newly synthesised proteins and a pancreatic isoform of protein disulphide isomerase. <i>FEBS Journal</i> , 1998 , 252, 372-7		10
33	SGTA interacts with the proteasomal ubiquitin receptor Rpn13 via a carboxylate clamp mechanism. <i>Scientific Reports</i> , 2016 , 6, 36622	4.9	9
32	The oligomeric state of Derlin-1 is modulated by endoplasmic reticulum stress. <i>Molecular Membrane Biology</i> , 2007 , 24, 113-20	3.4	9
31	ER targeting signals: more than meets the eye?. <i>Cell</i> , 2006 , 127, 877-9	56.2	9
30	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. <i>PLoS Biology</i> , 2020 , 18, e3000874	9.7	9
29	Positional editing of transmembrane domains during ion channel assembly. <i>Journal of Cell Science</i> , 2013 , 126, 464-72	5.3	8
28	Ipomoeassin-F inhibits the biogenesis of the SARS-CoV-2 spike protein and its host cell membrane receptor. <i>Journal of Cell Science</i> , 2021 , 134,	5.3	7
27	Structure and function of signal recognition particle (SRP). <i>Molecular Biology Reports</i> , 1990 , 14, 71-2	2.8	6

26	Elevation of proteasomal substrate levels sensitizes cells to apoptosis induced by inhibition of proteasomal deubiquitinases. <i>PLoS ONE</i> , 2014 , 9, e108839	3.7	6
25	Ring Expansion Leads to a More Potent Analogue of Ipomoeassin F. <i>Journal of Organic Chemistry</i> , 2020 , 85, 16226-16235	4.2	6
24	Structural complexity of the co-chaperone SGTA: a conserved C-terminal region is implicated in dimerization and substrate quality control. <i>BMC Biology</i> , 2018 , 16, 76	7.3	5
23	Distinct Requirements for Tail-Anchored Membrane Protein Biogenesis in Escherichia coli. <i>MBio</i> , 2019 , 10,	7.8	5
22	SGTA associates with nascent membrane protein precursors. <i>EMBO Reports</i> , 2020 , 21, e48835	6.5	5
21	Membrane protein biogenesis at the ER: the highways and byways. <i>FEBS Journal</i> , 2021 ,	5.7	5
20	Eeyarestatin 24 impairs SecYEG-dependent protein trafficking and inhibits growth of clinically relevant pathogens. <i>Molecular Microbiology</i> , 2021 , 115, 28-40	4.1	5
19	Polytopic proteins: preventing aggregation in the membrane. <i>Current Biology</i> , 2005 , 15, R169-71	6.3	4
18	Membrane-protein biosynthesis at the endoplasmic reticulum. <i>Biochemical Society Transactions</i> , 1999 , 27, 883-8	5.1	4
17	Membrane translocation at the ER: with a little help from my friends. <i>FEBS Journal</i> , 2020 , 287, 4607-4611	5.7	4
16	An alternative pathway for membrane protein biogenesis at the endoplasmic reticulum. <i>Communications Biology</i> , 2021 , 4, 828	6.7	4
15	TRC40 can deliver short secretory proteins to the Sec61 translocon. <i>Journal of Cell Science</i> , 2012 , 125, 4414-4414	5.3	3
14	Chapter 9 Membrane protein insertion into the endoplasmic reticulum: signals, machinery and mechanisms. <i>New Comprehensive Biochemistry</i> , 1992 , 22, 105-118		3
13	Studying endoplasmic reticulum function in vitro using siRNA. <i>Methods in Molecular Biology</i> , 2010 , 619, 389-402	1.4	2
12	The use of tail-anchored protein chimeras to enhance liposomal cargo delivery. <i>PLoS ONE</i> , 2019 , 14, e0212701	3.7	1
11	SMIM1, carrier of the Vel blood group, is a tail-anchored transmembrane protein and readily forms homodimers in a cell-free system. <i>Bioscience Reports</i> , 2020 , 40,	4.1	1
10	Ipomoeassin-F disrupts multiple aspects of secretory protein biogenesis. <i>Scientific Reports</i> , 2021 , 11, 11562	4.9	1
9	Biochemical and Biological Assays of Mycolactone-Mediated Inhibition of Sec61. <i>Methods in Molecular Biology</i> , 2022 , 2387, 163-181	1.4	0

- 8 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874
- 7 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874
- 6 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874
- 5 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874
- 4 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874
- 3 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874
- 2 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874
- 1 Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle
2020, 18, e3000874