
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4569069/publications.pdf Version: 2024-02-01



ΔΝΝΑ ΔΥΜΟΝ

#	Article	IF	CITATIONS
1	Sperm DNA integrity assessment in prediction of assisted reproduction technology outcome. Human Reproduction, 2007, 22, 174-179.	0.4	639
2	Health effects of occupational exposure to acrylamide using hemoglobin adducts as biomarkers of internal dose. Scandinavian Journal of Work, Environment and Health, 2001, 27, 219-226.	1.7	217
3	Gender differences in workers with identical repetitive industrial tasks: exposure and musculoskeletal disorders. International Archives of Occupational and Environmental Health, 2008, 81, 939-947.	1.1	164
4	Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations. Chemosphere, 2012, 88, 1269-1275.	4.2	116
5	CYP1A1 and GSTM1 polymorphisms affect urinary 1-hydroxypyrene levels after PAH exposure. Carcinogenesis, 2000, 21, 669-676.	1.3	106
6	Traffic-related air pollution associated with prevalence of asthma and COPD/chronic bronchitis. A cross-sectional study in Southern Sweden. International Journal of Health Geographics, 2009, 8, 2.	1.2	103
7	Environmental and biological monitoring of antineoplastic drugs in four workplaces in a Swedish hospital. International Archives of Occupational and Environmental Health, 2008, 81, 899-911.	1.1	102
8	Fertility in four regions spanning large contrasts in serum levels of widespread persistent organochlorines: a cross-sectional study. Environmental Health, 2005, 4, 26.	1.7	98
9	Hydroxy-PCBs, PBDEs, and HBCDDs in Serum from an Elderly Population of Swedish Fishermen's Wives and Associations with Bone Density. Environmental Science & Technology, 2006, 40, 6282-6289.	4.6	98
10	Effects of diesel exposure on lung function and inflammation biomarkers from airway and peripheral blood of healthy volunteers in a chamber study. Particle and Fibre Toxicology, 2013, 10, 60.	2.8	76
11	Factors affecting time to pregnancy. Human Reproduction, 2006, 21, 1279-1284.	0.4	66
12	Musculoskeletal disorders among female and male air traffic controllers performing identical and demanding computer work. Ergonomics, 2006, 49, 1052-1067.	1.1	65
13	Assessment of environmental tobacco smoke exposure in children with asthmatic symptoms by questionnaire and cotinine concentrations in plasma, saliva, and urine. Journal of Clinical Epidemiology, 2000, 53, 715-721.	2.4	63
14	Associations between estimated acrylamide intakes, and hemoglobin AA adducts in a sample from the Malmö Diet and Cancer cohort. European Journal of Clinical Nutrition, 2008, 62, 314-323.	1.3	63
15	Traffic exposure associated with allergic asthma and allergic rhinitis in adults. A cross-sectional study in southern Sweden. International Journal of Health Geographics, 2009, 8, 25.	1.2	61
16	Gender inequality at home is associated with poorer health for women. Scandinavian Journal of Public Health, 2015, 43, 176-182.	1.2	59
17	Time to pregnancy as a function of male and female serum concentrations of 2,2′4,4′5,5′-hexachlorobiphenyl (CB-153) and 1,1-dichloro-2,2-bis (p-chlorophenyl)-ethylene (p,p′-DDE Human Reproduction, 2006, 21, 657-665.	.).0.4	53
18	Reproductive outcome among female hairdressers. Occupational and Environmental Medicine, 2002, 59, 517-522.	1.3	50

#	Article	IF	CITATIONS
19	Cross-sectional associations between occupational factors and musculoskeletal pain in women teachers, nurses and sonographers. BMC Musculoskeletal Disorders, 2016, 17, 35.	0.8	49
20	Psychiatric diagnoses in older people with intellectual disability in comparison with the general population: a register study. Epidemiology and Psychiatric Sciences, 2018, 27, 479-491.	1.8	48
21	Time to pregnancy and pregnancy outcome. Fertility and Sterility, 2005, 84, 966-974.	0.5	45
22	Polychlorinated biphenyls in serum and time to pregnancy. Environmental Research, 2004, 96, 186-195.	3.7	43
23	Validity of self-assessed reports of occurrence and duration of occupational tasks. Ergonomics, 2005, 48, 12-24.	1.1	41
24	Time trends between 1987 and 2007 for perfluoroalkyl acids in plasma from Swedish women. Chemosphere, 2014, 102, 61-67.	4.2	40
25	Influence of genetic polymorphisms of biotransformation enzymes on gene mutations, strand breaks of deoxyribonucleic acid, and micronuclei in mononuclear blood cells and urinary 8-hydroxydeoxyguanosine in potroom workers exposed to polyaromatic hydrocarbo. Scandinavian lournal of Work. Environment and Health. 1999. 25. 351-360.	1.7	40
26	Hemoglobin adducts as a measure of variations in exposure to acrylamide in food and comparison to questionnaire data. Food and Chemical Toxicology, 2012, 50, 2531-2539.	1.8	38
27	Fertility among female hairdressers. Scandinavian Journal of Work, Environment and Health, 2006, 32, 51-60.	1.7	37
28	Cadmium concentrations in human blood and urine are associated with polymorphisms in zinc transporter genes. Metallomics, 2014, 6, 885-891.	1.0	36
29	Female fertility in relation to the consumption of fish contaminated with persistent organochlorine compounds. Scandinavian Journal of Work, Environment and Health, 2002, 28, 124-132.	1.7	35
30	Inflammatory biomarkers in serum in subjects with and without work related neck/shoulder complaints. BMC Musculoskeletal Disorders, 2014, 15, 103.	0.8	34
31	Dietary exposure to methyl mercury and PCB and the associations with semen parameters among Swedish fishermen. Environmental Health, 2007, 6, 14.	1.7	33
32	Altered menstrual cycles in women with a high dietary intake of persistent organochlorine compounds. Chemosphere, 2004, 56, 813-819.	4.2	32
33	POLYCHLORINATED BIPHENYLS IN BLOOD PLASMA AMONG SWEDISH FEMALE FISH CONSUMERS IN RELATION TO TIME TO PREGNANCY. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2001, 64, 485-498.	1.1	31
34	Time to pregnancy and infertility among women with a high intake of fish contaminated with persistent organochlorine compounds. Scandinavian Journal of Work, Environment and Health, 2000, 26, 199-206.	1.7	31
35	Prevalence and treatment of diabetes mellitus and hypertension among older adults with intellectual disability in comparison with the general population. BMC Geriatrics, 2017, 17, 272.	1.1	30
36	Miscarriages and stillbirths in women with a high intake of fish contaminated with persistent organochlorine compounds. International Archives of Occupational and Environmental Health, 2000, 73, 204-208.	1.1	29

#	Article	IF	CITATIONS
37	A Study of the Validity of Two Exposure Assessment Tools: Stoffenmanager and the Advanced REACH Tool. Annals of Work Exposures and Health, 2017, 61, 575-588.	0.6	29
38	Exposure to hexahydrophthalic and methylhexahydrophthalic anhydrides - dose-response for sensitization and airway effects. Scandinavian Journal of Work, Environment and Health, 2001, 27, 327-334.	1.7	29
39	Older Adults with Autism Spectrum Disorders in Sweden: A Register Study of Diagnoses, Psychiatric Care Utilization and Psychotropic Medication of 601 Individuals. Journal of Autism and Developmental Disorders, 2018, 48, 3076-3085.	1.7	26
40	Menstrual cycle characteristics in European and Inuit women exposed to persistent organochlorine pollutants. Human Reproduction, 2007, 23, 193-200.	0.4	25
41	Neck and upper extremity pain in sonographers – Associations with occupational factors. Applied Ergonomics, 2017, 58, 245-253.	1.7	25
42	Prescription of potentially inappropriate medications among older people with intellectual disability: a register study. BMC Pharmacology & Toxicology, 2017, 18, 68.	1.0	25
43	The GSTP1 lle105 Val polymorphism modifies the metabolism of toluene di-isocyanate. Pharmacogenetics and Genomics, 2010, 20, 104-111.	0.7	23
44	Somatic healthcare utilisation patterns among older people with intellectual disability: an 11-year register study. BMC Health Services Research, 2016, 16, 642.	0.9	23
45	Menarche in women with high exposure to persistent organochlorine pollutants in utero and during childhood. Environmental Research, 2006, 102, 77-82.	3.7	22
46	Use of antipsychotics, benzodiazepine derivatives, and dementia medication among older people with intellectual disability and/or autism spectrum disorder and dementia. Research in Developmental Disabilities, 2017, 62, 50-57.	1.2	22
47	Polymorphisms in Iron Homeostasis Genes and Urinary Cadmium Concentrations among Nonsmoking Women in Argentina and Bangladesh. Environmental Health Perspectives, 2013, 121, 467-472.	2.8	21
48	Very high correlations between fresh weight and lipid-adjusted PCB-153 serum concentrations: Irrespective of fasting status, age, body mass index, gender, or exposure distributions. Chemosphere, 2012, 88, 828-831.	4.2	19
49	Attitude and flexibility are the most important work place factors for working parents' mental wellbeing, stress, and work engagement. Scandinavian Journal of Public Health, 2013, 41, 692-705.	1.2	19
50	Exposure of hairdressers to ortho- and meta-toluidine in hair dyes. Occupational and Environmental Medicine, 2015, 72, 57-63.	1.3	19
51	Cadmium and mercury exposure over time in Swedish children. Environmental Research, 2016, 150, 600-605.	3.7	19
52	Follow-up study of musculoskeletal disorders 20 months after the introduction of a mouse-based computer system. Scandinavian Journal of Work, Environment and Health, 2008, 34, 374-380.	1.7	19
53	Rapid decline of persistent organochlorine pollutants in serum among young Swedish males. Chemosphere, 2008, 70, 1620-1628.	4.2	17
54	Acute respiratory effects and biomarkers of inflammation due to welding-derived nanoparticle aggregates. International Archives of Occupational and Environmental Health, 2017, 90, 451-463.	1.1	16

#	Article	IF	CITATIONS
55	Male-biased sex ratios in Australian migrant populations: a population-based study of 1Â191Â250 births 1999–2015. International Journal of Epidemiology, 2018, 47, 2025-2037.	0.9	16
56	Work-related airway symptoms, nasal reactivity and health-related quality of life in female hairdressers: a follow-up study during exposure. International Archives of Occupational and Environmental Health, 2014, 87, 61-71.	1.1	15
57	Toluene diisocyanate: Induction of the autotaxin-lysophosphatidic acid axis and its association with airways symptoms. Toxicology and Applied Pharmacology, 2015, 287, 222-231.	1.3	15
58	Psychiatric care utilization among older people with intellectual disability in comparison with the general population: a register study. BMC Psychiatry, 2016, 16, 389.	1.1	15
59	Eye and airway symptoms in low occupational exposure to toluene diisocyanate. Scandinavian Journal of Work, Environment and Health, 2007, 33, 280-285.	1.7	15
60	Estimations of past male and female serum concentrations of biomarkers of persistent organochlorine pollutants and their impact on fecundability estimates. Environmental Research, 2006, 101, 387-394.	3.7	14
61	Birth weight and fetal growth in infants born to female hairdressers and their sisters. Occupational and Environmental Medicine, 2009, 66, 198-204.	1.3	14
62	Health care utilisation among older persons with intellectual disability and dementia: a registry study. Journal of Intellectual Disability Research, 2016, 60, 1165-1177.	1.2	14
63	Gender differences in psychiatric diagnoses in older people with intellectual disability: a register study. BMC Psychiatry, 2017, 17, 192.	1.1	14
64	Pain and Pain Medication among Older People with Intellectual Disabilities in Comparison with the General Population. Healthcare (Switzerland), 2018, 6, 67.	1.0	13
65	Falls resulting in health care among older people with intellectual disability in comparison with the general population. Journal of Intellectual Disability Research, 2019, 63, 193-204.	1.2	13
66	Specialist psychiatric health care utilization among older people with intellectual disability – predictors and comparisons with the general population: a national register study. BMC Psychiatry, 2020, 20, 70.	1.1	13
67	Levels of 2-thiothiazolidine-4-carboxylic acid (TTCA) and effect modification of polymorphisms of glutathione-related genes in vulcanization workers in the southern Sweden rubber industries. International Archives of Occupational and Environmental Health, 2007, 80, 589-598.	1.1	12
68	Hospital readmissions among older people with intellectual disability in comparison with the general population. Journal of Intellectual Disability Research, 2019, 63, 593-602.	1.2	12
69	Chronic Respiratory Disorders and Their Treatment among Older People with Intellectual Disability and/or Autism Spectrum Disorder in Comparison with the General Population. Healthcare (Switzerland), 2017, 5, 40.	1.0	11
70	Fall-risk-increasing drugs and falls requiring health care among older people with intellectual disability in comparison with the general population: A register study. PLoS ONE, 2018, 13, e0199218.	1.1	11
71	Pharmacotherapy for mood and anxiety disorders in older people with intellectual disability in comparison with the general population. BMC Psychiatry, 2019, 19, 238.	1.1	11
72	Cancer diagnoses among older people with intellectual disability compared with the general population: a national register study. Journal of Intellectual Disability Research, 2020, 64, 579-588.	1.2	11

#	Article	IF	CITATIONS
73	Influence of genetic factors on toluene diisocyanate-related symptoms: evidence from a cross-sectional study. Environmental Health, 2008, 7, 15.	1.7	10
74	Reproductive toxicity of seafood contaminants: Prospective comparisons of Swedish east and west coast fishermen's families. Environmental Health, 2008, 7, 20.	1.7	10
75	Psychiatric diagnoses in relation to severity of intellectual disability and challenging behaviors: a register study among older people. Aging and Mental Health, 2018, 22, 1344-1350.	1.5	10
76	Endâ€ofâ€life care among older cancer patients with intellectual disability in comparison with the general population: a national register study. Journal of Intellectual Disability Research, 2020, 64, 317-330.	1.2	10
77	The ordinary work environment increases symptoms from eyes and airways in mild steel welders. International Archives of Occupational and Environmental Health, 2015, 88, 1131-1140.	1.1	9
78	Insufficient time for leisure and perceived health and stress in working parents withÂsmall children. Work, 2016, 55, 453-461.	0.6	9
79	Assessments of Physical Workload in Sonography Tasks Using Inclinometry, Goniometry, and Electromyography. Safety and Health at Work, 2018, 9, 326-333.	0.3	9
80	N-nitrosamines in the southern Swedish rubber industries – exposure, health effects, and immunologic markers. Scandinavian Journal of Work, Environment and Health, 2009, 35, 203-211.	1.7	9
81	Levels of 1-hydroxypyrene, symptoms and immunologic markers in vulcanization workers in the southern Sweden rubber industries. International Archives of Occupational and Environmental Health, 2008, 82, 131-137.	1.1	8
82	Is care based on comprehensive geriatric assessment with mobile teams better than usual care? A study protocol of a randomised controlled trial (The GerMoT study). BMJ Open, 2018, 8, e023969.	0.8	8
83	Prescription of pain medication among older cancer patients with and without an intellectual disability: a national register study. BMC Cancer, 2019, 19, 1040.	1.1	8
84	Demographic and diagnostic profiles of older people with intellectual disability and prescription of antipsychotics. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 937-944.	1.6	7
85	Neck and upper extremity pain in sonographers – a longitudinal study. BMC Musculoskeletal Disorders, 2020, 21, 156.	0.8	7
86	Symptoms and immunologic markers among vulcanization workers in rubber industries in southern Sweden. Scandinavian Journal of Work, Environment and Health, 2007, 33, 272-279.	1.7	7
87	Old Overnight: Experiences of Age-Based Recommendations in Response to the COVID-19 Pandemic in Sweden. Journal of Aging and Social Policy, 2021, 33, 359-379.	0.9	5
88	Lung Function in Relation to 2-Thiothiazolidine-4-Carboxylic Acid and Genetic Effect Modification Among Rubber Workers in Sweden. Journal of Occupational and Environmental Medicine, 2008, 50, 1006-1012.	0.9	4
89	Detecting longitudinal changes in activities of daily living (ADL) dependence: Optimizing ADL staircase response choices. British Journal of Occupational Therapy, 2019, 82, 646-652.	0.5	4
90	Health care utilisation among older people with Down syndrome compared to specific medical guidelines for health surveillance: a Swedish national register study. BMC Health Services Research, 2020, 20, 949.	0.9	4

#	Article	IF	CITATIONS
91	Association between biomarkers of exposure to persistent organochlorine compounds (POCs). Chemosphere, 2006, 64, 692-694.	4.2	3
92	Influence of glutathione-related genes on symptoms and immunologic markers among vulcanization workers in the southern Sweden rubber industries. International Archives of Occupational and Environmental Health, 2008, 81, 913-919.	1.1	3
93	Discrepancies in pain presentation caused by adverse psychosocial conditions as compared to pain due to high physical workload?. Work, 2012, 41, 2472-2475.	0.6	3
94	Effects of applying a standardized assessment and evaluation protocol in housing adaptation implementation – results from a quasi-experimental study. BMC Public Health, 2019, 19, 1446.	1.2	3
95	High in Utero Exposure to Perfluoroalkyl Substances from Drinking Water and Birth Weight: A Cohort Study among Infants in Ronneby, Sweden. International Journal of Environmental Research and Public Health, 2022, 19, 2385.	1.2	3
96	No Interaction Between Smoking and Working as a Hairdresser With Respect to Reproductive Health. Journal of Occupational and Environmental Medicine, 2009, 51, 399.	0.9	2
97	Sex ratios at birth in Australia according to mother's country of birth: A national study of all 5 614 847 reported live births 1997–2016. PLoS ONE, 2021, 16, e0251588.	1.1	2
98	Work Related Injuries in Children Working at a Waste Disposal Site in Nicaragua. Epidemiology, 2007, 18, S186.	1.2	1
99	Symptoms and immunological markers in vulcanization workers in the southern Sweden rubber industries. Toxicology Letters, 2006, 164, S125.	0.4	0
100	OLDER PEOPLE WITH INTELLECTUAL DISABILITY: AN 11-YEAR REGISTER STUDY OF HEALTHCARE USE PATTERNS. Innovation in Aging, 2017, 1, 26-26.	0.0	0
101	Incidents resulting in health care among older people with intellectual disability in comparison with the general population: A national register study. Journal of Intellectual and Developmental Disability, 2020, 45, 139-143.	1.1	Ο
102	One-Year Changes in Activities of Daily Living, Usability, Falls and Concerns about Falling, and Self-Rated Health for Different Housing Adaptation Client Profiles. International Journal of Environmental Research and Public Health, 2021, 18, 9704.	1.2	0