

# Anna Axmon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4569069/publications.pdf>

Version: 2024-02-01

102  
papers

3,666  
citations

147726

31  
h-index

143943

57  
g-index

102  
all docs

102  
docs citations

102  
times ranked

4375  
citing authors

#	ARTICLE	IF	CITATIONS
1	High in Utero Exposure to Perfluoroalkyl Substances from Drinking Water and Birth Weight: A Cohort Study among Infants in Ronneby, Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2385.	1.2	3
2	Old Overnight: Experiences of Age-Based Recommendations in Response to the COVID-19 Pandemic in Sweden. <i>Journal of Aging and Social Policy</i> , 2021, 33, 359-379.	0.9	5
3	Sex ratios at birth in Australia according to mother's country of birth: A national study of all 5 614 847 reported live births 1997-2016. <i>PLoS ONE</i> , 2021, 16, e0251588.	1.1	2
4	One-Year Changes in Activities of Daily Living, Usability, Falls and Concerns about Falling, and Self-Rated Health for Different Housing Adaptation Client Profiles. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9704.	1.2	0
5	Incidents resulting in health care among older people with intellectual disability in comparison with the general population: A national register study. <i>Journal of Intellectual and Developmental Disability</i> , 2020, 45, 139-143.	1.1	0
6	Health care utilisation among older people with Down syndrome compared to specific medical guidelines for health surveillance: a Swedish national register study. <i>BMC Health Services Research</i> , 2020, 20, 949.	0.9	4
7	Cancer diagnoses among older people with intellectual disability compared with the general population: a national register study. <i>Journal of Intellectual Disability Research</i> , 2020, 64, 579-588.	1.2	11
8	Neck and upper extremity pain in sonographers - a longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 156.	0.8	7
9	End-of-life care among older cancer patients with intellectual disability in comparison with the general population: a national register study. <i>Journal of Intellectual Disability Research</i> , 2020, 64, 317-330.	1.2	10
10	Specialist psychiatric health care utilization among older people with intellectual disability - predictors and comparisons with the general population: a national register study. <i>BMC Psychiatry</i> , 2020, 20, 70.	1.1	13
11	Pharmacotherapy for mood and anxiety disorders in older people with intellectual disability in comparison with the general population. <i>BMC Psychiatry</i> , 2019, 19, 238.	1.1	11
12	Detecting longitudinal changes in activities of daily living (ADL) dependence: Optimizing ADL staircase response choices. <i>British Journal of Occupational Therapy</i> , 2019, 82, 646-652.	0.5	4
13	Prescription of pain medication among older cancer patients with and without an intellectual disability: a national register study. <i>BMC Cancer</i> , 2019, 19, 1040.	1.1	8
14	Demographic and diagnostic profiles of older people with intellectual disability and prescription of antipsychotics. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 937-944.	1.6	7
15	Hospital readmissions among older people with intellectual disability in comparison with the general population. <i>Journal of Intellectual Disability Research</i> , 2019, 63, 593-602.	1.2	12
16	Effects of applying a standardized assessment and evaluation protocol in housing adaptation implementation - results from a quasi-experimental study. <i>BMC Public Health</i> , 2019, 19, 1446.	1.2	3
17	Falls resulting in health care among older people with intellectual disability in comparison with the general population. <i>Journal of Intellectual Disability Research</i> , 2019, 63, 193-204.	1.2	13
18	Older Adults with Autism Spectrum Disorders in Sweden: A Register Study of Diagnoses, Psychiatric Care Utilization and Psychotropic Medication of 601 Individuals. <i>Journal of Autism and Developmental Disorders</i> , 2018, 48, 3076-3085.	1.7	26

#	ARTICLE	IF	CITATIONS
19	Psychiatric diagnoses in older people with intellectual disability in comparison with the general population: a register study. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 479-491.	1.8	48
20	Assessments of Physical Workload in Sonography Tasks Using Inclinometry, Goniometry, and Electromyography. <i>Safety and Health at Work</i> , 2018, 9, 326-333.	0.3	9
21	Psychiatric diagnoses in relation to severity of intellectual disability and challenging behaviors: a register study among older people. <i>Aging and Mental Health</i> , 2018, 22, 1344-1350.	1.5	10
22	Is care based on comprehensive geriatric assessment with mobile teams better than usual care? A study protocol of a randomised controlled trial (The GerMoT study). <i>BMJ Open</i> , 2018, 8, e023969.	0.8	8
23	Male-biased sex ratios in Australian migrant populations: a population-based study of 1Â191Â250 births 1999â€“2015. <i>International Journal of Epidemiology</i> , 2018, 47, 2025-2037.	0.9	16
24	Pain and Pain Medication among Older People with Intellectual Disabilities in Comparison with the General Population. <i>Healthcare (Switzerland)</i> , 2018, 6, 67.	1.0	13
25	Fall-risk-increasing drugs and falls requiring health care among older people with intellectual disability in comparison with the general population: A register study. <i>PLoS ONE</i> , 2018, 13, e0199218.	1.1	11
26	Use of antipsychotics, benzodiazepine derivatives, and dementia medication among older people with intellectual disability and/or autism spectrum disorder and dementia. <i>Research in Developmental Disabilities</i> , 2017, 62, 50-57.	1.2	22
27	Acute respiratory effects and biomarkers of inflammation due to welding-derived nanoparticle aggregates. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 451-463.	1.1	16
28	A Study of the Validity of Two Exposure Assessment Tools: Stoffenmanager and the Advanced REACH Tool. <i>Annals of Work Exposures and Health</i> , 2017, 61, 575-588.	0.6	29
29	Gender differences in psychiatric diagnoses in older people with intellectual disability: a register study. <i>BMC Psychiatry</i> , 2017, 17, 192.	1.1	14
30	Neck and upper extremity pain in sonographers â€“ Associations with occupational factors. <i>Applied Ergonomics</i> , 2017, 58, 245-253.	1.7	25
31	Prescription of potentially inappropriate medications among older people with intellectual disability: a register study. <i>BMC Pharmacology &amp; Toxicology</i> , 2017, 18, 68.	1.0	25
32	Chronic Respiratory Disorders and Their Treatment among Older People with Intellectual Disability and/or Autism Spectrum Disorder in Comparison with the General Population. <i>Healthcare (Switzerland)</i> , 2017, 5, 40.	1.0	11
33	Prevalence and treatment of diabetes mellitus and hypertension among older adults with intellectual disability in comparison with the general population. <i>BMC Geriatrics</i> , 2017, 17, 272.	1.1	30
34	OLDER PEOPLE WITH INTELLECTUAL DISABILITY: AN 11-YEAR REGISTER STUDY OF HEALTHCARE USE PATTERNS. <i>Innovation in Aging</i> , 2017, 1, 26-26.	0.0	0
35	Insufficient time for leisure and perceived health and stress in working parents with small children. <i>Work</i> , 2016, 55, 453-461.	0.6	9
36	Health care utilisation among older persons with intellectual disability and dementia: a registry study. <i>Journal of Intellectual Disability Research</i> , 2016, 60, 1165-1177.	1.2	14

#	ARTICLE	IF	CITATIONS
37	Psychiatric care utilization among older people with intellectual disability in comparison with the general population: a register study. <i>BMC Psychiatry</i> , 2016, 16, 389.	1.1	15
38	Somatic healthcare utilisation patterns among older people with intellectual disability: an 11-year register study. <i>BMC Health Services Research</i> , 2016, 16, 642.	0.9	23
39	Cross-sectional associations between occupational factors and musculoskeletal pain in women teachers, nurses and sonographers. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 35.	0.8	49
40	Cadmium and mercury exposure over time in Swedish children. <i>Environmental Research</i> , 2016, 150, 600-605.	3.7	19
41	Gender inequality at home is associated with poorer health for women. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 176-182.	1.2	59
42	The ordinary work environment increases symptoms from eyes and airways in mild steel welders. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 1131-1140.	1.1	9
43	Toluene diisocyanate: Induction of the autotaxin-lysophosphatidic acid axis and its association with airways symptoms. <i>Toxicology and Applied Pharmacology</i> , 2015, 287, 222-231.	1.3	15
44	Exposure of hairdressers to ortho- and meta-toluidine in hair dyes. <i>Occupational and Environmental Medicine</i> , 2015, 72, 57-63.	1.3	19
45	Work-related airway symptoms, nasal reactivity and health-related quality of life in female hairdressers: a follow-up study during exposure. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 61-71.	1.1	15
46	Cadmium concentrations in human blood and urine are associated with polymorphisms in zinc transporter genes. <i>Metallomics</i> , 2014, 6, 885-891.	1.0	36
47	Inflammatory biomarkers in serum in subjects with and without work related neck/shoulder complaints. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 103.	0.8	34
48	Time trends between 1987 and 2007 for perfluoroalkyl acids in plasma from Swedish women. <i>Chemosphere</i> , 2014, 102, 61-67.	4.2	40
49	Effects of diesel exposure on lung function and inflammation biomarkers from airway and peripheral blood of healthy volunteers in a chamber study. <i>Particle and Fibre Toxicology</i> , 2013, 10, 60.	2.8	76
50	Polymorphisms in Iron Homeostasis Genes and Urinary Cadmium Concentrations among Nonsmoking Women in Argentina and Bangladesh. <i>Environmental Health Perspectives</i> , 2013, 121, 467-472.	2.8	21
51	Attitude and flexibility are the most important work place factors for working parents's mental wellbeing, stress, and work engagement. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 692-705.	1.2	19
52	Discrepancies in pain presentation caused by adverse psychosocial conditions as compared to pain due to high physical workload?. <i>Work</i> , 2012, 41, 2472-2475.	0.6	3
53	Hemoglobin adducts as a measure of variations in exposure to acrylamide in food and comparison to questionnaire data. <i>Food and Chemical Toxicology</i> , 2012, 50, 2531-2539.	1.8	38
54	Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations. <i>Chemosphere</i> , 2012, 88, 1269-1275.	4.2	116

#	ARTICLE	IF	CITATIONS
55	Very high correlations between fresh weight and lipid-adjusted PCB-153 serum concentrations: Irrespective of fasting status, age, body mass index, gender, or exposure distributions. <i>Chemosphere</i> , 2012, 88, 828-831.	4.2	19
56	The GSTP1 Ile105 Val polymorphism modifies the metabolism of toluene di-isocyanate. <i>Pharmacogenetics and Genomics</i> , 2010, 20, 104-111.	0.7	23
57	Birth weight and fetal growth in infants born to female hairdressers and their sisters. <i>Occupational and Environmental Medicine</i> , 2009, 66, 198-204.	1.3	14
58	Traffic-related air pollution associated with prevalence of asthma and COPD/chronic bronchitis. A cross-sectional study in Southern Sweden. <i>International Journal of Health Geographics</i> , 2009, 8, 2.	1.2	103
59	Traffic exposure associated with allergic asthma and allergic rhinitis in adults. A cross-sectional study in southern Sweden. <i>International Journal of Health Geographics</i> , 2009, 8, 25.	1.2	61
60	No Interaction Between Smoking and Working as a Hairdresser With Respect to Reproductive Health. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 399.	0.9	2
61	N-nitrosamines in the southern Swedish rubber industries – exposure, health effects, and immunologic markers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 203-211.	1.7	9
62	Environmental and biological monitoring of antineoplastic drugs in four workplaces in a Swedish hospital. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 899-911.	1.1	102
63	Influence of glutathione-related genes on symptoms and immunologic markers among vulcanization workers in the southern Sweden rubber industries. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 913-919.	1.1	3
64	Gender differences in workers with identical repetitive industrial tasks: exposure and musculoskeletal disorders. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 939-947.	1.1	164
65	Levels of 1-hydroxypyrene, symptoms and immunologic markers in vulcanization workers in the southern Sweden rubber industries. <i>International Archives of Occupational and Environmental Health</i> , 2008, 82, 131-137.	1.1	8
66	Associations between estimated acrylamide intakes, and hemoglobin AA adducts in a sample from the Malmö Diet and Cancer cohort. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 314-323.	1.3	63
67	Influence of genetic factors on toluene diisocyanate-related symptoms: evidence from a cross-sectional study. <i>Environmental Health</i> , 2008, 7, 15.	1.7	10
68	Reproductive toxicity of seafood contaminants: Prospective comparisons of Swedish east and west coast fishermen's families. <i>Environmental Health</i> , 2008, 7, 20.	1.7	10
69	Rapid decline of persistent organochlorine pollutants in serum among young Swedish males. <i>Chemosphere</i> , 2008, 70, 1620-1628.	4.2	17
70	Lung Function in Relation to 2-Thiothiazolidine-4-Carboxylic Acid and Genetic Effect Modification Among Rubber Workers in Sweden. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 1006-1012.	0.9	4
71	Follow-up study of musculoskeletal disorders 20 months after the introduction of a mouse-based computer system. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008, 34, 374-380.	1.7	19
72	Menstrual cycle characteristics in European and Inuit women exposed to persistent organochlorine pollutants. <i>Human Reproduction</i> , 2007, 23, 193-200.	0.4	25

#	ARTICLE	IF	CITATIONS
73	Sperm DNA integrity assessment in prediction of assisted reproduction technology outcome. <i>Human Reproduction</i> , 2007, 22, 174-179.	0.4	639
74	Dietary exposure to methyl mercury and PCB and the associations with semen parameters among Swedish fishermen. <i>Environmental Health</i> , 2007, 6, 14.	1.7	33
75	Levels of 2-thiothiazolidine-4-carboxylic acid (TTCA) and effect modification of polymorphisms of glutathione-related genes in vulcanization workers in the southern Sweden rubber industries. <i>International Archives of Occupational and Environmental Health</i> , 2007, 80, 589-598.	1.1	12
76	Work Related Injuries in Children Working at a Waste Disposal Site in Nicaragua. <i>Epidemiology</i> , 2007, 18, S186.	1.2	1
77	Symptoms and immunologic markers among vulcanization workers in rubber industries in southern Sweden. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 272-279.	1.7	7
78	Eye and airway symptoms in low occupational exposure to toluene diisocyanate. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 280-285.	1.7	15
79	Musculoskeletal disorders among female and male air traffic controllers performing identical and demanding computer work. <i>Ergonomics</i> , 2006, 49, 1052-1067.	1.1	65
80	Symptoms and immunological markers in vulcanization workers in the southern Sweden rubber industries. <i>Toxicology Letters</i> , 2006, 164, S125.	0.4	0
81	Hydroxy-PCBs, PBDEs, and HBCDDs in Serum from an Elderly Population of Swedish Fishermen's Wives and Associations with Bone Density. <i>Environmental Science &amp; Technology</i> , 2006, 40, 6282-6289.	4.6	98
82	Estimations of past male and female serum concentrations of biomarkers of persistent organochlorine pollutants and their impact on fecundability estimates. <i>Environmental Research</i> , 2006, 101, 387-394.	3.7	14
83	Menarche in women with high exposure to persistent organochlorine pollutants in utero and during childhood. <i>Environmental Research</i> , 2006, 102, 77-82.	3.7	22
84	Association between biomarkers of exposure to persistent organochlorine compounds (POCs). <i>Chemosphere</i> , 2006, 64, 692-694.	4.2	3
85	Factors affecting time to pregnancy. <i>Human Reproduction</i> , 2006, 21, 1279-1284.	0.4	66
86	Time to pregnancy as a function of male and female serum concentrations of 2,2,4,4,5,5-hexachlorobiphenyl (CB-153) and 1,1-dichloro-2,2-bis (p-chlorophenyl)-ethylene (p,p'-DDE). <i>Human Reproduction</i> , 2006, 21, 657-665.	0.4	53
87	Fertility among female hairdressers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 51-60.	1.7	37
88	Time to pregnancy and pregnancy outcome. <i>Fertility and Sterility</i> , 2005, 84, 966-974.	0.5	45
89	Validity of self-assessed reports of occurrence and duration of occupational tasks. <i>Ergonomics</i> , 2005, 48, 12-24.	1.1	41
90	Fertility in four regions spanning large contrasts in serum levels of widespread persistent organochlorines: a cross-sectional study. <i>Environmental Health</i> , 2005, 4, 26.	1.7	98

#	ARTICLE	IF	CITATIONS
91	Altered menstrual cycles in women with a high dietary intake of persistent organochlorine compounds. <i>Chemosphere</i> , 2004, 56, 813-819.	4.2	32
92	Polychlorinated biphenyls in serum and time to pregnancy. <i>Environmental Research</i> , 2004, 96, 186-195.	3.7	43
93	Reproductive outcome among female hairdressers. <i>Occupational and Environmental Medicine</i> , 2002, 59, 517-522.	1.3	50
94	Female fertility in relation to the consumption of fish contaminated with persistent organochlorine compounds. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002, 28, 124-132.	1.7	35
95	POLYCHLORINATED BIPHENYLS IN BLOOD PLASMA AMONG SWEDISH FEMALE FISH CONSUMERS IN RELATION TO TIME TO PREGNANCY. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2001, 64, 485-498.	1.1	31
96	Health effects of occupational exposure to acrylamide using hemoglobin adducts as biomarkers of internal dose. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001, 27, 219-226.	1.7	217
97	Exposure to hexahydrophthalic and methylhexahydrophthalic anhydrides - dose-response for sensitization and airway effects. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001, 27, 327-334.	1.7	29
98	Miscarriages and stillbirths in women with a high intake of fish contaminated with persistent organochlorine compounds. <i>International Archives of Occupational and Environmental Health</i> , 2000, 73, 204-208.	1.1	29
99	CYP1A1 and GSTM1 polymorphisms affect urinary 1-hydroxypyrene levels after PAH exposure. <i>Carcinogenesis</i> , 2000, 21, 669-676.	1.3	106
100	Assessment of environmental tobacco smoke exposure in children with asthmatic symptoms by questionnaire and cotinine concentrations in plasma, saliva, and urine. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 715-721.	2.4	63
101	Time to pregnancy and infertility among women with a high intake of fish contaminated with persistent organochlorine compounds. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 199-206.	1.7	31
102	Influence of genetic polymorphisms of biotransformation enzymes on gene mutations, strand breaks of deoxyribonucleic acid, and micronuclei in mononuclear blood cells and urinary 8-hydroxydeoxyguanosine in potroom workers exposed to polyaromatic hydrocarbo. <i>Scandinavian Journal of Work, Environment and Health</i> , 1999, 25, 351-360.	1.7	40