

# Nasim Sabouri

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4569951/nasim-sabouri-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30  
papers

1,007  
citations

15  
h-index

31  
g-index

35  
ext. papers

1,182  
ext. citations

8.9  
avg, IF

4.35  
L-index

#	Paper	IF	Citations
30	Probing the folding pathways of four-stranded intercalated cytosine-rich motifs at single base-pair resolution.. <i>Biochimie</i> , <b>2022</b> ,	4.6	2
29	The RGG domain in the C-terminus of the DEAD box helicases Dbp2 and Ded1 is necessary for G-quadruplex destabilization. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, 8339-8354	20.1	3
28	A Minimalistic Coumarin Turn-On Probe for Selective Recognition of Parallel G-Quadruplex DNA Structures. <i>ACS Chemical Biology</i> , <b>2021</b> , 16, 1365-1376	4.9	2
27	Light-induced in situ chemical activation of a fluorescent probe for monitoring intracellular G-quadruplex structures. <i>Nanoscale</i> , <b>2021</b> , 13, 13795-13808	7.7	3
26	A site-specific self-assembled light-up rotor probe for selective recognition and stabilization of c-MYC G-quadruplex DNA. <i>Nanoscale</i> , <b>2020</b> , 12, 12950-12957	7.7	12
25	The Relation Between Position and Chemical Composition of Bis-Indole Substituents Determines Their Interactions with G-Quadruplex DNA. <i>Chemistry - A European Journal</i> , <b>2020</b> , 26, 9561-9572	4.8	6
24	Quinazoline Ligands Induce Cancer Cell Death through Selective STAT3 Inhibition and G-Quadruplex Stabilization. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 2876-2888	16.4	26
23	Stabilization of G-quadruplex DNA structures in <i>Schizosaccharomyces pombe</i> causes single-strand DNA lesions and impedes DNA replication. <i>Nucleic Acids Research</i> , <b>2020</b> , 48, 10998-11015	20.1	6
22	Unravelling the cellular emission fingerprint of the benchmark G-quadruplex-interactive compound Phen-DC. <i>Chemical Communications</i> , <b>2020</b> , 56, 14251-14254	5.8	7
21	A Light-up Logic Platform for Selective Recognition of Parallel G-Quadruplex Structures via Disaggregation-Induced Emission. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 906-912	3.6	4
20	A Light-up Logic Platform for Selective Recognition of Parallel G-Quadruplex Structures via Disaggregation-Induced Emission. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 896-902	16.4	24
19	Identification of putative G-quadruplex DNA structures in <i>S. pombe</i> genome by quantitative PCR stop assay. <i>DNA Repair</i> , <b>2019</b> , 82, 102678	4.3	10
18	Flexible Versus Rigid G-Quadruplex DNA Ligands: Synthesis of Two Series of Bis-indole Derivatives and Comparison of Their Interactions with G-Quadruplex DNA. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 7926-7938	4.8	11
17	The Pif1 signature motif of Pfh1 is necessary for both protein displacement and helicase unwinding activities, but is dispensable for strand-annealing activity. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, 8516-8531	20.1	15
16	The functions of the multi-tasking Pfh1 helicase. <i>Current Genetics</i> , <b>2017</b> , 63, 621-626	2.9	19
15	Synthesis of phenanthridine spiropyrans and studies of their effects on G-quadruplex DNA. <i>Organic and Biomolecular Chemistry</i> , <b>2017</b> , 15, 3265-3275	3.9	9
14	Design and Synthesis of 2,2bDiindolylmethanes to Selectively Target Certain G-Quadruplex DNA Structures. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 13004-9	4.8	13

13	Identification of Compounds that Selectively Stabilize Specific G-Quadruplex Structures by Using a Thioflavin T-Displacement Assay as a Tool. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 18932-18943	4.8	18
12	Pfh1 Is an Accessory Replicative Helicase that Interacts with the Replisome to Facilitate Fork Progression and Preserve Genome Integrity. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1006238	6	25
11	G-rich telomeric and ribosomal DNA sequences from the fission yeast genome form stable G-quadruplex DNA structures in vitro and are unwound by the Pfh1 DNA helicase. <i>Nucleic Acids Research</i> , <b>2016</b> , 44, 6213-31	20.1	46
10	The essential <i>Schizosaccharomyces pombe</i> Pfh1 DNA helicase promotes fork movement past G-quadruplex motifs to prevent DNA damage. <i>BMC Biology</i> , <b>2014</b> , 12, 101	7.3	55
9	In vivo occupancy of mitochondrial single-stranded DNA binding protein supports the strand displacement mode of DNA replication. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004832	6	93
8	The Pif1 family helicase Pfh1 facilitates telomere replication and has an RPA-dependent role during telomere lengthening. <i>DNA Repair</i> , <b>2014</b> , 24, 80-86	4.3	24
7	DNA replication through hard-to-replicate sites, including both highly transcribed RNA Pol II and Pol III genes, requires the <i>S. pombe</i> Pfh1 helicase. <i>Genes and Development</i> , <b>2012</b> , 26, 581-93	12.6	77
6	Unwinding the functions of the Pif1 family helicases. <i>DNA Repair</i> , <b>2010</b> , 9, 237-49	4.3	156
5	Translesion synthesis of abasic sites by yeast DNA polymerase epsilon. <i>FASEB Journal</i> , <b>2010</b> , 24, 492.8	0.9	
4	Translesion synthesis of abasic sites by yeast DNA polymerase epsilon. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 31555-63	5.4	19
3	Evidence for lesion bypass by yeast replicative DNA polymerases during DNA damage. <i>Nucleic Acids Research</i> , <b>2008</b> , 36, 5660-7	20.1	72
2	Structure of <i>Saccharomyces cerevisiae</i> DNA polymerase epsilon by cryo-electron microscopy. <i>Nature Structural and Molecular Biology</i> , <b>2006</b> , 13, 35-43	17.6	81
1	Idling by DNA polymerase delta maintains a ligatable nick during lagging-strand DNA replication. <i>Genes and Development</i> , <b>2004</b> , 18, 2764-73	12.6	169