

Tadashi Yoshida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4571082/publications.pdf>

Version: 2024-02-01

78
papers

2,744
citations

136740

32
h-index

182168

51
g-index

80
all docs

80
docs citations

80
times ranked

3895
citing authors

#	ARTICLE	IF	CITATIONS
1	Macrophage-Specific IGF-1 Overexpression Reduces CXCL12 Chemokine Levels and Suppresses Atherosclerotic Burden in Apoe-Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022, 42, 113-126.	1.1	8
2	The SGLT2 inhibitor Empagliflozin attenuates interleukin-17A-induced human aortic smooth muscle cell proliferation and migration by targeting TRAF3IP2/ROS/NLRP3/Caspase-1-dependent IL-1 β and IL-18 secretion. <i>Cellular Signalling</i> , 2021, 77, 109825.	1.7	54
3	Bullous pemphigoid in patients receiving peritoneal dialysis: a case series and a literature survey. <i>Renal Failure</i> , 2021, 43, 651-657.	0.8	7
4	Mutation of the 5' untranslated region stem-loop mRNA structure reduces type I collagen deposition and arterial stiffness in male obese mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 321, H435-H445.	1.5	4
5	Massive Calcification in A Nonfunctioning Transplanted Kidney. <i>Iranian Journal of Kidney Diseases</i> , 2021, 15, 168.	0.1	0
6	Successful perinatal management of a dichorionic diamniotic twin pregnancy in an anaemic kidney transplant patient treated with Darbepoetin alfa: a case report. <i>Journal of Obstetrics and Gynaecology</i> , 2020, 40, 427-429.	0.4	1
7	Endothelial deficiency of insulin-like growth factor-1 receptor reduces endothelial barrier function and promotes atherosclerosis in ApoE-deficient mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H730-H743.	1.5	22
8	Mechanisms of IGF-1-Mediated Regulation of Skeletal Muscle Hypertrophy and Atrophy. <i>Cells</i> , 2020, 9, 1970.	1.8	237
9	Pyometra in a hemodialysis patient with severe constipation. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 849-849.	0.7	0
10	Minocycline reverses IL-17A/TRAF3IP2-mediated p38 MAPK/NF- κ B/iNOS/NO-dependent cardiomyocyte contractile depression and death. <i>Cellular Signalling</i> , 2020, 73, 109690.	1.7	16
11	Safety and efficacy of plasma exchange via direct femoral vein puncture in autoimmune blistering diseases. <i>Journal of Clinical Apheresis</i> , 2020, 35, 172-177.	0.7	4
12	Minocycline inhibits PDGF-BB-induced human aortic smooth muscle cell proliferation and migration by reversing miR-221- and -222-mediated RECK suppression. <i>Cellular Signalling</i> , 2019, 57, 10-20.	1.7	18
13	RECK suppresses interleukin-17/TRAF3IP2-mediated MMP-13 activation and human aortic smooth muscle cell migration and proliferation. <i>Journal of Cellular Physiology</i> , 2019, 234, 22242-22259.	2.0	24
14	Angiotensin II suppresses autophagy and disrupts ultrastructural morphology and function of mitochondria in mouse skeletal muscle. <i>Journal of Applied Physiology</i> , 2019, 126, 1550-1562.	1.2	16
15	Peritoneal dialysis patient having fish bone-induced colon perforation. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 717-718.	0.7	1
16	Smooth Muscle Specific Glyceraldehyde-3-phosphate dehydrogenase (GAPDH) Reduces DNA Damage, Decreases Cell Apoptosis, Suppresses Atherosclerosis and Promotes the Stable Plaque Phenotype. <i>FASEB Journal</i> , 2019, 33, .	0.2	0
17	Chronic nephritis associated with X-linked thrombocytopenia. <i>CEN Case Reports</i> , 2018, 7, 187-188.	0.5	0
18	TRAF3IP2 mediates TWEAK/TWEAKR-induced pro-fibrotic responses in cultured cardiac fibroblasts and the heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2018, 121, 107-123.	0.9	26

#	ARTICLE	IF	CITATIONS
19	Expanding Phenotype of Nephronophthisis-Related Ciliopathy: an Elderly Patient with Homozygous <i>RPGRIPL1</i> Mutation. <i>Nephron</i> , 2018, 140, 74-78.	0.9	2
20	Podocyte-specific NF- κ B inhibition ameliorates proteinuria in adriamycin-induced nephropathy in mice. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 16-26.	0.7	18
21	Idiopathic hemocele in a patient receiving peritoneal dialysis. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 350-351.	0.7	1
22	Nuclear complex of glyceraldehyde-3-phosphate dehydrogenase and DNA repair enzyme apurinic/apyrimidinic endonuclease I protect smooth muscle cells against oxidant-induced cell death. <i>FASEB Journal</i> , 2017, 31, 3179-3192.	0.2	14
23	Smooth Muscle-Selective Nuclear Factor- κ B Inhibition Reduces Phosphate-Induced Arterial Medial Calcification in Mice With Chronic Kidney Disease. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	44
24	Pleiotropic effects of statins on acute kidney injury: involvement of KrÄppel-like factor 4. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 175-181.	0.7	9
25	L-Carnitine improves gastrointestinal disorders and altered the intestinal microbiota in hemodialysis patients. <i>Bioscience of Microbiota, Food and Health</i> , 2017, 36, 11-16.	0.8	7
26	Cardiac-restricted Overexpression of TRAF3 Interacting Protein 2 (TRAF3IP2) Results in Spontaneous Development of Myocardial Hypertrophy, Fibrosis, and Dysfunction. <i>Journal of Biological Chemistry</i> , 2016, 291, 19425-19436.	1.6	18
27	An Intronic Enhancer Element Regulates Angiotensin II Type 2 Receptor Expression during Satellite Cell Differentiation, and Its Activity Is Suppressed in Congestive Heart Failure. <i>Journal of Biological Chemistry</i> , 2016, 291, 25578-25590.	1.6	11
28	Podocyte NF- κ B is dispensable for the pathogenesis of renal ischemia-reperfusion injury. <i>Physiological Reports</i> , 2016, 4, e12912.	0.7	8
29	Renal hemorrhage caused by acquired inhibitors to coagulation factors VIII and V in a hemodialysis patient. <i>CEN Case Reports</i> , 2016, 5, 223-226.	0.5	2
30	Endothelial KrÄppel-Like Factor 4 Mediates the Protective Effect of Statins against Ischemic AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1379-1388.	3.0	42
31	THE RENIN-ANGIOTENSIN SYSTEM AND THE BIOLOGY OF SKELETAL MUSCLE: MECHANISMS OF MUSCLE WASTING IN CHRONIC DISEASE STATES. <i>Transactions of the American Clinical and Climatological Association</i> , 2016, 127, 245-258.	0.9	23
32	Mechanisms of Cachexia in Chronic Disease States. <i>American Journal of the Medical Sciences</i> , 2015, 350, 250-256.	0.4	85
33	Comparison of the effects of low-dose rosuvastatin on plasma levels of cholesterol and oxidized low-density lipoprotein in ultracentrifugally separated low-density lipoprotein subfractions. <i>Journal of Clinical Lipidology</i> , 2015, 9, 751-757.	0.6	4
34	Posterior reversible encephalopathy syndrome in a uremic patient with autosomal recessive polycystic kidney disease. <i>CEN Case Reports</i> , 2015, 4, 238-242.	0.5	5
35	Changes in ultracentrifugally separated plasma lipoprotein subfractions in patients with polygenic hypercholesterolemia, familial combined hyperlipoproteinemia, and familial hypercholesterolemia after treatment with atorvastatin. <i>Journal of Clinical Lipidology</i> , 2015, 9, 210-216.	0.6	3
36	Role of KrÄppel-Like Factor 4 and its Binding Proteins in Vascular Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 402-413.	0.9	40

#	ARTICLE	IF	CITATIONS
37	Kruppel-like Factor 4 Protein Regulates Isoproterenol-induced Cardiac Hypertrophy by Modulating Myocardin Expression and Activity. <i>Journal of Biological Chemistry</i> , 2014, 289, 26107-26118.	1.6	51
38	Protein phosphatase 2C-alpha knockdown reduces angiotensin II-mediated skeletal muscle wasting via restoration of mitochondrial recycling and function. <i>Skeletal Muscle</i> , 2014, 4, 20.	1.9	21
39	Deletion of Kruppel-Like Factor 4 in Endothelial and Hematopoietic Cells Enhances Neointimal Formation Following Vascular Injury. <i>Journal of the American Heart Association</i> , 2014, 3, e000622.	1.6	47
40	Docosahexaenoic acid reverses angiotensin II-induced RECK suppression and cardiac fibroblast migration. <i>Cellular Signalling</i> , 2014, 26, 933-941.	1.7	37
41	Insulin-like Growth Factor-1 Increases Synthesis of Collagen Type I via Induction of the mRNA-binding Protein LARP6 Expression and Binding to the 5' Stem-loop of COL1a1 and COL1a2 mRNA. <i>Journal of Biological Chemistry</i> , 2014, 289, 7264-7274.	1.6	74
42	Angiotensin Type 2 Receptor Signaling in Satellite Cells Potentiates Skeletal Muscle Regeneration. <i>Journal of Biological Chemistry</i> , 2014, 289, 26239-26248.	1.6	30
43	Pressure overload induces IL-18 and IL-18R expression, but markedly suppresses IL-18BP expression in a rabbit model. IL-18 potentiates TNF- α -induced cardiomyocyte death. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 75, 141-151.	0.9	35
44	TRAF3IP2 mediates interleukin-18-induced cardiac fibroblast migration and differentiation. <i>Cellular Signalling</i> , 2013, 25, 2176-2184.	1.7	27
45	Molecular mechanisms and signaling pathways of angiotensin II-induced muscle wasting: Potential therapeutic targets for cardiac cachexia. <i>International Journal of Biochemistry and Cell Biology</i> , 2013, 45, 2322-2332.	1.2	116
46	High Glucose Concentration Does Not Modulate the Formation of Arterial Medial Calcification in Experimental Uremic Rats. <i>Journal of Vascular Research</i> , 2013, 50, 512-520.	0.6	12
47	Angiotensin II stimulates cardiac fibroblast migration via the differential regulation of matrixins and RECK. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 65, 9-18.	0.9	95
48	Angiotensin II Inhibits Satellite Cell Proliferation and Prevents Skeletal Muscle Regeneration. <i>Journal of Biological Chemistry</i> , 2013, 288, 23823-23832.	1.6	73
49	CIKS (Act1 or TRAF3IP2) mediates high glucose-induced endothelial dysfunction. <i>Cellular Signalling</i> , 2013, 25, 359-371.	1.7	48
50	Advanced oxidation protein products induce cardiomyocyte death via Nox2/Rac1/superoxide-dependent TRAF3IP2/JNK signaling. <i>Free Radical Biology and Medicine</i> , 2013, 60, 125-135.	1.3	50
51	Interleukin-18 enhances IL-18R/Nox1 binding, and mediates TRAF3IP2-dependent smooth muscle cell migration. Inhibition by simvastatin. <i>Cellular Signalling</i> , 2013, 25, 1447-1456.	1.7	16
52	Smooth Muscle-Selective Inhibition of Nuclear Factor- κ B Attenuates Smooth Muscle Phenotypic Switching and Neointima Formation Following Vascular Injury. <i>Journal of the American Heart Association</i> , 2013, 2, e000230.	1.6	67
53	Angiotensin II enhances AT ₁ -Nox1 binding and stimulates arterial smooth muscle cell migration and proliferation through AT ₁ , Nox1, and interleukin-18. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 303, H282-H296.	1.5	86
54	Angiotensin II Reduces Food Intake by Altering Orexigenic Neuropeptide Expression in the Mouse Hypothalamus. <i>Endocrinology</i> , 2012, 153, 1411-1420.	1.4	56

#	ARTICLE	IF	CITATIONS
55	KrÃ¼ppel-like Factor 4 Contributes to High Phosphate-induced Phenotypic Switching of Vascular Smooth Muscle Cells into Osteogenic Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 25706-25714.	1.6	65
56	Anaphylactoid reaction to immunoadsorptive membrane in a patient with myasthenia gravis. <i>CEN Case Reports</i> , 2012, 1, 1-3.	0.5	0
57	Î²2 adrenergic activation induces the expression of IL-18 binding protein, a potent inhibitor of isoproterenol induced cardiomyocyte hypertrophy in vitro and myocardial hypertrophy in vivo. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 206-218.	0.9	35
58	Angiotensin II Infusion Induces Marked Diaphragmatic Skeletal Muscle Atrophy. <i>PLoS ONE</i> , 2012, 7, e30276.	1.1	48
59	Interleukin-17A stimulates cardiac fibroblast proliferation and migration via negative regulation of the dual-specificity phosphatase MKP-1/DUSP-1. <i>Cellular Signalling</i> , 2012, 24, 560-568.	1.7	88
60	Angiotensin II depletes the skeletal muscle satellite cell pool and prevents skeletal muscle regeneration. <i>FASEB Journal</i> , 2012, 26, 1078.7.	0.2	0
61	Physical association of Angiotensinâ€” type 1 Receptor (AT1R) and NOXâ€”1 mediates NFâ€”Î±B and APâ€”1â€”dependent Interleukinâ€”18 induction and Aortic SMC Migration and Proliferation. <i>FASEB Journal</i> , 2012, 26, 870.32.	0.2	0
62	Angiotensin II induced catabolic effect and muscle atrophy are redox dependent. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 217-221.	1.0	82
63	Angiotensin-II type 1 receptor and NOX2 mediate TCF/LEF and CREB dependent WISP1 induction and cardiomyocyte hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2011, 50, 928-938.	0.9	69
64	Angiotensin II, Oxidative Stress and Skeletal Muscle Wasting. <i>American Journal of the Medical Sciences</i> , 2011, 342, 143-147.	0.4	113
65	Angiotensin II Upregulates Protein Phosphatase 2CÎ± and Inhibits AMP-Activated Protein Kinase Signaling and Energy Balance Leading to Skeletal Muscle Wasting. <i>Hypertension</i> , 2011, 58, 643-649.	1.3	58
66	IGF-1 prevents ANG II-induced skeletal muscle atrophy via Akt- and Foxo-dependent inhibition of the ubiquitin ligase atrogin-1 expression. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H1565-H1570.	1.5	94
67	3P104 Analysis of substrate interaction of human indoleamine 2,3-dioxygenase by resonance Raman spectroscopy and site-directed mutagenesis(Hemeproteins,Poster Presentations). <i>Seibutsu Butsuri</i> , 2007, 47, S229.	0.0	0
68	Identification of a Renal Proximal Tubular Cell-Specific Enhancer in the Mouse 25-Hydroxyvitamin D 1Î±-Hydroxylase Gene. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 1455-1463.	3.0	11
69	Association Between Platelet Glycoprotein I bÎ± Genotype and Ischemic Cerebrovascular Disease. <i>Stroke</i> , 2000, 31, 493-497.	1.0	81
70	C242T Polymorphism of NADPH Oxidase p22PHOXGene and Ischemic Cerebrovascular Disease in the Japanese Population. <i>Stroke</i> , 2000, 31, 936-939.	1.0	100
71	Serum leptin concentrations in patients with thyroid disorders. <i>Clinical Endocrinology</i> , 1998, 48, 299-302.	1.2	56
72	Na⁺/H⁺ Exchanger (NHE) 3 Activity and Gene in Spontaneously Hypertensive Rats (SHR). <i>International Heart Journal</i> , 1996, 37, 569-569.	0.6	0

#	ARTICLE	IF	CITATIONS
73	Expression of Recombinant Human Thyrotropin Receptor in Myeloma Cells. Journal of Biochemistry, 1995, 118, 265-270.	0.9	19
74	New Endoscopic Surgical Treatment-Thoracoscopic Microwave Coagulo-Necrotic Therapy for small hepatocellular carcinoma. Journal of Microwave Surgery, 1994, 12, 1-8.	0.3	11
75	SUCCESSFUL ATTEMPT OF THORACOSCOPIC MICROWAVE COAGULO-NECROTIC THERAPY FOR RECURRENT HEPATOCELLULAR CARCINOMA AFTER LIVER RESECTION-A CASE REPORT-. The Journal of the Japanese Practical Surgeon Society, 1994, 55, 2366-2371.	0.0	0
76	Cushing's Syndrome Due to Primary Adrenocortical Nodular Dysplasia, Cardiac Myxomas, and Spotty Pigmentation, Complicated by Sarcoidosis.. Internal Medicine, 1992, 31, 1329-1334.	0.3	4
77	Hyperglycinemia: A Defect in Glycine Cleavage Reaction. Tohoku Journal of Experimental Medicine, 1969, 98, 289-296.	0.5	80
78	Dietary Phosphorus Deprivation Induces 25-Hydroxyvitamin D3 1 α -Hydroxylase Gene Expression. , 0, .		14