

# Aline Dugravot

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4571991/publications.pdf>

Version: 2024-02-01

77  
papers

6,186  
citations

101384

36  
h-index

110170

64  
g-index

77  
all docs

77  
docs citations

77  
times ranked

10130  
citing authors

#	ARTICLE	IF	CITATIONS
1	Timing of onset of cognitive decline: results from Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2012, 344, d7622-d7622.	2.4	610
2	Trajectories of Depressive Symptoms Before Diagnosis of Dementia. <i>JAMA Psychiatry</i> , 2017, 74, 712.	6.0	361
3	Metabolically healthy obesity and the risk of cardiovascular disease and type 2 diabetes: the Whitehall II cohort study. <i>European Heart Journal</i> , 2015, 36, 551-559.	1.0	283
4	Metabolically Healthy Obesity and Risk of Mortality. <i>Diabetes Care</i> , 2013, 36, 2294-2300.	4.3	278
5	Health Behaviours, Socioeconomic Status, and Mortality: Further Analyses of the British Whitehall II and the French GAZEL Prospective Cohorts. <i>PLoS Medicine</i> , 2011, 8, e1000419.	3.9	255
6	Association of sleep duration in middle and old age with incidence of dementia. <i>Nature Communications</i> , 2021, 12, 2289.	5.8	254
7	Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j2709.	2.4	248
8	Obesity trajectories and risk of dementia: 28 years of follow-up in the Whitehall II Study. <i>Alzheimer's and Dementia</i> , 2018, 14, 178-186.	0.4	240
9	Impact of Smoking on Cognitive Decline in Early Old Age. <i>Archives of General Psychiatry</i> , 2012, 69, 627-35.	13.8	176
10	Predicting cognitive decline. <i>Neurology</i> , 2013, 80, 1300-1306.	1.5	169
11	Interleukin-6 and C-reactive protein as predictors of cognitive decline in late midlife. <i>Neurology</i> , 2014, 83, 486-493.	1.5	167
12	Socioeconomic Status, Structural and Functional Measures of Social Support, and Mortality. <i>American Journal of Epidemiology</i> , 2012, 175, 1275-1283.	1.6	166
13	Association between systolic blood pressure and dementia in the Whitehall II cohort study: role of age, duration, and threshold used to define hypertension. <i>European Heart Journal</i> , 2018, 39, 3119-3125.	1.0	165
14	The association between self-rated health and mortality in different socioeconomic groups in the GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2007, 36, 1222-1228.	0.9	150
15	Midlife type 2 diabetes and poor glycaemic control as risk factors for cognitive decline in early old age: a post-hoc analysis of the Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 228-235.	5.5	150
16	Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k2927.	2.4	150
17	Atrial fibrillation as a risk factor for cognitive decline and dementia. <i>European Heart Journal</i> , 2017, 38, 2612-2618.	1.0	147
18	Social inequalities in multimorbidity, frailty, disability, and transitions to mortality: a 24-year follow-up of the Whitehall II cohort study. <i>Lancet Public Health</i> , 2020, 5, e42-e50.	4.7	147

#	ARTICLE	IF	CITATIONS
19	Association Between Age at Diabetes Onset and Subsequent Risk of Dementia. JAMA - Journal of the American Medical Association, 2021, 325, 1640.	3.8	135
20	Alcohol consumption and cognitive decline in early old age. Neurology, 2014, 82, 332-339.	1.5	125
21	Does cognitive reserve shape cognitive decline?. Annals of Neurology, 2011, 70, 296-304.	2.8	121
22	Association of ideal cardiovascular health at age 50 with incidence of dementia: 25 year follow-up of Whitehall II cohort study. BMJ: British Medical Journal, 2019, 366, l4414.	2.4	117
23	Unhealthy behaviours and disability in older adults: Three-City Dijon cohort study. BMJ, The, 2013, 347, f4240-f4240.	3.0	111
24	Obesity phenotypes in midlife and cognition in early old age. Neurology, 2012, 79, 755-762.	1.5	94
25	Predictive utility of the Framingham general cardiovascular disease risk profile for cognitive function: evidence from the Whitehall II study. European Heart Journal, 2011, 32, 2326-2332.	1.0	93
26	Effect of Intensity and Type of Physical Activity on Mortality: Results From the Whitehall II Cohort Study. American Journal of Public Health, 2012, 102, 698-704.	1.5	93
27	Decline in Fast Gait Speed as a Predictor of Disability in Older Adults. Journal of the American Geriatrics Society, 2015, 63, 1129-1136.	1.3	87
28	Trajectories of Depressive Episodes and Hypertension Over 24 Years. Hypertension, 2011, 57, 710-716.	1.3	81
29	Subjective cognitive complaints and mortality: Does the type of complaint matter?. Journal of Psychiatric Research, 2014, 48, 73-78.	1.5	63
30	The association of APOE $\epsilon$ 4 with cognitive function over the adult life course and incidence of dementia: 20 years follow-up of the Whitehall II study. Alzheimer's Research and Therapy, 2021, 13, 5.	3.0	60
31	Contribution of cognitive performance and cognitive decline to associations between socioeconomic factors and dementia: A cohort study. PLoS Medicine, 2017, 14, e1002334.	3.9	56
32	Informal Caregiving and the Risk for Coronary Heart Disease: The Whitehall II Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1316-1323.	1.7	54
33	Midlife stroke risk and cognitive decline: A 10 year follow-up of the Whitehall II cohort study. Alzheimer's and Dementia, 2013, 9, 572-579.	0.4	49
34	Association of lung function with physical, mental and cognitive function in early old age. Age, 2011, 33, 385-392.	3.0	45
35	Sex differences and the role of education in cognitive ageing: analysis of two UK-based prospective cohort studies. Lancet Public Health, The, 2021, 6, e106-e115.	4.7	45
36	Trajectories of Unhealthy Behaviors in Midlife and Risk of Disability at Older Ages in the Whitehall II Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1500-1506.	1.7	41

#	ARTICLE	IF	CITATIONS
37	Powdery Mildew Decreases the Radial Growth of Oak Trees with Cumulative and Delayed Effects over Years. <i>PLoS ONE</i> , 2016, 11, e0155344.	1.1	40
38	The Role of Conventional Risk Factors in Explaining Social Inequalities in Coronary Heart Disease. <i>Epidemiology</i> , 2008, 19, 599-605.	1.2	39
39	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study. <i>PLoS Medicine</i> , 2020, 17, e1003289.	3.9	39
40	Risk prediction models for dementia: role of age and cardiometabolic risk factors. <i>BMC Medicine</i> , 2020, 18, 107.	2.3	38
41	Agricultural activities and the incidence of Parkinson's disease in the general French population. <i>European Journal of Epidemiology</i> , 2017, 32, 203-216.	2.5	35
42	No evidence of a longitudinal association between diurnal cortisol patterns and cognition. <i>Neurobiology of Aging</i> , 2014, 35, 2239-2245.	1.5	34
43	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study. <i>PLoS Medicine</i> , 2020, 17, e1003147.	3.9	34
44	Adult Education and Child Mortality in India. <i>Epidemiology</i> , 2008, 19, 294-301.	1.2	28
45	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 16-23.	2.2	28
46	Usefulness of a single-item measure of depression to predict mortality: the GAZEL prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 643-647.	0.1	27
47	Body mass index trajectories and functional decline in older adults: Three-City Dijon cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 73-83.	2.5	26
48	The gait speed advantage of taller stature is lost with age. <i>Scientific Reports</i> , 2018, 8, 1485.	1.6	20
49	Association of daily composition of physical activity and sedentary behaviour with incidence of cardiovascular disease in older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 83.	2.0	20
50	Do different measures of early life socioeconomic circumstances predict adult mortality? Evidence from the British Whitehall II and French GAZEL studies. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 1097-1103.	2.0	19
51	CSF level of $\beta^2$ -amyloid peptide predicts mortality in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 29.	3.0	19
52	Association of moderate and vigorous physical activity with incidence of type 2 diabetes and subsequent mortality: 27-year follow-up of the Whitehall II study. <i>Diabetologia</i> , 2020, 63, 537-548.	2.9	19
53	Association of UV radiation with Parkinson disease incidence: A nationwide French ecologic study. <i>Environmental Research</i> , 2017, 154, 50-56.	3.7	18
54	Change in Cardiovascular Health and Incident Type 2 Diabetes and Impaired Fasting Glucose: The Whitehall II Study. <i>Diabetes Care</i> , 2019, 42, 1981-1987.	4.3	18

#	ARTICLE	IF	CITATIONS
55	Biomarker profiles of Alzheimer's disease and dynamic of the association between cerebrospinal fluid levels of $\beta$ -amyloid peptide and tau. PLoS ONE, 2019, 14, e0217026.	1.1	18
56	Antidepressant medication use and trajectories of fasting plasma glucose, glycated haemoglobin, $\beta$ -cell function and insulin sensitivity: a 9-year longitudinal study of the D.E.S.I.R. cohort. International Journal of Epidemiology, 2015, 44, 1927-1940.	0.9	14
57	Long-Term Evolution of Functional Limitations in Stroke Survivors Compared With Stroke-Free Controls: Findings From 15 Years of Follow-Up Across 3 International Surveys of Aging. Stroke, 2022, 53, 228-237.	1.0	13
58	Timeline of pain before dementia diagnosis: a 27-year follow-up study. Pain, 2021, 162, 1578-1585.	2.0	13
59	Hostility and Trajectories of Body Mass Index Over 19 Years: The Whitehall II Study. American Journal of Epidemiology, 2008, 169, 347-354.	1.6	11
60	Association of APOE $\epsilon$ 4 with cerebral gray matter volumes in non-demented older adults: The MEMENTO cohort study. NeuroImage, 2022, 250, 118966.	2.1	11
61	Sex differences in functional limitations and the role of socioeconomic factors: a multi-cohort analysis. The Lancet Healthy Longevity, 2021, 2, e780-e790.	2.0	8
62	Detection of Outliers Due to Participants' Non-Adherence to Protocol in a Longitudinal Study of Cognitive Decline. PLoS ONE, 2015, 10, e0132110.	1.1	5
63	Sociodemographic determinants in the evolution of pain in inflammatory rheumatic diseases: results from ESPOIR and DESIR cohorts. Rheumatology, 2021, , .	0.9	4
64	Comparison of the predictive accuracy of multiple definitions of cognitive impairment for incident dementia: a 20-year follow-up of the Whitehall II cohort study. The Lancet Healthy Longevity, 2021, 2, e407-e416.	2.0	2
65	SABIA ET AL. RESPOND. American Journal of Public Health, 2012, 102, S165-S166.	1.5	0
66	Title is missing!. , 2020, 17, e1003289.		0
67	Title is missing!. , 2020, 17, e1003289.		0
68	Title is missing!. , 2020, 17, e1003289.		0
69	Title is missing!. , 2020, 17, e1003289.		0
70	Title is missing!. , 2020, 17, e1003289.		0
71	Title is missing!. , 2020, 17, e1003289.		0
72	Title is missing!. , 2020, 17, e1003289.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 17, e1003147.		0
74	Title is missing!. , 2020, 17, e1003147.		0
75	Title is missing!. , 2020, 17, e1003147.		0
76	Title is missing!. , 2020, 17, e1003147.		0
77	Title is missing!. , 2020, 17, e1003147.		0